LB/DON/33/2012

UNIVERSITY OF NORATUWA, SRI LANKA

د. بر د. د. بر ۲۰۰۰ می در ۲۰۰۰ د. بر ۲۰۹۵ می در ۲۰۰۰

PROPOSAL FOR PROVIDING POTABLE WATER REQUIREMENTS OF EMPLOYE'S HOUSING COMPLEX OF PUTTALAM COAL POWER PROJECT

Master of Science Dissertation



University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations www.lib.mrt.ac.lk

A. B. M. T. ABEYKOON

University of Moratuwa

621.3 "1" 621.3 043 ر ۲ ۲٫۴ دلم

Department of Electrical Engineering University of Moratuwa, Sri Lanka

October 2011

102529

102529



PROPOSAL FOR PROVIDING POTABLE WATER REQUIREMENTS OF EMPLOYE'S HOUSING COMPLEX OF PUTTALAM COAL POWER PROJECT TITLE OF THE PROJECT

A dissertation submitted to the

Department of Electrical Engineering, University of Moratuwa

in partial fulfilment of the requirements for the



Degree of Master of ScienceSri Lanka. Electronic Theses & Dissertations www.lib.mbyac.lk

ABEYKOON BASSNAYAKE MUDIYANSELAGE THUSHANTHA ABEYKOON

Supervised by: Dr. J. P. KARUNADASA

Department of Electrical Engineering University of Moratuwa, Sri Lanka

October 2011

DECLARATION

I hereby declare that the work submitted in this dissertation is the result of my own investigation, except where otherwise stated.

It has also not already been accepted for any degree, and is also not being concurrently submitted for any other degree.

UOM Verified Signature

Eng. A.B.M.T. ABEYKOON, Date: 09 November, 2011 Electronic Theses & Dissertations www.lib.mrt.ac.lk

We/I endorse the declaration by the candidate.

Certified by: *UOM Verified Signature* Dr. J. P. KARUNADASA Project Supervisor, Department of Electrical Engineering, University of Moratuwa, Sri Lanka.

ABSTRACT

This thesis discusses the study of ground water availability at Karamba in Kalpitiya peninsula and hence supply of potable water requirement to the Employer's Housing Compound (EHC) rather than implementing Reverse Osmosis (RO) system.

The specific objectives are,

- 1. To find out the reliable water source.
- To supply sufficient and quality water in accordance with the Sri Lankan regulations.
- How to use earth resistivity theory to predict the availability of ground water.
 University of Moratuwa, Sri Lanka.
- 4. To analysis cost effectiveness ground water isage compared to RO www.lib.mrt.ac.lk
- 5. To establish the reliable water supply net work to fulfill demand.

The content in Chapter 2 provide the reader with the ground water aquifers in Sri Lanka and geomorphological and hydrogeological distribution patterns mapped for different types of aquifers.

The information presented in Chapter 3, describes the fundamentals of the image survey to measure the earth resistivity and made various decision on geological parameters such as the mineral and fluid content, porosity and degree of water saturation in the rock. Actually, Electrical resistivity surveys have been used for many decades in hydrogeological, mining and geotechnical investigations.

As human increases, fresh water demand tended to increase too. The world's water consumption rate is doubling every 20 years. Then, RO process, water is made to pass from the more concentrated one, which is the reverse of the principle of osmosis is used as new technology in the world but more energy consumed with more capital cost. Chapter 4, 5, 6 & 7 will discus in more details about RO pants, pump selection, piping and costs analysis. Chapter 8 will explain the conclusion and future needs.



University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations www.lib.mrt.ac.lk

ACKNOWLEDGEMENT

The continuing supports and facilities provided by the University of Moratuwa to carry out this research is acknowledged with gratitude. Also, I would like to extensive acknowledge the assistance provided Ceylon Electricity Board, Puttalam Coal Power Project, Sri Lanka by providing me huge supports to convey this research study.

I am very much thankful to Dr. J. P. KARUNADASA, for agreeing to be main supervisor. So, I express my sincere acknowledge to Dr. J. P. KARUNADASA for his valuable instruction and supports.

I must acknowledge to Mr.Gamage from National Water Supply and Drainage Board University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations www.lib.mrt.ac.lk

The supports received from DGM(LVPS), Saliya Panditharathne is highly acknowledged. Also, I would like to acknowledge colleagues in the Ceylon Electricity Board and friends in Master of Electrical Installation 2007/2008 batch for their cooperation extended in completing this thesis and their support given throughout the research period.

Finally, my very special thanks go to my wife Dr. Lanka Nishanthi Liyanage Abeykoon for her continuous encouragement, patience and support during the period, I worked on this thesis. None of this would be possible if it were not for the love and support of my wife and daughter Binudi Laknara Abeykoon.

LIST OF FIGURES

٨.

Figure		Page
1.1	Water Source Investigation Location Site Map at Karamba	05
1.2	Water overflowing in potable state	06
1.3	The apparent resistivity pseudosection for a survey across the land at Karamba away from the EHC site on north direction are overflowing and in potable state	06
1.4	The apparent resistivity pseudosection for a survey across the land at	
	Karamba away 1.7km from EHC site on north direction	07
1.5	The arrangement of electrodes for a 2-D electrical survey at Karamba away 1.7km from EHC site on north direction Wenner and Wenner-Schlumberger arrays.	08
2.1	Different Types of Aquifers in Sri Lanka	12
2.2	Distribution of shallow and deep groundwater abstraction points used for	
	urban rural and industrial zone water supply schemes	14
2.3	Distribution University of Moratuwa, Sri Lanka.	16
3.1	Conventional four electrodes array to measure the subsurface resistivity	18
3.2	Equipotentials and current lines for a pair of current electrodes A and B	10
	on a homogeneous half-space	19
3.3	Electrode array configurations for resistivity measurements	20
3.4	Current Flow Pattern in Layered Media	24
3.5	The arrangement of electrodes for a 2-D electrical survey and the sequence of measurements used to build up a pseudosection	29
3.6	The arrangement of electrodes for a 2-D electrical survey at Karamba away 1.7km from EHC site on north direction Wenner and Wenner- Schlumberger arrays (see, Figure 1.4 for the relevant apparent resistivity pseudosection)	30
4.1	A schematic presentation of the reverse osmosis plant	34
5.1	Tube well (34/348) and pump house at Karamba	43
6.1	Simple pump systems	46
6.2	Elevated water tank at EHC	49
6.3	Pump house with water tank at EHC	49

v

LIST OF TABLES

Table		Page
1.1	Residential Facilities	02
1.2	SLS Drinking Standards 614: 1983 Part 1	03
2.1	The amount of groundwater and its percentage	15
2.2	No. of Tube wells constructed by Water Resources Board (WRB) and	
	National Water Supply & Drainage Board (NWS&DB)	17
3.1	Resistivity values of some common rocks, minerals and chemicals	26
4.1	RO System Components, Instrumentation and Control	36
5.1	Pumping results of tube Well 34/348 at Karamba	43
6.1	Trial calculations of pipe friction losses	47
6.2	Pipeline velocity calculation	48
7.1	Pre-Treatment System specification	51
7.2	RO Plant specification Brackish Water	51
7.3	RO Plant description for Brackish Water oratuwa, Sri Lanka.	51
7.4	Cost analysis of RO Plant for Brackish water	52
7.5	Inlet Water quality analysis data for Sea Water at Karamba	53
7.6	RO Plant specification for Sea Water	53
7.7	RO Plant description for Sea Water	54
7.8	Cost analysis of RO Plant for Sea Water	54
7.9	Inlet Ground Water quality analysis data at Karamba	55
7.10	Selected Specification for the Submersible Pump	56
7.11	Selection of cables	56
7.12	Cost analysis of Ground Water	57
7.13	Total Costs Summary for 20 years	58
7.14	Unit Costs of potable water Summary	58

vi

Contents

-

-

1

~

•

Dec	laratic	on	i
Abs	tract		ii
Ack	Acknowledgement		
List	List of Figures		
List	of Ta	bles	vi
1.	1. CHAPTER 1		
	1.1	INTRODUCTION TO EMPLOYER'S HOUSING COMPOUND OF PUTTALAM COAL POWER PROJECT	1
	1.2	POTABLE WATER REQUIREMENT FOR THE EHC	2
	1.3	PROJECT OBJECTIVES	3
	1.4	HYDROGEOLOGICAL BACKGROUND AND INVESTIGATION AT KARAMBA AREATRONIC Theses & Dissertations	4
	1.5 WATER QUALITY PARAMETERS		
		1.5.1 pH VALUE	8
		1.5.2 TEMPERATURE	8
		1.5.3 TURBIDITY	9
		1.5.4 SUSPENDED MINERALS	9
		1.5.5 SALINITY	9
		1.5.6 CONDUCTIVITY	10
		1.5.7 TOTAL DISSOLVED SOLIDS	10
2.	CHAPTER 2		
	2.1 STUDY OF GROUNDWATER IN SRI LANKA		
	2.2	PRESENT GROUNDWATER USERS AND NEEDS	13

vii

	2.3	DATA	A AND INFORMATION ON GROUNDWATER RESOURCES	15
3.	CHAPTER 3			
	3.1	INTR	ODUCTION TO EARTH RESISTIVITY SURVEYS	18
	3.2	EART	TH RESISTIVITY THEORY	19
	3.3	3 APPARENT RESISTIVITY		
	3.4 SCHLUMBERGER ARRAY			21
3.5 WENNER ARRAY			NER ARRAY	22
	3.6	DIPO	LE-DIPOLE ARRAY	22
	3.7	CURR	RENT FLOW IN TWO LAYERED MEDIA	23
	3.8		RELATIONSHIP BETWEEN GEOLOGY AND STIVITY	24
		3.8.1 3.8.2	INTRODUCTION TO 2-D ELECTRICAL IMAGINGA. SURVEY Electronic Theses & Dissertations FIELD SURVEY METHOD - INSTRUMENTATION AND	27
		5.0.2	MEASUREMENT PROCEDURE	27
		3.8.3	FORWARD MODELING PROGRAM EXERCISE	31
	3.9	GUID	ELINES FOR DATA INVERSION	31
	3.10	SOME	E FIELD EXAMPLES ON 2-D IMAGING SURVEY	
		APPL	ICATION IN THE WORLD	32
		3.10.1	LANDSLIDE - CANGKAT JERING, MALAYSIA	32
		3.8.2	AGRICULTURAL POLLUTION - AARHUS, DENMARK	32
4.	CHAPTER 4			
	4.1 REVERSE OSMOSIS PROCESS PLANT		RSE OSMOSIS PROCESS PLANT	33
	4.2	DISIN	FECTION	36

-

.

viii

	4.3	THE DISADVANTAGES OF REVERSE OSMOSIS INCLUDE	37			
	4.4	CHART SHOWING FRACTION OF THE WORLDWIDE CAPACITY OF DESALINATION PLANTS BY REGION	38			
	4.5	COST BREAKDOWN OF TYPICAL REVERSE OSMOSIS DESALINATION PLANT	39			
	4.6	THE QUESTION OF ENERGY	39			
	4.7	CHEMICAL COST	39			
	4.8	METAL COST	40			
	4.9	MEMBRANE REPLACEMENT COST	40			
5.	CH	APTER 5	41			
	5.1	WELL HYDRAULICS AND ANALYSIS OF DISCHARGING WELL	41			
	5.2	TYPES OF PUMPING TEST	42			
	5.3	PUMPINGTEST ON WELL 34/348 AT KARAMBA Electronic Theses & Dissertations	42			
6.	CH	CHAPTER 6 www.lib.mrt.ac.lk				
	6.1	PUMP SELECTION CONSIDERATIONS	44			
6.2 FLUID PROPERTIES		FLUID PROPERTIES	44			
		6.2.1 ACIDITY/ALKALINITY (pH) AND CHEMICAL COMPOSITION	44			
		6.2.2 OPERATING TEMPERATURE	44			
		6.2.3 SPECIFIC GRAVITY	45			
		6.2.4 VAPOR PRESSURE	45			
		6.2.5 VISCOSITY	45			
	6.3	TYPES OF PUMPS	46			
	6.4	PIPE FRICTION LOSS CALCULATION	46			
	6.5	SELECTED SPECIFICATION OF PUPMS FOR PUMP HOUSE	48			

4

ł

-

ix

7. CHAPTER 7			ξ 7	50		
	7.1	TECH	INICAL AND ECONOMIC EVALUATION OF RO PLANT	50		
	7.2		GN PARAMETERS FOR INLET WATER QUALITY FOR CKISH WATER	50		
	7.3	TECH	INICAL SPECIFICATION OF BRACKISH WATER PROPOSAL	51		
	7.4	COST	AND BENEFIT ANALYSIS	52		
	7.5	TECH	INICAL SPECIFICATION OF SEA WATER PROPOSAL	53		
	7.6	COST	AND BENEFIT ANALYSIS FOR SEA WATER	54		
	7.7	TECH	INICAL SPECIFICATION OF GROUND WATER	55		
	7.8	COST	AND BENEFIT ANALYSIS FOR GROUND WATER	57		
8.	7.9	RESU	ULTS ANALYSISversity of Moratuwa, Sri Lanka.	58		
	CH	CHAPTER Electronic Theses & Dissertations www.lib.mrt.ac.lk				
	8.1					
REI	REFERENCES					
API	PEND	ICES		61		
	Annex 1 Annex 2 Annex 3		POTABLE WATER SYPPLY SYSTEM P& ID FOR EHC, AT KARAMBA	62		
			PROPOSED LAYOUT OF WATER SYPPLY SYSTEM FOR EHC	63		
			PROPOSED POTABLE WATER PIPING NETWORK FOR EHC	64		
	Ann	ex 4	DESIGN OF PUMP HOUSE FOR EHC, AT KARAMBA	65		
	Ann	ex 5	PUMP CHARACTERISTIC CURVE	66		
	Anno	ex 6	REPORT ON CHEMICAL EXAMINATION OF WATER ON 21.05.2007	67		
	Anno	ex 7	TEST REPORT NO. SS 0910321 IN 2009	68		

х

Annex 8	WATER QUALITY REPORT ON 28.10.2009	70
Annex 9	WATER QUALITY REPORT ON 22.01.2010	71
Annex 10	PUMPING TEST	72



University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations www.lib.mrt.ac.lk