

REFERENCES

- [1] Ahmed, Imtiaz, and C.W. Lovell, "Use of waste materials in highway construction" in *Transportation Research Rec.1345*, Washington DC: Nat. Academy Press 1992, pp19 -54.
- [2] American Coal Ash Association. (1983).*Ash at work*. Vol. XV [Online]. Available:<http://www.aaa-usa.org>.
- [3] American Society for Testing and Materials (ASTM), *Annual book of ASTM standards*, Volume 04.03, West Conshohocken, Pennsylvania, 1994.
- [4]*Hot-mix asphalt paving handbook*, American Association of State Highway and Transportation Officials (AASHTO), Washington, D.C., 1991.
- [5] D.A. Anderson, M.D. Usman, and L.K. Moulton, "Use of power plant aggregate in bituminous construction" in *55th Annu.*, Transportation Research Board, Washington, 1976, pp 151-169.
- [6] Asphalt Institute, "Performance graded asphalt binder specifications and testing", *Superpave Ser. 1*, Lexington, Kentucky, 1995.
- [7] Asphalt Institute, "Superpave level 1 mix design", *Superpave ser. 2*, Lexington, Kentucky, 1995.
- [8] Federal highway administration, Dept. of transportation. (2012 Apr.). "User guidelines for waste and byproduct materials in pavement construction". [Online]. Available:<http://www.fhwa.dot.gov/publications/research/infrastructure/structures/97148/cbabs2.cfm>.

- [9] Q.D. Hunsucker, *Design and performance of a bituminous surface mixture containing bottom ash aggregate*, Research Report KTC 92-14, Lexington, Kentucky: Kentucky Transportation Center, 1992, pp 1-25.
- [10] K. Ksaibati and J. Stephen, *Utilization of bottom ash in asphalt mixes*. Dept. of Civil and Architectural Eng., Uni.Wyoming, Laramie, WY. 1999, pp1-87.
- [11] K. Ksaibati and G. Huntington, “Performance of bottom ash asphalt mixes”, in *Symp.on prediction of pavement performance*, Cheyenne, WY, 2004.
- [12] Lafarge Cooperation, “Ten Years Hundreds of Storms Thousands of Trucks Zero Failures”, PacifiCorp’s Wyodak Plant, Wyodak, Rep. Jan. 1997.
- [13] C.W. Lovell, T.C. Ke, W. Huang, and J.E. Lovell, *Bottom ash as a highway material*, Transportation Research Rec. 1310, Washington D.C.: Nat. Academy press, Jan. 1991, pp 106-116.
- [14] T.R. Miller, “Laboratory evaluation of rutting in asphalt pavements”, M.S. thesis, Dept. Civil Eng., Univ. Wyoming, Laramie, Wyoming, 1995.
- [15] W.C.Ormsby and D.G. Fohs, “Use of waste and by-products in highway construction” in Transportation Research Rec. 1288, Washington DC: Nat. Academy Press 1990.
- [16] L.R. Peurifoy, W.B. Ledbetter, and C.J. Schexnayder, *Construction planning, equipment, and methods*, 5th ed., McGraw-Hill, 1996.
- [17] Recycled material resource center, Coal bottom ash/Boiler slag material description, [Online]. Available: <http://rmrc.wisc.edu/ug-mat-coal-bottom-ashboiler-slag>.



University of Moratuwa, Sri Lanka.
 Electronic Theses & Dissertations
www.lib.mrt.ac.lk

[18] F.Roberts, P.S. Kandhal, E.R. Brown, D.Y. Lee, and T.W. Kennedy,*Hotmix asphalt materials, mixture, design, and construction*, 1st ed., Lanham, Maryland: NAPA Education Foundation,1991.

[19] Standard specifications for construction and maintenance of roads and bridges, Institute for Construction Training and Development (ICTAD), Nov. 2008.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk