

REFERENCES

- 1) Abhay, S. D; Agrawal, B. K., Shukla, L. S; 'Influence of pellet size on extraction', JAOCS, (1983), p 465.
- 2) Adir, D; Rice Bran stabilization, UNIDO document February, (1967).
- 3) Aggraval,V.S; Status report, Rice by-products conference, Valencia, Spain, (1977), p 57.
- 4) Aggrawal V.S., Rice By products conference Valencia. Spain, (1977), p57.
- 5) American oil Chemist Society, Official and tentative methods of AOCS International, 16th edition, (1995).
- 6) Bernadini, E; Oil seeds Oil and Fats, vol I, chapter XII, 463-473, (1982).
- 7) Bernnan, J. G., Butters, J. R., Cowell, N.D., & Lilley, A.E.V., Food Engineering operations, 3rd edition, Elsevier Science pub. Co. Inc. New York, (1990).
- 8) Bhattacharyya, A.C; Bhattacharyya, D.K; Deacidification of high FFA rice bran oil and reesterification and alkali neutralization, JAOCS,(1987)., pp 15-18.
- 9) Bhattachryya, D.K., De,B.K., Physical refining of rice bran oil in relation to degumming & dewaxing JAOCS, (1988), p 1683.
- 10) Browne, jr. C. A; Journal of American oil Chemist Association, (1903), p 948.
- 11) Burns, H., Cassedy, M.M., Method of treating rice bran and rice polish. U.S. patent , 2610, 914, (1952).



- 12) Cater, C.M., Rhee, K. C., Hagenmaier,R.D., 'Aqueous Extraction -Alternative oil seed milling Process', J. of American Chemical Society, (1974), pp 137-141.
- 13) Coulson., J.M.; Richardson., J.F., Chemical Engineering, Particle technology and separation processes, Volume 2, New York, Pergamon Press, (1991).
- 14) Cruz, A. O., West A.P. and Aragon, V.P., Composition of Phillipine Rice oil. Philippines Journal of Su. 48, (1982), pp 5-12.
- 15) Dollear, F. G; Swift, C.E; Pore, P; 'The stability and processing characteristics of some rice bran', JAOCS, (1950), pp14-19).
- 16) Draft Stady of rice bran stabilization technology Applied Science Research ciiperation of thailand, UNIDO Group Working document, (1967).
- 17) Dutta, B.K., De, B.K. Das, R., Bhattacharyya, D.K. Membrane degumming and dewaxing of rice bran oil, chemical abstract 100(a), ,(1998), p 416.
- 18) Goenka O.P. Nutritional Significance of RBO Sec ix , processing & utilization of products, Solvent extractors association of India, (1987).
- 19) Grist, D. H; Rice, fifth edition, chapter 20, p.499, Longman, London, (1985).
- 20) Hagenmaier,R.D., Aqueous extraction of full fat sunflower seeds. J. of American Chemical Society, (1974), pp 470-471,
- 21) Hand book on rice bran – processing & utilization of products. India, Solvent extractors association of India, (1987).
- 22) Hanmoungjai,P.,Pyle,L., Niranjan, K, 'Aqueous extraction of rice bran oil'. J. chemical technol biotechnol, (2000),pp 348-352.

- 23) Horace,D.C., Baird, H.W., Nowell, J.H., Getzer, F.W., Laboratory manual of physical chemistry, John Wiley & sons Inc. USA, (1975).
- 24) Johnson, L.A., Lusas,E.W., Comparison of alternative solvents for oil extraction. JAOCS,(1983), PP 229-242.
- 25) Julian, F; Hoffpauir, C. L; 'Lipid content of rice bran, J. of American Oil Chemist Society', (1951), p 23.
- 26) Kachru M.P, Rice By products conference Valencia. Spain, (1977), p 66.
- 27) Krishna,G.A.G; A method of bleaching rice bran oil with silica gel, JAOCS, 69, (1992), , pp1257-1259.
- 28) Ktiya, T., Japan Agricultural Research Quar Terly, (1967), Pp 2-7.
- University of Moratuwa, Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk
- 29) Kuk, M.S., Doud M.K., 'Supercritical C0₂ extraction of Rice bran oil, JAOCS ,(1998) , pp 623-628.
- 30) Lee, S.B., Park, K.A., Isolation of functional fatty acids from rice bran in co-solvent induced SFE process, J. of American Chemical Society,(1999), pp 438-444.
- 31) Menike. W.W., Harris W.D. Solvent extraction of rice bran. JAOCS , (1949). pp 532-534.
- 32) Minsh S.K, Kakar, A., Surnua, P.S., 'Effect of different degumming agents on the physico chemical characteristic of rice bran oil' j. Food sci. Technol. (1990), 280-283

- 33) Moreau, R.A., Powell, M.J., Quantitative analysis of triacylglycerols and other lipid classes in edible oils and fats via HPLC, American chemical society, (1999).
- 34) Ozgui,S., Turkay,S., 'In situ esterification of rice bran oil with methanol & ethanol', JACOS, (1993), pp145-147.
- 35) Pillaiyar, P; Journal of Oil Technological Association India, (1980), p.-42.
- 36) Prabhakar, J.V; 'Stabilization of bran', processing & utilization of products, India. Solvent extractors association of India, (1987).
- 37) Prabhakar, Jr, Venkatesh K,V.L., 'Chemical Stabilization of rice bran JAOCs. (1986), p 644,
- 38) Procter, A; Bowen, D. J; 'Ambient temperature extraction of rice bran oil', JAOCs, (1996), pp 811-813,anic Theses & Dissertations
University of Moratuwa, Sri Lanka.
www.lib.mrt.ac.lk
- 39) Procter, A; Jackson V.M; Scott, M; Clark, P. K; Rapid equilibrium extraction of rice bran oil, JAOCs, (1994), pp 1295-1296.
- 40) Rao, S.D. ;Panduranga, B. R; Ahamed, S.A.; T; Indian Oil and Soap Journal, (1967). vol 32, p 203.
- 41) Sachru P.S., Rice By products conference Valencia. Spain, (1977), p 53.
- 42) Sarada, P.S; Status report, Rice by-products conference, Valencia, Spain, (1977).
- 43) Sayre, R.N., Nayyar , D.K., Saunders, R.M., Extraction & Refining of Edible Oil from extrusion stabilized rice bran. JAOCs, (1985), p1040.

- 44) Soares, V.J., Non edible uses of rice bran oil & its derivatives, Hand book on rice bran – processing & utilization of products. Solvent extractors association of India, (1987).
- 45) Solar rice bran stabilizer, Karmantha, (1987), pp 27-28.
- 46) Taira G. & chang W. J.of Agric. Food Chemistry. (1986), p.502.
- 47) Testing methods for chemical products, Japanese industrial standards, (1978).
- 48) Teuge R,O., Reddi , B.V., Rice Bran oil utilization as an edible oil JAOCs, (1949), pp 349-352.
- 49) Teuge, R.O;Reddi,B.V; Rice bran oil utilization as an edible oil, JAOCs, (1952), pp349-352.
- 50) Thiumala , Rao, S.D., A Survey of rice bran oil industry in Various Countries Indian oil seed journal, (1961), vol 5, pp 121-132.
- 51) Williams, L; Bear, S; ‘Expansion and extrusion of rice bran’, JAOCs, (1965), p151.
- 52) Yokochi, K; ‘Rice processing for the production of rice bran oil .. status report . Rice by products utilization, international conference III, Valencia, Spain. (1974).
- 53) Yoon, H,S., Kim, S.K., Oxidative Stability of High FFA rice bran oil at deferent stages of refining. JAOCs, (1994), pp 224-229.