

REFERENCES

- [1] John J. Craig, Introduction to Robotics: Mechanics and Control: Pearson Education, Incorporated, 2005.
- [2] T. Fong, I. Nourbakhsh, and K. Dautenhahn, "A Survey of Socially Interactive Robots: Concepts, Design, and Applications," The Robotics Institute, Carnegie Mellon University, Pittsburgh, Technical Report CMU-RI-TR-02-29, 2002.
- [3] F.L. Lewis, D.M. Dawson, and C.T. Abdallah, Robot Manipulator Control: Theory and Practice, 2nd ed.: CRS Press, 2003.
- [4] R.Beira, M.Lopes, M.Prac, Jos´e Santos-Victor, Alexandre Bernardino, "Design of the Robot-Cub (iCub) Head," in IEEE International Conference on Robotics and Automation, Florida, 2006, pp. 94-100.
- [5] V. Ahlstrom and K. Longo, "Human factors design standard," Federal Aviation Administration William J. Hughes Technical Center, 2003.
- [6] M. Ramachandran, A. Veeraraghavan, and R. Chellappa, "A fast bilinear structure from motion algorithm using a video sequence and inertial sensors," IEEE Trans. Pattern Anal. Mach. Intell., vol. 33, no. 1, pp. 186–193, Jan. 2011.
- [7] K. Kral, "Behavioral-analytical studies of the role of head movements in depth perception in insects, birds and mammals," Behav. Process, vol. 64, pp. 1–12, 2003.
- [8] J. Rajruangrabin and D. O. Popa, "Robot head motion control with an emphasis on realism of neck–eye coordination during object tracking," Journal of Intelligent & Robotic Systems, vol. 63, no. 2, pp. 163–190, 2011.
- [9] M. Antonelli, A. P. del Pobil, and M. Rucci, "Bayesian multimodal integration in a robot replicating human head and eye movements," in Proc. IEEE International Conference on Robotics and Automation (ICRA'14), 2014, pp. 2868–2873.
- [10] X. Kuang, M. Gibson, B. E. Shi, and M. Rucci, "Active vision during coordinated head/eye movements in a humanoid robot," Robotics, IEEE Trans.

on, vol. PP, no. 99, pp. 1 –8, 2012.

[11] R. Diankov and J. Kuffner, "Openrave: A planning architecture for autonomous robotics," Robotics Institute, Pittsburgh, PA, Tech. Rep. CMU-RI-TR-08-34, 2008.

[12] Vega J., Perdices E., Canas M., "Robot Evolutionary Localization Based on Attentive Visual Short-Term Memory," Article on www.mdpi.com/journal/sensors, pp.1268-1299, 2013.

[13] Shi Y., Liang B., Wang X., Xu W., Liu H., "Study on Intelligent Visual Servoing of Space Robot for Cooperative Target Capturing," IEEE International Conference on Information and Automation, pp.733-738, 2012.

[14] Bekele E., Lahiri U., Davidson J., Warren Z., Sarkar N., "Development of a Novel Robot-Mediated Adaptive Response System for Joint Attention Task for Children with Autism," IEEE International Symposium on Robot and Human Interactive Communication, pp.276-281, 2011.

[15] Suzuki S., Kurunoma K., Harashimaf., "Development of gaze detection system for multiple users-toward realization of an intelligent service interface," ICROSSICE International Joint Conference, pp.3245-3250, 2009.

[16] Wang H., Liu Y., Wang Z., "Adaptive Visual Servoing Using Angle and Distance," Proceeding of the 7th World Congress on Intelligent Control and Automation, pp.479-484, 2008.

94 | Page

[17] Park H., Nho M., Kim H., Hyun P., "An eye-in-Hand Device for Hand Gesture-Based Human-Robot Interaction", 9th International conference on Ubiquitous Robots and ambient Intelligence (URAI), pp.106-107, 2012.

[18] Charles R., Brett P., Holroyd A., Sidner L., "Recognizing Engagement in Human-Robot Interaction", Human-Robot Interaction, Osaka, 2009.

[19] Jen C., Hsia C., Chang H., Chang W., Hsu H., Che Y., Li C., Husan M., "An Efficient Object Recognition and self-Localization System for Humanoid Soccer Robot", SICE Annual Conference, pp.2269-2278, 2010.

- [20] Wang Y., Lang H., Clarence W., "An Autonomous Mobile Grasping System using Visual Servoing and Nonlinear Model Predictive Control", 8th IEEE International Conference on Control and Automation, pp.86-91, 2010.
- [21] Saldien J., Goris K., Selma Y., Werner V., Dirk L., "On the Design of the Huggable Robot Probo", Journal of Physical Agent, pp.3-11, Vol.2, 2008.
- [22] Yang W., Zhu K., Ruan Q., Han D., "Moving Target Tracking and Measurement with a Binocular Vision System", 15th International conference on Mechatronics and Machine Vision in Practice, pp.85-91, 2008.
- [23] Itseez. (2016, April) OpenCV (Open Source Computer Vision). [Online]. <http://opencv.org/>
- [24] (2016, April) ARDUINO. [Online]. <http://arduino.cc/en/main/software>
- [25] C. Zhang, Y. Qiao, E. Fallon, and C. Xu. An improved camshift algorithm for target tracking in video surveillance. In Proceedings of 9th. IT and T Conference, number 12, 2009.
- 95 | Page
- [26] G. Xiang and X.Wang. Real-time follow-up head tracking in dynamic complex environments. Journal of Shanghai Jiaotong University (Science), 14(5):593–599, 2009.
- [27] F. Dadgostar, A. Sarrafzadeh, and S. P. Overmyer. Face tracking using meanshift algorithm: A fuzzy approach for boundary detection. In J. Tao, T. Tan, and R. W. Picard, editors, ACII, volume 3784 of Lecture Notes in Computer Science, pages 56–63. Springer, 2005.
- [28] Loconsole, Claudio, et al, "A new Kinect-based guidance mode for upper limb robot-aided neuro rehabilitation," Intelligent Robots and Systems (IROS), IEEE/RSJ International Conference on, pp. 1037-1042, 2012.
- [29] Zhou, Shandan, et al, "A context-aware reminder system for elders based on fuzzy linguistic approach," Expert Systems with Applications vol. 39, no. 10, pp. 9411-9419, 2012.
- [30] Krauthausen, Peter, Learning Dynamic Systems for Intention Recognition in

Human-Robot-Cooperation. KIT Scientific Publishing, 2012.

[31] Tahboub, Karim A, "Intelligent human-machine interaction based on dynamic bayesian networks probabilistic intention recognition," *Journal of Intelligent and Robotic Systems*, vol. 45, no. 1, pp. 31-52, 2006.

[32] Jacob, Mithun G, and Juan P. "Context-based hand gesture recognition for the operating room," *Pattern Recognition Letters*, vol. 36, pp. 196-203, 2014.

[33] Koppula, Hema S, and Ashutosh S, "Anticipating human activities using object affordances for reactive robotic response," *Robotics: Science and Systems*, Berlin, 2013.

96 | Page

[34] Sun, Y, Shaogang R, and Yun L, "Object-object interaction affordance learning," *Robotics and Autonomous Systems*, 2013.

[35] Q. Nguyen and J. Choi, "Multiple Sound Sources Localization with Perception Sensor Network," in *Proc. of Intl. Symp. on Robot and Human Interactive Communication (RO-MAN)*, pp. 418-423, 2013.

[36] O. Popoola and K. Wang, "Video-Based Abnormal Human Behavior Recognition-A Review," *IEEE Trans. Syst., Man, Cybern., Part C:Appl. Rev.*, Vol. 42, No. 6, pp. 865-878, 2012.

[37] A. G. B. P. Jayasekara, K. Watanabe, K. Kiguchi, and K. Izumi, "Interpretation of fuzzy voice commands for robots based on vocal cues guided by user's willingness," in *2010 IEEE/RSJ Int. Conf. Intelligent Robots and Systems*, 2010, pp. 778-783.

[38] A. G. B. P. Jayasekara, K. Watanabe, and K. Izumi, "Understanding user commands by evaluating fuzzy linguistic information based on visual attention," *Artificial Life and Robotics*, vol. 14, no. 1, pp. 48-52, 2009.

[39] M. A. V. J. Muthugala and A. G. B. P. Jayasekara, "Interpretation of uncertain information in mobile service robots by analyzing surrounding spatial arrangement based on occupied density variation," in *2016 IEEE/RSJ Int. Conf. Intelligent Robots and Systems (IROS)*. IEEE, 2016, pp. 1517-1523.

[40] M. A. V. J. Muthugala and A. G. B. P. Jayasekara, "Mirob: An intelligent service robot that learns from interactive discussions while handling uncertain information in user instructions," in 2016 Moratuwa Engineering Research Conf. (MERCOn). IEEE, 2016, pp. 397–402.

[41] J. Forlizzi and C. DiSalvo, "Service robots in the domestic environment: a study of the roomba vacuum in the home," in Proceedings of the 1st ACM

SIGCHI/SIGART conference on Human-robot interaction. ACM, 2006, pp. 258–265.

[42] H. Osawa, J. Orszulak, K. M. Godfrey, M. Imai, and J. F. Coughlin, “Improving voice interaction for older people using an attachable gesture robot,” in 19th International Symposium in Robot and Human Interactive Communication. IEEE, 2010, pp. 179–184.

[43] P. Tsarouchi, S. Makris, and G. Chryssolouris, “Human-robot interaction review and challenges on task planning and programming,” International Journal of Computer Integrated Manufacturing, vol. 29, no. 8, pp. 916–931, 2016.

[44] G. Gemignani, M. Veloso, and D. Nardi, “Language-based sensing descriptors for robot object grounding,” in Robot Soccer World Cup. Springer, 2015, pp. 3–15.

[45] M. A. V. J. Muthugala and A. G. B. P. Jayasekara, “Enhancing human robot interaction by interpreting uncertain information in navigational commands based on experience and environment,” in 2016 IEEE Int. Conf. Robotics and Automation (ICRA), 2016, pp. 2915–2921.

[46] P. H. D. A. S. Srimal and A. G. B. P. Jayasekara, “A multi-modal approach for enhancing object placement,” in National Conference on Technology Management. IEEE, 2017.