

References


- Ahn, J-H., Forster, C.F., 2002. The effect of temperature variations on the performance of mesophilic and thermophilic anaerobic filters treating a simulated papermill wastewater. *Process Biochemistry* 37, 589-594.
- Andara, A.R., Esteban, J.M.L., 1999. Kinetic study of the anaerobic digestion of the solid fraction of piggery slurries. *Biomass & Bioenergy* 17, 435-443.
- Annachhatre, A.P., Suktrakoolvait, S., 2001. Biological sulfate reduction using molasses as a carbon source. *Water Environment Research* 73, 118-126.
- APHA, AWWA, WEF, 1995. Standard Methods for Examination of Water and Wastewater, 19th ed. APHA, Washington, DC.
- ASTM D1971-91, 1990. American Society for Testing and Materials, Washington DC, USA.
- Balasooriya, I., Paulraj, P.J., Abeygunawardena, S.I., Nanayakkara, C., 1984. Biology of water hyacinth: physicochemical properties of the water supporting *Eichhornia crassipes* (Mart.) Solms. In: Thyagarajan, G. (Ed.), Proceedings of the International Conference on Water Hyacinth, UNEP, Nairobi, pp. 318-333.
- Barajas, M.G., Escalas, A., Mujeriego, R., 2002. Fermentation of a low VFA wastewater in an activated primary tank. *Water SA* 28, 89-98.
- Bardiya, N., Somayaji, D., Khanna, S., 1996. Biomethanation of banana peel and pineapple waste. *Bioresource Technology* 58, 73-76.
- Borja, R., Rincón, B., Raposo, F., Alba, J., Martín, A., 2003. Kinetics of mesophilic anaerobic digestion of the two-phase olive mill solid waste. *Biochemical Engineering Journal* 15, 139-145.
- Boswell, C.D., Dick, R.E., Macaskie, L.E., 1999. The effect of heavy metals and other environmental conditions on the anaerobic phosphate metabolism of *Acinetobacter johnsonii*. *Microbiology* 145, 1711-1720.
- Bouallagui, H., Cheikh, R.B., Marouani, L., Hamdi, M., 2003. Mesophilic biogas production from fruit and vegetable waste in a tubular digester. *Bioresource Technology* 86, 85-89.
- Breure, A.M., 1994. Phase separation in anaerobic digestion. In: International Course on Anaerobic Waste Water Treatment - Anaerobic Reactor Technology.
- Britz, T.J., Trnovec, W., Fourie, P.C., 2000. Influence of retention time and influent pH on the performance of an upflow anaerobic sludge bioreactor treating cannery waste waters. *International Journal of Food Science & Technology* 35, 267-274.
- Chanakya, H.N., Borgaonkar, S., Meena, G., Jagadish, K.S., 1993. Solid-phase biogas production with garbage or water hyacinth. *Bioresource Technology* 46, 227-231.

References

- Chanakya, H.N., Borgaonkar, S., Rajan, M.G.C., Wahi, M., 1992. Two-phase anaerobic digestion of water hyacinth or urban garbage. *Bioresource Technology* 42, 123-131.
- Chanakya, H.N., Srikumar, K.G., Anand, V., Modak, J., Jagadish, K.S., 1999. Fermentation properties of agro-residues, leaf biomass and urban market garbage in a solid phase biogas fermenter. *Biomass & Bioenergy* 16, 417-429.
- Chynoweth, D.P., Dolena, D.A., Ghosh, S., Henry, M.P., Jerger, D.E., Srivastava, V.J., 1982. Kinetics and advanced digester design for anaerobic digestion of water hyacinth and primary sludge. *Biotechnology and Bioengineering Symposium* 12, 381-398.
- de Alwis, A., 2002. Biogas – a review of Sri Lanka's performance with a renewable energy technology. *Energy for Sustainable Development* 6, 30-37.
- Dilhani, J.A.T., Jayaweera, M.W., Kularatne, R.K., Wijeyekoon, S.L.J., 2003. Optimization of biogas production using water hyacinth (*Eichhornia crassipes*). Paper presented at the Engineering Research Unit (ERU) Symposium 2003, University of Moratuwa, Sri Lanka.
- EREN, 2001. Energy efficiency and renewable energy network, Methane (biogas) from anaerobic digesters
- FAO/CMS, 1996. A system approach to biogas technology. Sustainable Development Department (SD), Food and Agricultural Organization of the United Nations (FAO).  www.lib.mrt.ac.lk
- Gamage, N.S., Yapa, P.A.J., 2001. Use of water hyacinth [*Eichhornia crassipes* (Mart) Solms] in treatment systems for textile mill effluents – a case study. *Journal of National Science Foundation of Sri Lanka* 29, 15-28.
- Garg, S.K., 1979. Environmental Engineering (Vol. II) – Sewage Disposal and Air Pollution Engineering. Khanna Publishers, Delhi, India.
- Ghaly, A.E., 1996. A comparative study of anaerobic digestion of acid cheese whey and dairy manure in a two-stage reactor. *Bioresource Technology* 58, 61-72.
- Gopal, B., 1987. Water Hyacinth – Aquatic Plant Studies 1. Elsevier Science Publishers B.V., Amsterdam, The Netherlands.
- Gunaseelan, V.N., 1997. Anaerobic digestion of biomass for methane production: a review. *Biomass & Bioenergy* 13, 83-114.
- Hickey, R.F., Wu, W.-M., Veiga, M.C., Jones, R., 1991. Start-up, operation, monitoring and control of high-rate anaerobic treatment systems. *Water Science and Technology* 24, 207-255.

References

- Holm, L.G., Weldon, L.W., Blackburn, R.D., 1969. Aquatic weeds. Science 166, 699-709.
- Horan, N.J., 1991. Biological Wastewater Treatment Systems – Theory and Operation. John Wiley and Sons, USA.
- Ingle, N.W., Bhole, A.G., 2001. Eradication and utilization of water hyacinth (*Eichhornia crassipes*) in the field of Environmental Engineering – A state of art. Indian Water Resources, 37-55.
- Ishizuka, K., Hisajima, S., Macer, D.R.J., 1995. Utilization of agricultural wastes for biogas production in Indonesia. In: Traditional Technology for Environmental Conservation and Sustainable Development in the Asian-Pacific Region.
- ITDG, undated. Water Hyacinth Control and Possible Uses - Technical Bulletin. International Technology Development Group Ltd, UK.
- Jagadish, K.S., Chanakya, H.N., Rajabapaiah, P., Anand, V., 1998. Plug flow digestors for biogas generation from leaf biomass. Biomass & Bioenergy 14, 415-423.
- Jayasuriya, J.A.A.D., 2000. Feasibility study of increasing the rate of digestion in anaerobic digesters. MEng. Thesis, Faculty of Engineering, University of Moratuwa, Sri Lanka.
- Jayawardhana, H.M.L.C., 2002. Development of an expert system for better management of solid waste composting by Pradeshiya Sabhas in Sri Lanka. MSc. Thesis, Faculty of Engineering, University of Moratuwa, Sri Lanka.
- Kalia, V.C., Sonakya, V., Raizada, N., 2000. Anaerobic digestion of banana stem waste. Bioresource Technology 73, 191-193.
- Kashyap, D.R., Dadhich, K.S., Sharma, S.K., 2003. Biomethanation under psychrophilic conditions: a review. Bioresource Technology 87, 147-153.
- Kasturiarachchi, J.C., Jayaweera, M.W., Fernando, P.U.D., Kularatne, R.K., Hirimburegama, W.K., Wijeyekoon, S.L.J., 2003. Removal of nitrogen and phosphorus from wastewaters by phytoremediation using water hyacinth (*Eichhornia crassipes*). Paper presented at the Engineering Research Unit (ERU) Symposium 2003, University of Moratuwa, Sri Lanka.
- Kennedy, K.J., Droste, R.L., 1991. Anaerobic wastewater treatment in downflow stationary fixed film reactors. Water Science and Technology 24, 157-177.
- Lettinga, G., Hulshoff Pol, L.W., 1994. Basic aspects of anaerobic wastewater treatment technology. In: International Course on Anaerobic Waste Water Treatment – Anaerobic Reactor Technology.



References

- Marchaim, U., 1992. Biogas Processes for Sustainable Development, MIGAL Galilee Technological Center Kiryat Shmona, Israel.
- Massé, D.I., Masse, L., 2001. The effect of temperature on slaughterhouse wastewater treatment in anaerobic sequencing batch reactors. *Bioresource Technology* 76, 91-98.
- Matthews, E.G., 2001, Biogas for overseas volunteers, Wim Borne energy consultants,
- MacCarty, P.L., and Mosey, F.E., 1990, Digestion processes (A discussion of concepts), Proceedings of the IAWPRC International Specialists workshop held in Valladolid, Pergamon press.
- Metcalf, Eddy, 1995. *Wastewater Engineering – Treatment, Disposal and Reuse*. Third Edition, Tata McGraw-Hill Publishing Company Limited, New Delhi, India.
- Mudrack, K., 1986, *Biology of sewage treatment and water pollution control*, Ellis horwood limited, new york.
- Noykova, N., Muller, T.G., Gyllenberg, M., Timmer, J., 2002. Quantitative analyses of anaerobic wastewater treatment processes: identifiability and parameter estimation. *Biotechnology and Bioengineering* 78, 89-103.
- Nozhevnikova, A.N., Kotsuyrbenko, O.R., 1994. Microbial methanogenesis in the range of temperature from 5°C to 75°C. In: International Course on Anaerobic Waste Water Treatment – Case Studies, Part II, Wageningen Agricultural University, IHE Delft.
- Obaja, D., Macé, S., Costa, J., Sans, C., Mata-Alvarez, J., 2003. Nitrification, denitrification and biological phosphorus removal in piggery wastewater using a sequencing batch reactor. *Bioresource Technology* 87, 103-111.
- Pavlostathis, S.G., Giraldo-Gomez, E., 1991. Kinetics of anaerobic treatment. *Water Science and Technology* 24, 35-59.
- Pavlostathis, S.G. and Giraldo-Gomez, E., 1990, Proceedings of the IAWPRC International Specialists workshop held in Valladolid, Pergamon press
- Penfound, Wm.T., Earle, T.T., 1948. The biology of water hyacinth. *Ecological Monographs* 18, 447-472.
- Purcell, L.C., King, C.A., 1996. Total nitrogen determination in plant material by persulfate digestion. *Agronomy Journal* 88, 111-113.
- Puterbaugh, S., DiStefano, T.D., 2002. Preliminary analysis of hydrolysis and acidification of food processing waste. PWEA Conference, June 25, 2002.

References

- Reddy, K.R., Sacco, P.D., 1981. Decomposition of water hyacinth in agricultural drainage water. *Journal of Environmental Quality* 10, 228-234.
- Room, P.M., Fernando, I.V.S., 1992. Weed invasions countered by biological control: *Salvinia molesta* and *Eichhornia crassipes* in Sri Lanka. *Aquatic Botany* 42, 99-107.
- Rutan, Al, 1992, Even more methane, Home power, 30
- Sato, Haruo and Kondo, Teestuya, 1981, Biomass production of watwer hyacinth and its ability to remove inorganic minerals from water 1. effect of the concentration of culture solution on the rates of plant growth and nutrient uptake, *Japanese Ecology*, 31, 257-267
- Sharma, A., Unni, B.G., Singh, H.D., 1999. A novel fed-batch digestion system for biomethanation of plant biomasses. *Journal of Bioscience and Bioengineering* 87, 678-682.
- Shoeb, F., H.J. Singh, H.J., 2000. Kinetics of biogas evolved from water hyacinth. In: 2nd International Symposium on New Technologies for Environmental Monitoring and Agro-Applications, 18-20 October, Tekirdag/Turkey.
- Singh, S., Singh, S.K., 1995. Effect of ammonium molybdate on biomethanation. *Renewable Energy* 6, 441-443.
- Singhal, V., Rai, J.P.N., 2003. Biogas production from water hyacinth and channel grass used for phytoremediation of industrial effluents. *Bioresource Technology* 86, 221-225.
- Soltan, M.E., Rashed, M.N., 2003. Laboratory study on the survival of water hyacinth under several conditions of heavy metal concentrations. *Advances in Environmental Research* 7, 321-334.
- Sponza, D.T., Atalay, H., 2005. Simultaneous phosphorus, nitrogen and dinitrotoluene removals in batch anaerobic/anoxic/aerobic sequentials. *Process Biochemistry* 40, 25-34.
- Srivastava, R.C., 1995. Kinetics of fresh water hyacinth digestion in semi-continuous operation. *The Chemical Engineering Journal* 56, B109-B113.
- Srivastava, R.C., Pillai, K.R., Singh, H.D., Raghavan, K.V., 1984. Studies in design of anaerobic digester for water hyacinth. In: Thyagarajan, G. (Ed.), *Proceedings of the International Conference on Water Hyacinth*, UNEP, Nairobi, pp. 566-592.
- Srivastava, R.C., Raghavan, K.V., Baruah, J.N., 1989. Kinetics of biogas generation from water hyacinth. *The Chemical Engineering Journal* 40, B21-B24.
- Stenstrom, M.K., Ng, A.S., Bhunia, P.K., Abramson, S.D., 1983. Anaerobic digestion of municipal solid waste. *Journal of Environmental Engineering* 109, 1148-1158.

References

- Switzenbaum, M.S., 1990, Anaerobic treatment technology, Proceedings of the IAWPRC International Specialists workshop held in Valladolid, Pergamon press
- Tabassum, R., Rajoka, M.I., 2000. Methanogenesis of carbohydrates and their fermentation products by syntrophic methane producing bacteria isolated from freshwater sediments. *Bioresource Technology* 72, 199-205.
- Tekin, A.R., Dalgiç, A.C., 2000. Biogas production from olive pomace. *Resources, Conservation and Recycling* 30, 301-313.
- Unni, B.G., Pillai, K.R., Nigam, J.N., Singh, H.D., Baruah, J.N., 1981. Steady state kinetics of biogas production from water hyacinth in unstirred reactor. Proceedings of the National Seminar on Biogas Technology, Punjab Agriculture University, Ludhiana, India, pp. 27-33.
- Veeken, A., Kalyuzhnyi, S., Scharff, H., Hamelers, B., 2000. Effect of pH and VFA on hydrolysis of organic solid waste. *Journal of Environmental Engineering* 126, 1076-1081.
- Verma, R., Singh, S.P., Raj, K.G., 2003. Assessment of changes in water-hyacinth coverage of water bodies in northern part of Bangalore city using temporal remote sensing data. *Current Science* 84, 795-804.
- Vieitez, E.R., Ghosh, S., 1999. Biogasification of solid wastes by two-phase anaerobic fermentation. *Biomass & Bioenergy* 16, 299-309.
- Walkley, A., Black, C.A., 1934. An examination of Degtjareff methods for determining soil organic matter and a proposed modification of the chromic acid titration method. *Soil Science* 37, 29-38.
- Wang, Q., Kuninobu, M., Ogawa, H.I., Kato, Y., 1999. Degradation of volatile fatty acids in highly efficient anaerobic digestion. *Biomass & Bioenergy* 16, 407-416.
- Yu, H-Q., Hu, Z-H., Hong, T-Q., Gu, G-W., 2002. Performance of an anaerobic filter treating soybean processing wastewater with and without effluent recycle. *Process Biochemistry* 38, 507-513.
- Zhang, Y., Zhang, Z., Suzuki, K., Maekawa, T., 2003. Uptake and mass balance of trace metals for methane producing bacteria. *Biomass & Bioenergy* 25, 427-433.

