

REFERENCE

- al-Swaidani, A., Hammoud, I., & Meziab, A. (2016). Effect of adding natural pozzolana on geotechnical properties of lime-stabilized clayey soil. *Journal of Rock Mechanics and Geotechnical Engineering*, 8(5), 714–725. <https://doi.org/10.1016/j.jrmge.2016.04.002>
- Ansary, M. A., Noor, M. A., & Islam, M. (2007). Effect of Fly Ash Stabilization on Geotechnical Properties of Chittagong Coastal Soil. In H. I. Ling, L. Callisto, D. Leshchinsky, & J. Koseki (Eds.), *Soil Stress-Strain Behavior: Measurement, Modeling and Analysis: A Collection of Papers of the Geotechnical Symposium in Rome, March 16--17, 2006* (pp. 443–454). Dordrecht: Springer Netherlands. https://doi.org/10.1007/978-1-4020-6146-2_26
- Arabi, M. (1986). *Fabric and strength of clays stabilized with* Dissertation. The Polytechnic of Wales, UK.
- ASTM C618. (2004). Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use. *ASTM International, West Conshocken, PA, 04.02*, 3–6. <https://doi.org/10.1520/C0618>
- ASTM D2487. (2004). Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System). *ASTM International, West Conshocken, PA, 2004, 4.8*.
- ASTM D422. (2004). Standard Test Method for Particle-Size Analysis of Soils. *ASTM International, West Conshocken, PA, 2004, 4*(Reapproved).
- ASTM D4318. (2004). Standard Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils. *ASTM International, West Conshocken, PA, 2004, 04.8*.
- ASTM D698. (2004). Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Method. *ASTM International, West Conshocken, PA, 2004, 4.8*.
- Austroroad. (2017). *Guide to Pavement Technology Part 2: Pavement Structural*

Design (4th ed.). Sydney NSW: Austroads Ltd.

- Basma, A. A., & Tuncer, E. R. (1991). EFFECT OF LIME ON VOLUME CHANGE AND COMPRESSIBILITY OF EXPANSIVE CLAYS. *Transportation Research Record*, (1295), 52–61.
- Bell, F. G. (1996). Lime stabilization of clay minerals and soils. *Engineering Geology*, 42(4), 223–237. [https://doi.org/10.1016/0013-7952\(96\)00028-2](https://doi.org/10.1016/0013-7952(96)00028-2)
- Bhengu, P., & Allopi, D. (2016). Review on the Lime-Soil Stabilization As One of the Successful Technologies Used in the Improvement of Road-Soil-Pavement Layers Strength. In *Proceedings of the 35th Southern African Transport Conference* (pp. 77–87).
- Blight, G., & Leong, E. (2012). *Mechanics of Residual Soils* (2nd ed.). London: CRC Press.
- BS1377-4, B. S. I. (1990). *Methods of test for Soils for civil engineering purposes: Compaction-related tests*. London: British Standards Institution.
- Centiner, S. I. (2004). *Stabilization of expansive soils by Cayirhan fly ash and Desulphogypsum*. The graduate school of natural and applied sciences of the middle east technical university.
- Cherian, C., & Arnepalli, D. N. (2015). A Critical Appraisal of the Role of Clay Mineralogy in Lime Stabilization. *International Journal of Geosynthetics and Ground Engineering*, 1(1), 8. <https://doi.org/10.1007/s40891-015-0009-3>
- Chilcote, W. L. (1952). Highway department tests fly ash in pavement mixes. *Engineering News Record* 149, No 17:40-41.
- Croft, J. B. (1964a). The pozzolanic reactivities of some New South Wales flyashes and their application to soil stabilization. In *Australian Road Research Board (ARRB) Conference* (Vol. 2). Melbourne.
- Croft, J. B. (1964b). The processes involved in the lime stabilization of clay soils. In *Australian Road Research Board (ARRB) Conference* (Vol. 2). Melbourne.

- Dash, S. K., & Hussain, M. (2012). Lime Stabilization of Soils: Reappraisal. *Journal of Materials in Civil Engineering*, 24(6).
- Davis, R. E., Carlson, R. W., & Kelly, J. W. (1937). Properties of cements and concretes containing fly ash. *American Concrete Institute Proc.*, 33:577-612.
- de Brito Galvao, T. C., Elsharief, A., & Simoes, G. Fe. (2004). Effects of Lime on Permeability and Compressibility of Two Tropical Residual Soils. *Journal of Environmental Engineering*, 130(8), 881–885. <https://doi.org/10.1061/ASCE0733-93722004130:8881>
- Derucher, K. N., & Korfiatis, G. P. (1988). *Materials for civil and highway engineers*. Prentice Hall.
- Design Manual for Roads and Bridges (DMRB). (1995). *Earthworks - Design and Preparation of Contract Documents Volume 4 Section 1 Part 1 HA 44/49*.
- Dissanayake, T. B. C. H., Senanayake, S. M. C. U., & Nasvi, M. C. M. (2017). Comparison of the Stabilization Behavior of Fly Ash and Bottom Ash Treated Expansive Soil. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 50(1), 11. <https://doi.org/10.4038/engineer.v50i1.7240>
- Duchafour, P. (1982). Sesquioxide-rich soils. In *Pedology* (pp. 373–425).
- Eades, J. L., & Grim, R. E. (1966). A quick test to determine lime requirements for lime stabilization. *Highway Research Record*, 139, 61–72.
- Elkady, T. Y. (2016). The effect of curing conditions on the unconfined compression strength of lime-treated expansive soils. *Road Materials and Pavement Design*, 17(1), 52–69. <https://doi.org/10.1080/14680629.2015.1062409>
- Fookes, P. G. (1997). *Tropical Residual Soils*. London: The Geological Society.
- Goecker, W. L., Moh, Z. C., Davidson, D. T., & Chu, T. Y. (1956). Stabilization of fine and coarse grained soils with lime and fly ash admixtures. *Highway Research Board Bulletin 129*, 63–82.

- Harichane, K., Ghrici, M., Kenai, S., & Grine, K. (2011). Use of natural pozzolana and lime for stabilization of cohesive soils. *Geotechnical and Geological Engineering*, 29(5), 759–769.
- Havelin, J. E., & Frank, K. (1951). Hydrated lime-fly ash-fine aggregate cement. Google Patents. Retrieved from <https://www.google.com/patents/US2564690>
- Herzog, A., & Mitchell, J. K. (1963). REACTIONS ACCOMPANYING STABILIZATION OF CLAY WITH CEMENT. In *Highway Research Record* (pp. 146–171). Washington D.C.: Highway Research Board.
- Hilt, G. H., & Davidson, D. T. (1960a). Lime fixation in clayey soils. *Highway Research Board Bulletin*, (262), 20–32.
- Hilt, G. H., & Davidson, D. T. (1960b). *Lime fixation of clayey soils*. *Highway Research Board Bull.* 262. Washington, DC.
- ICTAD. (2009). *Standard Specification for Construction and Maintenance of Road and Bridges (SSCM)* (2nd ed.). Institute for Construction Training and Development (ICTAD).
- Indraranta, B. (1994). Geotechnical characterization of blended coal tailing for construction and rehabilitation work. *Quarterly Journal of Engineering Geology*, 27, 353–361.
- Ingles, O. G., & Metcalf, J. B. (1973). *Soil stabilization: principles and practice*. New York: Wiley.
- Jones, D., Rahim, A., Saadeh, S., & Harvey, J. T. (2012). *Guidelines for the Stabilization of Transportation., Subgrade Soils In California*.
- Kaniraj, S. R., & Gayathri, V. (2003). Factors Influencing the Strength of Cement Fly Factors Influencing the Strength of Cement. *Ournal of Transportation Engineering*, c(September), 538–548. [https://doi.org/10.1061/\(ASCE\)0733-947X\(2003\)129](https://doi.org/10.1061/(ASCE)0733-947X(2003)129)
- Kumar, B. R. P., & Sharma, R. S. (2004). Effect of Fly Ash on Engineering

- Properties of Expansive Soils. *Journal of Geotechnical and Geoenvironmental Engineering*, (July), 764–767.
- Ladd, C. C., Moh, Z. C., & Lambe, T. W. (1960). *Recent soil-lime research at the Massachusetts Institute of Technology. 39th Annual Meeting of the Highway Research Board.*
- Lees, G., Abdelkader, M. O., & Hamdani, S. K. (1982). Effect of the clay fraction on some mechanical properties of lime-soil mixtures. *J. Inst. High. Engr.*, (11), 3–9.
- Little, A. L. (1969). The engineering classification of residual tropical soils. In *Seventh International Conference on Soil Mechanics and Foundation Engineering, ISSMFE*. (Vol. Vol. 1, pp. 1–10). Mexico.
- Little, D. N. (1987). Evaluation of structural properties of lime stabilized soils and aggregates. National Lime Association.
- Little, D. N., & Nair, S. (2009). *Recommended Practice for Stabilization of Subgrade Soils and Base Materials*. Texas: National Cooperative Highway Research Program, Transportation Research Board of the National Academies. <https://doi.org/10.17226/22999>
- Mallela, J., Quintus, H. V., & Smith, K. L. (2004). *Consideration of lime-stabilized layers in mechanistic-empirical pavement design*. Arlington, Virginia: The National Lime Association.
- McDowell, C. (1959). Stabilization of soils with lime, lime-flyash and other lime reactive materials. *High. Res. Board, Bull. 231*, 60–66.
- Minnick, L. J., Carson, W. H., & Miller, R. M. (1950). Lime-Flyash Compositions for Use in Highway Construction. *Proc. HRB, Vol. 30*, p.489.
- Mitchell, J. K. (1976). *Fundamentals of Soil Behavior*. New York: Wiley.
- Mitchell, J. K., & Hooper, D. R. (1961). Influence of time between mixing and compaction on properties of a lime-stabilized expansive clay. In *Highway*

Research Board Bulletin (pp. 14–31). Washington DC.

Mitchell, J. K., & Soga, K. (2005). *Fundamentals of soil behavior* (3rd ed.). New York: Wiley.

Moh, Z. C., Goecker, W. L., Chu, T. Y., & Davidson, D. T. (1955). Evaluation of lime and fly ash stabilization of soils by compressive strength tests (Progress Report, 1955. A slightly condensed version in :, 1955.). *Highway Research Board Bull.* 108, 102–112.

Nawagamuwa, U., & Prasad, D. L. S. (2017). Improving soils of low CBR with fly ash for road applications. In *ICSMGE 2017 - 19th International Conference on Soil Mechanics and Geotechnical Engineering* (Vol. 2017–Septe).

Nettleton, A. F. S. (1963). The Stabilization Sydney Basin Winnamatta Derived Residual Clay With Fly Ash and Chemical Control Environment.

Osinubi, K. J. (1998). Influence of Compactive Efforts and Compaction Delays on Lime-Treated Soil. *Journal of Transportation Engineering* (1998), 124, Issue(April), 149–155.

Pakbaz, M. S., & Farzi, M. (2015). Comparison of the effect of mixing methods (dry vs. wet) on mechanical and hydraulic properties of treated soil with cement or lime. *Applied Clay Science*, 105–106, 156–169. <https://doi.org/10.1016/j.clay.2014.11.040>

Pandey, A., & Rabbani, A. (2017). Soil stabilization using cement. *International Journal of Civil Engineering and Technology*, 8(6), 316–322. Retrieved from <http://www.iaeme.com/IJCIET/index>.

Petry, T. M., & Little, D. N. (2002). Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. *Journal of Materials in Civil Engineering*, 14(6), 447–460. [https://doi.org/10.1061/\(ASCE\)0899-1561\(2002\)14:6\(447\)](https://doi.org/10.1061/(ASCE)0899-1561(2002)14:6(447))

Phanikumar, B. R. (2009). Effect of lime and fly ash on swell, consolidation and

shear strength characteristics of expansive clays: A comparative study. *Geomechanics and Geoengineering*, 4(2), 175–181. <https://doi.org/10.1080/17486020902856983>

Prasad, S. J., Sahoo, S., & Kumar, V. (2010). Strength Characteristics of Fly Ash Mixed With Lime Stabilized Soil. *Indian Geotechnical Conference*, 5–8.

Prusinski, J., & Bhattacharja, S. (1999). Effectiveness of Portland Cement and Lime in Stabilizing Clay Soils. *Transportation Research Record*, 1652, 215–227.

Ravina, I., & Gurovich, E. (1977). Exchange Capacity of Calcium and Sodium Soils as Determined by Different Replacing Cations 1. *Soil Science Society of America Journal*, 41, 319–322. <https://doi.org/10.2136/sssaj1977.03615995004100020029x>

Road Development Authority. (2015). *Central Expressway Project Specifications*.

Saeed, K. A. H. (2016). Effect of Fly Ash Stabilization on Strength Properties of Contaminated Clay-Sand Soils. *ZANCO Journal of Pure and Applied Sciences*, 28, 372–378.

Sakr, M. A., Shahin, M. A., & Metwally, Y. M. (2009). Utilization of lime for stabilizing soft clay soil of high organic content. *Geotechnical and Geological Engineering*, 27(1), 105–113. <https://doi.org/10.1007/s10706-008-9215-2>

Sivapullaiah, P. V., Prashanth, J. P., Sridharan, A., & Narayana, B. V. (1998). Reactive silica and strength of fly ashes. *Geotechnical and Geological Engineering*, 16(3), 239–250. <https://doi.org/10.1023/A:1008889326269>

Sivapullaiah, P. V, Sridharan, A., & Bhaskar Raju, K. V. (2000). Role of amount and type of clay in the lime stabilization of soils. *Proceedings of the Institution of Civil Engineers - Ground Improvement*, 4(1), 37–45. <https://doi.org/10.1680/grim.2000.4.1.37>

Texas Department of Transportation. (2005). *Guidelines for Modification and Stabilization of Soils and Base for Use in Pavement Structures*. Construction

Division Materials & Pavements Section Geotechnical, Soils & Aggregates Branch.

Transport and Road Research Laboratory (TRRL). (1984). *Road note 31: a guide to the structural design of bitumen surfaced roads in tropical and subtropical countries*. Wokingham, Berkshire United Kingdom.

U.S. Army TM 5-882-14/AFM 32-1019. (1994). *Soil Stabilization for Pavements. Technical Manual No. 5-822-14; Air Force Manual No. 32-1019*. Joint Departments of the Army and the Air Force, USA.

Uehara, G. (1982). Soil science for the tropic. In *Engineering and Construction in Tropical and Residual Soils*. (pp. 13–26). Honolulu, Hawaii: ASCE Geotech. Div. Spec. Conf.

Zha, F., Liu, S., Du, Y., & Cui, K. (2008). Behavior of expansive soils stabilized with fly ash. *Natural Hazards: Journal of the International Society for the Prevention and Mitigation of Natural Hazards*, 47(3), 509–523. <https://doi.org/10.1007/s11069-008-9236-4>