

Original COPY
LB/DOW/104/06
420

SUPPORTIVENESS OF THE BUILDING EDGE OF AN URBAN PUBLIC SPACE AS A STEP
TOWARDS PLACE MAKING

LIBRARY
UNIVERSITY OF MORATUWA, SRI LANKA
MORATUWA

A Dissertation

Submitted to the Department of Architecture of the
University of Moratuwa in partial fulfillment of the



requirements for the degree of
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

Master of Science

in

Architecture

by

W. N. D. Amaradasa

72^v05
72(043)

2005, March

University of Moratuwa



85495

85495



85495

DECLARATION

I declare that this dissertation represent my own work, except where, due acknowledgement is made and that it has not previously include in a thesis, dissertation or report submitted to this university or to any other university or any other institute for degree, diploma or other qualification.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

UOM Verified Signature

W.N.D. Amaradasa

ACKNOWLEDGEMENT

Firstly, I wish to place on my record, my gratitude and thanks to Prof. Nimal De Silva and Archt. Vidura Sri Nammuni, for awarding me the opportunity to do this dissertation.

A special note of thanks goes to Archt. Channa Daswatte, for the inspiration, guidance and initial encouragement given to me to start off this assignment.

I am ever so grateful to my lecturers, Prof. S. Manawaduwa, Archt. Prasanna Kulatileka, and Dr. Upendra Rajapakshe, for their valuable knowledge, time, and advice given to me. Last, but not least, I thank my tutor, Archt. Varuna De silva, for his words of encouragement, confidence and support.

I also extend my sincere thanks to my dear friends, Indika, Sheila, Sumudu, Aruni, Dilupa, Muraj, and especially Rohendrika and Mrs. Shamali De Zoysa, who stood by me right throughout.

Lastly, I look towards home to thank my family, especially my parents, who is forever by my side, supporting me in good times and bad.

| | |
|-----------------------|---------|
| Acknowledgement | Page No |
| Table of content | |
| List of illustrations | |

Introduction

| | |
|----------------------------------|-----|
| Topic explanation | i |
| Need for the study | ii |
| Aims and Objectives of the Study | iii |
| Intention of the study | iii |
| Methodology | iv |
| Limitations of the Study | iv |

01. CHAPTER ONE – THE PUBLIC REALM OF URBAN SPACE AND RESPONSIVE URBAN SPACE

| | |
|---|----|
| 1:1 Introduction to the Public Domain of Urban Space | 01 |
| 1:1:2 Public Space as Spatial Enclosure | 02 |
| 1:1:3 The Building Edge of Public Space | 03 |
| 1:2 Problems of Existing Urban Public Spaces | 04 |
| 1:2:1 Development of New Communication Systems | 05 |
| 1:2:2 Developments of New Transport Systems | 05 |
| 1:2:3 Developments of Highways | 05 |
| 1:3 Present Functional Fragmentation of Urban Public Spaces | 07 |
| 1:3:1 Reintegration of Socio-Spatial Fragmentation | 08 |
| 1:3:2 Public Space and its Economic Potential | 10 |
| 1:3:3 Privatization of Public Open Space | 12 |
| 1:4 Human Response to Place | 13 |
| 1:4:1 Permeability | 14 |
| 1:4:1:1 Visual Permeability | 15 |
| 1:4:1:2 Physical Permeability | 16 |
| 1:4:2 Variety | 16 |
| 1:4:2:1 Different Level of Variety | 16 |
| 1:4:2:2 Factors Increasing Variety | 17 |
| 1:4:3 Legibility | 18 |
| 1:4:3:1 Legibility and Modern Cities | 19 |

| | | |
|---------|---|----|
| 1:4:4 | Robustness | 20 |
| 1:4:5 | Visual Appropriateness | 20 |
| 1:4:5:1 | Importance of Visual Appropriateness in Public Space | 21 |
| 1:4:6 | Richness | 21 |
| 1:4:6:1 | Importance of Visual Richness | 21 |
| 1:5 | Meanings of Environment and Experiencing Environment | 23 |
| 1:5:1 | Nonverbal Communication Approach | 23 |
| 1:5:1:1 | Fixed Elements | 25 |
| 1:5:1:2 | Semi Fixed Elements | 25 |
| 1:5:1:3 | Non Fixed Elements | 25 |

02. CHAPTER TWO - RESPONSIVENESS OF THE BUILDING EDGE AS A PLACE MAKING FACTOR

| | | |
|---------|--|----|
| 2.1 | Responsiveness | 26 |
| 2:1:1 | The Need for Responsiveness in a Built Environment | 26 |
| 2:1:2 | Responsiveness as a quality in urban environment. | 27 |
| 2:1:3 | Responsiveness and Urban Building Edge | 28 |
| |  Electronic Theses & Dissertations www.lib.mrt.ac.lk | |
| 2:2 | Building Edge | 29 |
| 2:2:1 | Introduction to the Building Edge | 29 |
| 2:2:2 | Importance of the Building Edge as Element of an Urban Space | 30 |
| 2:2:3 | Role of the Building Edge as Space | 31 |
| 2:2:4 | Building Edge as a Transitional Space | 32 |
| 2:2:4:1 | Physical Context of Transitional Space | 32 |
| 2:2:4:2 | Live context of the Transitional Space | 33 |
| | • Social Context | 33 |
| | • Cultural Context | 34 |
| | • Economic Context | 35 |
| 2.3 | Significance of the Building Edge as a Psychological Meaningful Space | 36 |

| | | |
|-------|-------------------------|----|
| 2:4 | Place Making | 37 |
| 2.4.1 | Properties of the Place | 38 |
| | • Control | 38 |
| | • Identity | 38 |
| | • Territory | 39 |
| | • Enclosure | 40 |
| | • Entry | 41 |
| | • Hierarchy | 41 |
| | • Climax | 42 |

03. CHAPTER THREE - CASE STUDIES

| | | |
|-----|--|----|
| | • Basis for Analysis | 44 |
| | • Basis for Conclusion | 45 |
| 3.1 | CASE STUDY ONE | 46 |
| | Public space in front of Fort railway station. | |
| | • Permeability | 46 |
| | • Variety | 47 |
| | • Legibility | 49 |
| | • Robustness | 50 |
| | • Visual Appropriateness | 52 |
| | • Richness | 53 |
| | • Personalization | 54 |
| | Concluding Remarks | 55 |
| 3.2 | CASE STUDY TWO | 57 |
| | Public space near CTB bus station Pettah. | |
| | • Permeability | 57 |
| | • Variety | 59 |
| | • Legibility | 61 |
| | • Robustness | 62 |
| | • Visual Appropriateness | 63 |
| | • Richness | 63 |
| | • Personalization | 64 |
| | Concluding Remarks | 65 |

| | | |
|-----|---|----|
| 3.3 | CASE STUDY THREE | 67 |
| | Open Space near the Nugegoda Super Market | |
| | • Permeability | 68 |
| | • Variety | 67 |
| | • Legibility | 70 |
| | • Robustness | 70 |
| | • Visual Appropriateness | 71 |
| | • Richness | 71 |
| | • Personalization | 72 |
| | Concluding Remarks | 73 |
| | CONCLUSION | 76 |
| | BIBLIOGRAPHY | |



LIST OF ILLUSTRATIONS

Chapter one

- Fig.01 Economic activities happening along building edge
- Fig.02 Leisure activities happening in an open public square
- Fig.03 Elements that give identity to a place, city or country. Eiffel Tower, France
- Fig.04 A neglected open public square - Kandy
- Fig.05 The recently developed Elvitigala Mawatha
- Fig.06 personalization of the building edge by vendors, during 'Pola' day near market in Kandy.
- Fig.07 Majestic City shopping complex, Bambalapitiya
- Fig.08 Fast movement of vehicles on the recently developed Elvitigala Mawatha
- Fig.09 Public open space used as parking area for vehicles – Kandy Town
- Fig.10 A positive step towards the increase of public activities in an urban context - Galle Face Green.
- Fig.11 Vivid methods of arranging economic activities to attract people –
A street in Los Angeles
- Fig.12 Galle Face Green. Colombo.
- Fig.13 Elements to enhance the aesthetic quality of the place.
- Fig.14 A remarkable attempt to attract people – The recently developed Beira Lake. Colombo
- Fig.15 Permeability through the market towards the public space space- Pettah
- Fig.16 The variety of building types of the Pettah
- Fig.17 The variety of building types in front of the Fort Railway Station.
- Fig.18 Old Parliament Building
- Fig.19 Elements that carry the image of a place – A Public Square in Kuala Lumpur
- Fig.20 Elements of a place – Civic centre, Chicago
- Fig.21 A building with a lower level of legibility- Newly built buildings at Duplication Road
- Fig.22. Visual richness in old buildings enhances the visual experience - Cargill's Millers building, Pettah.
- Fig.23. A visually monotonous building -Jaic Hilton, Colombo
- Fig.24. Visual richness in modern buildings – Pershing square, Los Angeles, USA

Chapter two

Fig.25 Dalada Perahera - Kandy

Fig.26 A 'Vel' procession- A Hindu festival ceremonially hauled from Pettah to Bambalapitiya in Colombo

Chapter three

Case study one

Fig.27 Plan of the Square

Fig.28 Permeability through Olcott Mawatha.

Fig.29 Shade provided by the porte-Cochere of the Station.

Fig. 30 The fence around the water fountain has decrease the sense of enjoyment.

Fig. 31 Alienated structures, that keeps people away from the public space.

Fig.32 Mix of old and new facades in front of the Fort Railway Station.

Fig. 33 Linear form of the Railway Station - Fort

Fig.34 The quality of movement at the Fort Railway Station and square

Fig.35 People finding shade from sun and rain under the Porte-Cohere

Fig. 36 Food outlets at the Fort Railway Station.

Fig. 37 Use of the Porte-Cohere as a waiting area - Fort Railway Station.

Fig.38 Serving different purposes along the building edge - A lottery stand at the Fort Railway Station.

Fig.39 Mobile/Temporary shop on the middle of the square.

Fig. 40 People gather under the tree for shade from the sun.

Fig. 41 Building edge of the Station that gives an idea of movement of the environment

Fig. 42 Informal shopping activities that happen in the south edge of the square

Fig. 43 Inappropriate structures which disturb the presence of the building edge.

Fig. 44 Detail appearance of the front façade of the Station.

Fig. 45 Contrast between old and new buildings - Fort

Fig. 46 The water fountain in the square.

Fig. 47 South edge of the square personalized by the vendors

Fig.48 Personalization that happens in the middle of the square

- Fig. 49 Personalization along the building edge by
- Fig. 50 Personalization along the building edge
- Fig. 51 Pocket of activities created along the North built edge of the square - Pettah
- Fig. 52 The disturbing context of the square - Pettah
- Fig.53 The disturbing context of the square - Pettah
- Fig.54 Penetrations through rows of shops in the middle of the square - Pettah
- Fig.55 Disturbance created in the square by vehicular activities
- Fig.56 Unusable spaces in the square
- Fig.58 Vegetable stalls at the square - Pettah
- Fig.59 A fruit stall at the square - Pettah
- Fig.60 The maximum response of a building edge to its functions and users- Pettah

Case study two

- Fig 61. An ill responsive building edge along the North edge of the square
- Fig 62. A narrow building façade that increase the variety of forms
- Fig 63. The variety of name boards - Pettah foratuwa, Sri Lanka. Electronic Theses & Dissertations
- Fig.64 East edge of the square demarcated by a Buddha statue
- Fig.65 west edge demarcated by **an Old Town Hall Building**
- Fig. 66 Variety in buildings along the North edge of the square
- Fig 67 blank walls, on the north edge of the square
- Fig 68 Row of retail shops- Pettah
- Fig 69 Variety of shops selling a variety of merchandise- Pettah
- Fig.70 Fruit carts and temporary shops that enhances the richness of the square
- Fig.71 Variety of goods stalls that enhances the richness of the square

Case study Three

- Fig.72 fences erected around the open space
- Fig.73 The present use of the open space as a car park
- Fig.74 The blank/solid façade of the super market
- Fig.75 the southwest building edge of the square- Nugegoda
- Fig.77 Street vendors on the North edge of the square

Fig.78 The stage at the square Nugegoda

Fig.79 The diversity of the building facades and types

Fig.80 The solid appearance of the Supermarket building- Nugegoda

Fig. 81 Orientation of the Nugegoda Market and square



University of Moratuwa, Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

