

REFERENCES

- [1] D. Saha and A. Mukherjee, "Pervasive computing: a paradigm for the 21st century", *Computer*, vol. 36, no. 3, pp. 25-31, 2003.
- [2] M. Weiser, "The Computer for the 21st Century", *Sci Am*, vol. 265, no. 3, pp. 94-104, 1991.
- [3] Pervasive computing Definition and Meaning, 2015. [Online]. Available: <http://www.dictionarofengineering.com/definition/pervasive-computing.html>.
- [4] V. Basili, "The Role of Experimentation: Past, Present, Future (keynote presentation)," *International Conference on Software Engineering*, 1996.
- [5] B. A. Kitchenham, S. L. Pfleeger, L. M. Pickard, P. W. Jones, D. C. Hoaglin, K. El Emam, and J. Rosenberg, "Preliminary Guidelines for Empirical Research in Software Engineering," *IEEE Transactions on Software Engineering*, vol. 28, no. 8, pp. 721-733, 2002.
- [7] A.K. Dey, G.D. Abowd, "Towards a Better Understanding of Context and Context-Awareness", 2002.
- [8] P. Mehra, "Context-Aware Computing: Beyond Search and Location-Based Services", *IEEE Internet Comput.*, vol. 16, no. 2, pp. 12-16, 2012.
- [9] B. Schilit and M. Theimer, "Disseminating active map information to mobile hosts", *IEEE Network*, vol. 8, no. 5, pp. 22-32, 1994.
- [10] M. Satyanarayanan, "Pervasive computing: vision and challenges", *IEEE Personal Communications*, vol. 8, no. 4, pp. 10-17, 2001.
- [11] A. Holzinger, A. Nischelwitzer, S. Friedl and B. Hu, "Towards lifelong learning: three models for ubiquitous applications", *Wireless Communications and Mobile Computing*, vol. 10, no. 10, pp. 1350-1365, 2008.
- [12] A. Cockburn, *Agile Software Development*. Reading, Massachusetts: Addison Wesley Longman, 2001.
- [13] L. Williams, W. Krebs, L. Layman, A. Ann and P. Abrahamsson, "Toward a Framework for Evaluating Extreme Programming", 2015.
- [14] Ranganathan, A., McGrath, R.E., Campbell, R.H., Mickunas, M.D. "Use of ontologies in a pervasive computing environment. Knowl". *Eng. Rev.* 18, 209-220 (Sep 2003)
- [15] M. V. Zelkowitz and D. R. Wallace, "Experimental Models for Validating Technology," *IEEE Computer*, vol. 31, no. 5, pp. 23-31, May 1998.
- [16] Chen, H., Finin, T. and Joshi, A. (2004) "An ontology for context-aware pervasive computing environments", *Special Issue on Ontologies for Distributed Systems, Knowledge Engineering Review*, Vol. 18, No. 3, pp.197-207.
- [17] Indulska, J. and Sutton, P. (2003) "Location management in pervasive systems", *CRPITS'03: Proceedings of the Australasian Information Security Workshop*, pp.143-151.
- [18] P.D. Hagighi, S. Krishnaswamy, A. Zaslavsky, M.M. Gaber, "Reasoning About Context in Uncertain Pervasive Computing Environments", 2008

- [19] S Bobek, G. J. Nalepa, "Incomplete and Uncertain Data Handling in Context-Aware Rule-Based Systems with Modified Certainty Factors Algebra", 2014
- [20] D. Kramer, S. Oussena, T. Clark, P. Komisarczuk, "An extensible, self-contained, layered approach to context acquisition", 2011
- [21] K. Da, M. Dalmau and P. Roose, "A Survey of adaptation systems", *International Journal on Internet and Distributed Computing Systems*, vol. 2, no. 1, pp. 1-18, 2015.
- [22] P. Fortier and H. Michel, "Computer systems performance evaluation and prediction". Burlington, MA: Digital Press, 2003.
- [23] K. Henriksen, J. Indulska, A. Rakotonirainy "Modeling Context Information in Pervasive Computing Systems", 2008.
- [24] M. Baldauf, S. Dustdar and F. Rosenberg, "A survey on context-aware systems", *International Journal of Ad Hoc and Ubiquitous Computing*, vol. 2, no. 4, p. 263, 2007.
- [25] T. Strang, C. Linnhoff-Popien, "A Context Modeling Survey", 2006.
- [26] Strang, T., Popien, C. "A context modeling survey. In: Workshop on Advanced Context Modelling, Reasoning and Management", *UbiComp 2004 - The Sixth International Conference on Ubiquitous Computing (2004)*
- [27] S Amulowitz, M., M Ichahahelles, F., and L Innhoff - P Opie , C. Capeus: An architecture for context-aware selection and execution of services. In *New developments in distributed applications and interoperable systems (Krakow, Poland, September 17-19 2001)*, Kluwer Academic Publishers, pp. 23–39.
- [28] Chen, P.-S. The entity-relationship model - toward a unified view of data. *ACM Transaction on Database Systems* 1, 1 (March 1976), 9–36.
- [29] U Schold, M., and G R Uninger, M. *Ontologies: Principles, methods, and applications*. *Knowledge Engineering Review* 11, 2 (1996), 93–155.
- [30] DE B Ruijn, J. *Using Ontologies - Enabling Knowledge Sharing and Reuse on the Semantic Web*. Tech. Rep. Technical Report DERI-2003-10-29, Digital Enterprise Research Institute (DERI), Austria, October 2003.
- [31] X.H. Wang, D.Q. Zhang, T. Gu, HK. Pung. *Ontology Based Context Modelling and Reasoning using OWL*. School of Computing, National University of Singapore, Singapore.
- [32] B.Y Lim, A.K Dey, "Toolkit to Support Intelligibility in Context-Aware Applications", (2010)
- [33] S Bobek, G. J. Nalepa, "Incomplete and Uncertain Data Handling in Context-Aware Rule-Based Systems with Modified Certainty Factors Algebra", 2014
- [34] K. Hamadache, E. Bertin, A. Bouchacout, I. Benyahia, "Context-Aware Communications Services: an Ontology Based Approach", 2007
- [35] Chefrou, D. "Developing component based adaptive applications in mobile environments". *Proceedings of the 2005 ACM symposium on Applied computing*. p. 1146–1150. SAC '05, ACM, New York, NY, USA (2005)
- [36] Context – AWARE, 2017. [Online]. Available: <http://www.awareframework.com/context/>

- [37] Ambient Dynamix – The plug-and-play context framework, 2017. [Online]. Available: <http://ambientdynamix.org/>
- [38] J.E. Bardram, “The Java Context Awareness Framework (JCAF) – A Service Infrastructure and Programming Framework for Context-Aware Applications”, 2005
- [39] A. Badii, M. Crouch, C. Lallah, “A Context-Awareness Framework for Intelligent Networked Embedded Systems”, 2010
- [40] GitHub - hubiquitus/hubiquitus-core: Hubiquitus core system. Actor oriented framework massively distributed, 2017. [Online]. Available: <https://github.com/hubiquitus/hubiquitus-core>
- [41] D. Garlan, D. Siewiorek, A. Smailagic, and P. Steenkiste, “Project aura: Toward distraction-free pervasive computing,” *IEEE Pervasive Computing*, vol. 1, no. 2, pp. 22–31, Apr. 2002. [Online]. Available: <http://dx.doi.org/10.1109/MPRV.2002.1012334>
- [42] M. Roman, C. Hess, R. Cerqueira, A. Ranganathan, R. H. Campbell, and K. Nahrstedt, “A middleware infrastructure for active spaces,” *IEEE Pervasive Computing*, vol. 1, no. 4, pp. 74–83, Oct. 2002. [Online]. Available: <http://dx.doi.org/10.1109/MPRV.2002.1158281>
- [43] A. Gluhak and W. Schott, “A wsn system architecture to capture context information for beyond 3g communication systems,” in *Intelligent Sensors, Sensor Networks and Information, 2007. ISSNIP 2007. 3rd International Conference on*, dec. 2007, pp. 49–54. [Online]. Available: <http://dx.doi.org/10.1109/ISSNIP.2007.4496818>
- [44] D. Conan, R. Rouvoy, and L. Seinturier, “Scalable processing of context information with cosmos,” in *Proc. 7th IFIP WG 6.1 international conference on Distributed applications and interoperable systems*, ser. DAIS’07. Berlin, Heidelberg: Springer-Verlag, 2007, pp. 210–224. [Online]. Available: <http://hal.inria.fr/docs/00/15/50/45/PDF/article.pdf>
- [45] B. Firmer, R. S. Moore, R. Howard, R. P. Martin, and Y. Zhang, “Poster: Smart buildings, sensor networks, and the internet of things,” in *Proc. 9th ACM Conference on Embedded Networked Sensor Systems*, ser. SenSys ’11. New York, NY, USA: ACM, 2011, pp. 337–338. [Online]. Available: <http://doi.acm.org/10.1145/2070942.2070978>
- [46] J. Herbert, J. O’Donoghue, and X. Chen, “A context-sensitive rule-based architecture for a smart building environment,” in *Future Generation Communication and Networking, 2008. FGCN ’08. Second International Conference on*, vol. 2, dec. 2008, pp. 437–440. [Online]. Available: <http://dx.doi.org/10.1109/FGCN.2008.169>
- [47] I. Sommerville, *Software engineering*. Harlow, England: Addison-Wesley, 2007.
- [48] J.F. Pane, B.A. Myers “Using HCI Techniques to Design a More Usable Programming System”, 2007.
- [49] B. du Boulay, T. O’Shea, and J. Monk, “The Black Box Inside the Glass Box: Presenting Computing Concepts to Novices,” in *Studying the Novice Programmer*, E.Soloway and J. C. Spohrer, Eds. Hillsdale, NJ: Lawrence Erlbaum Associates, 1989, pp. 431–446.
- [50] D. C. Smith, A. Cypher, and J. Spohrer, “KidSim: Programming Agents without a Programming Language,” *Communications of the ACM*, vol. 37, pp. 54–67, 1994.
- [51] K. Cwalina and B. Abrams, *Framework design guidelines*. Upper Saddle River, NJ: Addison-Wesley, 2006.

- [52] A.J. Ko, B.A. Myers, H.H. Aung, "Six Learning Barriers in End-User Programming Systems", 2005.
- [53] R. N. Taylor, N. Medvidovic, and E. M. Dashofy. Software Architecture: Foundations, Theory, and Practice. Wiley, 2009.
- [54] B.A. Myers. "Leveraging Software Architectures to Guide and Verify the Development of Sense-Compute-Control Applications", 2015.
- [55] A. Fitzpatrick, G. Biegel, S. Clarke, V. Cahill, "Towards a Sentient Object Model", 2001.
- [56] G. Richards, S. Lebresne, B. Burg and J. Vitek, "An analysis of the dynamic behavior of JavaScript programs", ACM SIGPLAN Notices, vol. 45, no. 6, p. 1, 2010.
- [57] D. Crockford, JavaScript. Beijing: O'Reilly, 2008.
- [58] S. Stefanov, JavaScript patterns. Sebastopol, CA: O'Reilly, 2010.
- [59] A.K. Hota, D. Madan Prabhu. "NODE.JS - Lightweight, Event driven IO web development", 2014.
- [60] I. Roth, "StrongLoop | What Makes Node.js Faster Than Java?", Strongloop.com, 2015. [Online]. Available: <http://strongloop.com/strongblog/node-js-is-faster-than-java/>. [Accessed: 24- Feb- 2015].
- [61] Cordova, 2015. [Online]. Available: <http://cordova.apache.org/>. [Accessed: 24- Feb- 2015].
- [62] Enterprise Integration Patterns – Polling Consumer, 2018. [Online]. Available: <http://www.enterpriseintegrationpatterns.com/patterns/messaging/PollingConsumer.html>
- [63] Enterprise Integration Patterns – Event Driven Consumer, 2018. [Online]. Available: <http://www.enterpriseintegrationpatterns.com/patterns/messaging/EventDrivenConsumer.html>
- [64] Firebase, 2017. [Online]. Available: <https://firebase.google.com>
- [65] RethinkDB the open-source database for the realtime web, 2018. [Online]. Available: <https://www.rethinkdb.com/>
- [66] Plugin Search – Apache Cordova, 2018. [Online]. Available: <https://cordova.apache.org/plugins/>
- [67] raspisensors - npm, 2018. [Online]. Available: <https://www.npmjs.com/package/raspisensors>
- [68] Real-time machine learning with TensorFlow, Kafka, and MemSQL | InfoWorld, 2018. [Online]. Available: <https://www.infoworld.com/article/3237166/machine-learning/real-time-machine-learning-with-tensorflow-kafka-and-memsql.html>
- [69] TensorFlow Wide & Deep Learning Tutorial | TensorFlow, 2018. [Online]. Available: https://www.tensorflow.org/tutorials/wide_and_deep
- [70] GitHub - RedisLabsModules/redis-ml: Machine Learning Model Server, 2018. [Online]. Available: <https://github.com/RedisLabsModules/redis-ml>
- [71] GitHub - antirez/neural-redis: Neural networks module for Redis, 2018. [Online]. Available: <https://github.com/antirez/neural-redis>

