REFERENCES

Alonso, C., Andrade, C., Rodriguez, J. and Diez, J.M., 1998. Factors controlling cracking of concrete affected by reinforcement corrosion. *Materials and structures*, 31(7), pp.435-441

Andrade, C., Alonso, C. and Molina, F.J., 1993. Cover cracking as a function of bar corrosion: Part I-Experimental test. *Materials and structures*, 26(8), pp.453-464.

Andrade, C., Alonso, C. and Sarria, J., 2002. Corrosion rate evolution in concrete structures exposed to the atmosphere. *Cement and concrete composites*, 24(1), pp.55-64.

Archie, G.E., 1942. The electrical resistivity log as an aid in determining some reservoir characteristics. *Transactions of the AIME*, 146(01), pp.54-62.

Backe, K.R., Lile, O.B. and Lyomov, S.K., 1998, January. Characterising Curing Cement Slurries by Electrical Conductivity. In SPE *Western Regional Meeting*. Society of Petroleum Engineers.

Bamforth, P.B., Price, W.F. and Emerson, M., 1997. *International Review of Chloride Ingress Into Structural Concrete: A Trl Report (Trl 359)*. Thomas Telford.

Basheer, L., Kropp, J. and Cleland, D.J., 2001. Assessment of the durability of concrete from its permeation properties: a review. *Construction and building materials*, 15(2-3), pp.93-103.

Bazant, Z.P., 1979. Physical model for steel corrosion in concrete sea structures-theory. *ASCE J Struct Div*, 105(6), pp.1137-1153.

Bertolini, L., Elsener, B., Pedeferri, P., Redaelli, E. and Polder, R.B., 2013. *Corrosion of steel in concrete: prevention, diagnosis, repair*. John Wiley & Sons.

Böhni, H. ed., 2005. Corrosion in reinforced concrete structures. Elsevier.

Brieger, L.M., 1986. Numerical simulation of carbonation of concrete. In *Werkstoffwissenschaften und Bausanierung, Berishtsband zum 2. Internationalen Kolloquium* (pp. 635-640). Technische Akademie Esslingen.

Broomfield, J.P., 2003. Corrosion of steel in concrete: understanding, investigation and repair. CRC Press.

BroomfieldJ. P., RodriguezJ., OrtegaL. M., GarciaA. M., 1993.Concrete Bridges in Aggressive Environments, Philip D. Cady International Symposium, Minneapolis, November 9–10, 1993, Weyers, R.E.(Ed.)), Detroit, American Concrete Institute, ACI SP-151, P. 163–181.

Christensen, B.J., Coverdale, T., Olson, R.A., Ford, S.J., Garboczi, E.J., Jennings, H.M. and Mason, T.O., 1994. Impedance spectroscopy of hydrating cement-based materials: measurement, Interpretation, and application. *Journal of the American Ceramic Society*, 77(11), pp.2789-2804.

Clear, K.C., 1992. Effectiveness of Epoxy-coated Reinforcing Steel-Interim Report.

Comité Européen de Normalisation, 2004. Design of concrete structures—Part 1-1: General rules and rules for buildings. *Eurocode 2, EN 1992-1-1: 2004: E.*

Dhir, R.K., Hewlett, P.C. and Chan, Y.N., 1989. Near surface characteristics of concrete: intrinsic permeability. *Magazine of concrete research*, 41(147), pp.87-97,

Dias, W.P.S., 2000. Reduction of concrete sorptivity with age through carbonation. *Cement and Concrete Research*, 30(8), pp.1255-1261.

Dias, W.P.S., 2013. Factors influencing the service life of buildings. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 46(4).

Djerbi, A., Bonnet, S., Khelidj, A. and Baroghel-Bouny, V., 2008. Influence of traversing crack on chloride diffusion into concrete. *Cement and Concrete Research*, 38(6), pp.877-883.

Felekoğlu, B., Türkel, S. and Baradan, B., 2007. Effect of water/cement ratio on the fresh and hardened properties of self-compacting concrete. *Building and Environment*, 42(4), pp.1795-1802..

Gjørv, O.E., Vennesland, Ø.E. and El-Busaidy, A.H.S., 1977, January. Electrical resistivity of concrete in the oceans. In *Offshore technology conference*. Offshore Technology Conference.

Glass, G.K. and Buenfeld, N.R., 2000. The influence of chloride binding on the chloride induced corrosion risk in reinforced concrete. *Corrosion Science*, 42(2), pp.329-344.

Guo, Y., Trejo, D. and Yim, S., 2014. New Model for Estimating the Time-Variant Seismic Performance of Corroding RC Bridge Columns. *Journal of Structural Engineering*, *141*(6), p.04014158.

Jang, S.Y., Kim, B.S. and Oh, B.H., 2011. Effect of crack width on chloride diffusion coefficients of concrete by steady-state migration tests. *Cement and Concrete Research*, 41(1), pp.9-19.

Katwan, M.J., Hodgkiess, T. and Arthur, P.D., 1996. Electrochemical noise technique for the prediction of corrosion rate of steel in concrete. *Materials and Structures*, 29(5), pp.286-294.

Kranc, S.C. and Sagüés, A.A., 1993. Calculation of extended counter electrode polarization effects on the electrochemical impedance response of steel in concrete. In *Electrochemical Impedance: Analysis and Interpretation*. ASTM International.

Kranc, S.C. and Sagüés, A.A., 2001. Detailed modeling of corrosion macrocells on steel reinforcing in concrete. *Corrosion Science*, 43(7), pp.1355-1372.

Kwon, S.J., Na, U.J., Park, S.S. and Jung, S.H., 2009. Service life prediction of concrete wharves with early-aged crack: Probabilistic approach for chloride diffusion. *Structural Safety*, *31*(1), pp.75-83.

Li, C.Q., 2003. Life-cycle modeling of corrosion-affected concrete structures: propagation. *Journal of Structural Engineering*, 129(6), pp.753-761.

Li, C.Q., Yang, Y. and Melchers, R.E., 2008. Prediction of reinforcement corrosion in concrete and its effects on concrete cracking and strength reduction. *ACI materials journal*, 105(1), p.3.

Lindvall, A., 1998, August. Duracrete–probabilistic performance based durability design of concrete structures. In *2nd Int. PhD. Symposium in civil engineering*.

Lindvall, A., 1998, August. Duracrete–probabilistic performance based durability design of concrete structures. In 2nd Int. PhD. Symposium in civil engineering.

Liu, T. and Weyers, R.W., 1998. Modeling the dynamic corrosion process in chloride contaminated concrete structures. *Cement and Concrete Research*, 28(3), pp.365-379.

Lopez, W. and Gonzalez, J.A., 1993. Influence of the degree of pore saturation on the resistivity of concrete and the corrosion rate of steel reinforcement. *Cement and concrete research*, 23(2), pp.368-376.

Lu, C., Gao, Y. and Liu, R.G., 2014. Effect of Transverse Crack on Chloride Penetration into Concrete Subjected to Drying–Wetting Cycles.

Manmohan, D. and Mehta, P.K., 1981. Influence of pozzolanic, slag, and chemical admixtures on pore size distribution and permeability of hardened cement pastes. *Cement, Concrete and Aggregates*, *3*(1), pp.63-67.

Marques, P.F. and Costa, A., 2010. Service life of RC structures: Carbonation induced corrosion. Prescriptive vs. performance-based methodologies. *Construction and Building Materials*, 24(3), pp.258-265.

Maruya, T., Hsu, K., Takeda, H. and Tangtermsirikul, S., 2003. Numerical modeling of steel corrosion in concrete structures due to chloride ion, oxygen and water movement. *Journal of Advanced Concrete Technology*, *I*(2), pp.147-160.

Mehta, P.K., 1991. Concrete in the marine environment (modern concrete technology series). CRC Press.

Morris, W., Vico, A. and Vázquez, M., 2004. Chloride induced corrosion of reinforcing steel evaluated by concrete resistivity measurements. *Electrochimica Acta*, 49(25), pp.4447-4453.

Neville, A.M., 1995. Properties of concrete (Vol. 4). London: Longman.

Ngala, V.T. and Page, C.L., 1997. Effects of carbonation on pore structure and diffusional properties of hydrated cement pastes. *Cement and Concrete Research*, 27(7), pp.995-1007.

Nigmatullin, R.R., Dissado, L.A. and Soutougin, N.N., 1992. A fractal pore model for Archie's law in sedimentary rocks. *Journal of Physics D: Applied Physics*, 25(1), p.32.

Nilsson, L.O., Poulsen, E., Sandberg, P., Sørensen, H.E. and Klinghoffer, O., 1996. HETEK, Chloride penetration into concrete, state-of-the-art, transport processes, corrosion initiation, test methods and prediction models. *Denmark, ISSN/ISBN*, pp.0909-4288.

Otieno, M., Beushausen, H. and Alexander, M., 2011. Prediction of corrosion rate in RC structures-A critical review. In *Modelling of Corroding Concrete Structures* (pp. 15-37). Springer, Dordrecht.

Otieno, M., Beushausen, H. and Alexander, M., 2012. Prediction of corrosion rate in reinforced concrete structures—a critical review and preliminary results. *Materials and corrosion*, 63(9), pp.777-790.

Papadakis, V.G. and Tsimas, S., 2002. Supplementary cementing materials in concrete: Part I: efficiency and design. *Cement and concrete research*, 32(10), pp.1525-1532.

Papadakis, V.G., 2000. Effect of supplementary cementing materials on concrete resistance against carbonation and chloride ingress. *Cement and concrete research*, 30(2), pp.291-299.

Park, S.S., Kwon, S.J. and Jung, S.H., 2012. Analysis technique for chloride penetration in cracked concrete using equivalent diffusion and permeation. *Construction and Building Materials*, 29, pp.183-192.

Parrott, L.J., 1985. Effect of changes in UK cements upon strength and recommended curing times. *Concrete* (*London*), 19(9).

Parrott, L.J., 1992. Variations of water absorption rate and porosity with depth from an exposed concrete surface: Effects of exposure conditions and cement type. *Cement and Concrete Research*, 22(6), pp.1077-1088.

Radzicki, M.J. and Taylor, R.A., 2008. Origin of system dynamics: Jay W. Forrester and the history of system dynamics. *US Department of Energy's introduction to system dynamics*..

Richardson, G. and Pugh, A.L., III 1981. Introduction to system dynamics modeling with dynamo.

Rodriguez, J., 1996. Corrosion of reinforcement and service life of concrete structures. In *Proceedings of 7th International Conference on DBMC*, 1996 (Vol. 1, pp. 117-126).

Saetta, A.V. and Vitaliani, R.V., 2004. Experimental investigation and numerical modeling of carbonation process in reinforced concrete structures: Part I: Theoretical formulation. *Cement and concrete research*, *34*(4), pp.571-579.

Sagüés, A., Kranc, S.C. and Washington, B.G., 2000. Computer modeling of corrosion and corrosion protection of steel in concrete. *Concrete*, p.1275.

Saleem, M., Shameem, M., Hussain, S.E. and Maslehuddin, M., 1996. Effect of moisture, chloride and sulphate contamination on the electrical resistivity of Portland cement concrete. *Construction and Building Materials*, 10(3), pp.209-214.

Schiessl, P. and Hardtl, R., 1991. Efficiency of fly ash in concrete evaluation of ibac test results. In *Technical Report of Institut für Bauforschung*. RWTH Aachen.

Sideris, K.K. and Konsta-Gdoutos, M., 1996. Influence of the water to cement ratio W/C on the compressive strength of concrete—An application of the cement hydration equation to concrete. *Applied Composite Materials*, *3*(5), pp.335-343.

Smith L.A., 1967. Proc. Institution of Civil Engineers, London, April, Vol. 36, pp. 769-790

Snyder, K.A., 2001. *Validation and modification of the 4SIGHT computer program*. US Department of Commerce, Technology Administration, National Institute of Standards and Technology.

Steffens, A., Dinkler, D. and Ahrens, H., 2002. Modeling carbonation for corrosion risk prediction of concrete structures. *Cement and Concrete Research*, 32(6), pp.935-941.

Stewart, M.G. and Rosowsky, D.V., 1998. Structural safety and serviceability of concrete bridges subject to corrosion. *Journal of Infrastructure systems*, 4(4), pp.146-155.

Sulapha, P., Wong, S.F., Wee, T.H. and Swaddiwudhipong, S., 2003. Carbonation of concrete containing mineral admixtures. *Journal of materials in civil engineering*, 15(2), pp.134-143.

Taffinder, G.G. and Batchelor, B., 1993. Measurement of effective diffusivities in solidified wastes. *Journal of Environmental Engineering*, 119(1), pp.17-33.

Takewaka, K., Yamaguchi, T. and Maeda, S., 2003. Simulation model for deterioration of concrete structures due to chloride attack. *Journal of Advanced concrete technology*, *I*(2), pp.139-146.

Teplý, B., Chroma, M. and Rovnanik, P., 2010. Durability assessment of concrete structures: reinforcement depassivation due to carbonation. *Structures & Infrastructure Engineering*, 6(3), pp.317-327.

Thomas, M.D.A. and Bentz, E.C., 2002. Computer program for predicting the service life and life-cycle costs of reinforced concrete exposed to chlorides. *Life365 Manual, SFA*, pp.12-56.

Tumidajski, P.J., Schumacher, A.S., Perron, S., Gu, P. and Beaudoin, J.J., 1996. On the relationship between porosity and electrical resistivity in cementitious systems. *Cement and concrete research*, 26(4), pp.539-544.

Val, D.V. and Melchers, R.E., 1997. Reliability of deteriorating RC slab bridges. *Journal of structural engineering*, 123(12), pp.1638-1644.

Vensim software (Accessed on multiple dates between 2016 and 2018): https://www.vensim.com/documentation/index.html?users_guide.htm.

Ventana Systems, 2007. Vensim® User Manual.

Vu, K., Stewart, M.G. and Mullard, J., 2005. Corrosion-induced cracking: experimental data and predictive models. *ACI structural journal*, 102(5), p.719.

Vu, K.A.T. and Stewart, M.G., 2000. Structural reliability of concrete bridges including improved chloride-induced corrosion models. *Structural safety*, 22(4), pp.313-333.

Yalcyn, H. and Ergun, M., 1996. The prediction of corrosion rates of reinforcing steels in concrete. *Cement and concrete research*, 26(10), pp.1593-1599.

Zhang, R., Castel, A. and François, R., 2010. Concrete cover cracking with reinforcement corrosion of RC beam during chloride-induced corrosion process. *Cement and Concrete Research*, 40(3), pp.415-425.