

---

## 12 REFERENCES

- [1] K. Terzaghi, *Theoretical Soil Mechanics*, 2nd ed. New York, 1943.
- [2] J. F. Labuz and B. Theroux, “Laboratory calibration of earth pressure cells,” *Geotech. Test. J.*, vol. 28, no. 2, pp. 188–196, 2005.
- [3] T. N. Dave, “A Review on Pressure Measurement using Earth Pressure Cell,” vol. 04, no. 06, pp. 1031–1034, 2011.
- [4] G. M. Fitz and T. L. Brandon, “Static and Dynamic Measurements Using Embedded Earth Pressure Cells,” *Transp. Res. Rec. J. Transp. Res. Board*, no. 1432, pp. 86–95, 1994.
- [5] O. S. Oshati, A. J. Valsangkar, and A. B. Schriver, “Earth pressures exerted on an induced trench cast-in-place double-cell rectangular box culvert,” *Can. Geotech. J.*, vol. 49, no. 11, pp. 1267–1284, 2012.
- [6] GLÖTZL, “LOAD CELL Models AU, AI and VW,” vol. 590, pp. 10–11, 2016.
- [7] L. Daigle and J. Zhao, “The influence of temperature on earth pressure cell readings,” *Can. Geotech. Journal*, vol. 41, pp. 551–559, 2004.
- [8] I. F. Morrison and W. E. Cornish, “Description of a pressure cell for the measurement of earth pressure,” *Canad. J. Res. A*, vol. 17, pp. 216–220, 1939.
- [9] J. B. Hannon and K. A. Jackura, “Measurement of Earth Pressure,” *Transp. Res. Rec. J. Transp. Res. Board*, no. 1004, pp. 6–13, 1985.
- [10] M. R. Ahmed and M. A. Meguid, “Patents and Techniques of Contact Pressure Measurement in Geotechnical Engineering,” *Recent Patents Eng.*, vol. 3, no. 3, pp. 210–219, 2009.
- [11] S. A. Liu and H. L. Tzo, “A novel six-component force sensor of good measurement isotropy and sensitivities,” *Sensors Actuators, A Phys.*, vol. 100, no. 2–3, pp. 223–230, 2002.
- [12] D. V. D. T. Udayanga, R. Amarasinghe, “Development of a Quantum Tunneling Composite based 1-DOF Tactile Sensor Development of a Quantum

- 
- Tunneling Composite based 1-DOF Tactile Sensor,” *Int. J. Adv. Inf. Sci. Technol.*, vol. 40, no. 40, 2015.
- [13] A. Song, J. Wu, G. Qin, and W. Huang, “A novel self-decoupled four degree-of-freedom wrist force/torque sensor,” *Meas. J. Int. Meas. Confed.*, vol. 40, no. 9–10, pp. 883–891, 2007.
- [14] M. Sharifzadeh, M. T. Masouleh, and A. Kalhor, “Design, construction & calibration of a novel Human-Robot Interaction 3-DOF force sensor,” *Int. Conf. Robot. Mechatronics, ICROM 2015*, pp. 182–187, 2015.
- [15] C. Yuan, W. Wang, C. Han, and H. Choi, “A three degree of freedom force/torque sensor to measure foot forces,” *Control. Autom. Syst. (ICCAS), 2012 12th Int. Conf.*, pp. 2028–2032, 2012.
- [16] R. F. Lind, L. J. Love, J. C. Rowe, and F. G. Pin, “Multi-axis foot reaction force/torque sensor for biomedical applications,” *2009 IEEE/RSJ Int. Conf. Intell. Robot. Syst. IROS 2009*, pp. 2575–2579, 2009.
- [17] Omega, *Transactions in Measurement and Control Volume 2: Data Acquisition*, vol. 3. 1998.
- [18] Geokon, “Model 4800 Series,” 2018.
- [19] J. E. Jennings and J. B. Burland, “Rand soil-pressure cell for low pressures, high accuracy and long-term stability,” *J. Sci. Instrum.*, vol. 37, no. 6, pp. 193–195, 1960.
- [20] G. Margason and M. J. Irwin, “Earth Pressure Cell,” *Nature*, vol. 201, pp. 464–466, 1964.
- [21] M. Talesnick, H. Horany, A. N. Dancygier, and Y. S. Karinski, “Measuring Soil Pressure on a Buried Model Structure for the Validation of Quantitative Frameworks,” *J. Geotech. Geoenvironmental Eng.*, vol. 134, no. 6, pp. 855–865, 2008.
- [22] Y. I. Rzhavin, “Fiber-optic sensors: Technical and market trends,” *Meas. Tech.*, vol. 46, no. 10, pp. 949–953, 2003.

- 
- [23] P. Roriz and A. B. Lobo Ribeiro, *Fiber Optical Sensors in Biomechanics*. Elsevier Inc., 2018.
- [24] D. Tosi, S. Poeggel, I. Iordachita, and E. Schena, *Fiber Optic Sensors for Biomedical Applications*. Elsevier Inc., 2018.
- [25] G. B. Hocker, “Fiber-optic sensing of pressure and temperature,” *Appl. Opt.*, vol. 18, no. 9, p. 1445, 1979.
- [26] S. S. Chong, A. R. Abdul Aziz, and S. W. Harun, “Fibre optic sensors for selected wastewater characteristics,” *Sensors (Switzerland)*, vol. 13, no. 7, pp. 8640–8668, 2013.
- [27] B. G. Dandridge, A and Cogdell, “Fiber optic sensors for Navy applications,” *IEEE*, 1991.
- [28] B. Lee, “Review of the present status of optical fiber sensors,” *Opt. Fiber Technol.*, vol. 9, no. 2, pp. 57–79, 2003.
- [29] L. Ran, X. W. Ye, G. Ming, and X. B. Dong, “Structural Monitoring of Metro Infrastructure during Shield Tunneling Construction.,” *Sci. World J.*, vol. 2014, 2014.
- [30] M. Majumder, T. K. Gangopadhyay, A. K. Chakraborty, K. Dasgupta, and D. K. Bhattacharya, “Fibre Bragg gratings in structural health monitoring-Present status and applications,” *Sensors Actuators, A Phys.*, vol. 147, no. 1, pp. 150–164, 2008.
- [31] B. P. Cosentino, B. Grossman, C. Shieh, S. Doi, H. Xi, and P. Erbland, “Fiber-Optic Chloride Sensor Development,” *J. Geotech. Eng.*, vol. 121, no. 8, pp. 610–617, 1995.
- [32] F. Ravet, L. Zou, X. Bao, L. Chen, R. F. Huang, and H. A. Khoo, “Detection of buckling in steel pipeline and column by the distributed Brillouin sensor,” *Opt. Fiber Technol.*, vol. 12, no. 4, pp. 305–311, 2006.
- [33] D. Inaudi, “Overview of Fiber Optic Sensing Technologies for Geotechnical Instrumentation and Monitoring,” *Geotech. Instrum. NEWS*, pp. 1–7, 2011.

- 
- [34] R. Correia *et al.*, “Fibre Bragg grating based effective soil pressure sensor for geotechnical applications,” vol. 7503, no. October, p. 75030F, 2009.
- [35] T. F. H. Legge, P. L. Swart, G. Van Zyl, and A. A. Chtcherbakov, “A fibre Bragg grating stress cell for geotechnical engineering applications,” *Meas. Sci. Technol.*, vol. 17, no. 5, pp. 1173–1179, 2006.
- [36] K. Weiss and H. Worn, “The working principle of resistive tactile sensor cells,” *IEEE Int. Conf. Mechatronics Autom. 2005*, no. July, pp. 471–476, 2005.
- [37] S. G. Paikowsky, C. J. Palmer, and L. E. Rolwes, “The Use of Tactile Sensor Technology for Measuring Soil Stress Distribution Samuel,” *Proc. Geocongress 2006*, no. 978, pp. 3–8, 2006.
- [38] S. Springman, P. Nater, R. Chikatamarla, and J. Laue, *Use of flexible tactile pressure sensors in geotechnical centrifuges*. 2002.
- [39] Y. W. Choo, T. H. Abdoun, M. J. O’Rourke, and D. Ha, “Remediation for buried pipeline systems under permanent ground deformation,” *Soil Dyn. Earthq. Eng.*, vol. 27, no. 12, pp. 1043–1055, 2007.
- [40] T. H. Abdoun *et al.*, “Factors influencing the behavior of buried pipelines subjected to earthquake faulting,” *Soil Dyn. Earthq. Eng.*, vol. 29, no. 3, pp. 415–427, 2009.
- [41] T. D. O’Rourke *et al.*, “Geotechnics of Pipeline System Response to Earthquakes,” *Geotech. Earthq. Eng. Soil Dyn. IV*, pp. 1–38, 2008.
- [42] L. D. Suits, T. C. Sheahan, I. Weidlich, and M. Achmus, *Measurement of Normal Pressures and Friction Forces Acting on Buried Pipes Subjected to Cyclic Axial Displacements in Laboratory Experiments*, vol. 31. 2008.
- [43] Y. Xiao and S. Xiaoke, “Soil pressure mini-sensor made of monocrystalline silicon and the measurement of its sensitivity coefficient,” *J. Wuhan Univ. Technol. Sci. Ed.*, vol. 20, no. 4, pp. 135–137, 2005.
- [44] C. Redshaw and S. A. Group, “A sensitive miniature pressure cell,” vol. 31, p. 50, 1954.

- 
- [45] A. C. Tory and R. W. Sparrow, "The influence of diaphragm flexibility on the performance of an earth pressure cell," *J. Sci. Instrum.*, vol. 44, no. 9, pp. 781–785, 1967.
- [46] V. Askegaard, *Measurement of pressure in solids by means of pressure cells*, no. 28. 1963.
- [47] K. R. Peattie, "The Fundamental Action of Earth Pressure Cell," *J. Mech. Phymia Solid&*, vol. 2, 1954.
- [48] W. A. Weiler Jr and F. H. Kulhawy, *Factors affecting stress cell measurements in soil.*, vol. 108. 1982.
- [49] S. F. Brown, "STRESSES LAYERED AND DEFORMATIONS PAVEMENT DYNAMIC SYSTEMS LOADS IN FLEXIBLE TO by Thesis for the submitted degree of to the Doctor of of Philosophy , Nottingham," 1967.
- [50] V. Reg, B. A. Sch, W. L. Kraft, D. Unterschied, S. Granit, and W. Abb, "Die bautechnik 7.," no. April, 1929.
- [51] M. Arshad and B. C. O. Kelly, "Use of Miniature Soil Stress Measuring Cells under Repeating Loads," *in*, pp. 177–182, 2014.
- [52] W. Andrew Take, *Lateral earth pressures behind rigid fascia retaining walls*. 2018.
- [53] V. Askegaard, "Applicability of normal and shear stress cells embedded in cohesionless materials," *Exp. Mech.*, vol. 35, no. 4, pp. 315–321, 1995.
- [54] N. R. Faces, "Earth Pressure on Retaining Walls," vol. 113, no. 21544, pp. 586–599, 1987.
- [55] C. R. I. Clayton and A. V. . Bica, "The design of diaphragm-type boundary total stress cells," no. 2, pp. 349–351, 1993.
- [56] L. Chen and A. Song, "A novel three degree-of-freedom force sensor," *2009 Int. Conf. Meas. Technol. Mechatronics Autom. ICMTMA 2009*, vol. 1, pp. 77–80, 2009.

- 
- [57] A. Marston and A. O. Anderson, "The Theory of Loads on Pipes in Ditches and Tests of Cement and Clay Drain Tile and Sewer Pipe," *Iowa State Coll. Agric. Mech. Arts*, vol. 11, no. 31, No.5, 1913.
- [58] K. Szechy, *Art of tunnelling*. 1970.
- [59] R. L. Handy, "The Arch in Soil Arching," *J. Geotech. Eng.*, vol. 111, no. 3, pp. 302–318, 1985.
- [60] C. Lee, "Computer Analysis of Cross Canyon Culvert," 1982.
- [61] D. O. Potyondy and P. A. Cundall, "A bonded-particle model for rock," *Int. J. Rock Mech. Min. Sci.*, vol. 41, no. 8 SPEC.ISS., pp. 1329–1364, 2004.
- [62] P. P. Balestrassi, E. Popova, A. P. Paiva, and J. W. Marangon Lima, "Design of experiments on neural network's training for nonlinear time series forecasting," *Neurocomputing*, vol. 72, no. 4–6, pp. 1160–1178, 2009.
- [63] P. A. Cundall and O. D. L. Strack, "A discrete numerical model for granular assemblies," *Géotechnique*, vol. 29, no. 1, pp. 47–65, 1979.
- [64] R. Zhang and G. Jiang, "Numerical Analyses of Soil Arching Mechanism For Passive Laterally Loaded Piles at the Mesoscopic Scale," vol. 20, pp. 1667–1680, 2015.
- [65] N. Oreskes, K. Shrader-frechette, K. Belitz, N. Oreskes, K. Shrader-frechette, and K. Belitz, "Verification , Validation , in Models Numerical and the Confirmation of Earth Sciences," vol. 263, no. 5147, pp. 641–646, 2010.
- [66] J. W. McNulty, "An experimental study of arching on sand," in *US Army Corps of Engineers Technical Report I-674*, no. 1, 1965.
- [67] B. Ladanyi and B. Hoyaux, "A STUDY OF THE TRAP-DOOR PROBLEM IN A GRANULAR MASS," *Can. Geotech. J.*, vol. 6, no. 1, pp. 1–14, 1969.
- [68] G. W. Harris, "A sandbox model used to examine the stress distribution around a simulated longwall coal-face," *Int. J. Rock Mech. Min. Sci.*, vol. 11, no. 8, pp. 325–335, 1974.

- 
- [69] I. Vardoulakis, "Trap-Door Problem with Dry Sand: A Statical Approach Based Upon Model Test Kinematic," *Int. J. Numer. ANALnICAL METHODS Geomech.*, vol. 5, no. November 1979, pp. 57–78, 1981.
- [70] C. H. EVANS, "AN EXAMINATION OF ARCHING IN GRANULAR SOILS by," 1984.
- [71] G. Lglesia, H. H. E. R. V. Whitman, and Sponsored, "Stochastic and Centrifuge Modelling of Jointed Rock," 1990.
- [72] T. Yoshida, F. Tatsuoka, and M. Siddiquee, *Shear banding in sands observed in plane strain compression*. 1994.
- [73] H. Tien, "A Literature Study of the Arching Effect," no. 1990, 1996.
- [74] G. Iglesia, H. Herbert, and V. Robert, "Stochastic and Centrifuge Modelling of Jointed Rock," no. December, 1990.
- [75] J. Sadrekarimi and A. Abbasnejad, "Arching effect in fine sand due to base yielding," *Can. Geotech. J.*, vol. 47, no. 3, pp. 366–374, 2010.
- [76] R. Rui, A. F. Van Tol, Y. Y. Xia, S. J. M. Van Eekelen, and G. Hu, "Investigation of soil-arching development in dense sand by 2D model tests," *Geotech. Test. J.*, vol. 39, no. 3, pp. 415–430, 2016.
- [77] Ruuki, *Aluminium AW 6082 T6 round*. 2012.