



**"ANALYTICAL STUDY OF THE INTERNAL GAIN OF
MULTI-STORY BUILDINGS AGAINST ITS ENERGY
CONSUMPTION IN THE COLOMBO
METROPOLITAN REGION"**

A Dissertation

Submitted to the Department of Architecture of the
University of Moratuwa in partial fulfillment of the
Requirements for the degree of
Master of Science
In
Architecture

T.D.S. PRASANNA

2007

89499

DECLARATION

I declare that this dissertation represent my own work, except where due acknowledgement is made, and that it has not been previously included in a thesis, dissertation or report submitted to the university or to any other institution for a degree, diploma or other qualification.

Signed ***UOM Verified Signature***

T.D.S. Prasanna



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

Signed, Supervisor:

UOM Verified Signature

Dr. Rohinton Emmanuel

Acknowledgments

This study with many complexities and difficulties completed due to the assistance guidance and encouragement given by all the following persons to whom I wish to extend my heart felt gratitude.

I am great full to Prof. Rohinton Emmanuel, Dr. Indrika Rajapakse for their encouragement and consultant guidance and critical evaluation through my research work

I also wish to convey my thanks to the dean of the faculty Prof. Chithra Wedikkara, Head of the Department Prof. Samitha Manawadu, subject coordinator Dr. Harsha Munasinghe, my year persons Archt. Jayanath Silva. Mrs Arosha Gunasinghe, Archt. Chamal Jalath, Archt. Ratnam Rohidham, Archt. N.T. Loyd for their valuable guidance and advice in the initial stage of the study.



Electronic Theses & Dissertations

www.lib.mrt.ac.lk

Special thanks to Mr. Jagath Wanigasekara Maintenance Manager Ceylinco Seylan tower and Mr S.L.Perera Maintenance Manager Jaic Hilton towers for supplying necessary data of the building.

A worm thanks to my senior brothers of the university Miuru, Dinu, Thanuja, Prasad, Ruwan and my junior brothers of the university Chandika, Sapumal for their valuable support in completing this task.

Finally I would like to thank my family specially my mother and every one at home and all the friends who constantly encouraged this end ever.

Contents

Acknowledgements	ii
Abstract	iii
Contents	iv
List of figures	vi
Chapter 01-introduction	01
1.1 Backgrounds	01
1.2 Aim of the study	03
1.3 Objectives	03
1.4 Methodology	04
1.5 Scope and limitation	04
Chapter 02 – Energy consumption and energy efficient standards	05
2.1 Global energy supply and demand	05
2.1.1 Sectorial demand	05
2.2 Energy demand and consumption of Sri Lanka	07
2.2.1 Sectorial demand	09
2.3 energy forecasting factors and tools	11
2.3.1 Number of occupants	11
2.3.2 Number of working Hours	11
2.3.3 Gross Floor Area	11
2.3.4 Number of Floors	12
2.3.5 Building Orientation	12
2.3.6 Type of Services	13
2.3.7 Types of Equipment	13
2.3.8 Lighting in a building	13
2.3.9 Building Envelope	14
2.3.10 Summary of Energy Forecasting Factors and Tools	14

2.4	Electrical demand Vs energy cost	15
2.5	Energy Consumption in Buildings	19
2.5.1	Energy Consumption Pattern in Buildings	19
2.5.2	Embodied Energy	20
2.6	Energy efficient standards	21
Chapter 03 –Method of study and Material		23
3.1	Building selection rationale	23
3.2	Energy audit and evaluation protocol	24
3.2.1	Research approach	24
3.2.2	Data collection	25
3.2.3	Variables	25
3.2.4	Data analysis	25
3.2.5	Assumptions	25
3.3	Method of Data Collection	26
3.3.1	Problems and Limitations	27
3.3.2	Preparation of the collected data for Analysis	28
Chapter 04 –Result and major findings		29
4.1	Introduction of the study	29
4.2	Building Introduction	30
4.2.1	Jaic Hilton tower	30
4.2.2	Ceylinco saylan towers	31
4.3	Typical multi story luxury residential building in Colombo metropolitan area	32
4.4	Climate data for DEROB	33
4.5	The research result of the study	34
4.5.1	Case one – Existing Situation	34
4.5.2	Case two - Changing building height	35
4.5.3	Case three - Changing building orientation	36
4.5.4	Case four - Material changes	37

4.5.5. Case five - Double-glazing	38
4.5.6. Case six - Base case	39
4.5.7. Case seven - Changing the building height	40
4.5.8. Case eight – Changing the orientation	41
4.5.9. Case nine - Material changes	42
4.5.10. Case ten - Double-glazing	43
4.6 Comparison Study	44
4.6.1. Case one Vs case two	44
4.6.2. Case two Vs case three	45
4.6.3. Case five Vs Case three	46
4.6.4. Case six Vs Case eight	47
4.6.5. Case seven Vs Case ten	48
4.6.6. Case two Vs Case seven	49
4.6.7. Case five Vs Case ten	50
4.6.8. Case three Vs Case eight	51
4.7 Recommendations	52
4.7.1. Floor height	52
4.7.2. Orientation	52
4.7.3. Wall materials	52
4.7.4. Double glass	52
4.8 Further Researches	53
Conclusions	54
References	57
Annexure	59

List of illustrations

Figure 2-1: California peak electricity demand by sector 2000

Figure 2-2: Generation by Sources

Figure 2-3: Energy Flow Diagram

Figure 2-4: Electricity Sales (GWh) in 2005

Figure 2-5: Revenue from Electricity Sales in 2005

Figure 4-6: Jaic Hilton Tower- Colombo 02

Figure 4-2: Ceylinco Seylan Tower- Colombo 03

Figure 4-3: Ceylinco Seylan Tower- Colombo 03

Figure 4-4: Ceylinco Seylan Tower- House Unit Plan

Figure 4-5: Ceylinco Seylan Tower- Apartment Interior

Figure 4-6: DEROB model – Case One

Figure 4-7: Temperature Variations –case one

Figure 4-8: Cooling Load –case one

Figure 4-9: Apartment Interior

Figure 4-10: DEROB model – case two

Figure 4-11: Temperature Variations –case two

Figure 4-12: Cooling Load –case two

Figure 4-13: Apartment Interior

Figure 4-14: DEROB model – case three

Figure 4-15: Temperature Variations –case three-15⁰

Figure 4-16: Cooling Load –case three-15⁰

Figure 4-17: Temperature Variations –case three-90⁰

Figure 4-18: Cooling Load –case three-90⁰

Figure 4-19: Apartment Interior

Figure 4-20: DEROB model – case four

Figure 4-21: Temperature Variations –case four

Figure 4-22: Cooling Load –case four

Figure 4-23: DEROB model – case five

Figure 4-24: Temperature Variations –case five

Figure 4-25: Cooling Load –case five

Figure 4-26: Plan – Jaic Hilton Tower

Figure 4-27: Apartment Interior

Figure 4-28: DEROB model – case six

Figure 4-29: Temperature Variations –case six

Figure 4-30: Cooling Load –case six

Figure 4-31: Apartment Interior

Figure 4-32: DEROB model – case seven

Figure 4-33: Temperature Variations –case seven

Figure 4-34: Cooling Load –case seven

Figure 4-35: Apartment Interior

Figure 4-36: DEROB model – case eight

Figure 4-37: Temperature Variations –case eight-15⁰

Figure 4-38: Cooling Load –case eight-15⁰

Figure 4-39: Temperature Variations –case eight-90⁰

Figure 4-40: Cooling Load –case eight-90⁰

Figure 4-41: Recreation areas

Figure 4-42: DEROB model – case nine

Figure 4-43: Temperature Variations –case nine

Figure 4-44: Cooling Load –case nine

Figure 4-45: Comfort Living

Figure 4-46: DEROB model – case ten

Figure 4-47: Temperature Variations –case ten

Figure 4-48: Cooling Load –case ten

Figure 4-49: Temperature variation –existing

Figure 4-50: Temperature variation –Height variation

Figure 4-51: Cooling Load –existing

Figure 4-52: Cooling Load – Height variation

Figure 4-53: Temperature variation-height variation

Figure 4-54: Temperature variation-orientation

Figure 4-55: Cooling Load-height variation

Figure 4-56: Cooling Load- orientation

Figure 4-57: Temperature variation – double glassing

Figure 4-58: Temperature variation – orientation

Figure 4-59: Cooling Load – double glassing

Figure 4-60: Cooling Load – orientation

Figure 4-61: Temperature variation – existing

Figure 4-62: Temperature variation – orientation

Figure 4-63: Cooling Load – existing

Figure 4-64: Cooling Load – orientation

Figure 4-65: Temperature variation – Height Variation

Figure 4-66: Temperature variation – Double glassing

Figure 4-67: Cooling Load – Height Variation

Figure 4-68: Cooling Load – Double glassing

Figure 4-69: Temperature variation – Height Variation

Figure 4-70: Temperature variation – Height Variation

Figure 4-71: Cooling Load – Height Variation

Figure 4-72: Cooling Load – Height Variation

Figure 4-73: Temperature variation – orientation

Figure 4-74: Temperature variation – double glassing

Figure 4-75: Cooling Load – orientation

Figure 4-76: Cooling Load – double glassing

Figure 4-77: Temperature variation – Orientation

Figure 4-78: Temperature variation –orientation

Figure 4-79: Temperature variation – orientation

Figure 4-80: Temperature variation –orientation