

## REFERENCES

- [1] R. Chandramouli, M. Iorga, and S. Chokhani, "Cryptographic Key Management Issues and Challenges in Cloud Services," in *Secure Cloud Computing*, Springer, 2013, pp. 1–30. [Online]. Available: [https://link.springer.com/chapter/10.1007/978-1-4614-9278-8\\_1](https://link.springer.com/chapter/10.1007/978-1-4614-9278-8_1). [Accessed 23 Nov. 2018].
- [2] VansonBourne and Nutanix, Inc., "Nutanix Enterprise Cloud Index," 2018. [online] Available: <https://www.nutanix.com/enterprise-cloud-index/docs/enterprise-cloud-index.pdf>. [Accessed 23 Nov. 2018].
- [3] A. Jessup, "Building trust between modern distributed systems with SPIFFE," 21-Feb-2018. [Online]. Available: <https://www.slideshare.net/ajessup/building-trust-between-modern-distributed-systems-with-spiffe>. [Accessed: 07-Dec-2018].
- [4] D. Smith and E. Anderson, "Hype Cycle for Cloud Computing, 2018," *Gartner, Inc.*, 31-Jul-2018. [Online]. Available: <https://www.gartner.com/doc/3884671/hype-cycle-cloud-computing->. [Accessed: 06-Dec-2018].
- [5] P. Rabinovich, "Building Identity Into Microservices," *Gartner, Inc.*, 15-Aug-2017. [Online]. Available: <https://www.gartner.com/doc/3784664/building-identity-microservices>. [Accessed: 27-Dec-2018].
- [6] R. S. Sandhu and P. Samarati, "Access control: principle and practice," *IEEE Commun. Mag.*, vol. 32, no. 9, pp. 40–48, 1994. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/312842>. [Accessed: 27-Dec-2018].
- [7] C. De Laat, G. Gross, L. Gommans, J. Vollbrecht, and D. Spence, "Generic AAA architecture," 2000. [Online]. Available: <https://www.rfc-editor.org/info/rfc2903>. [Accessed: 27-Dec-2018].
- [8] E. Rissanen and Axiomatics, "extensible access control markup language (xacml) version 3.0," *OASIS standard*, 2013. [Online]. Available: <http://docs.oasis-open.org/xacml/3.0/xacml-3.0-core-spec-os-en.pdf>. [Accessed: 27-Dec-2018].
- [9] D. Brossard and Axiomatics, "JSON Profile of XACML 3.0 Version 1.0," *OASIS standard*, 2017. [Online]. Available: <http://docs.oasis-open.org/xacml/xacml-json-http/v1.0/cos01/xacml-json-http-v1.0-cos01.pdf>. [Accessed: 26-Dec-2018].
- [10] Openpolicyagent.org, "How Does OPA Work?", 2018. [Online]. Available:

- <https://www.openpolicyagent.org/docs/how-does-opa-work.html>. [Accessed: 12-Dec-2018].
- [11] Openpolicyagent.org, “Comparison to Other Systems.” in Open Policy Agent Documentation, 2018. [Online]. Available: <https://www.openpolicyagent.org/docs/comparison-to-other-systems.html>. [Accessed: 27-Dec-2018].
- [12] D. Gollmann, “Computer security,” *WIRES Comp Stat*, vol. 2, no. 5, pp. 544–554, Sep. 2010. [Online]. Available: <http://wires.wiley.com/WileyCDA/WiresArticle/wisId-WICS106.html>. [Accessed: 27-Dec-2018].
- [13] R. S. Sandhu, “Lattice-based access control models,” *Computer*, no. 11, pp. 9–19, 1993. [Online]. Available: <https://ieeexplore.ieee.org/document/241422>. [Accessed: 27-Dec-2018].
- [14] D. D. Clark and D. R. Wilson, “A Comparison of Commercial and Military Computer Security Policies,” in *1987 IEEE Symposium on Security and Privacy*, 1987, pp. 184–184. [Online]. Available: <https://www.semanticscholar.org/paper/A-Comparison-of-Commercial-and-Military-Computer-Clark-Wilson/1b7dd069a40900cd781a9cf97c8e819c09b4a346>. [Accessed: 27-Dec-2018].
- [15] D. F. C. Brewer and M. J. Nash, “The Chinese Wall security policy,” *Proceedings. 1989 IEEE Symposium on Security and Privacy*, Oakland, CA, USA, 1989, pp. 206-214. doi:10.1109/SECPRI.1989.36295.
- [16] Timetoast timelines, “Cloud Computing History timeline,” *Timetoast*. [Online]. Available: <https://www.timetoast.com/timelines/cloud-computing-history>. [Accessed: 06-Dec-2018].
- [17] C. Stamford, “Gartner Forecasts Worldwide Public Cloud Revenue to Grow 17.3 Percent in 2019.” [Online]. Available: <https://www.gartner.com/en/newsroom/press-releases/2018-09-12-gartner-forecasts-worldwide-public-cloud-revenue-to-grow-17-percent-in-2019>. [Accessed: 28-Jan-2019].
- [18] V. D'costa, “Is hyperconverged infrastructure equivalent to the public cloud?”, *Web Werks*. 2016 [Online]. Available: <http://blog.webwerks.in/cloud-hosting-blog/is-hyperconverged-infrastructure-equivalent-to-the-public-cloud>. [Accessed: 08- Jan- 2019]
- [19] J. McArthur, K. Yamada, P. Dawson, and J. Palmer, “Magic Quadrant for Hyperconverged Infrastructure,” *Gartner, Inc.*, 02-Jan-2019. [Online]. Available:

<https://www.gartner.com/doc/3894101/magic-quadrant-hyperconverged-infrastructure>. [Accessed: 28-Jan-2019].

- [20] M. C. Calzarossa, M. L. Della Vedova, L. Massari, D. Petcu, M. I. M. Tabash, and D. Tessera, “Workloads in the Clouds,” Springer International Publishing, 2016, pp. 525–550. doi:10.1007/978-3-319-30599-8\_20.
- [21] R. M. Needham and M. D. Schroeder, “Using encryption for authentication in large networks of computers,” Xerox, Palo Alto Research Center, 1978. doi:10.1145/359657.359659.
- [22] C. Neuman and J. Kohl, “The Kerberos Network Authentication Service (V5),” Sep. 1993. doi:10.17487/RFC1510.
- [23] B. C. Neuman and T. Ts’o, “Kerberos: an authentication service for computer networks,” *IEEE Commun. Mag.*, vol. 32, no. 9, pp. 33–38, Sep. 1994. doi:10.1109/35.312841.
- [24] Amazon Web Services, Inc., “Instance Identity Documents - Amazon Elastic Compute Cloud,” Amazon Web Services, Inc. [Online]. Available: <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/instance-identity-documents.html>. [Accessed: 29-Jan-2019].
- [25] Google Cloud, “Verifying the Identity of Instances | Compute Engine Documentation | Google Cloud,” *Google Cloud*. [Online]. Available: <https://cloud.google.com/compute/docs/instances/verifying-instance-identity>. [Accessed: 27-Jan-2019].
- [26] N. Sakimura, J. Bradley, M. Jones B. de Medeiros and C. Mortimore, “Final: OpenID Connect Core 1.0 incorporating errata set 1.” [Online]. Available: [https://openid.net/specs/openid-connect-core-1\\_0.html](https://openid.net/specs/openid-connect-core-1_0.html). [Accessed: 27-Jan-2019].
- [27] D. Hardt, “The OAuth 2.0 authorization framework,” IETF. 2012. [Online]. Available: <https://tools.ietf.org/pdf/rfc6749.pdf>. [Accessed: 06-Dec-2018].
- [28] The SPIFFE authors, “SPIFFE – Secure Production Identity Framework for Everyone.” [Online]. Available: <https://spiffe.io/spiffe/>. [Accessed: 29-Jan-2019].
- [29] The Istio Team, “Introducing Istio,” *Istio*. [Online]. Available: <https://istio.io/blog/2017/0.1-announcement/>. [Accessed: 06-Dec-2018].
- [30] F. Lardinois, “The Istio service mesh hits version 1.0,” *TechCrunch*, 31-Jul-2018. [Online]. Available: <http://social.techcrunch.com/2018/07/31/the-open-source-istio-service-mesh-for->

- microservices-hits-version-1-0/. [Accessed: 06-Dec-2018].
- [31] O. Gould, “spiffe support · Issue #1570 · linkerd/linkerd,” *GitHub*. [Online]. Available: <https://github.com/linkerd/linkerd/issues/1570>. [Accessed: 29-Jan-2019].
- [32] Kubernetes - Container Identity Working Group, “Container Identity Working Group proposal,” *Google Docs*. [Online]. Available: [https://docs.google.com/document/d/1bCK-1\\_Zy2WfsrMBJkdaV72d2hidaxZBhS5YQHAgscPI/edit](https://docs.google.com/document/d/1bCK-1_Zy2WfsrMBJkdaV72d2hidaxZBhS5YQHAgscPI/edit). [Accessed: 22-Feb-2019].
- [33] E. Hammer-Lahav, “The OAuth 1.0 Protocol,” Apr. 2010. [Online]. Available: <https://tools.ietf.org/pdf/rfc5849.pdf>. [Accessed: 26-Dec-2018].
- [34] M. Jones, B. Campbell, J. Bradley and W. Denniss, “OAuth 2.0 Token Binding,” Oct. 2018. [Online]. Available: <https://tools.ietf.org/pdf/draft-ietf-oauth-token-binding-08.pdf>. [Accessed: 26-Dec-2018].
- [35] B. Campbell, J. Bradley, N. Sakimura, and T. Lodderstedt, “OAuth 2.0 Mutual TLS Client Authentication and Certificate Bound Access Tokens,” OAuth Working Group, 2018. [Online]. Available: <https://tools.ietf.org/id/draft-ietf-oauth-mtls-07.html>. [Accessed: 26-Dec-2018].
- [36] Keycloak community and Redhat, Inc., “Keycloak 4.0.0.Final.” Redhat. [Online]. Available: [https://www.keycloak.org/docs/4.0/release\\_notes/index.html](https://www.keycloak.org/docs/4.0/release_notes/index.html). [Accessed: 26-Dec-2018].
- [37] M. Schwartz, "Support OAuth MTLS Client Authentication and Certificate Bound Access Tokens · Issue #946 · GluuFederation/oxAuth", *GitHub*, 2018. [Online]. Available: <https://github.com/GluuFederation/oxAuth/issues/946>. [Accessed: 26-Dec-2018].
- [38] D. Jack & V. O. Tom, “OAuth 2.0 Mutual TLS and Certificate Bound Access Tokens in IBM API Connect v5.0.8+,” developer. ibm.com, 28-Sep-2018. [Online]. Available: <https://developer.ibm.com/apiconnect/2018/09/28/oauth-2-0-mutual-tls-certificate-bound-access-tokens-ibm-api-connect-v5-0-8/>. [Accessed: 26-Dec-2018].
- [39] F. Carbone, “How to Enable Open Banking Dynamic Client Registration with Ping Identity.” [Online]. Available: <https://www.pingidentity.com/en/company/blog/posts/2018/enable-open-banking-dynamic-client-registration-with-ping-identity.html>. [Accessed: 26-Dec-2018].
- [40] WSO2 Inc., “Mutual TLS for OAuth Clients - Identity Server 5.5.0 - WSO2

Documentation.” [Online]. Available:  
<https://docs.wso2.com/display/IS550/Mutual+TLS+for+OAuth+Clients>.  
[Accessed: 26-Dec-2018].

- [41] A. Cser, “XACML is dead,” *Forrester*, 07-May-2013. [Online]. Available:  
[https://go.forrester.com/blogs/13-05-07-xacml\\_is\\_dead/](https://go.forrester.com/blogs/13-05-07-xacml_is_dead/). [Accessed:  
17-Feb-2019].
- [42] Spiffe community, “spiffe/java-spiffe,” *GitHub*. [Online]. Available:  
<https://github.com/spiffe/java-spiffe>. [Accessed: 24-Feb-2019].
- [43] P. Jayawardhana, “Dvaara,” *GitHub*. [Online]. Available:  
<https://github.com/Dvaara>. [Accessed: 23-Feb-2019].
- [44] P. Jayawardhana, “SPIFFE based KeyStore/TrustStore and OAuth2.0 with  
WSO2 IS Authorization Server,” *GitHub*. [Online]. Available:  
<https://github.com/Dvaara/demonstration>. [Accessed: 23-Feb-2019].
- [45] A. Jessup, "Document the registration API · Issue #41 · spiffe/spiffe.io",  
*GitHub*, 2019. [Online]. Available: <https://github.com/spiffe/spiffe.io/issues/41>.  
[Accessed: 23- Feb- 2019]. [Accessed: 23-Feb-2019].