

REFERENCES

- Abella, E. A., Jong, S. M., van Westen, C. J., & van Asch, W. J. (2008). *Multi-scale landslide risk assessment in Cuba*. (PhD Thesis), Faculty of Geo-Information and Earth Observation,
- Afify, H. A. (2011). Evaluation of change detection techniques for monitoring land-cover changes: A case study in new Burg El-Arab area. *Alexandria Engineering Journal*, 50, pp 187–195.
- Akbarimehr, M., Motagh, M., & Haghshenas-Haghighi, M. (2013). Slope stability assessment of the sarcheshmeh landslide, Northeast Iran, investigated using InSAR and GPS observations. *Remote Sensing*, 5, pp 3681–3700.
- Akgun, A., Dag, S., & Bulut, F. (2008). Landslide susceptibility mapping for a landslide-prone area (Findikli, NE of Turkey) by likelihood-frequency ratio and weighted linear combination models. *Environmental Geology*, 54, pp 1127–1143.
- Aleotti, P., & Chowdhury, R. (1999). Landslide hazard assessment: summary review and new perspectives. *Engineering Geology and the Environment*, 58(1), pp 21-44.
- Antonini, G., Ardizzone, F., Cardinali, M., Galli, M., Guzzetti, F., & Reichenbach, P. (2002). Surface deposits and landslide inventory map of the area affected by the 1997 Umbria–Marche earthquakes. *Bollettinodella Societa Geologica Italiana*, 121(2), pp 843-853.
- Armas, I. (2012). Weights of evidence method for landslide susceptibility mapping. Prahova Subcarpathians. Romania. *Natural Hazards*, 60, pp 937–950.
- Ayalew, L., Yamagishi, H., & Ugawa, N. (2004). Landslide susceptibility mapping using GIS-based weighted linear combination, the case in Tsugawa area of Agano River. Niigata Prefecture, Japan. *Landslide*, 1(1), pp 73-81.
- Baker, S., Scharstein, D., Lewis, J. P., Roth, S., Black, M. J., & Szeliski, R. (2011). A database and evaluation methodology for optical flow. *International Journal of Computer Vision*, 92, pp 1-31.
- Ballabio, C., & Sterlacchini, S. (2012). Support Vector Machines for Landslide Susceptibility Mapping: The Staffora River Basin Case Study, Italy, (2012) 44: 47. *Mathematical Geosciences*, 44(47), doi:10.1007/s11004-11011-19379-11009.
- Bandara, R. M. S. (2005). Landslides in Sri Lanka. *VIDURAVA*, 22(2), pp 9-13.
- Baroň, I., Bečkovský, D., & Míča, L. (2014). Application of infrared thermography for mapping open fractures in deep-seated rockslides and unstable cliffs. *Landslides*, 11, pp 15-27.

- Barredol, J. I., Benavidesz, A., Herhl, J., & van Westen, C. J. (2000). Comparing heuristic landslide hazard assessment techniques using GIS in the Tirajana basin, Gran Canaria Island, Spain. *International Journal of Applied Earth Observation and Geoinformation*, 2(1), pp 9-23.
- Barrett, B. W., Dwyer, E., & Whelan, P. (2009). Soil Moisture Retrieval from Active Spaceborne Microwave Observations: An Evaluation of Current Techniques. . *Remote Sensing*, 1, pp 210-242. doi: doi: 10.3390/rs1030210.
- Beguiria, S. (2006). Validation and evaluation of predictive models in hazard assessment and risk management. *Natural Hazards*, 37, pp 315-329.
- Beven, K. J., & Kirkby, M. J. (1979). A physically based, variable contributing area model of basin hydrology. *Hydrology*, 24, pp 43-69.
- Bignami, C., Chini, M., Pierdicca, N., & Stramondo, S. M. (2004). *Comparing and combining the capability of detecting earthquake damages in urban areas using SAR and optical data*. Paper presented at the Proceedings of IEEE/IGARSS 2004, Anchorage, USA.
- Bonachea, J., Remondo, J., deTeran, J. R. D., Gonazalez-Diez, A., & Cendrero, A. (2009). Landslide Risk Models for Decision Making. *Journal of Risk Analysis*, 29(11), pp 1629-1643.
- Breiman, L., Friedman, J. H., Olshen, R. A., & Stone, C. J. (1984). *Classification and regression trees*. Wadsworth: Belmont.
- Bui, D. T., Lofman, O., Revhaug, I., & Dick, O. (2011). Landslide susceptibility analysis in the HoaBinh province of Vietnam using statistical index and logistic regression. *Natural Hazards*, 59, pp 1413–1444.
- Bui, D. T., Pradhan, B., Lofman, O., & Revhaug, I. (2012). Landslide susceptibility assessment in Vietnam using support vector machines, decision tree, and naive Bayes models. *Mathematical Problems in Engineering volume 2012*, Article ID 974638, doi:974610.971155/972012/974638.
- Caicoya, A. T., Kugler, F., Hajnsek, I., & Papathanassiou, K. P. (2016). Large Scale Biomass Classification in Boreal Forests with TanDEM-X Data. . *IEEE Transactions on Geoscience and Remote Sensing*, 54(10), pp 5935-5951.
- Canuti, P., Casagli, N., Ermini, L., Fanti, R., & Farina, P. (2004). Landslide activity as a geo indicator in Italy: Significance and new perspectives from remote sensing. *Environmental Geology*, 45, pp 907–919.
- Cardinali, M., Galli, M., Guzzetti, F., Ardizzone, F., Reichenbach, P., & Bartoccini, P. (2006). Rainfall induced landslides in December 2004 in south-western Umbria, central Italy: types, extent, damage and risk assessment. *Journal of Natural Hazards and Earth System Sciences*, 6, pp 237-260.
- Carlson, T., Gillies, R., & Perry, E. (1994). A method to Make use of Thermal Infrared Temperature and NDVI Measurements to Infer Surface Soil Water Content and Fractional Vegetation Cover. *Remote Sensing Review*, 9, pp 161-173.

- Carrara, A., Guzzetti, F., Cardinali, M., & Reichenbach, P. (1999). Use of GIS technology in the prediction and monitoring of landslide hazard. *Natural Hazards*, 20(2-3), pp 117-135.
- Cevik, E., & Topal, T. (2003). GIS-based landslide susceptibility mapping for a problematic segment of the natural gas pipeline, Hendek (Turkey). *Environmental Geology*, 44, pp 949–962.
- Chalkias, C., Ferentinou, M., & Polykretis, C. (2014). GIS-Based Landslide Susceptibility Mapping on the Peloponnese, Peninsula, Greece. *Geosciences*, 4, pp 176-190, doi:110.3390/geosciences4030176.
- Che, V. B., Kervyn, M., Suh, C. E., Fontijn, K., Ernst, G. G. J., Del Marmol, M. A., Jacobs, P. (2012). Landslide susceptibility assessment in Limbe (SW Cameroon): A field calibrated seed cell and information value method. *Journal of Catena*, 92, pp 83-98, DOI: 10.1016/j.catena.2011.1011.1014.
- Chen, J., Gong, P., He, C., Pu, R., & Shi, P. (2003). Land-use/land-cover change detection using improved change-vector analysis. *Photogrammetric Engineering & Remote Sensing*, 69, pp 369–379.
- Chen, X., Vierling, L., & Deering, D. (2005). A simple and effective radiometric correction method to improve landscape change detection across sensors and across time. *Remote Sensing of Environment*, 98, pp 63–79.
- Cheng, P. (2007). Automated High-Accuracy Orthorectification and Mosaicking of PALSAR Data without Ground Control Points. *Geoinformatics*, 6(10), pp 36-38.
- Cho, J. H., & Kurup, P. U. (2011). Decision tree approach for classification and dimensionality reduction of electronic nose data. *Sensors and Actuators B: Chemical*, 160(1), pp 542–548.
- Chung, C. F., & Fabbri, A. G. (2003). Validation of spatial prediction models for landslide hazard mapping. *Natural Hazard*, 30, pp 451–472.
- Coe, J. A., Godt, J. W., Baum, R. L., Bucknam, R. C., & Michael, J. A. (2004). *Landslides: Evaluation and stabilization*. London, 1: Taylor & Francis Group, pp 69–78 T4 - Landslide susceptibility from topography in Guatemala
- Colesanti, C., & Wasowski, J. (2006). Investigating landslides with space-borne Synthetic Aperture Radar (SAR) interferometry. *Engineering Geology*, 88, pp 173-199.
- Conforti, M., Robustelli, G., Muto, F., & Critelli, S. (2011). Application and validation of bivariate GIS-based landslide susceptibility assessment for the Vittravo river catchment (Calabria, south Italy). *Natural Hazards*, DOI 10.1007/s11069-11011-19781-11060.
- Corominas, J., van Westen, C., Frattini, P., Cascini, L., Malet, J. P., Fotopoulou, S., Agliardi, F. (2014). Recommendations for the quantitative analysis of landslide risk. *Engineering Geology and the Environment*, 73, pp 209-263.
- Costanzo, D., Rotigliano, E., Irigaray, C., Jimenez-Peralvarez, J. D., & Chacon, J. (2012). Factors selection in landslide susceptibility modelling on large scale

- following the GIS matrix method: application to the river Beiro basin (Spain). *Natural Hazards Earth System*, 12, pp 327–340.
- Cruden, D. M. (1991). A Simple Definition of a Landslide. *Engineering Geology*, 43, pp 27-29.
- Cruden, D. M., & Varnes, D. J. (1996). *Landslides types and processes. In Landslides: Investigation and Mitigation; Transportation Research Board Special No. 247.* Washington, DC, USA: National Academy Press, pp 36–75.
- Dahal, R. K., Hasegawa, S., Nonomura, A. Y. M. M. T., & Nishino, K. (2008). GIS-based weights-of-evidence modelling of rainfall-induced landslides in small catchments for landslide susceptibility mapping. *Environmental Geology*, 54, pp 311-324.
- Dai, F. C., & Lee, C. F. (2002). Landslide characteristics and slope instability modelling using GIS, Lantau Island, Hong Kong. *Geomorphology*, 42, pp 213–228.
- Delacourt, C., Allemand, P., Berthier, E., Raucoules, D., Casson, B., Grandjean, P., Varel, E. (2007). Remote-sensing techniques for analysing landslide kinematics: A review. *Bulletin De La Societe Geologique De France*, 178, pp 89-100.
- Demir, G., Aytekin, M., Akgun, A., Ikizler, S. B., & Tatar, O. (2013). A comparison of landslide susceptibility mapping of the eastern part of the North Anatolian Fault Zone (Turkey) by likelihood-frequency ratio and analytic hierarchy process methods. *Natural Hazards*, 65, pp 1481–1506.
- Devi, R. N., & Jiji, G. W. (2015). Change Detection Techniques – A Survey. *International Journal on Computational Sciences & Applications (IJCSA)*, 5(2), DOI:10.5121/ijcsa.2015.5205.
- DMC. (2010). *Sri Lanka National Report on Disaster Risk, Poverty and Human Development Relationship. Disaster Management Center, Ministry of Disaster Management: Disaster Information Management System in Sri Lanka.*
- Dubois, P. C., van Zyl, J., & Engman, T. (1995). Measuring soil moisture with imaging radars. *IEEE Transactions on Geoscience and Remote Sensing*, 33(4), pp 915-926.
- Farina, P., Colombo, D., Fumagalli, A., Marks, F., & Moretti, S. (2006). Permanent scatters for landslide investigations: Outcomes from the ESA-SLAM project. *Engineering Geology*, 88, pp 200-217.
- Fawcett, T. (2006). An introduction to ROC analysis. *Pattern Recognition Letters*, 27, pp 861–874.
- Fiorucci, F., Cardinali, M., Carlà, R., Rossi, M., Mondini, A. C., Santurri, L., Guzzetti, F. (2011). Seasonal landslide mapping and estimation of landslide mobilization rates using aerial and satellite images. *Geomorphology*, 129, pp 59-70.
- Frattini, P., Crosta, G., & Carrara, A. (2010). Techniques for evaluating the performance of landslide susceptibility models. *Engineering Geology*, 111, pp 62–72.

- Guinau, M., Vilajosana, I., & Vilaplana, J. M. (2007). GIS-based debris flow & runout susceptibility assessment from DEM data. *Natural hazards and earth system sciences*, 7, pp 703-716.
- Guzzetti, F. (2004). Landslides triggered by the 23 November 2000 rainfall event in the Imperia Province, Western Liguria, Italy. *Engineering Geology*, 79, pp 229–245.
- Guzzetti, F., Carrara, A., Cardinalli, M., & Reichenbach, P. (1999). Landslide hazard evaluation: a review of current techniques and their application in a multi-scale study Central Italy. *Geomorphology*, 31(1-4), pp 181-216.
- Guzzetti, F., Mondini, A. C., Cardinali, M., Fiorucci, F., Santangelo, M., & Chang, K. T. (2012). Landslide inventory maps: New tools for an old problem. *Journal of Earth Science Revision*, 112, pp 42-66.
- Hasekiogullari, G. D., & Ercanoglu, M. (2012). A new approach to use AHP in landslide susceptibility mapping: a case study at Yenice (Karabuk, NW Turkey). *Natural Hazards*, 63, pp 1157–1179.
- Hassaballa, A. A., Matori, A. N. B., & Shafri, H. Z. B. M. (2013). Surface Moisture Content Retrieval from Visible/Thermal Infrared Images and Field Measurements. *Caspian Journal of Applied Sciences Research*, pp 182-189.
- Hervas, J., I., B. J., Rosin, P. L., Pasuto, A., Mantovani, F., & Silvano, S. (2003). Monitoring Landslides from Optical Remotely Sensed Imagery: the case history of Tessina Landslide, Italy. . *Geomorphology*, 54, pp 63-75. doi:doi: 10.1016/S0169-555X(03)00056-4.
- Hurlimann, M., Copons, R., & Altimir, J. (2006). Detailed debris flow hazard assessment in Andorra: A multidisciplinary approach. *Geomorphology*, 78, pp 359-372.
- Ilsever, M., & Unsalan, C. (2012). *Two Dimensional Change Detection Methods – Remote Sensing Applications*, ISBN: 978-1-4471-4254-6.
- Im, J., & Jensen, J. R. (2005). A change detection model based on neighbourhood correlation image analysis and decision tree classification. *Remote Sensing of Environment*, 99, pp 326–340.
- Ioannidis, C., & Vassilaki, D. M. (2008). *Combined use of Spaceborne Optical and SAR Data – Incompatible Data Sources or a Useful Procedure?* Paper presented at the Integrating Generations FIG Working Week 2008, TS 1H - Developments in Scanner and Sensor Technologies, Stockholm, Sweden.
- Iverson, R. M., & Denlinger, R. P. (2001). Flow of variably fluidized granular masses across three-dimensional terrain, Coulomb mixture theory. *Journal of Geophysical Research*, 106, pp 537-552.
- Jaafari, A., Najafi, A., Pourghasemi, H. R., Rezaeian, J., & Sattarian, A. (2014). GIS-based frequency ratio and index of entropy models for landslide susceptibility assessment in the Caspian forest, northern Iran. *International Journal of Environmental Science and Technology*, 11(4), pp 909–926.

- Jaafari, A., Najafia, A., Rezaeianc, J. S. A., & Ghajare, I. (2015). Planning road networks in landslide-prone areas: A case study from the northern forests of Iran. *Journal of Land Use Policy*, 47, pp 198–208.
- Jakob, M., Holm, K., Lango, O., & Schwab, J. (2006). Hydrometeorological threshold for landslide initiation and forest operation shutdowns on the north coast of British Columbia. *Landslides*, 3, pp 228-238.
- Javier, H., Jose, I. B., Paul, L. R., Alessandro, P., Franco, M., & Sandro, S. (2003). Monitoring landslides from optical remotely sensed imagery: the case history of Tessina landslide, Italy. *Geomorphology*, 54, pp 63-75.
- Joyce, K. E., Belliss, S., Samsonov, S., McNeill, S., & Glassey, P. J. (2009). A review of the status of satellite remote sensing image processing techniques for mapping natural hazards and disasters. *Progress in Physical Geography*, 33(2), pp 1-25.
- Kamp, U., Growley, B. J., Khattak, G. A., & Owen, L. A. (2008). GIS-based landslide susceptibility mapping for the 2005 Kashmir earthquake region. *Geomorphology*. 101(4), pp 631–642.
- Kanungo, D. P., Arora, M. K., Sarkar, S., & Gupta, R. P. (2009). Landslide susceptibility zonation (LSZ) mapping, *Journal of South Asia Disaster Studies*. *Journal of South Asia Disaster Studies*, 2, pp 81-105.
- Kappes, M. S., Malet, J. P., Remaitre, A., & Bell, R. (2011). Assessment of debris-flow susceptibility at medium-scale in the Barcelonnette Basin, France. *Natural hazards and earth system sciences*, 11, pp 627-641.
- Kavzoglu, T., Sahin, E. K., & Colkesen, I. (2014). Landslide susceptibility mapping using GIS-based multi-criteria decision analysis, support vector machines, and logistic regression. *Landslides*, 11(3), pp 425-439.
- Kavzoglu, T., Sahin, E. K., & Colkesen, I. (2015). An assessment of multivariate and bivariate approaches in landslide susceptibility mapping: a case study of Duzkoy district. *Natural Hazards*, 76, pp 471–496, DOI 410.1007/s11069-11014-11506-11068.
- Klose, M., Highland, L., & Damm, B. T. B. (2014). *Estimation of direct landslide costs in industrialized countries: Challenges, concepts, and case study*. In *Landslide Science for a Safer Geo-environment*. Berlin, Germany: Springer, pp 661-667.
- Kouli, M., Loupasakis, C., Soupios, P., & Vallianatos, F. (2010). Landslide hazard zonation in high risk areas of Rethymno Prefecture, Crete Island, Greece. *Natural Hazards*, 52, pp 599-621.
- Kseneman, M., Gleich, D., & Potočnik, B. (2012). Soil-moisture estimation from TerraSAR-X data using neural networks. *Machine Vision and Applications*, 23, pp 937–952, DOI 910.1007/s00138-00011-00375-00133.
- Kumar, V. K., & Tapas, R. M. (2007). *Remote Sensing Applications: National Remote Sensing Centre*, pp 331-338 T4 - 14 - Landslides.

- Kuplich, T. M., Curran, P. J., & Atkinson, P. M. (2005). Relating SAR image texture to the biomass of regenerating tropical forests. *International Journal of Remote Sensing*, 26(21), pp 4829-4854.
- Lan, H. X., Zhou, C. H., Wang, L. J., Zhang, H. Y., & Li, R. H. (2004). Landslide hazard spatial analysis and prediction using GIS in the Xiaojiang watershed, Yunnan, China. *Engineering Geology*, 76(1-2), pp 109–128.
- Landsat-8 (2016). Landsat – 8, Data Users Hand Book.
- Landslide (2014). Landslide, Wikipedia free encyclopedia.
- Lee, S., Hong, S. M., & Jung, H. S. (2017). A Support Vector Machine for Landslide Susceptibility Mapping in Gangwon Province, Korea. *Journal of Sustainability*, 9(48), doi:10.3390/su9010048.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2008). *Remote Sensing and Image Interpretation, sixth edition*. Hoboken, NJ: John Wiley & Sons.
- Lu, D., Mausel, P., Brondízio, E., & Moran, E. (2004). Change detection techniques. *International Journal of Remote Sensing*(25), pp 2365–2400.
- Lunetta, R. S., Johnson, D. M., Lyon, J. G., & Croswell, J. (2004). Impacts of imagery temporal frequency on land-cover change detection monitoring. *Remote Sensing of Environment*, 89, pp 444–454.
- Malamud, B. D., Turcotte, D. L., Guzzetti, F., & Reichenbach, P. (2004). Landslide inventories and their statistical properties. *Earth Surface Processes*, 29, pp 687-711.
- Mandal, S., & Maiti, R. (2015). Semi-quantitative Approaches for Landslide Assessment and Prediction. Geo-spatial Variability of Physiographic Parameters and Landslide Potentiality. *Springer Natural Hazards*.
- Mantovani, F., Soeters, R., & van Westen, C. J. (1996). Remote sensing techniques for landslide studies and hazard zonation in Europe. *Geomorphology*, 15, pp 213-225.
- Mapa, R. B., Dassanayake, A. R., & Nayakekorale, H. B. (2005). *Soils of the Intermediate Zone of Sri Lanka, Special publication number 4*: Soil Sciences Society of Sri Lanka.
- Martha, T., Jetten, V., & Kerle, N. (2011). *Detection of landslides by object - oriented image analysis*. (PhD Thesis), Faculty of Geo-Information and Earth Observation,
- Martha, T. R., Kerle, N., Jetten, V., van Westen, C. J., & Vinodkumar, K. (2010a). Characterising spectral, spatial and morphometric properties of landslides for automatic detection using object-oriented methods. *Geomorphology*, 116(1-2), pp 24–36.
- Martha, T. R., Kerle, N., Jetten, V., van Westen, C. J., & Vinodkumar, K. (2010b). Landslide volumetric analysis using Cartosat-1-derived DEMs. *IEEE Geosciences Remote Sensing Letters*, 7(3), pp 582–586.

- Metternicht, G., Hurni, L., & Gogu, R. (2005). Remote sensing of landslides: An analysis of the potential contribution to geo-spatial systems for hazard assessment in mountainous environments. *Remote Sensing of Environment*, 98, pp 284-303.
- Moran, M. S., Hymer, D. C., Qi, J., & Sano, E. E. (2000). Soil Moisture Evaluation using Multi-Temporal Synthetic Aperture Radar (SAR) in semiarid rangeland. *Agriculture and Forest Meteorology*, 105, pp 69-80.
- Murdopo, A. (2013). Distributed Decision Tree Learning for Mining Big Data Streams, MSc thesis.
- Muthu, K., Petrou, M., Tarantino, C., & Blonda, P. (2008). Landslide possibility mapping using fuzzy approaches. *IEEE Transactions on Geo-science and Remote Sensing*, 46, pp 1253-1265.
- Myles, A. J., Feudale, R. N., Liu, Y., Woody, N. A., & Brown, S. D. (2004). An introduction to decision tree modelling. *Journal of Chemometrics*. 18(6), pp 275–285.
- Naghibi, S. A., Pourghasemi, H. R., Pourtaghi, Z. S., & Rezaei, A. (2015). Groundwater qanat potential mapping using frequency ratio and Shannon's entropy models in the Moghan watershed, Iran. *Earth Science Informatics*, 8, pp 171–186.
- Nandi, A., & Shakoor, A. (2009). A GIS based landslide susceptibility evaluation using bivariate and multivariate statistical analyses. *Engineering Geology*, 110, pp 11-20.
- Nandi, A., & Shakoor, A. M. (2006). *Preparation of a Landslide Susceptibility Map of Summit County, Ohio, USA, Using Numerical Models. Paper No. 660*. Paper presented at the In Proceedings of the 10th IAEG Congress, Nottingham, UK.
- NBRO (2011). Landslide Research & Risk Management Division, National Building Research Organization, Ministry of Disaster management.
- NBRO (2016). Landslide Research & Risk Management Division, National Building Research Organization, Ministry of Disaster management.
- Neuhäuser, B., Damm, B., & Terhorst, B. (2012). GIS-based assessment of landslide susceptibility on the base of the weights-of-evidence model. *Landslides*, 9(4), pp 511–528.
- Niuniu, X., & Yuxun, L. M. (2010). *Review of decision trees. Computer science and information technology (ICCSIT)*. Paper presented at the 3rd IEEE International Conference.
- OFDA/CRED (2016). EM-DAT International Disaster Database. - University of Catholique de Louvain, Brussels, Belgium, 2016.
- Onagh, M., Kumra, V. K., & Kumar Rai, P. K. (2012). Landslide susceptibility mapping in a part of Uttarkashi District (India) by multiple linear regression method. *International Journal of Geology, Earth and Environmental Sciences*, 2(2), pp 102-120.

- Orsomando, F., Lombardo, P., Zavagli, M., & Costantini, M. (2007). SAR and Optical Data Fusion for Change Detection. *Urban Remote Sensing Joint Event 11-13 April 2007, Paris, France*, pp 1-9.
- Pall`as, R., Vilaplana, J. M., Guinau, M., Falg`as, E., Alemany, X., & Mu~noz, A. (2004). A pragmatic approach to debris flow hazard mapping in areas affected by Hurricane Match. *Engineering Geology*, 72, pp 57-72.
- Parise, M. (2002). Landslide hazard zonation of slopes susceptible to rock falls and topples. *Natural hazards and earth system sciences*, 2, pp 37-49.
- Park, S., Choi, C., Kim, B., & Kim, J. (2013). Landslide susceptibility mapping using frequency ratio, analytic hierarchy process, logistic regression, and artificial neural network methods at the Inje area, Korea. *Environmental Earth Sciences*, 68, pp 1443–1464, DOI 1410.1007/s12665-12012-11842-12665.
- Peng, L., Niu, R. Q., Huang, B., Wu, X. L., Zhao, Y. N., & Ye, R. Q. (2014). Landslide susceptibility mapping based on rough set theory and support vector machines: a case of the Three Gorges area, China. *Geomorphology*, 204, pp 287–301.
- Pesci, A., Teza, G., Casula, G., Loddo, F., Martino, P., Dolce, M., Pingue, F. (2011). Multi-temporal laser scanner-based observation of the Mt. Vesuvius crater: Characterization of overall geometry and recognition of landslide events". *ISPRS Journal of Photogrammetry and Remote Sensing*, 66, pp 327-336.
- Pourghasemi, H. R., Jirandeh, A. G., Pradhan, B., Xu, C., & Gokceoglu, C. (2013). Landslide susceptibility mapping using support vector machine and GIS at the Golestan Province. *Iran Journal of Earth System Sciences*, 122(2), pp 349–369.
- Pourghasemi, H. R., Pradhan, B., Gokceoglu, C., Mohammadi, M., & Moradi, H. R. (2012). Application of weights-of-evidence and certainty factor models and their comparison in landslide susceptibility mapping at Haraz watershed, Iran. *Arabian Journal of Geosciences*, 6(7), pp 2351–2365.
- Pradhan, B. (2013). A comparative study on the predictive ability of the decision tree, support vector machine and neuro-fuzzy models in landslide susceptibility mapping using GIS. *Computer Geosciences*, 51, pp 350-365, <https://doi.org/310.1016/j.cageo.2012.1008.1023>.
- Pradhan, B., Xu, C., & Gokceoglu, C. (2013). Landslide susceptibility mapping using support vector machine and GIS at the Golestan Province. *Journal of Earth System Science*, DOI: 10.1007/s12040-12013-10282-12042.
- Rahman, M. M., Moran, M. S., Thoma, D. P., Bryant, R., Holifield-Colins, C. D., & Jackson, T. (2008). Mapping Surface Roughness and Soil Moisture using Multi-angular radar imagery without ancillary data. *Remote Sensing of Environment*, 112, pp 391-402.
- Rahman, M. M., Moran, M. S., Thoma, D. P., Bryant, R., Sano, E. E., & Holifield-Colins, C. D. (2007). A derivation of roughness correlation length for parameterizing radar backscatter models. *International Journal of Remote Sensing*, pp 1-18. doi:DOI: 10.1080/01431160601075533.

- Raouf, A., & Lichtenegger, J. (1997). Integrated Use of SAR and Optical Data for Coastal Zone Management from ESA Earthnet Online.
- Rathje, E., & Adams, B. J. (2008). The role of remote sensing in earthquake science and engineering, Opportunities and Challenges. *Earthquake Spectra*, 24(2), pp 471–492.
- Regmi, N. R., Giardino, J. R., & Vitek, J. D. (2010). Modelling susceptibility to landslides using the weight of evidence approach: western Colorado, USA. *Geomorphology*, 115, pp 172-187.
- Reis, S., Yalcin, A., Atasoy, M., Nisanci, R., Bayrak, T., Erduran, M., Ekercin, S. (2012). Remote sensing and GIS-based landslide susceptibility mapping using frequency ratio and analytical hierarchy methods in Rize province (NE Turkey). *Environmental Earth Sciences*, 66, pp 2063–2073.
- Remondo, J., Gonz'alez-D'iez, A., D'iaz de Ter'an, J. R., Cendrero, A., Fabbri, A., & Chung, C. F. (2003). Validation of landslide susceptibility maps; examples and applications from a case study in Northern Spain. *Natural Hazards*, 30, pp 437–449.
- Rignot, E. J. M., & van Zyl, J. J. (1993). Change detection techniques for ERS-1 SAR data. *IEEE Transactions on Geoscience and Remote Sensing*, 31, pp 896–906.
- Rosin, P. L., Hervas, J., & Barredo, J. I. M. (2000). *Remote sensing image thresholding for landslide motion detection*. Paper presented at the 1st International Workshop on Pattern Recognition Techniques in Remote Sensing.
- Rosso, R., Rulli, M. C., & Vannucchi, G. (2006). A physically based model for the hydrologic control on shallow landsliding. *Water Resource Research*, 42, doi:10.1029/2005WR004369.
- Rupke, J., Cammeraat, E., Seijmonsbergen, A. C., & vanWesten, C. J. (1988). Engineering geomorphology of the widentobel catchment, appenzell and sankt-gallen, gallen, Switzerland: a geomorphological inventory system applied to geotechnical appraisal of slope stability. *Engineering Geology*, 26, pp 33-68.
- SAARC. (2010). *Report on Landslide Risk Management in South Asia, Thimpu, Bhutan*.
- Saaty, T. L. (1980). *The Analytical Hierarchy Process*, pp 287. New York: McGraw Hill, 350.
- Saaty, T. L. (2000). *Fundamentals of decision making and priority theory with the analytic hierarchy process*: 6.Rws Publications.
- Saha, A. K., Gupta, R. P., Sarkar, I., Arora, M. K., & Csaplovics, E. (2005). An approach for GIS-based statistical landslide susceptibility zonation – with a case study in the Himalayas, Landslides. 2, pp 61-69.
- Sano, E. E., Huete, A. R., Troufleau, D., Moran, M. S., & Vidal, A. (1998). Relation between ERS-1 Synthetic Aperture Radar data and Measurements of Surface Roughness and Moisture Content of Rocky Soils in a semiarid rangeland. *Water Resource Research*, 34(6), pp 1491-1498.

- Santangelo, M., Cardinali, M., Rossi, M., Mondini, A. C., & Guzzetti, F. (2010). Remote landslide mapping using a laser rangefinder binocular and GPS. *Journal of Natural Hazards and Earth System Sciences*, *10*, pp 2539–2546, doi: 2510.5194/nhess-2510-2539-2010.
- Santurri, L., Carlà, R., Fiorucci, F., Aiazzi, B., Baronti, S., Cardinali, M., & Mondini, A. (2010). Assessment of very high resolution satellite data fusion techniques for landslide recognition. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, *38/B7*, pp 492-496.
- Sar, N., Khan, A., Chatterjee, S., Das, A., & Mipun, B. S. M. (2016). *Coupling of analytical hierarchy process and frequency ratio based spatial prediction of soil erosion susceptibility in Keleghari river basin, India*. Paper presented at the International soil and water conservation research.
- Sarkar, S., & Kanungo, D. P. (2004). An integrated approach for landslide susceptibility mapping using remote sensing and GIS. *Photogrammetric Engineering & Remote Sensing*, *70*, pp 617–625.
- Sarkar, S., Kanungo, D. P., & Mehrotra, G. S. (1995). Landslide Hazard Zonation: a case Study in Garhwal Himalaya, India. *Mountain Research and Development*, *15*, pp 301–309.
- Scaioni, M. (2013). Remote sensing for landslide investigations: From research into practice. *Remote Sensing*, *5*, pp 5488–5492.
- Scaioni, M., Longoni, L., Melillo, V., & Papini, M. (2014). Remote Sensing for Landslide Investigations: An Overview of Recent Achievements and Perspectives. *Remote Sensing*, *6*(1), doi: 10.3390/rs3360x3000x.
- Schicker, R., & Moon, V. (2012). Comparison of bivariate and multivariate statistical approaches in landslide susceptibility mapping at a regional scale. *Geomorphology*. *161*, pp 40-57.
- Schuster, R. L. (1996). *Socioeconomic significance of landslides*. In *Landslides: Investigation and Mitigation*. Washington, DC, USA: National Academy Press, pp 12–35.
- Sentinel_1 (2016). Sentinel-1 User Handbook.
- Sentinel_2 (2016). Sentinel-2 User Handbook.
- Septiadi, D., & Nasution, A. M. T. (2009). Determine Surface Roughness Level Based on Texture Analysis. (ICACISIS-09. University of Indonesia, Jakarta, Indonesia, 7 - 8 December. International Conference on Advanced Computer Science and Information Systems.).
- Shahabi, H., Ahmad, B. B., & Khezri, S. (2013). Evaluation and comparison of bivariate and multivariate statistical methods for landslide susceptibility mapping (case study: Zab basin). *Arab Journal of Geosciences*, *6*, pp 3885–3907, DOI 3810.1007/s12517-12012-10650-12512.
- Shahabi, H., & Hashim, M. (2015). *Landslide susceptibility mapping using GIS based statistical models and Remote sensing data in tropical environment. Scientific report*.

- Singh, A. (1989). Review article: Digital change detection techniques using remotely-sensed data. *International Journal of Remote Sensing*, 10(6), pp 989–1003.
- Singhroy, V., Mattar, K., & Gray, A. (1998). Landslide Characterisation in Canada Using Interferometric SAR and Combined SAR and TM Images. *Advances in Space Research*, 21(3), pp 465-476.
- Singhroy, V., & Mattar, K. M. (2000). *SAR image techniques for mapping areas of landslides*. Paper presented at the Proceedings XIXth ISPRS Congress, Amsterdam.
- Sithamparapillai, P. M. T. U. N. (1994). *A Compendium of known Landslides in the Hill Country of Sri Lanka*. Paper presented at the National Symposium on landslides in Sri Lanka.
- Soergel, U., Thiele, A., Gross, H., & Thoennesen, U. M. (2007). *Extraction of bridge features from high-resolution InSAR data and optical images*. Paper presented at the Urban Remote Sensing Joint Event, Paris, France.
- Soeters, R., & van Westen, C. J. (1996). *Slope instability recognition, analysis, and zonation, In Landslides: investigation and mitigation. Transport Research Board Special Report. 247*, pp 129– 177.
- Somaratne, M. (2016). Challenges to Overcome: An Overview of Koslanda Landslide.
- Song, C., & Woodcock, C. E. (2003). Monitoring forest succession with multi-temporal Landsat images: factors of uncertainty. *IEEE Transactions on Geoscience and Remote Sensing*, 41, pp 2557–2567.
- Sørensen, R. U., Zinko, U., & Seibert, J. (2006). On the calculation of the topographic wetness index: evaluation of different methods based on field observations. *Hydrology and Earth System Sciences*, 10, pp 101–112.
- Speight, J. G. (1977). Landform pattern description from aerial photographs. *Journal of Photogrammetry*, 32, pp 161-182.
- Sportouche, H., Tupin, F., & Denise, L. M. (2009). *Building Detection by Fusion of Optical and SAR Features in Metric Resolution Data*. Paper presented at the International Geoscience & Remote Sensing Symposium, IGARSS 2009, University of Cape Town, Cape Town, South Africa.
- Stilla, U., Soergel, U., Thoennesen, U., & Brenner, A. (2005). *Potential and limits for reconstruction of buildings from high resolution SAR data of urban areas*. Paper presented at the 28th General Assembly of International Union Radio Science (URSI), New Delhi, India.
- Stramondo, S., Bignami, C., Chini, M., & Pierdicca, N. (2006). Satellite radar and optical remote sensing for earthquake damage detection: results from different case studies. *International Journal of Remote Sensing*, 27(20), pp 4433–4447.
- Suzen, M. L., & Kaya, B. S. (2012). Evaluation of environmental parameters in logistic regression models for landslide susceptibility mapping. *International Journal of Digital Earth*, 5, pp 338–355.

- Takahashi, T. (2007). *Debris flow: Mechanics, Prediction and Countermeasures*. Leiden, 448p: Taylor & Francis.
- Takahashi, T. (2009). A Review of Japanese Debris Flow Research. *International Journal of Erosion Control Engineering*, 2(1).
- Tarboton, D. G. (1997). A new method for the determination of flow directions and upslope areas in grid digital elevation models. *Water Resource Research*, 33, pp 309–319.
- TerraSAR_X (2016). TerraSAR-X image product guide.
- Thoma, D., Moran, M., Bryant, R., Holifield-Colins, C., Rahman, M., & Skirvin, S. (2004). Comparison of Two Methods for Extracting Surface Soil Moisture from C-band Radar Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 4, pp 827-830.
- Thoma, D. P., Moran, M. S., Bryant, R., Rahman, M., & Holifield-Colins, C. D. (2006). Comparison of four models to determine surface soil moisture from C-band radar imagery in a sparsely vegetated semiarid landscape. *Water Resource Research*, 42. doi:doi:10.1029/2004WR003905.
- Tralli, D. M., Blom, R. G., Zlotnicki, V., Donnellan, A., & Evans, D. L. (2005). Satellite remote sensing of earthquake, volcano, flood, landslide and coastal inundation hazards. *ISPRS Journal of Photogrammetry and Remote Sensing*, 59(4), pp 185-198.
- Tsuchida, R., Liu, W., & Yamazaki, F. M. (2015). *Detection of landslides in the 2015 Gorkha, Nepal earthquake using satellite imagery*. Paper presented at the 36th Asian Conference on Remote Sensing, Metro Manila, Philippines.
- Tupin, F., & Roux, M. (2003). Detection of building outlines based on the fusion of SAR and optical features. *Journal of Photogrammetry and Remote Sensing*, 58(1-2), pp 71–82.
- USGS (2004). Landslide Types and Processes, from Fact Sheet 2004-3072.
- van Westen, C., van Asch, T., & Soeters, R. (2006). Landslide hazard and risk zonation – why is it still so difficult", B. Eng. Geol. Environ. *Engineering Geology and the Environment*, 65, pp 167-184.
- van Westen, C. J. (1993). *Application of geographic information systems to landslide hazard zonation*.
- van Westen, C. J. (1997). *Statistical landslide hazard analysis*. In: *Application guide, ILWIS 2.1 for Windows, ITC, Enschede, The Netherlands*, pp 73-84. ITC, Enschede, The Netherlands.
- van Westen, C. J., Castellanos, E., & Kuriakose, S. K. (2008). Spatial data for landslide susceptibility, hazard, and vulnerability assessment: An overview. *Engineering Geology*, 102, pp 112-131.
- van Westen, C. J., & Lulie, G. F. (2003). Analyzing the evolution of the Tessina landslide using aerial photographs and digital elevation models. *Geomorphology*, 54(1-2), pp 77-89.

- van Westen, C. J., Rengers, N., & Soeters, R. (2003). Use of geomorphological information in indirect landslide susceptibility assessment. *Natural Hazards*, 30, pp 399–419.
- Varnes, D. J. (1984a). *Landslide Hazard Zonation: A Review of Principles and Practice*, IAEG Commission on landslides and other mass-movements. Paris, France: The UNESCO Press, p 63.
- Varnes, D. J. (1984b). *Landslides: Analysis and Control, Slope movements types and processes*. Washinton DC: Transportation Research Board, National Academy of sciences.
- Vieira, M. A., Formaggio, A. R., Rennó, C. D., Atzberger, C., Aguiar, D. A., & Mello, M. P. (2012). Object based image analysis and data mining applied to a remotely sensed Landsat time-series to map sugarcane over large areas. *Remote Sensing of Environment*, 123, pp 530–562.
- Vinodkumar, K. V., Lakhera, R. C., Martha, T. R., Chatterjee, R. S., & Bhattacharya, A. (2008). Analysis of the 2003 Varunawat landslide, Uttarkashi, India using earth observation data. *Environmental Geology*, 55, pp 789-799.
- Vohora, V. K., & Donoghue, S. L. M. (2004). *Application of remote sensing data to landslide mapping in Hong Kong*, 35/B4. Paper presented at the ISPRS, Turkey.
- Voigt, S., Kemper, T., Riedlinger, T., Kiefl, R., Scholte, K., & Mehl, H. (2007). Satellite image analysis for disaster and crisis-management support. *IEEE Transactions on Geosciences and Remote Sensing*, 45(6), pp 1520–1528.
- Wang, L., & Qu, J. J. (2009). Satellite Remote Sensing applications for Surface Soil Moisture Monitoring: A review. *Front. Earth Sciences China*, 3(2), pp 237-247. doi:doi: 10.1007/s11707-009-0023-7.
- Wasowski, J., & Bovenga, F. (2014). Investigating landslides and unstable slopes with satellite multi-temporal interferometry: Current issues and future perspectives. *Engineering Geology*, 174, pp 103-138.
- Weerasinghe, K., Malalasekara, A., & Dahanayake, K. (2008). *Learning to live with LANDSLIDES, Educational Booklet on Landslides*. Natural Hazards and Disasters: Department of Institutional Development, National Institute of Education.
- Weerawansa, G., Peiris, H. A. A., Kulatunga, A. K., Ekanayake, S. B., & Dissanayake, P. B. R. M. (2007). *Basic methodology for Landslides related disaster preparedness in Sri Lanka*. Paper presented at the International Conference of the International Institute for Infrastructure Resilience and Reconstruction (IIIRR), Kandy, Sri Lanka.
- WorldView_2 (2016). WorldView-2 product guide, Digital Globe.
- Yalcin, A. (2008). GIS-based landslide susceptibility mapping using analytical hierarchy process and bivariate statistics in Ardesen (Turkey): comparison of results and confirmations. *Journal of Catena*, 72, pp 1-12.

- Yamazaki, F., Inoue, H., & Liu, W. (2011). *Characteristics of SAR backscattered intensity and its application to earthquake damage detection*. *Computational Stochastic Mechanics*: pp 602-606, ISBN 978-981-08-7619-7.
- Yawen, M. (2011). *Regional Scale Multi-hazard Susceptibility Assessment: a case study in Mtskheta-Mtianeti, Georgia*. (MSc Thesis), Faculty of Geoinformation Science and Earth Observation, University of Twente, The Netherlands.
- Yilmaz, C., Topal, T., & Suzen, M. L. (2012). GIS-based landslide susceptibility mapping using bivariate statistical analysis in Devrek (Zonguldak-Turkey). *Environmental Earth Sciences*, 65, pp 2161–2178.
- Yilmaz, I. (2009). Landslide susceptibility mapping using frequency ratio, logistic regression, artificial neural networks and their comparison: a case study from Kat landslides (Tokat-Turkey). *Computers and Geosciences*, 35, pp 1125–1138.
- Yin, K. J., & Yan, T. Z. M. (1988). *Statistical prediction model for slope instability of metamorphosed rocks*. Paper presented at the Proceedings of the 5th international symposium on landslides, Lausanne, Switzerland 2.
- Youssef, A. M., Pourghasemi, H. R., El-Haddad, B. A., & Dhahry, B. K. (2015). Landslide susceptibility maps using different probabilistic and bivariate statistical models and comparison of their performance at Wadi Itwad Basin, Asir Region, Saudi Arabia. *Bulletin of Engineering Geology and the Environment*, <http://dx.doi.org/10.1007/s10064-10015-10734-10069>.
- Zenga, Y., Fengb, Z., & Xiang, N. M. (2004). *Assessment of soil moisture using Landsat ETM+temperature/vegetation index in semiarid environment*. Paper presented at the IEEE International Geoscience and Remote Sensing Symposium, IGARSS 04, Anchorage, AK, 06.
- Zeze, J., Trigo, R., & Trigo, I. (2005). Shallow and deep landslides induced by rainfall in the Lisbon region (Portugal): assessment of relationships with the North Atlantic Oscillation. *Natural hazards and earth system sciences*, 5, pp 331-344.
- Zhan, X., Miller, S., Chauhan, N., Di, L., Ardanuy, P., & Running, S. (2002). Soil Moisture Visible/Infrared Imager/Radiometer Suite Algorithm Theoretical Basis Document. Version 5.