

## REFERENCES

- Abimbola, O. P., Wenninger, J., Venneker, R., & Mittelstet, A. R. (2017). The assessment of water resources in ungauged catchments in Rwanda. *Journal of Hydrology: Regional Studies*, 13, 274–289. <https://doi.org/10.1016/j.ejrh.2017.09.001>
- Ahbari, A., Stour, L., Agoumi, A., & Serhir, N. (2018). Estimation of initial values of the HMS model parameters: application to the basin of Bin El Ouidane (Azilal, Morocco). *Journal of Materials and Environmental Sciences*, 9(1), 305–317. <https://doi.org/10.26872/jmes.2018.9.1.34>
- Ali, M., Khan, S. J., Aslam, I., & Khan, Z. (2011). Simulation of the impacts of land-use change on surface runoff of Lai Nullah Basin in Islamabad, Pakistan. *Landscape and Urban Planning*, 102(4), 271–279. <https://doi.org/10.1016/j.landurbplan.2011.05.006>
- Amatya, D. M., Parajuli, P. B., Bonta, J. V., & Green, T. R. (2016). Parameterization Guidelines and Considerations for Hydrologic Models. *Transactions of the ASABE*, 58(6), 1681–1703. <https://doi.org/10.13031/trans.58.10709>
- Bennett, T. H., & Peters, J. C. (2000). Continuous Soil Moisture Accounting in the Hydrologic Engineering Center Hydrologic Modeling System (HEC-HMS). *ASCE Technical Publication*, 8806(1), 1–10. [https://doi.org/10.1061/40517\(2000\)149](https://doi.org/10.1061/40517(2000)149)
- Bouraoui, F., Benabdallah, S., Jrad, A., & Bidoglio, G. (2005). Application of the SWAT model on the Medjerda river basin (Tunisia). *Physics and Chemistry of the Earth*, 30, 497–507. <https://doi.org/10.1016/j.pce.2005.07.004>
- Chow, V.T., Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*.
- Christiaens, K., & Feyen, J. (2002). Use of sensitivity and uncertainty measures in distributed hydrological modeling with an application to the MIKE SHE model. *Water Resources Research*, 38(9), 8-1-8–15. <https://doi.org/10.1029/2001wr000478>
- Cunderlik, J. M. (2003). *Hydrologic Model Selection for the CFCAS Project*:

*Assessment of Water Resources Risk and Vulnerability to Changing Climatic Conditions.*

- Cunderlik, J. M., & Simonovic, S. P. (2004). *Calibration, Verification and Sensitivity Analysis of the HEC-HMS Hydrologic Model CFCAS Project: Assessment of Water Resources Risk and Vulnerability to Changing Climatic Condition.* <https://doi.org/10.1017/CBO9781107415324.004>
- Cunderlik, J., & Simonovic, S. P. (2004). *Selection of Calibration and Verification Data for the HEC-HMS Hydrologic Model CFCAS Project: Assessment of Water Resources Risk and Vulnerability to Changing Climatic Conditions.*
- Daniel, E. B., Camp, J., LeBoeuf, E., Penrod, J., Dobbins, J., & Abkowitz, M. (2011). Watershed Modeling and its Applications: A State-of-the-Art Review. *The Open Hydrology Journal*, 5(1), 26–50. <https://doi.org/10.2174/1874378101105010026>
- Daniel, E. B., Camp, J. V., Leboeuf, E. J., Penrod, J. R., Dobbins, J. P., & Abkowitz, M. D. (2011). Watershed Modeling and its Applications : A State-of-the-Art Review. *The Open Hydrology Journal*, 5, 26–50.
- Dechmi, F., Burguete, J., & Skhiri, A. (2012). SWAT application in intensive irrigation systems: Model modification, calibration and validation. *Journal of Hydrology*, 470–471, 227–238. <https://doi.org/10.1016/j.jhydrol.2012.08.055>
- Devia, G. K., Ganasri, B. P., & Dwarakish, G. S. (2015). A Review on Hydrological Models. In *International Conference on Water Resources, Coastal and Ocean Engineering (ICWRCOE 2015)* (Vol. 4, pp. 1001–1007). <https://doi.org/10.1016/j.aqpro.2015.02.126>
- Dhami, B. S., & Pandey, A. (2013). Comparative Review of Recently Developed Hydrologic Models. *Journal of Indian Water Resources Society*, 33(3), 34–42. Retrieved from <http://www.iwrs.org.in/journal/jul2013/6jul.pdf>
- DHI. (2017). MIKE SHE User Manual, Volume 1: User Guide.
- Diskin, M. H., & Simon E. (1977). A Procedure for the Selection of Objective Functions for Hydrologic Simulation Models. *Journal of Hydrology*, 34, 129–149.

- Diskin M.H, & Simon E. (1977). a Procedure for the Selection of Objective Functions for Hydrologic Simulation Models. *Journal of Hydrology*, 34, 129–149.
- Dogan, S., & Berkday, A. (2005). Comparative Study Between Various Hydrological Models for Watershed Management: Robustness and Sustainability. *Ecology and Environmental Protection COMPARATIVE*, 629.
- Duan, Q., Sorooshian, S., & Gupta, V. K. (1994). Optimal use of the SCE-UA global optimization method for calibrating watershed models. *Journal of Hydrology*, 158, 265–284.
- Dulal, K. N., Shrestha, S., Bastola, S., Kazama, F., Ishidaira, H., & Takeuchi, K. (2007). the Assessment of Spatial Transferability of a Distributed Hydrological Model Parameters in Different Physiographic Regions of Nepal. *Annual Journal of Hydraulic Engineering*, 51, 37–42. <https://doi.org/10.2208/prohe.51.37>
- Fatichi, S., Niswonger, R., Mascaro, G., Shen, C., Mirus, B., Kim, J., ... Rigon, R. (2016). An overview of current applications, challenges, and future trends in distributed process-based models in hydrology. *Journal of Hydrology*, 537, 45–60. <https://doi.org/10.1016/j.jhydrol.2016.03.026>
- Feng, G. (2001). Strategies for sustainable water resources management in water scarce regions in developing countries. In *Integrated Water Resources Management* (pp. 107–112).
- Furusho, C., Chancibault, K., & Andrieu, H. (2013). Adapting the coupled hydrological model ISBA-TOPMODEL to the long-term hydrological cycles of suburban rivers: Evaluation and sensitivity analysis. *Journal of Hydrology*, 485, 139–147. <https://doi.org/10.1016/j.jhydrol.2012.06.059>
- Garcia, B. I. L., Sentelhas, P. C., Tapia, L. & Sparovek, G. (2006). Filling in missing rainfall data in the Andes region of Venezuela, based on a cluster analysis approach. *Revista Brasileira de Agrometeorologia*, 14(2), 225–233.
- Garcia, F., Folton, N., & Oudin, L. (2017). Which objective function to calibrate rainfall–runoff models for low-flow index simulations? *Hydrological Sciences Journal*, 62(7), 1149–1166. <https://doi.org/10.1080/02626667.2017.1308511>

- Gebre, S. L. (2015). Application of the HEC-HMS Model for Runoff Simulation of Upper Blue Nile River Basin. *Hydrology: Current Research*, 06(02). <https://doi.org/10.4172/2157-7587.1000199>
- Green, I. R. A., & Stephenson, D. (1986). Criteria for comparison of single event models. *Hydrological Sciences Journal*, 31(3), 395–411. <https://doi.org/10.1080/02626668609491056>
- Gumindoga, W., Rwasoka, D. T., Nhapi, I., & Dube, T. (2017). Ungauged runoff simulation in Upper Manyame Catchment, Zimbabwe: Application of the HEC-HMS model. *Physics and Chemistry of the Earth*, 100, 371–382. <https://doi.org/10.1016/j.pce.2016.05.002>
- Gyau-Boakye, P., & Schultz, G. A. (1994). Filling gaps in runoff time series in west africa. *Hydrological Sciences Journal*, 39(6), 621–636. <https://doi.org/10.1080/02626669409492784>
- Halwatura, D., & Najim, M. M. M. (2013). Application of the HEC-HMS model for runoff simulation in a tropical catchment. *Environmental Modelling and Software*, 46, 155–162. <https://doi.org/10.1016/j.envsoft.2013.03.006>
- Hamedi, A., & Fuentes, H. R. (2015). Comparative effectiveness and reliability of NEXRAD data to predict outlet hydrographs using the GSSHA and HEC-HMS hydrologic models. In *World Environmental and Water Resources Congress 2015: Floods, Droughts, and Ecosystems - Proceedings of the 2015 World Environmental and Water Resources Congress* (pp. 1444–1453). <https://doi.org/10.1061/9780784479162.142>
- Hasan, M. M., & Croke, B. F. W. (2013). Filling gaps in daily rainfall data: a statistical approach. In *20th International Congress on Modelling and Simulation, Adelaide, Australia* (pp. 1–6). Retrieved from <http://www.mssanz.org.au/modsim2013/A9/hasan.pdf>
- Hasanpour Kashani, M., & Dinpashoh, Y. (2012). Evaluation of efficiency of different estimation methods for missing climatological data. *Stochastic Environmental Research and Risk Assessment*, 26(1), 59–71. <https://doi.org/10.1007/s00477-011-0536-y>

- Hrissanthou, V., & Kaffas, K. (2014). Application of a continuous rainfall-runoff model to the basin of Kosynthos river using the hydrologic software HEC-HMS. *Global NEST Journal*, *16*(1), 188–203.
- Hromadka, T. V. (1987). The state-of-the-art in hydrologic models. *Environmental Software*, *2*(1), 29–36. [https://doi.org/10.1016/0266-9838\(87\)90026-8](https://doi.org/10.1016/0266-9838(87)90026-8)
- Hunter, N. M., Bates, P. D., Horritt, M. S., & Wilson, M. D. (2007). Simple spatially-distributed models for predicting flood inundation: A review. *Geomorphology*, *90*(3–4), 208–225. <https://doi.org/10.1016/j.geomorph.2006.10.021>
- Ismail, W. &, & Ibrahim, Z. (2017). Estimation of rainfall and stream flow missing data for Terengganu, Malaysia by using interpolation technique methods. *Malaysian Journal of Fundamental and Applied Sciences*, *13*(3), 213–217. <https://doi.org/10.11113/mjfas.v13n3.578>
- Jara Torres, P., Sánchez, E., Avilés, Á., & Samaniego, E. (2016). Evaluation of Infilling Methods for Time Series of Daily Precipitation and Temperature: The Case of the Ecuadorian Andes. *Maskana*, *5*(1), 99–115. Retrieved from <https://publicaciones.ucuenca.edu.ec/ojs/index.php/maskana/article/view/431>
- Jarosław, C., & Batelaan, O. (2011). Application of the WetSpa distributed hydrological model for catchment with significant contribution of organic soil. Upper Biebrza case study. *Annals of Warsaw University of Life Sciences - SGGW. Land Reclamation*, *43*(1), 25–35. <https://doi.org/10.2478/v10060-008-0090-6>
- Jayakrishnan, R., Srinivasan, R., Santhi, C., & Arnold, J. G. (2005). Advances in the application of the SWAT model for water resources management. *Hydrological Processes*, *19*, 749–762. <https://doi.org/10.1002/hyp.5624>
- Kaffas, K., & Hrissanthou, V. (2014). Application of a Continuous Rainfall-Runoff Model To the Basin of Kosynthos River Using the Hydrologic Software Hec-Hms. *Global NEST Journal*, *xx*(x).
- Kalita, D. N. (2011). A Study of Basin Response using HEC-HMS and Subzone Reports Of CWC. In *13th National Symposium on Hydrology with focal theme on “Inflow Forecasting during Extremes.”*

[https://doi.org/10.1007/SpringerReference\\_28205](https://doi.org/10.1007/SpringerReference_28205)

- Kamali, B., Mousavi, S. M., & Abbaspour, K. C. (2012). Automatic calibration of HEC-HMS using single-objective and multi-objective PSO algorithms. *Hydrological Processes*. <https://doi.org/10.1002/hyp>
- Kim, K. B., Kwon, H. H., & Han, D. (2018). Exploration of warm-up period in conceptual hydrological modelling. *Journal of Hydrology*, 556(November), 194–210. <https://doi.org/10.1016/j.jhydrol.2017.11.015>
- Krysanova, V., & Arnold, J. G. (2008). Advances in ecohydrological modelling with SWAT—a review. *Hydrological Sciences Journal*, 53(5), 939–947. <https://doi.org/10.1623/hysj.53.5.939>
- Lee, S. B., Yoon, C. G., Jung, K. W., & Hwang, H. S. (2010). Comparative evaluation of runoff and water quality using HSPF and SWMM. *Water Science and Technology*, 62(6), 1401–1409. <https://doi.org/10.2166/wst.2010.302>
- Legates, D. R., & McCabe, G. J. (1999). Evaluating the use of “goodness-of-fit” measures in hydrologic and hydroclimatic model validation. *Water Resources Research*, 35(1), 233–241. <https://doi.org/10.1029/1998WR900018>
- Liu, Y. B., & Smedt, F. De. (2004). *WetSpa Extension , A GIS-based Hydrologic Model for Flood Prediction and Watershed Management*.
- Lo, R., & Emanuele, P. (2010). A methodology for treating missing data applied to daily rainfall data in the Candelaro River Basin ( Italy ), 1–22. <https://doi.org/10.1007/s10661-008-0653-3>
- Lopera, R. A. (2015). *Water and Sustainable Development*. “*Water and Sustainable Development*”, *Water Monographies: Water for Life 2005-2015* (Vol. 3).
- Loucks, D. P. (2000). Sustainable water resources management. *Water International*, 25(1), 3–10. <https://doi.org/10.1080/02508060008686793>
- Mahmoud Abu-Zeid, & I. A. Shiklomanov. (2003). *Water Resources as a Challenge of the Twenty-First Century*. *World Meteorological Organization*.
- Majidi, A., & Shahedi, K. (2012). Simulation of rainfall-runoff process using Green-

- Ampt method and HEC-HMS model (Case study: Abnama Watershed, Iran). *International Journal of Hydraulic Engineering*, 1(1), 5–9. <https://doi.org/10.5923/j.ijhe.20120101.02>
- McMichael, C. E., Hope, A. S., & Loaiciga, H. A. (2006). Distributed hydrological modelling in California semi-arid shrublands: MIKE SHE model calibration and uncertainty estimation. *Journal of Hydrology*, 317(3–4), 307–324. <https://doi.org/10.1016/j.jhydrol.2005.05.023>
- Mohamoud, Y. M., & Prieto, L. M. (2012). Effect of temporal and spatial rainfall resolution on hspf predictive performance and parameter estimation. *Journal of Hydrologic Engineering*, 17(3), 377–388. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000457](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000457)
- Moriasi, D. N., Arnold, J. G., Liew, M. W. Van, Bingner, R. L., Harmel, R. D., & Veith, T. L. (2007). Model Evaluation Guideline for Systematic Quantification of Accuracy in Watershed Simulation. *American Society of Agricultural and Biological Engineers*, 50(3), 885–900.
- Mousavi, S. J., Abbaspour, K. C., Kamali, B., Amini, M., & Yang, H. (2012). Uncertainty-based automatic calibration of HEC-HMS model using sequential uncertainty fitting approach. *Journal of Hydroinformatics*, 14(2), 286. <https://doi.org/10.2166/hydro.2011.071>
- Musiake, K., & Wijesekera, S. (1990). Stream Flow Modelling of Sri Lankan Catchments (2): Kalu River Catchment at Putupaula. *Seisan Kenkyu*, 42(11), 645–648.
- Nepal, S., Fischer, C., Flügel, W. A., Krause, P., & Fink, M. (2017). Assessment of spatial transferability of process - based hydrological model parameters in two neighbouring catchments in the Himalayan Region. *Hydrological Processes*, (April), 2812–2826. <https://doi.org/10.1002/hyp.11199>
- Ojha, C. S. P., Surampalli, R. Y., Bardossy, A., Zhang, T. C., & Kao, C.-M. (2017). Sustainable Water Resources Management. *American Society of Civil Engineers*. <https://doi.org/10.1061/9780784414767>

- Patil, S. D., & Stieglitz, M. (2015). Comparing spatial and temporal transferability of hydrological model parameters. *Journal of Hydrology*, 525, 409–417. <https://doi.org/10.1016/j.jhydrol.2015.04.003>
- Randrianasolo, A., Ramos, M. H., & Andréassian, V. (2011). Hydrological ensemble forecasting at ungauged basins: Using neighbour catchments for model setup and updating. *Advances in Geosciences*, 29, 1–11. <https://doi.org/10.5194/adgeo-29-1-2011>
- Razi, M. A. M., Ariffin, J., Tahir, W., & Arish, N. A. . (2010). Flood Estimation Studies using Hydrologic Modeling System(HEC-HMS) for Johor River, Malaysia. *Journal of Applied Sciences*, 10(11), 930–939.
- River, K., & Lanka, S. (2010). Application of remote sensing and gis for flood risk analysis : A case study at APPLICATION OF REMOTE SENSING AND GIS FOR FLOOD RISK ANALYSIS :, (August 2017).
- Roy, D., Begam, S., Ghosh, S., & Jana, S. (2013). Calibration and Validation of Hec-Hms Model for a River Basin in Eastern India. *Journal of Engineering and Applied Sciences*, 8(1), 40–56.
- Safari, A., De Smedt, F., & Moreda, F. (2012). WetSpa model application in the Distributed Model Intercomparison Project (DMIP2). *Journal of Hydrology*, 418–419, 78–89. <https://doi.org/10.1016/j.jhydrol.2009.04.001>
- Salvadore, E., Bronders, J., & Batelaan, O. (2015). Hydrological modelling of urbanized catchments: A review and future directions. *Journal of Hydrology*, 529, 62–81. <https://doi.org/10.1016/j.jhydrol.2015.06.028>
- Sardoi, E. R., Rostami, N., Sigaroudi, S. K., & Taheri, S. (2012). Calibration of loss estimation methods in HEC-HMS for simulation of surface runoff (case study: Amirkabir dam watershed, Iran). *Advances in Environmental Biology*, 6(1), 343–348.
- Shen, C., & Phanikumar, M. S. (2010). A process-based, distributed hydrologic model based on a large-scale method for surface-subsurface coupling. *Advances in Water Resources*, 33(12), 1524–1541.



<https://doi.org/10.1016/j.advwatres.2010.09.002>

- Silva, M. M. G. T. De, Weerakoon, S. B., & Herath, S. (2014). Modeling of Event and Continuous Flow Hydrographs with HEC – HMS : Case Study in the Kelani River Basin , Sri Lanka. *Journal of Hydrologic Engineering*, 19(4), 800–806. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000846](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000846).
- Singh, V. P., & Woolhiser, D. A. (2002). Mathematical Modeling of Watershed Hydrology. *Journal of Hydrologic Engineering*, 7(4), 270–292. [https://doi.org/10.1061/\(asce\)1084-0699\(2002\)7:4\(270\)](https://doi.org/10.1061/(asce)1084-0699(2002)7:4(270))
- Singh, W. R., & Jain, M. K. (2015). Continuous Hydrological Modeling using Soil Moisture Accounting Algorithm in Vamsadhara River Basin, India. *Journal of Water Resource and Hydraulic Engineering*, 4(4), 398–408. <https://doi.org/10.5963/jwrhe0404011>
- Sivapalan, M., Takeuchi, K., Schertzer, D., O’Connell, P. E., Liang, X., Karambiri, H., ... Oki, T. (2005). IAHS Decade on Predictions in Ungauged Basins (PUB), 2003–2012: Shaping an exciting future for the hydrological sciences. *Hydrological Sciences Journal*, 48(6), 857–880. <https://doi.org/10.1623/hysj.48.6.857.51421>
- Tessema, S. M. (2011). *Hydrological Modeling as a Tool for Sustainable Water Resources Management: A Case Study of the Awash River Basin*.
- USACE. (1994). *Flood-Runoff Analysis Engineer Manual*. Retrieved from [http://140.194.76.129/publications/eng-manuals/EM\\_1110-2-1417\\_sec/Sections/c-9.pdf](http://140.194.76.129/publications/eng-manuals/EM_1110-2-1417_sec/Sections/c-9.pdf)
- USACE. (2000). *Hydrologic Modeling System Technical Reference Manual*.
- USACE. (2001). *Hydrologic Modeling System HEC-HMS User ’ s Manual*.
- USACE. (2016). *Hydrologic Modelling System HEC-HMS User ’ s Manual*.
- Van Der Linde, S., & Woo, M. K. (2003). Transferability of hydrological model parameters between basins in data-sparse areas, subarctic Canada. *Journal of Hydrology*, 270(3–4), 182–194. [https://doi.org/10.1016/S0022-1694\(02\)00295-0](https://doi.org/10.1016/S0022-1694(02)00295-0)

- Verma, A. K., Jha, M. K., & Mahana, R. K. (2010). Evaluation of HEC-HMS and WEPP for simulating watershed runoff using remote sensing and geographical information system. *Paddy and Water Environment*, 8(2), 131–144. <https://doi.org/10.1007/s10333-009-0192-8>
- Wickramaarachchi, T. N., Ishidaira, H., & Wijayarathna, T. M. N. (2012). An Application of Distributed Hydrological Model , YHyM / BTOPMC to Gin Ganga Watershed , Sri Lanka. *The Institution of Engineers, Sri Lanka*, V(02), pp.(31-40).
- Wijesekera, N. T. S. (2001). Water Balance to Identify Lunugamwehera Reservoir Management Requirements. *Journal of IESL*, XXXIV(02), 53–60.
- Wijesekera, N. T. S. (2018). *Classification of Streamflow Observations for Water Management*. <https://doi.org/10.13140/RG.2.2.23605.58089>
- Wijesekera, N. T. S., & Musiaka, K. (1990). Streamflow Modelling of Sri Lankan Catchments (1) - Mahaweli River Catchment at Peradeniya. *Seisan Kenkyu*, 42(11), 645–648.
- Wijesekera, N. T. S., & Perera, L. R. H. (2016). Key Issues of Data and Data Checking for Hydrological Analyses - Case Study of Rainfall Data in the Attanagalu Oya Basin of Sri Lanka. *Journal of the Institution of Engineers, Sri Lanka*, 45(2), 1. <https://doi.org/10.4038/engineer.v45i2.6936>
- World Meteorological Organization. (1992). *Simulated Real-Time Intercomparison of Hydrological Models*.
- Yang, J., Liu, Y., Yang, W., & Chen, Y. (2012). Multi-Objective Sensitivity Analysis of a Fully Distributed Hydrologic Model WetSpa. *Water Resources Management*, 26(1), 109–128. <https://doi.org/10.1007/s11269-011-9908-9>
- Zhang, Z., Wang, S., Sun, G., McNulty, S. G., Zhang, H., Li, J., ... Strauss, P. (2008). Evaluation of the MIKE SHE model for application in the Loess Plateau, China. *Journal of the American Water Resources Association*, 44(5), 1108–1120. <https://doi.org/10.1111/j.1752-1688.2008.00244.x>