

## REFERENCES

- [1] D. S. V. Bandara, R. A. R. C. Gopura, K. T. M. U. Hemapala, and K. Kiguchi, “A multi-DoF anthropomorphic transradial prosthetic arm,” in *5th IEEE RAS/EMBS International Conference on Biomedical Robotics and Biomechatronics*, 2014, pp. 1039–1044.
- [2] “ISHN.com - the magazine for safety & health professionals who direct safety & health programs in high-hazard workplaces.” [Online]. Available: <https://www.ishn.com/>. [Accessed: 22-Aug-2019].
- [3] R. A. R. C. Gopura, K. T. M. U. Hemapala, and K. Kiguchi, *Upper extremity prosthetics: current status, challenges and future directions*.
- [4] K. A. Raichle *et al.*, “Prosthesis use in persons with lower- and upper-limb amputation,” *J. Rehabil. Res. Dev.*, vol. 45, no. 7, pp. 961–972, 2008.
- [5] C. Gosselin, F. Pelletier, and T. Laliberte, “An anthropomorphic underactuated robotic hand with 15 dofs and a single actuator,” in *2008 IEEE International Conference on Robotics and Automation*, 2008, pp. 749–754.
- [6] S. Tanrıkuşu, Ş. Bekmez, A. Üzümçügil, and G. Leblebicioğlu, “Anatomy and Biomechanics of the Wrist and Hand,” in *Sports Injuries: Prevention, Diagnosis, Treatment and Rehabilitation*, M. N. Doral and J. Karlsson, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2015, pp. 441–447.
- [7] C. Pylatiuk, S. Schulz, and L. Döderlein, “Results of an Internet survey of myoelectric prosthetic hand users,” *Prosthet. Orthot. Int.*, vol. 31, pp. 362–70, Jan. 2008.
- [8] J. Koprníký, P. Najman, and J. Šafka, “3D printed bionic prosthetic hands,” *2017 IEEE Int. Workshop Electron. Control Meas. Signals Their Appl. Mechatron. ECMSM*, pp. 1–6, 2017.
- [9] “Sri Lanka School of Prosthetics and Orthotics (SLSPO) - International Society for Prosthetics and Orthotics.” [Online]. Available: [https://www.ispoint.org/page/Edu\\_SriLanka\\_SLSPO](https://www.ispoint.org/page/Edu_SriLanka_SLSPO). [Accessed: 26-Aug-2019].
- [10] N. Wiener, *Cybernetics Or Control and Communication in the Animal and the Machine*. MIT Press, 1965.
- [11] R. Meier and D. Atkins, “Functional Restoration of Adults and Children with Upper Extremity Amputation,” *Res Trends Twenty-First Century*, vol. 30, no. 30, pp. 353–360, 2004.
- [12] R. J. Schwarz and C. L. Taylor, “The anatomy and mechanics of the human hand,” *Artif. Limbs*, vol. 2, no. 2, pp. 22–35, 1955.
- [13] P. K. Levangie and C. C. Norkin, “Joint Structure and function: a comprehensive analysis. 3rd,” *Phila. FA Davis Co.*, 2000.
- [14] A. Freivalds, *Biomechanics of the upper limbs: mechanics, modeling and musculoskeletal injuries*. CRC press, 2011.

- [15] M. Batmanabane and S. Malathi, “Movements at the carpometacarpal and metacarpophalangeal joints of the hand and their effect on the dimensions of the articular ends of the metacarpal bones,” *Anat. Rec.*, vol. 213, no. 1, pp. 102–110, 1985.
- [16] A. Steindler, *Kinesiology of the human body under normal and pathological conditions*. Thomas Springfield, 1955.
- [17] Y. Youm, R. Y. McMURTHY, A. E. Flatt, and T. E. Gillespie, “Kinematics of the wrist. I. An experimental study of radial-ulnar deviation and flexion-extension.,” *J. Bone Joint Surg. Am.*, vol. 60, no. 4, pp. 423–431, 1978.
- [18] “Muscles,” *Pinterest*. [Online]. Available: <https://www.pinterest.com/jessicaliles/muscles/>. [Accessed: 27-Aug-2019].
- [19] M. Herath, R. Gopura, and T. Lalitharatne, “An Underactuated Linkage Finger Mechanism for Hand Prostheses,” *Mod. Mech. Eng.*, vol. 08, pp. 121–139, Jan. 2018, doi: 10.4236/mme.2018.82009.
- [20] C. Medynski and B. Rattray, “Bebionic prosthetic design,” in *Myoelectric Symposium*, 2011.
- [21] S. C. Jacobsen, J. E. Wood, D. F. Knutti, and K. B. Biggers, “The UTAH/MIT dextrous hand: Work in progress,” *Int. J. Robot. Res.*, vol. 3, no. 4, pp. 21–50, 1984.
- [22] J. K. Salisbury and J. J. Craig, “Articulated hands: Force control and kinematic issues,” *Int. J. Robot. Res.*, vol. 1, no. 1, pp. 4–17, 1982.
- [23] G. A. Bekey, R. Tomovic, and I. Zeljkovic, “Control architecture for the Belgrade/USC hand,” in *Dextrous robot hands*, Springer, 1990, pp. 136–149.
- [24] J. Butterfa\ss s, M. Grebenstein, H. Liu, and G. Hirzinger, “DLR-Hand II: Next generation of a dextrous robot hand,” in *Proceedings 2001 ICRA. IEEE International Conference on Robotics and Automation (Cat. No. 01CH37164)*, 2001, vol. 1, pp. 109–114.
- [25] “How the i-limb works | Touch Bionics.” [Online]. Available: <http://www.touchbionics.com/products/how-i-limb-works>. [Accessed: 27-Aug-2019].
- [26] “VINCENTevolution 2.” [Online]. Available: <https://vincentsystems.de/en/prosthetics/vincent-evolution-2/>. [Accessed: 27-Aug-2019].
- [27] D. G. K. Madusanka, L. N. S. Wijayasingha, R. Gopura, Y. W. R. Amarasinghe, and G. K. I. Mann, “A review on hybrid myoelectric control systems for upper limb prosthesis,” in *2015 Moratuwa Engineering Research Conference (MERCon)*, 2015, pp. 136–141.
- [28] J. L. Pons *et al.*, “The MANUS-HAND dextrous robotics upper limb prosthesis: mechanical and manipulation aspects,” *Auton. Robots*, vol. 16, no. 2, pp. 143–163, 2004.

- [29] M. Johnsson and C. Balkenius, “LUCS haptic hand III-An anthropomorphic robot hand with proprioception,” *LUCS Minor*, vol. 13, no. 2007, 2007.
- [30] “DLR - Institute of Robotics and Mechatronics - Data sheet of DLR Hand II.” [Online]. Available: [https://www.dlr.de/rm-neu/en/desktopdefault.aspx/tabid-3802/6102\\_read-8922/](https://www.dlr.de/rm-neu/en/desktopdefault.aspx/tabid-3802/6102_read-8922/). [Accessed: 27-Aug-2019].
- [31] I. Yamano and T. Maeno, “Five-fingered robot hand using ultrasonic motors and elastic elements,” in *Proceedings of the 2005 IEEE International Conference on Robotics and Automation*, 2005, pp. 2673–2678.
- [32] I. N. Gaiser, C. Pylatiuk, S. Schulz, A. Kargov, R. Oberle, and T. Werner, “The FLUIDHAND III: A multifunctional prosthetic hand,” *JPO J. Prosthet. Orthot.*, vol. 21, no. 2, pp. 91–96, 2009.
- [33] S. A. Dalley, D. A. Bennett, and M. Goldfarb, “Functional assessment of the vanderbilt multigrasp myoelectric hand: A continuing case study,” in *2014 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 2014, pp. 6195–6198.
- [34] C. Cipriani, M. Controzzi, and M. C. Carrozza, “The SmartHand transradial prosthesis,” *J. Neuroengineering Rehabil.*, vol. 8, no. 1, p. 29, 2011.
- [35] Y. Losier *et al.*, “An overview of the UNB hand system,” in *Proceeding of the 2011 Myoelectric Controls/Powered Prosthetics Symposium*, 2011.
- [36] L. Resnik, S. L. Klinger, and K. Etter, “The DEKA Arm: Its features, functionality, and evolution during the Veterans Affairs Study to optimize the DEKA Arm,” *Prosthet. Orthot. Int.*, vol. 38, no. 6, pp. 492–504, 2014.
- [37] A. Polhemus, B. Doherty, K. Mackiw, R. Patel, and M. Paliwal, “uGrip II: A novel functional hybrid prosthetic hand design,” in *2013 39th Annual Northeast Bioengineering Conference*, 2013, pp. 303–304.
- [38] R. Gopura and S. Bandara, “A Hand Prosthesis with an Under-Actuated and Self-Adaptive Finger Mechanism,” *Engineering*, vol. 10, pp. 448–463, Jan. 2018, doi: 10.4236/eng.2018.107031.