

EXTRACTION OF RICE BRAN OIL USING AQUEOUS MEDIA

M.Sc. (Chemical and Process Technology)

M.P.M. Kumarasiri

University of Moratuwa

October, 2007



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

UD/DON/51/08

EXTRACTION OF RICE BRAN OIL USING AQUEOUS MEDIA

By

M. P. M. Kumarasiri

LIBRARY
UNIVERSITY OF MORATUWA, SRI LANKA
MORATUWA

This thesis was submitted to the Department of Chemical and Process Engineering of the University of Moratuwa in partially fulfillment of the Degree of Master of Science in Chemical and Process Technology



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

63 000
63 000

Department of Chemical and Process Engineering,
University of Moratuwa,
Sri Lanka.

October, 2007

63 000

University of Moratuwa



91204

II

91204

“I certify that this thesis does not incorporate without acknowledgement any material previously submitted for a degree or diploma in any University and to the best of my knowledge and belief it does not contain any material previously published, written or orally communicated by another person except where due reference is made in the text”

UOM Verified Signature

Signature of the candidate

(M.P.M. Kumarasiri)

“To the best of my knowledge the above particulars are correct”



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

Supervisor

UOM Verified Signature

Dr(Mrs)B.M.W.P.K. Amarasinghe

Senior Lecturer,

Department of Chemical and Process Engineering,
University of Moratuwa.

ABSTRACT

Rice bran oil is widely used in pharmaceutical, food and chemical industries due to its unique properties and high medicinal value. In this study extraction of rice bran oil from rice bran available in Sri Lanka, using aqueous media has been studied and key factors controlling the extraction and optimal operating conditions were identified. Several methods of bran stabilization were tested and the results were analyzed. The yield and quality of aqueous extracted oil was compared with hexane extracted oil.

Aqueous extraction experiments were conducted in laboratory scale mixer-settler unit. Steaming, hot air drying, chemical stabilization and refrigeration control the lipase activity. Steaming is the most effective stabilization technique. The extraction capacity was highest at solution pH range 10 to 12. Higher oil yield was observed at higher operating temperatures (60 °C – 80 °C). Kinetic studies revealed that extraction was fast with 95 % or more of the extraction occurring within first 10 to 15 min of contact time. Highest oil yield of 161 mg/g and 131 mg/g were observed for aqueous extraction for par boiled bran and raw rice bran respectively. The quality of the aqueous extracted oil was compared with that of hexane extracted oil and it was found low in free fatty acid content. Iodine value and saponification value was similar to hexane-extracted oil, but the peroxide value was higher. Furthermore, the colour of aqueous-extracted oil was paler than solvent-extracted oil.



ACKNOWLEDGEMENT

I am very much grateful to my supervisor Dr. (Mrs.) B.M.W.P.K. Amarasinghe, Former Head of the Department, Department of Chemical and Process Engineering, University of Moratuwa, for her great encouragement, guidance, dedication and patience paid through out the research.

My special thanks to Dr. Shantha Amarasinghe, Course coordinator, Dr. Suren Wijeyekoon, Research Coordinator of M.Sc. program for their suggestions recommendations for research work and all members of academic staff of Chemical and Process Engineering, University of Moratuwa

My special thanks to Mr. Liyanage, Mr. H.R. Saranelis Mr. J. Wijesinghe Department of Chemical and Process Engineering, University of Moratuwa, for their great support through out the research. Also I would like to thank to technical and technical assistant staff of the department.

My special thanks to Both the Quality Assurance Department members and management of Reliance Export (pvt) Limited, Mirigama and Accor Industries (pvt) Limited, Wattala. For their Great support through out the research.



University of Moratuwa, Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

My special thanks are due to Mr.N.C. Gangodawilage, Mr. Ushantha Jayalath, Mr. Rohantha Dissanayaka and other colleagues for their great support given me to complete my research successfully.

Finally, my heartiest gratitude is for my family members for their great support given me through out the research.


CONTENTS

	Page
List of figures	x
List of tables	xii
Abbreviation	xiii

Chapter 1

INTRODUCTION	1
---------------------	----------

Chapter 2

REVIEW OF RICE BRAN OIL EXTRACTION	3
2.1 Paddy & rice	3
2.2 Rice bran 	4
2.3 Rice bran oil	6
2.3.1 Composition	6
2.3.2 Nutritional value of rice bran oil	7
2.3.3 Uses of rice bran oil	8
2.4 Stabilization of rice bran	10
2.5 Rice bran oil extraction	12
2.5.1 Pressing	12
2.5.2 Solvent extraction	13
2.5.2.1 Mode of extraction	13
2.5.2.2 Rate of extraction	16
	VI

2.5.3 Aqueous extraction	17
2.5.4 Enzyme-assisted aqueous extraction	18
2.5.5 Super critical extraction	19
2.5.6 Rapid equilibrium extraction	20
2.6 Refining of solvent extracted oil	20
2.7 RBO a new industry and good substitute for vegetable oil in Sri Lanka	23

Chapter 3

3.1 General procedure used for aqueous extraction of rice bran oil	24
3.1.1 Rice bran screening	24
3.1.2 Stabilization of rice bran	24
3.1.3 Aqueous extraction of rice bran oil	24
3.1.4 Oil extraction with hexane	24
3.2 Determination of factors affecting aqueous extraction	25
3.2.1 Effect of pH	25
3.2.2 Effect of temperature	25
3.2.3 Effect of rice bran to water ratio	25
3.2.4 Effect of extraction time	25
3.2.5 Effect of agitation speed	25
3.3 Effect of methods of stabilization	25
3.3.1 Stabilization by refrigeration	26

3.3.2 Chemical stabilization by HCl	26
3.3.3 Stabilization by solar drying	26
3.3.4 Stabilization by hot air drying	26
3.3.5 Stabilization by steaming	26
3.4 Comparison of parboil and raw rice bran in aqueous extraction	27
3.5 Test methods for oil analysis	27
3.5.1 Free fatty acid	27
3.5.2 Iodine value	27
3.5.3 Saponification value	28
3.5.4 Peroxide value	29

Chapter 4

RESULT AND DISCUSSION	
4.1 Factors affecting aqueous rice bran oil extraction	30
4.1.1 Effect of pH of the extraction medium	30
4.1.2 Effect on temperature on oil extraction	32
4.1.3 Effect on rice bran to water ratio	33
4.1.4 Effect of extraction time	34
4.1.5 Effect of agitation speed on extractability	35
4.2 Effect of stabilization methods	35
4.2.1 Unstabilized rice bran	36
4.2.2 Solar drying	36
4.2.3 Chemical stabilization by HCl	37
4.2.4 Hot air drying	38

4.2.5 Refrigeration	39
4.2.6 Steaming	40
4.2.7 Comparison of stabilization methods	41
4.3 Effect of parboiled and raw rice bran in aqueous extraction	44
4.4 Refining of oil	45

Chapter 5

CONCLUSIONS	46
References	48
Appendix I	51
Appendix II	53
Appendix III	56



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

LIST OF FIGURES


Fig. No	Figure	Page
Chapter 2		
2.1	Cross-section of a rice grain	5
2.2	Phase diagram for single stage operation	14
2.3	Phase diagram for counter current operation	16
2.4	Key stages in the aqueous extraction of rice bran	18
Chapter 4		
4.1	Effect of pH on aqueous extraction	31
4.2	Effect of temperature on aqueous extraction	32
4.3	Effect of rice bran to water ratio on aqueous extraction	33
4.4	Effect of extraction time on aqueous extraction	34
4.5	Effect of agitation speed on aqueous extraction	35
4.6	Amount of oil extracted as a function of time for unstabilized rice bran	36
4.7	Amount of oil extracted as a function of time for solar dried rice bran	37
4.8	Amount of oil extracted as a function of time for Chemical stabilized(HCl) rice bran.	38
4.9	Amount of oil extracted as a function of time for hot air dried rice bran	39
4.10	Amount of oil extracted as a function of time for refrigerated rice bran	39
4.11	Amount of oil extracted as a function of time for steamed rice bran	40
4.12	Comparison of methods of stabilization of raw rice bran (BW 355)	41
4.13	Comparison of oil yield (aqueous extracted) with FFA% in hexane extracted oil for Unstabilized rice bran	42
		X

4.14 Comparison of oil yield (aqueous extracted) with FFA% in hexane extracted oil for solar dried rice bran	42
4.15 Comparison of oil yield (aqueous extracted) with FFA% in hexane extracted oil for hot air dried rice bran	43
4.16 Comparison of oil yield (aqueous extracted) with FFA% in hexane extracted oil for refrigerated rice bran	43
4.17 Comparison of oil yield (aqueous extracted) with FFA% in hexane extracted oil for steamed rice bran.	44



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

LIST OF TABLES

Table No.	Title	Page
Chapter 2		
2.1	Organic composition of rice bran (%)	5
2.2	Mineral and vitamins of rice bran	5
2.3	Fatty acid composition of selected oils	6
2.4	Comparison of antioxidants in vegetable oils	8
2.5	Comparison of smoke point of vegetable oils	8
Chapter 3		
3.1	Stabilization methods	26
Chapter 4		
 University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations www.lib.mrt.ac.lk		
4.1	Comparison of rice bran type and solvent on extraction	44
4.2	Analysis of oil characteristics	45

ABBREVIATION

A	- Solute
AOCS	- American oil chemist society
C	- Concentration of the solute in the bulk of the solution
C _s	- Concentration of the solute at surface of the solid
C _o	- Initial concentration of solute in the solution
D	- Inert or solid phase
D _{co}	- Diffusion coefficient
DOB	- Deoiled bran
dt	- Change in time
dw	- Change in mass
E	- Extract
F	- Feed
FFA	- Free fatty acid
IPA	- Isopropyl alcohol
K	- Mass transfer coefficient
N	- Normality
ppm	- Parts per million
R	- Raffinate
RBO	- Rice bran oil
rpm	- Revolutions per minute
S	- Solvent
SC-CO ₂	- Supercritical Carbon Dioxide
t	- Time
V	- Volume



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk