FEATURE BASED INDEXING OF HAND-WRITTEN TEXT IMAGES

NAGARAJAH KUNTHARSHAN

This dissertation was submitted to the Department of Computer Science and Engineering of the University of Moratuwa in partial fulfillment of the requirement for the Degree of M Sc in Computer Science

Department of Computer Science and Engineering
University of Moratuwa
Sri Lanka
March 2010

Abstract

Identity management system which is maintaining a manual database system to store its data is facing a big challenge of searching a particular entry from the database if a query rose where the date of birth of the person is not known. Person Identification department, as an example, the existing database is in the form of Pre-designed hand written physical cards with the details. The cards are served separated by sex and ordered by date of birth.

In case of a person whose date of birth is not known, there is a challenge of going through the cards one by one to spot the exact record. So, person registration department decided to computerize the database and found out the following. Since the hand writing is very poor there is no chance of using character recognition software. The better option could be manually enter the data into a database, but quotations submitted for the tender called for this task was much higher than the potential level of the department.

Finally, feature extraction method is found out as an ideal solution for this task. In this approach all the cards are scanned and saved in the system using batch scanning. Each file is pre-processed and the number of characters in the name is saved to the database as index for the corresponding scanned image. The search operation on the database based on the number of characters of the name will list down the name of the possible card and the corresponding card also will be fetched from the saved location and previewed. Among the cards that are identified, user needs to find the cards manually.

This will narrow down the search. System will fail in counting the number of characters in the name if there is no space left between two characters or if one character is split "into two by mistake. To handle these challenges, a new intelligent algorithm should be generated with the ability to understand the order or the pattern of occurrences of the characters and make the decision based on them

Declaration

I, Nagarajah Kunatharshan hereby declare that the work included in this dissertation in part or whole has not been submitted for any other academic qualification at any institution.

N. Janathha

Mr. N. Kunatharshan

Submitted for examination

UOM Verified Signature

DR. Chathura De Silva

(Supervisor)



Acknowledgements

Having completed the MSc. Degree program at the Department of Computer Science and Engineering, University of Moratuwa, I would like to take this opportunity to thank those who helped me a lot in completing it at this level.

First of all, I would like to thank my supervisor, Dr. Chathura De Silva for the supervision and guidance despite his busy schedules. Also I would like to thank Ms. Visaka Nanayakkara, Dr. Gihan Dias and Dr. Sanath Jayasena for conducting the subject Research Seminar, which helped me a lot when browsing through the published research papers.

I should be grateful to all the members of the staff of the Department of Computer Science and Engineering for giving valuable feed back during the progress review sessions.

Finally, I would like to thank my family for supporting me in every aspect in completing my degree program and the research successfully.

Thank you all!

E W

University of Moratuwa, Sri Lanka Electronic Theses & Dissertations www.lib.mrt.ac.lk

Kunatharshan N

(06/8279)

Table of Contents

Declaration2
Abstract
Acknowledgements4
Table of Contents
List of Figures
1. Introduction
2. Literature Review
2.1 Edges Detection:
2.2 Lines Detection – Hough Transform:
2.3 Image Registration with Template matching
2.4 Cross-correlation 14
2.5 Open and Close
2.6 Erosion () Electronic Theses & Dissertations 15
2.7 Dilation
2.8 Opening
2.9 Closing
2.10 Color Scale Conversion – gray scale
3. Materials and Methods
3.1 Adding images to the system
3.1.1 Template image:
3.1.2 Printed Character Removal:
3.1.3 Removal of lines: 21
3.1.4 Closing:
3.1.5 Character counting:
3.2 Finding images
4. Observations

5. Analysis and Discussion of Results	26
5.1 Binary image conversion:	26
5.2 Closing:	27
5.3 Line removal:	28
6. Conclusions and Recommendations for Future Research	29
7. References	30
8. Annexure	32



List of Figures

Figure 3.1: Flowchart of the model
Figure 3.2: Scanned image (Eyes and ID Numbers are masked in order to keep the confidentiality)
Figure 3.3: Template image
Figure 3.4: Cropped Image
Figure 3.5: Name surroundings after the removal of printed characters
Figure 3.6: Generated line image
Figure 3.7: Scanned image after the line removal
Figure 3.8: Name surroundings after the removal of lines
Figure 3.9: After the closing operation
Figure 3.10: After the noise removal
Figure 4.1: Processed segment of hand written characters
Figure 4.2: Processed segment of printed characters
Figure 5.1: Result with binary image mrt ac.lk 26
Figure 5.2: Result with gray image
Figure 5.3 close with 'disk' (radius 2) morphological structuring element
Figure 5.4: close with 'line' (length 10, angle 90 degrees) morphological structuring element
Figure 5.5: close with 'line' (length 3, angle 90 degrees) morphological structuring element