References

Achak, M., Hafidi, A., Ouazzani, N., Sayadi, S., Mandi, L. Low cost biosorbent "banana peel" for the removal of phenolic compounds from olive mill wastewater: kinetic and equilibrium studies, J. Hazard. Mater., in press, doi:10.1016/j.jhazmat.2008.11.036.

Ajmal, M., Rao, R.A.K., Ahmad, R., Ahmad, J. Adsorption studies on Citrus reticulata (fruit peel of orange): removal and recovery of Ni(II) from electroplating wastewater, J. Hazard. Mater. 79 (2000) 117–131.

Alkan,M.,Demirbas,O[•].,Celikc,apa,S.,Dogan,M.,2004.Sorption of acid red 57 from aqueous solutions onto sepiolite. J. Hazardous Mater. 116, 135–145.

Alloway, B.J., and Jackson., A.P. 1991. The behavior of heavy metals in sewage sludge amended soils. Sci. Total Environ. 100:151–176.

Amarasinghe, B.M.W.P.K., Williams, R.A. Tea waste as a low cost adsorbent for the removal of Cu and Pb from wastewater, Chem. Eng. J. 132 (2007) 299–309.

APHA, 1998. Standard Methods for the Examination of Water and Wastewater, twentieth ed. American Public Health Association/AmericanWater Works Association/Water Environment Federation, Washington DC, USA.

Atun, G., Hisarli, G., Sheldrick, W.S., Muhler, M., 2003. Adsorptive removal of methylene blue from colored effluents on Fuller's earth. J. Colloid Int. Sci. 261, 32–39.

Axelrood, P.E., Clarke, A.M., Radley, R., Zemcov, S.J.V., 1996. Douglas-fir root-associated microorganisms with inhibitory activity towards fungal plant pathogens and human bacterial pathogens. Can. J. Microbiol.42, 690–700.

Babel, S., Kurniawan, T.A., 2003. Low-cost adsorbents for heavy metals uptake from contaminated water: a review. J. Hazardous Mater. B97, 219–243.

Batty LC, Younger PL. Growth of Phragmites australis (Cav.) Trin ex. Steudel in mine water treatment wetlands: effects of metal and nutrient uptake. Environ Pollut. 2004;132:85–93.

Beliles, R.P. (1994) Zinc, Zn. In: Clayton GD & Clayton FE ed. Patty's industrial hygiene and toxicology, 4th ed. Part C Toxicology. New York, John Wiley & Sons Inc, pp 2332–2342.

Bhatnagar, A. and M. Sillanpää, Utilization of agro-industrial and municipal waste materials as potential adsorbents for water treatment--A review. Chemical Engineering Journal. **157**(2-3): p. 277-296.

Bhattacharyya, K.G. and S.S. Gupta, Adsorption of a few heavy metals on natural and modified kaolinite and montmorillonite: A review. Advances in Colloid and Interface Science, 2008. **140**(2): p. 114-131.

Bozic, V., Stankovi'c, D., Gorgievskia, M., Bogdanovi'c, G., Kova'cevi'c, R. Adsorption of heavy metal ions by sawdust of deciduous trees. Journal of Hazardous Materials, 2009. **171**(1-3): p. 684-692.

Investigation of Zinc removal capacities of different sorbent materials to be used in constructed wetlands

Brito, S.M.de O., H.M.C., Andrade, Soares, L.F., Azevedo, R.P. Brazil nut shells as a new biosorbent to remove methyleneblue and indigocarmine from aqueous solutions, J. Hazard. Mater., in press, doi:10.1016/j.jhazmat.2009.09.020.

Brix, H., 1997. Do macrophytes play a role in constructed treatment wetlands? Water Sci. Technol. 35 (5), 11–17.

Burke DJ, Weis JS, Weis P. Release of metals by the leaves of the salt marsh grasses *Spartina alterniflora* and *Phragmites australis*. Estuarine Coastal Shelf Sci. 2000;51:153–9.

Calheiros, C.S.C., Rangel, A.O.S.S. and Castro, P.M.L. Evaluation of different substrates to support the growth of Typha latifolia in constructed wetlands treating tannery wastewater over long-term operation. Bioresource Technology, 2007. **99**(15): p. 6866-6877.

Crini, G., Non-conventional low-cost adsorbents for dye removal: A review. Bioresource Technology, 2006. **97**(9): p. 1061-1085.

Decamp, O., Warren, A., 1998. Bacteriovory in ciliates isolated from constructed wetlands (reed beds) used for wastewater treatment. Water Res. 32, 1

Decamp,O.,Warren,A.,Sanchez,R.,1999.Theroleofciliated protozoa in subsurface flow wetlands and their potential as bioindicators. Water Sci. Technol. 40 (3), 91–98.

Deng H, Ye Z.H, Wong M.H. Accumulation of lead, zinc, copper and cadmium by 12 wetland plant species thriving in metal-contaminated sites in China. Environ Pollut 2004;132:29–40.

Djeribi, R. and O. Hamdaoui, Sorption of copper(II) from aqueous solutions by cedar sawdust and crushed brick. Desalination, 2008. **225**(1-3): p. 95-112.

Febrianto, J. Equilibrium and kinetic studies in adsorption of heavy metals using biosorbent: A summary of recent studies. Journal of Hazardous Materials, 2009. **162**(2-3): p. 616-645.

Gaballah, I. Goy, D. Kilbertus, G. Thauront, J. Decontamination of industrial effluents for environment protection and recycling of metals, Resour. Conserv. Recycl. 10 (1998) 97–106.

Gadd, G.M., 1999. Bioremedial potential of microbial mechanisms of metal mobilization and inmobilization. Current Opinion in Biotechnology 11, 271–279.

Galletti, A., Verlicchi, P.and Ranieri, E. 2010. Removal and accumulation of Cu, Ni and Zn in horizontal subsurface flow constructed wetlands: Contribution of vegetation and filling medium. Science of The Total Environment. **408**(21): p. 5097-5105.

Gambrell RP. Trace and toxic metals in wetlands— a review. J Environ Qual 1994;23: 883–91.

Garg, V.K., Amita, M., Kumar, R., Gupta, R., 2004. Basic dye(methylene blue) removal from simulated wastewater by adsorption using Indian Rosewood sawdust: a timber industry waste. Dyes Pigments 63, 243–250.

Gersberg, R.M., Gearhart, R.A., Yves, M., 1989a. Pathogen removal in constructed wetlands. In: Hammer, D.A. (Ed.), Constructed Wetlands for Wastewater Treatment; Municipal, Industrial and Agricultural. Lewis Publisher, Chelsea, Michigan, USA, pp. 431–446.

Gersberg, R.M., Lyon, S.R., Brenner, R., Elkins, B.V., 1989. Integrated wastewater treatment using artificial wetlands: a gravel marsh case study. In: Hammer, D.A. (Ed.), Constructed

Wetlands for Wastewater Treatment; Municipal, Industrial and Agricultural. Lewis Publishers, Chelsea, Michigan, USA, pp. 145–152.

Grüneberg, B., Kern, J., 2001. Phosphorus retention capacity of iron-ore and blast furnace slag in subsurface flow constructed wetlands. Water Sci. Technol. 44, 69–75.

Gupta, V.K. and Suhas, Application of low-cost adsorbents for dye removal - A review. Journal of Environmental Management, 2009. **90**(8): p. 2313-2342.

Haberl, R., Grego, S., Inagergrabe, rG., Kadlec, R.H., Cicalini, A, Dias SM, et al. Constructed wetlands for the treatment of organic pollutants. J Soils Sediments 2003;3:109–24.

Hameed, B.H. Evaluation of papaya seeds as a novel non-conventional low cost adsorbent for removal of methylene blue, J. Hazard. Mater. 162 (2009) 939–944.

Hameed, B.H., Ahmad, A.A. Batch adsorption of methylene blue from aqueous solution by garlic peel, an agricultural waste biomass, J. Hazard. Mater. 164 (2009) 870–875.

Hameed, B.H., Mahmoud, D.K., Ahmad, A.L. Equilibrium modeling and kinetic studies on the adsorption of basic dye by a low-cost adsorbent: coconut (Cocos nucifera) bunch waste, J. Hazard. Mater. 158 (2008) 65–72.

Hammaini, A., Gonzalez, F., Ballester, A. Blazquez, M.L., Munoz, J.A. Biosorption of heavy metals by activated sludge and their desorption characteristics. Journal of Environmental Management, 2007. **84**(4): p. 419-426.

Han, R. Han, P. Cai, Z. Zhao, Z. Tang, M. Kinetics and isotherms of Neutral Red adsorption on peanut husk, J. Environ. Sci. 20 (2008) 1035–1041.

He, S.-B., Yan, L., Kong, H.-N., Liu, Z.-M., Wu, D.-Y., Hu, Z.-B., 2007. Treatment efficiencies of constructed wetlands for eutrophic landscape river water. Pedosphere 17, 522–528.

Hill, C.M., Duxbury, J., Geohring, L., Peck, T., 2000. Designing constructed wetlands to remove phosphorus from barnyard runoff: a comparison of four alternative substrates. J. Environ. Sci. Health A35, 1357–1375.

Ho, Y.S., McKay, G., 1998a. Kinetic models for the sorption of dye from aqueous solution by wood. Trans. IChemE B 76, 183–191.

Gambrell, R.P. Trace and toxic metals in wetlands— a review. J Environ Qual 1994;23:883–91.

Iqbal, M.A., Saeed, I., Kalim, Characterization of adsorptive capacity and investigation of mechanism of Cu²⁺,Ni²⁺ and Zn²⁺ adsorption on mango peel waste from constituted metal solution and genuine electroplating effluent, Sep. Sci. Technol. 44 (2009) 3770–3791.

Jain, S. Jayaram, R.V. Removal of basic dyes from aqueous solution by low cost adsorbent: wood apple shell (Feronia acidissima), Desalination, in press, doi:10.1016/j.desal.2009.04.005.

Justin, M.Z., Vrhovs'ek, D., A Stuhlbacher A., Bulc, T.J. Treatment of wastewater in hybrid constructed wetland from the production of vinegar and packaging of detergents. Desalination, 2009. **246**(1-3): p. 100-109.

Kaasik, A. Hydrated calcareous oil-shale ash as potential filter media for phosphorus removal in constructed wetlands. Water Research, 2008. **42**(4-5): p. 1315-1323.

Kadirvelu, K., Palanivel, M., Kalpana, R., Rajeswari, S., 2000. Activated carbon prepared from an agriculturalby-productfor the treatment of dyeing industry wastewater. Bioresour. Technol. 74, 263–265.

Kadlec, R.H., 2009. Comparison of free water and horizontal subsurface treatment wetlands. Ecol. Eng. 35, 159–174.

Kadlec, R.H., Knight, R.L., 1996. Treatment Wetlands. Lewis Publishers/CRC Press, Boca Raton, 893 pp.

Kadlec, R.H., Knight, R.L., Vymazal, J., Brix, H., Cooper, P., Haberl, R.,2000. Constructed wetlands for pollution control—processes, performance, design and operation. IWA Scientific and Technical Report No. 8. IWA Publishing, London, UK.

Kadlec, R.H., Knight, R.L., Vymazal, J., Brix, H., Cooper, P., Haberl, R., 2000. Constructed wetlands for pollution control—processes, performance, design and operation. IWA Scientific and Technical Report No. 8. IWA Publishing, London, UK.

Khan, S., Ahmad I., Tahir, M. S., Rehman, S., Khaliq A. Use of constructed wetland for the removal of heavy metals from industrial wastewater. Journal of Environmental Management, 2009. **90**(11): p. 3451-3457.

Khattri, S.D., Singh, M.K., 2000. Colour removal from synthetic dye wastewater using a bioadsorbent. Water Air Soil Pollut. 120, 283–294.

Kõiv, M., Kriipsalu, M., Vohla, C., Mander, Ü., 2009a. The secondary treatment of

Kropfelova L, Vimazal J, Svehla J, Stichova J. Removal trace elements in three horizontal subsurfaceflow constructed wetlands in the Czech Republic. Environ Pollut. 2009;157:1186–94.

Kropfelova L, Vimazal J, Svehla J, Stichova J. Removal trace elements in three horizontal subsurface flow constructed wetlands in the Czech Republic. Environ Pollut 2009;157:1186–94

Kyambadde, J., Kansiime F., Gumaelius L., Dalhammar, G. A comparative study of Cyperus papyrus and Miscanthidium violaceum-based constructed wetlands for wastewater treatment in a tropical climate. Water Research, 2004. **38**(2): p. 475-485.

Lesage E, Rousseau DPL, Meers E, Tack FMG, De Paw N. Accumulation of metals in a horizontal subsurfaceflow constructed wetland treating domestic wastewater in Flanders, Belgium. Sci Total Environ 2007;380:102–15.

LeVan, M.D., Carta, G., Yon, C.M., 1997. In:Perry, R.H., Green, D.W., Malone, J.O.(Eds.), Adsorption and Ion Exchange, seventh ed. Perry'schemicalengineers'handbookMcGrw-Hill,NewYork.

Lu, D., Cao, Q., Li, X., Cao, X., Cao, F., Shao, W. Kinetics and equilibrium of Cu(II) adsorption onto chemically modified orange peel cellulose biosorbents, Hydrometallurgy 95 (2009) 145–152.

Lu, S., Gibb, S.W. Copper removal from wastewater using spent-grain as biosorbent, Bioresour. Technol. 99 (2008) 1509–1517.

Maine, M.A. Influence of vegetation on the removal of heavy metals and nutrients in a constructed wetland. Journal of Environmental Management, 2009. 90(1): p. 355-363.

Mata, Y.N. Sugar-beet pulp pectin gels as biosorbent for heavy metals: Preparation and determination of biosorption and desorption characteristics. Chemical Engineering Journal, 2009. **150**(2-3): p. 289-301.

Memon, G.Z. Bhanger, M.I. Akhtar, M. Talpur, F.N. Memon, J.R. Adsorption of methyl parathion pesticide from water using watermelon peels as a low cost adsorbent, J. Hazard. Mater. 138 (2008) 616–621.

Memon, J.R., Memon, S.Q., Bhanger, M.I., El-Turki, A., Keith R.Hallam, Allen, G.C. Banana peel: a green and economical sorbent for the selective removal of Cr(VI) from industrial wastewater, Colloids Surf., B: Biointerfaces 70 (2009) 232–237.

Mishra,V.K, Upadhyaya, AR, Pandey SK, Tripathi BD. Heavy metal pollution induced due to coal mining effluent on surrounding aquatic ecosystem and its management through naturally occurring aquatic macrophytes. Bioresour Technol 2008;99:930–6.

Naja, G., Deneux-Mustin, S., Mustin, C., Rouiller, J., Munier-Lamy, C., Berthelin, J., 1999. Potentiometric titration: a dynamic method to study the metal binding-mechanism of microbial biomass.

Nayak, P.S. and B.K. Singh, Removal of phenol from aqueous solutions by sorption on low cost clay. Desalination, 2007. **207**(1-3): p. 71-79.

Oliveira, F.D., Paula, J.H., Freitas, O.M., Figueiredo, S.A. Copper and lead removal by peanut hulls: equilibrium and kinetic studies, Desalination 248 (2010) 931–940.

Oliveira, F.D., Paula, J.H., Freitas, O.M., Figueiredo, S.A. Copper and lead removal by peanut hulls: equilibrium and kinetic studies, Desalination 248 (2009) 931–940.

Pagnanelli, F., Petrangeli Papini, M., Toro, L., Trifoni, M., Veglio, F., 2000. Biosorption of metal ions on Arthrobacter sp.: Biomass characterization and biosorption modeling. Environmental Science and Technology 34, 2773–2778.

Papadimitriou C.A., Papatheodoulou, A., Takavakoglou, V., Zdragas, A., Samaras, P., Sakellaropoulos, G.P., Lazaridou, M., Zalidis, G. Investigation of protozoa as indicators of wastewater treatment efficiency in constructed wetlands. Desalination 250 (2010) 378–382

Park, N., J.H. Kim, and J. Cho, Organic matter, anion, and metal wastewater treatment in Damyang surface-flow constructed wetlands in Korea. Ecological Engineering, 2008. **32**(1): p. 68-71.

Park, W.H. and C. Polprasert, Roles of oyster shells in an integrated constructed wetland system designed for P removal. Ecological Engineering, 2008. **34**(1): p. 50-56.

Pundsack, J., Axler, R., Hicks, R., Henneck, J., Nordmann, D., McCarthy, B., 2001. Seasonal pathogen removal by alternative on-site wastewater treatment systems. Water Environ. Res. 73, 204–212.

Schiewer, S., Volesky, B., 1997. Ionic strength and electrostatic effects of biosorption of divalent metal ions and protons. Environmental Science and Technology 31, 2478–2485.

Shukla, A., Zhang, Y.H., Dubey, P., Margrave, J.L., Shukla, S.S.,2002. The role of sawdust in the removal of unwanted materials from water. J. Hazardous Mater. B95, 137–152.

Investigation of Zinc removal capacities of different sorbent materials to be used in constructed wetlands

Singh, A.K., Mall, I.D., Singh, Prasad, B., Mishra, I.M. IPPTA Q. J. Indian Pulp Paper Tech. Assoc. 14 (2002) 43.

Sivaraj, R., Namasivayam, C., Kadirvelu, K. Orange peel as an adsorbent in the removal of Acid violet 17 (acid dye) from aqueous solutions, Waste Manag. 21 (2001) 105–110.

Szögi, A.A., Humenik, F.J., Rice, J.M., Hunt, P.G., 1997. Swine wastewater treatment Tanner, C.C., 2001. Plants as ecosystem engineers in subsurface flow treatment wetlands. Water Sci. Technol. 44 (11–12), 9–17.

Tanner, C.C., Sukias, J.P.S., Upsdell, M.P., 1999. Substratumphosphorus accumulation during maturation of gravel-bed constructed wetlands. Water Sci. Technol. 40, 147–154.

Tee, H.C., Seng, C.E., Noor, A. Md., Lim, P.E. Performance comparison of constructed wetlands with gravel- and rice husk-based media for phenol and nitrogen removal. Science of The Total Environment, 2009. **407**(11): p. 3563-3571.

Tien, C., 1994. Adsorption Calculations and Modeling. Butterworth-Heinemann, Boston. Cheremisin off, N.P., 2002. Handbook of Water and Wastewater Treatment Technologies. Butterworth Heinemann, Boston.

Vacca,G., Wand, H., Nikolauszm M., Kuschk,P., Kastner, M., Effect of plants and filter materials on bacteria removal in pilot-scale constructed wetlands

Vohla, C., et al., Filter materials for phosphorus removal from wastewater in treatment wetlands--A review. Ecological Engineering.

University of Moratuwa, Sri Lanka.

Vohla, C., Po[°]Idvere, E., Noorvee, A., Kuusemets, V., Mander, U[°]., 2005. Alternative filter media for phosphorous removal in a horizontal subsurface flow constructed wetland. J. Environ. Sci. Health Part A 40 (6–7), 1251–1264.

Volesky, B., 2003. Sorption and Biosorption. BVSorbex, Inc., Montreal-St. Lambert, Quebec, Canada.

Vymazal, J., Švehla J., Kröpfelová L., Chrastný, V. Trace metals in *Phragmites australis* and *Phalaris arundinacea* growing in constructed and natural wetlands. Science of The Total Environment, 2007. **380**(1-3): p. 154-162.

WHO/UNICEF, Global Water Supply and Sanitation Assessment Report 2001, WHO, Geneva, 2001.

WHO/UNICEF, Global Water Supply and Sanitation Assessment Report 2002, WHO, Geneva, 2002.

Wu, P. and Y.-s. Zhou, Simultaneous removal of coexistent heavy metals from simulated urban stormwater using four sorbents: A porous iron sorbent and its mixtures with zeolite and crystal gravel. Journal of Hazardous Materials, 2009. **168**(2-3): p. 674-680.

Annexes

