REFERENCES

Anane-Fenin, K. 2006. Nanotechnology: the developments and implications for Africa. Technology Policy Brief 1. ATPS-Ghana Chapter Anderson Cal Baier, 2009, Regulating nanosilver as a pesticide", Environmental Defense Fund

ARC (International Agency for Research on Cancer) Some Drinking-Water Disinfectants and Contaminants, Including Arsenic. In IARC Monographs on the Evaluation of Carcinogenic Risks to Humans;: Lyon, France, 2004; Vol. 84.

Atapattu, N.K. 1987. Pesticide Data Collection in Sri Lanka. Agrochemicals News in Brief X (3), 20-22.

Bandara, J.M.R.S. and P.C. Kearney, 1991. Paraquat Residues in Lowland Rice Fields. Sri Lankan Journal of Agricultural Sciences, Vol 28. 11-19.

Bandara, J.M.R.S., P.C.Kearney, P.G.Vincent, and W.A.Gentner, 1985. Dermal Exposure related to pesticide Use. Discussion of Risk Assessment.Chapter 19. Ed.Honeycutt,R.C, Zweig,G and Ragsdale,N.N. 527pp.American Chemical Society, Washington.D.C. USA.

Bandara, J.M.R.S., Senevirathne, D.M.A.N., Dasanayake, D.M.R.S.B., Herath, V., Bandara, J.M.R.P., Abeysekara, T., Rajapaksha, K.H., 2008. Chronic renal failureamong farm families in cascade irrigation systems in Sri Lanka associated with elevated dietary cadmium levels in rice and freshwater fish (Tilapia). Environ. Geochem. Health 30, 465–478.

Bandara, J.M.R.S., Wijewardena, H.V.P., Bandara, Y.M.A.Y., Jayasooriya, R.G.P.T., Rajapaksha, H., 2010. Pollution of River Mahaweli and the farm lands under irrigation with cadmium through agricultural inputs, leading to a chronic renal failure epidemic among the farmers in NCP of Sri Lanka. Environ. Geochem. Health.

Bandara, J.M., R.S., Seneviratne DMAN, Dasanayake DMRSB, Herath, V, Bandara JMRP, Abeysekara, T and Rajapaksha H, 2008. Chronic renal failure among farm families in cascade irrigation systems in Sri Lanka associated with elevated dietary cadmium levels in rice and freshwater fish (Tilapia). Environment Geochemistry and Health, Vol. 30 (5) 465-478.

Brecht M. Datnoff, L., Nagata, R. and Kucharek, T. 2003. The role of silicon in suppressing tray leaf spot development in St.Augustine grass. Publication in University of Florida, 1-4,

Caroli, S.; D'Ilio, S.; Alessandrelli, M.; Cresti, R. Arsenic content of various types of rice as determined by plasma-based techniques. Microchem. J. 2002, 73, 195–201.

Caroli, S.; Frazzoli, C.; D'Amato, M.; Záray, Gy. Arsenic and Other Potentially Toxic Trace Elements in Rice. In The Determination of Chemical Elements in Food: Applications for Atomic and Mass Spectrometry; Caroli, S., Ed.; John Wiley: Rome, Italy, 2007.

Das, H. K.; Mitra, A. K.; Sengupta, P. K.; Hossain, A.; Islam, F.;Rabbani, G. H. Arsenic concentration in rice, vegetables and fish in Bangladesh: A preliminary study. Environ. Int. 2004, 30, 383–387.

Duxbury, J. M.; Mayer, A. B.; Lauren, J. G.; Hassan, N. Food chain aspects of arsenic contamination in Bangladesh: Effects on quality and productivity of rice. J. Env. Sci. Health. 2003, 38,61–69.

Ellis WW. 1998 Private Public Sector co-operation to improve pesticide safety standards in developing countries

ETC Group Report 2004.Down on the farm. The impact of nano-scale Technologies on Food and Agriculture

FAO, 2007. FAO data repository- Sri Lanka

FAO. Rice Information; FAO: Rome, Italy, 2002; Vol. 3

FAO/OECD pesticide risks reduction survey, 1996. In analysis of government responses to the second questionnaire on the state of implementation of the international code of conduct on the Distribution and Use of Pesticide, Rome

Farb, P. 1978. Humankind. Boston Houghton Mifflin. Pp137,158-159

Fawcett, R.S., B.R.Christensen, and D.P.Tierney. 1994 The impact of conservation tillage on pesticide runoff in surface water. A review and Analysis. J. Soil and Water Conservation 49: 126-135.

Garver, T. L. W., Thomas, B. J., Robbins, M. P. and Zeyen, R. J.1998. Phenyalanine ammonia-lyase inhibition, autofluorescence, and localized accumulation of of silicon, calcium and manganese in oat epidermis attacked by the powdery mildew fungus Blumeria graminis (DC) speer. Physiol. Mol. Plant Pathol. 52:223-243.

Gilbert Y. and Kumpulainen A. 2009 In press. Informed decision making: bridging HSE, risk and cost. In Environmental Management Accounting and Sustainable Supply Chain Management. EMAN - Environmental Management Accounting Network.

Gilbert, Y., Kumpulainen A. and Syrjänen, M. 2009. New tool assists informed purchasing decisions based on overall cost and HSE risk potential of well construction fluids. Paper SPE 120488 presented at the SPE Americas E&P Environmental and Safety Conference, San Antonio, Texas, 23-25 March. DOI: 10.2118/120488-MS

Gray, C.W., R.G. mcLaren and H.C. Roberts. 2003. Cadmium leaching from some New Zealand Soils. European Journal of Soil Science. March 2003, 54: 159-166.

Jakl, T. and Schwager, P. (2008) Chemical Leasing Goes Global. Selling Services Instead of Barrels: A Win-Win Business Model for Environment and Industry.

Kanto, T., Miyoshi, A., Ogawa, T., Maekawa, K. and Aino, M.2004. Suppressive effect of potassium silicate on powdery mildew of strawberry in hydroponics. J. Gen. Plant Pathol. 70:207-211.

Khodakovsky A, P. Schröder, and W. Sweldens, 2000.Progressive geometry compression, in Siggraph 2000,Computer Graphics Proceedings, pp. 271–278,

Kim, T. N., Feng, Q. L., Kim, J. O., Wu, J., Wang, H., Chen, G. C. and Cui, F. Z.1998. Antimicrobial effects of metal ions (Ag+, Cu2+, Zn2+) in hydroxyapatite. J. Mater. Sci. Mater. Med. 9: 129-134.

Liyanege, CE, MI Thabrew, and DSP Kuruppuarachchi. 2000. Nitrate pollution in ground water of Kalpitiya. 2000. J. Natn. Sci. Council of Sri Lanka 2000 28(2): 101-112.

Loganathan,P., AD Mackay, J Lee and MJ Hedley. 1995. Cadmium distribution in hill pastures as influenced by 20 years of phosphate fertilizer application and sheep grazing. Australian Journal of Soil Research 33(5) 859 – 871

Ma, J. F., Goto, S., Tami, K. and Ichii, M. 2001. Role of root hairsand lateral roots in silicon uptake by rice. Plant Physiol. 127:1773-1780.

Marin, A. R.; Masscheleyn, P. H.; Patrick Jr, W. H. Soil redox-Ph stability of arsenic species and its influence on arsenic uptake by rice. Plant Soil. 1993, 152, 245–253

McKean, Margaret A.1999. Itai Itai disease and the countermeasures against cadmium pollution by the Kamioka mine: Environmental Economics and Policy Studies, 2: 215-229.

Murray D.L., Taylor P.L., 2000. Claim no easy victories. Evaluating the pesticide industry's Global Safe Use campaign.

Naidu, R.; Smith, E.; Owens, G.; Bhattacharya, P. ; Nadebaum, P., Eds.; CSIRO Publishing: Melbourne, Australia, 2006. Managing Arsenic in the Environment-from Soil to Human;

NFS, 2009. National fertilizer Secretariat

Park Hae-Jun, Sung Ho Kim, Hwa Jung Kim and Seong-Ho Choi 2006 A New Composition of Nanosized Silica-Silver for Control of Various Plant Diseases Plant Pathol. J. 22(3): 295-302 (2006)

Piyasiri 1995. Eutrophication and blue-green algal problem in Kotmale reservoir in Sri Lanka. In: Timotius, K.H. and Golthenboth. F. eds. Tropical Limnology 2. Satya Wacanan Christian University. Indonesia, 161-169.

Pizarro, I.; Gómez, M. Evaluation of stability of arsenic species in rice. Anal. Bioanal. Chem. 2003, 376, 102–109.

Raab C., Joas R., 2010. Chemical Leasing –Success stories from Europe. 9th Asia Pacific Roundtable for Sustainable Consumption &Production

Rancilu C.Watawala, Janitha A. Liyanage, Ananda Mallawatantri 2009. Assessment of Risks to Water Bodies due to Residues of Agricultural Fungicide in Intensive Farming Areas in the Up-country of Sri Lanka using an Indicator Model. National Conference on Water, Food Security and Climate Change in Sri Lanka, vol 2, 69 -75

Schoof, R. A.; Yost, L. J.; Eickhoff, J.; Crecelius, E. A.; Meacher, D. M.; Menzel, D. B. A Market basket survey of inorganic arsenic in food. Food Chem. Toxicol. 1999, 37, 839–846.

Schwager, P. and Moser, F. 2006. The Application of Chemical Leasing Business Models in Mexico. Environmental Science and Pollution Research. 13 (2): 131-137.

Tiju, J and Morrison, M. 2006. Nanotechnology in Agriculture and Food. European Nanotechnology Gateway. Nanoforum Report, p. 6,12

Vahter, M.; Concha, G.; Nermell, B.; Nilsson, R.; Dulout, F.; Natarajan, A. T. A unique metabolism of inorganic arsenic in Native Andean women. Eur. J. Pharmacol. 1995, 293, 455–462.

Warusamanna G.2007.Two Nano Technology Institute to be launched with Private Sector Support. The Island

Wickramaarachchi, W.D.N, 2005, Irrigation water quality along the cascade system in the North East dry zone of Sri Lanka. Research report submitted to PGIA, for Master of Science 2005. Research Supervisor Prof. Dr. J.M.R.S.Bandara.

Williams, P. N.; Prince, A. H.; Raab, A.; Hossain, S. A.; Feldmann, J.; Meharg, A. A. Variation in arsenic speciation and concentration in paddy rice related to dietary exposure. Environ. Sci. Technol. 2005, 39, 5531–5540.

Zoysa, T.de. 2002. Water quality of Parakrama Samudraya (reservoir). M.Sc. Dissertation , Postgraduate Institute of Agriculture University of Peradeniya. Research Supervisor: Prof. J.M.R.S.Bandara



University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations www.lib.mrt.ac.lk