

REFERENCES

- [1] *Deafness and hearing loss*. (2021, April 1). World Health Organization. Retrieved March 1, 2022, from <https://www.who.int/en/news-room/fact-sheets/detail/deafness-and-hearing-loss>
- [2] Xia, P., & Du, Z. (2019, April). Research on Intelligent Recognition of Intelligent Gloves based on Acceleration Sensor. In *3rd International Conference on Mechatronics Engineering and Information Technology (ICMEIT 2019)* (pp. 550-555). Atlantis Press.
- [3] Traynor, R. (2017b, June 9). *International Sign Languages*. Hearing International. Retrieved January 1, 2019, from <https://hearinghealthmatters.org/hearinginternational/2017/international-sign-languages/>
- [4] Farooq, U., Asmat, A., Rahim, M. S. B. M., Khan, N. S., & Abid, A. (2019, November). A comparison of hardware based approaches for sign language gesture recognition systems. In *2019 International Conference on Innovative Computing (ICIC)* (pp. 1-6). IEEE.
- [5] Yin, K., Moryossef, A., Hochgesang, J., Goldberg, Y., & Alikhani, M. (2021). Including signed languages in natural language processing. *arXiv preprint arXiv:2105.05222*.
- [6] Su, H., Ovrur, S. E., Zhou, X., Qi, W., Ferrigno, G., & De Momi, E. (2020). Depth vision guided hand gesture recognition using electromyographic signals. *Advanced Robotics*, *34*(15), 985-997.
- [7] S. (2021, July 5). *What is EMG sensor, Myoware and How to use with Arduino?* Latest Open Tech From Seeed. Retrieved August 14, 2021, from <https://www.seeedstudio.com/blog/2019/12/29/what-is-emg-sensor-myoware-and-how-to-use-with-arduino/>
- [8] Benalcázar, M. E., Motoche, C., Zea, J. A., Jaramillo, A. G., Anchundia, C. E., Zambrano, P., ... & Pérez, M. (2017, October). Real-time hand gesture recognition using the Myo armband and muscle activity detection. In *2017 IEEE second Ecuador technical chapters meeting (ETCM)* (pp. 1-6). IEEE.
- [9] Kudrinko, K., Flavin, E., Zhu, X., & Li, Q. (2020). Wearable sensor-based sign language recognition: A comprehensive review. *IEEE Reviews in Biomedical Engineering*, *14*, 82-97.

- [10] Siddiqui, N., & Chan, R. H. (2017, July). A wearable hand gesture recognition device based on acoustic measurements at wrist. In *2017 39th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)* (pp. 4443-4446). IEEE.
- [11] Wang, S., Song, J., Lien, J., Poupyrev, I., & Hilliges, O. (2016, October). Interacting with soli: Exploring fine-grained dynamic gesture recognition in the radio-frequency spectrum. In *Proceedings of the 29th Annual Symposium on User Interface Software and Technology* (pp. 851-860).
- [12] Pan, J., Li, Y., Luo, Y., Zhang, X., Wang, X., Wong, D. L. T., ... & Thean, A. V. Y. (2021). Hybrid-Flexible Bimodal Sensing Wearable Glove System for Complex Hand Gesture Recognition. *ACS sensors*, 6(11), 4156-4166.
- [13] S.J. (n.d.). *Machine Learning Tutorial | Machine Learning with Python - Javatpoint*. Wwww.Javatpoint.Com. Retrieved March 3, 2022, from <https://www.javatpoint.com/machine-learning>
- [14] Gatto, L. (2021b, December 6). *Chapter 8 Unsupervised learning: dimensionality reduction | Bioinformatics*. Bioinformatics. Retrieved March 3, 2022, from <https://uclouvain-cbio.github.io/WSBIM1322/sec-dimred.html>
- [15] *Six -axis IMU*. (n.d.). [Illustration]. Panasonic Industry. https://www.google.com/search?q=six+axis+IMU&sxsrf=ALiCzsZ4nDuXR_h3gOaWB8Db-wneSh8hjA:1651170727650&source=lnms&tbm=isch&sa=X&ved=2ahUKEwjZor2lsrf3AhVmILcAHZFKBBAQ_AUoAXoECAEQAw&biw=1366&bih=657&dpr=1#imgrc=FcEIXAcpyvbRQM
- [16] Pao, C. (2019b, September 13). *The importance of IMU Motion Sensors - CEVA's Experts blog*. CEVA's Experts Blog. Retrieved March 28, 2022, from <https://www.ceva-dsp.com/ourblog/what-is-an-imu-sensor/>
- [17] Rajesh, S. M., Bhargava, S., & Sivanathan, K. (2014). Mission planning and waypoint navigation of a micro quadcopter by selectable GPS co-ordinates. *Int. J. of Advanced Research in Computer Science and Software Eng.*, 143.
- [18] Jouybari, A., Ardalan, A. A., & Rezvani, M. H. (2017). Experimental comparison between Mahoney and Complementary sensor fusion algorithm for attitude determination by raw sensor data of Xsens IMU on buoy. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 42, 497-502.

- [19] Gattass, M. (n.d.). *3D Rotations: Euler angles and the Gimbal Lock problem*. Prof. Marcelo Gattass Personal Home Page. Retrieved April 2, 2022, from <http://webserver2.tecgraf.puc-rio.br/%7Emgattass/demo/EulerAnglesRotations-GimballLock/euler.html>
- [20] D. (2019, June 20). *How Quaternions Produce 3D Rotation*. Penguinmaths.Blogspot.Com. Retrieved April 2, 2022, from <https://penguinmaths.blogspot.com/2019/06/how-quaternions-produce-3d-rotation.html>
- [21] Team, T. A. I. (2020, May 29). *How, When, and Why Should You Normalize / Standardize / Rescale. . . Towards AI*. Retrieved March 3, 2022, from <https://towardsai.net/p/data-science/how-when-and-why-should-you-normalize-standardize-rescale-your-data-3f083def38f>
- [22] Avinash Navlani. (2018, December 4). *Naive Bayes Classifier Tutorial: with Python Scikit-learn*. DataCamp Community. Retrieved January 14, 2021, from <https://www.datacamp.com/community/tutorials/naive-bayes-scikit-learn>