

## 7 REFERENCES

- [1] A. Abbassi-guendouz *et al.*, “Total solids content drives high solid anaerobic digestion via mass transfer limitation,” *Bioresour. Technol.*, vol. 111, pp. 55–61, 2012.
- [2] R. Kothari, A. K. Pandey, S. Kumar, V. V. Tyagi, and S. K. Tyagi, “Different aspects of dry anaerobic digestion for bio-energy: An overview,” *Renew. Sustain. Energy Rev.*, vol. 39, pp. 174–195, 2014.
- [3] D. Brown, J. Shi, and Y. Li, “Comparison of solid-state to liquid anaerobic digestion of lignocellulosic feedstocks for biogas production,” *Bioresour. Technol.*, vol. 124, pp. 379–386, 2012.
- [4] Y. Li, S. Y. Park, and J. Zhu, “Solid-state anaerobic digestion for methane production from organic waste,” *Renew. Sustain. Energy Rev.*, vol. 15, no. 1, pp. 821–826, 2011.
- [5] X. Ge, F. Xu, and Y. Li, “Solid-state anaerobic digestion of lignocellulosic biomass : Recent progress and perspectives,” *Bioresour. Technol.*, vol. 205, pp. 239–249, 2016.
- [6] L. N. Liew, J. Shi, and Y. Li, “Methane production from solid-state anaerobic digestion of lignocellulosic biomass,” *Biomass and Bioenergy*, vol. 46, pp. 125–132, 2012.
- [7] W. Mussoline, G. Esposito, and A. Giordano, “The Anaerobic Digestion of Rice Straw : A Review,” *Crit. Rev. Environ. Sci. Technol.*, vol. 43, no. 9, pp. 895–915, 2011.
- [8] L. Sun, “Biogas Production from Lignocellulosic Materials Microbial Community Structure,” Swedish University of Agricultural Sciences, 2015.
- [9] F. Gergely, “Biogas Production from Citrus Wastes and Chicken Feather,” Chalmers University of technology, 2012.
- [10] K. Hagos, J. Zong, D. Li, C. Liu, and X. Lu, “Anaerobic co-digestion process for biogas production : Progress , challenges and perspectives,” *Renew. Sustain. Energy Rev.*, vol. 76, pp. 1485–1496, 2016.
- [11] R. Li, S. Chen, and X. Li, “Biogas Production from Anaerobic Co-digestion of Food Waste with Dairy Manure in a Two-Phase Digestion System,” pp. 643–654, 2010.
- [12] K. L. Kadam, L. H. Forrest, and W. A. Jacobson, “Rice straw as a lignocellulosic resource: collection, processing, transportation, and environmental aspects,” *Biomass and Bioenergy*, vol. 18, no. 5, pp. 369–389, 2000.

- [13] L. M. Contreras, H. Schelle, C. R. Sebrango, and I. Pereda, “Methane potential and biodegradability of rice straw , rice husk and rice residues from the drying process,” *Water Sci. Technol.*, vol. 65, no. 6, pp. 1142–1149, 2012.
- [14] Y. He, Y. Pang, Y. Liu, X. Li, and K. Wang, “Physicochemical Characterization of Rice Straw Pretreated with Sodium Hydroxide in the Solid State for Enhancing Biogas Production,” *Energy and Fuels*, vol. 22, no. 4, pp. 2775–2781, 2008.
- [15] D. J. Hills and D. W. Roberts, “Anaerobic digestion of dairy manure field crop residues and,” *Agric. wastes*, vol. 3, pp. 179–189, 1981.
- [16] F. Liotta *et al.*, “Methane and VFA production in anaerobic digestion of rice straw under dry , semi-dry and wet conditions during start-up phase,” *Environ. Manage.*, vol. 37, no. 5, pp. 505–512, 2015.
- [17] S. Achinas, G. Jan, and W. Euverink, “Theoretical analysis of biogas potential prediction from agricultural waste,” *Resour. Technol.*, vol. 2, no. 3, pp. 143–147, 2016.
- [18] A. Khalid, M. Arshad, M. Anjum, T. Mahmood, and L. Dawson, “The anaerobic digestion of solid organic waste,” *Waste Manag.*, vol. 31, no. 8, pp. 1737–1744, 2011.
- [19] S. A. Neshat, M. Mohammadi, G. D. Najafpour, and P. Lahijani, “Anaerobic co-digestion of animal manures and lignocellulosic residues as a potent approach for sustainable biogas production,” *Renew. Sustain. Energy Rev.*, vol. 79, no. July 2016, pp. 308–322, 2017.
- [20] F. A. Shah, Q. Mahmood, N. Rashid, A. Pervez, and I. A. Raja, “Co-digestion , pretreatment and digester design for enhanced methanogenesis,” *Renew. Sustain. Energy Rev.*, vol. 42, pp. 627–642, 2015.
- [21] H. Guven, M. Sadik, E. Iren, F. Keles, I. Ozturk, and M. Altinbas, “Co-digestion performance of organic fraction of municipal solid waste with leachate : Preliminary studies,” *Waste Manag.*, vol. 71, pp. 775–784, 2018.
- [22] Z. Yong, Y. Dong, X. Zhang, and T. Tan, “Anaerobic co-digestion of food waste and straw for biogas production,” *Renew. Energy*, vol. 78, pp. 527–530, 2015.
- [23] D. Brown and Y. Li, “Solid state anaerobic co-digestion of yard waste and food waste for biogas production,” *Bioresour. Technol.*, vol. 127, pp. 275–280, 2013.
- [24] H. N. Chanakya, K. G. Srikumar, V. Anand, J. Modak, and K. S. Jagadish, “Fermentation properties of agro-residues , leaf biomass and urban market garbage in a solid phase biogas fermenter,” *Biomass and Bioenergy*, vol. 16, no. 6, pp. 417–429, 1999.

- [25] A. K. Jha, J. Li, L. Nies, and L. Zhang, “Research advances in dry anaerobic digestion process of solid organic wastes,” *African J. Biotechnol.*, no. May 2015, 2011.
- [26] J. Shi, Z. Wang, J. A. Stiverson, Z. Yu, and Y. Li, “Reactor performance and microbial community dynamics during solid-state anaerobic digestion of corn stover at mesophilic and thermophilic conditions,” *Bioresour. Technol.*, vol. 136, pp. 574–581, 2013.
- [27] L. Yang and Y. Li, “Anaerobic digestion of giant reed for methane production,” *Bioresour. Technol.*, vol. 171, pp. 233–239, 2014.
- [28] J. Bollon, H. Benbelkacem, R. Gourdon, and P. Buffiere, “Measurement of diffusion coefficients in dry anaerobic digestion media,” *Chem. Eng. Sci. J.*, vol. 89, pp. 115–119, 2013.
- [29] S. Kalyuzhnyi, A. Veeken, B. Hamelers, and C. Faculty, “Two-particle model of anaerobic solid state fermentation,” *Water Sci. Technol.*, vol. 41, no. 3, pp. 43–50, 2000.
- [30] J. Bollon, H. Benbelkacem, and P. Buffiere, “Development of a kinetic model for anaerobic dry digestion processes : Focus on acetate degradation and moisture content,” *Biochem. Eng. J.*, vol. 56, no. 3, pp. 212–218, 2011.
- [31] A. Degueurce, A. Trémier, and P. Peu, “Dynamic effect of leachate recirculation on Batch mode solid state anaerobic digestion : Influence of recirculated volume , leachate to substrate ratio and recirculation periodicity,” *Bioresour. Technol.*, vol. 216, pp. 553–561, 2016.
- [32] S. Chugh, W. Clarke, P. Pullammanappallil, and V. Rudolph, “Effect of recirculated leachate volume on MSW degradation,” *Waste Manag. Res.*, vol. 6, no. 16, pp. 564–573, 1998.
- [33] P. Michele, D. I. Giuliana, M. Carlo, S. Sergio, and A. Fabrizio, “Optimization of solid state anaerobic digestion of the OFMSW by digestate recirculation : A new approach,” *Waste Manag.*, vol. 35, pp. 111–118, 2015.
- [34] S. Riggio *et al.*, “Mesophilic anaerobic digestion of several types of spent livestock bedding in a Batch leach-bed reactor: substrate characterization and process performance,” *Waste Manag.*, vol. 59, pp. 129–139, 2017.
- [35] D. J. Batstone *et al.*, “Anaerobic Digestion Model No. 1,” *Water Sci. Technol.*, vol. 45, no. 10, p. pp 65–73, 2002.
- [36] J. Lauwers, L. Appels, I. P. Thompson, J. Degrève, J. F. Van Impe, and R. Dewil, “Mathematical modelling of anaerobic digestion of biomass and waste : Power and limitations,” *Prog. Energy Combust. Sci.*, vol. 39, no. 4, pp. 383–402, 2013.

- [37] H. Benbelkacem *et al.*, “Dry Anaerobic Digestion Modelling: Parameter Sensitivity,” *Can. J. Chem. Eng.*, vol. 93, no. November 2014, pp. 386–390, 2015.
- [38] H. Bah, W. Zhang, S. Wu, D. Qi, S. Kizito, and R. Dong, “Evaluation of Batch anaerobic co-digestion of palm pressed fiber and cattle manure under mesophilic conditions,” *Waste Manag.*, vol. 34, no. 11, pp. 1984–1991, 2014.
- [39] D. Li *et al.*, “Effects of feedstock ratio and organic loading rate on the anaerobic mesophilic co-digestion of rice straw and pig manure,” *Bioresour. Technol.*, vol. 187, pp. 120–127, 2015.
- [40] I. Angelidaki *et al.*, “Defining the biomethane potential ( BMP ) of solid organic wastes and energy crops : a proposed protocol for Batch assays,” *Water Sci. Technol.*, vol. 59, pp. 927–934, 2009.
- [41] A. Nielfa and R. Cano, “Theoretical methane production generated by the co-digestion of organic fraction municipal solid waste and biological sludge,” *Biotechnol. Reports*, vol. 5, pp. 14–21, 2015.
- [42] APHA (2005) *Standard methods for the examination of water and wastewater*, 21st edn. American Public Health Association, Washington, DC. .
- [43] A. Haryanto, B. P. Sugra, M. Telaumbanua, and R. A. B. Rosadi, “Anaerobic Co-digestion of Cow Dung and Rice Straw to Produce Biogas using Semi-Continuous Flow Digester : Effect of Urea Addition,” in *Earth and Environmental Science*, 2018.
- [44] S. K. Kiyasudeen, M. Hakimi, and S. A. Ismail, “Characterization of Fresh Cattle Wastes Using Proximate , Microbial and Spectroscopic Principles Environmental Technology Division , School of Industrial Technology ,” *Am. J. Agriculture Environmet sciecne*, vol. 15, no. 8, pp. 1700–1709, 2015.
- [45] Z. Yan, Z. Song, D. Li, Y. Yuan, X. Liu, and T. Zheng, “The effects of initial substrate concentration , C / N ratio , and temperature on solid-state anaerobic digestion from composting rice straw,” *Bioresour. Technol.*, vol. 177, pp. 266–273, 2015.
- [46] Y. Gu, X. Chen, Z. Liu, X. Zhou, and Y. Zhang, “Effect of inoculum sources on the anaerobic digestion of rice straw,” vol. 158, pp. 149–155, 2014.
- [47] J. Motte, R. Escudié, N. Bernet, J. Delgenes, J. Steyer, and C. Dumas, “Dynamic effect of total solid content , low substrate / inoculum ratio and particle size on solid-state anaerobic digestion,” *Bioresour. Technol.*, vol. 144, pp. 141–148, 2013.
- [48] F. Xu, Z. Wang, L. Tang, and Y. Li, “A mass diffusion-based interpretation of the effect of total solids content on solid-state anaerobic digestion of cellulosic biomass,” *Bioresour. Technol.*, vol. 167, pp. 178–185, 2014.

- [49] F. Liotta *et al.*, “Modified Anaerobic Digestion Model No.1 for dry and semi-dry anaerobic digestion of solid organic waste,” *Environ. Technol.*, vol. 36, no. 7, pp. 870–880, 2015.
- [50] W. Mussoline, G. Esposito, P. Lens, G. Garuti, and A. Giordano, “Design considerations for a farm-scale biogas plant based on pilot-scale anaerobic digesters loaded with rice straw and piggery wastewater,” *Biomass and Bioenergy*, vol. 46, pp. 469–478, 2012.
- [51] L. Massaccesi *et al.*, “Chemical characterisation of percolate and digestate during the hybrid solid anaerobic digestion Batch process,” *Process Biochem.*, vol. 48, no. 9, pp. 1361–1367, 2013.
- [52] L. André, M. Durante, A. Pauss, O. Lespinard, T. Ribeiro, and E. Lamy, “Quantifying physical structure changes and non-uniform water flow in cattle manure during dry anaerobic digestion process at lab scale : Implication for biogas production,” *Bioresour. Technol.*, vol. 192, pp. 660–669, 2015.
- [53] L. Yang, F. Xu, X. Ge, and Y. Li, “Challenges and strategies for solid-state anaerobic digestion of lignocellulosic biomass,” *Renew. Sustain. Energy Rev.*, vol. 44, pp. 824–834, 2015.
- [54] L. I. Romero, D. Sales, and M. Pe, “Dry-thermophilic anaerobic digestion of organic fraction of the municipal solid waste : Focusing on the inoculum sources,” *Bioresour. Technol.*, vol. 98, no. 17, pp. 3195–3203, 2007.
- [55] A. Abbassi-guendouz *et al.*, “Total solids content drives high solid anaerobic digestion via mass transfer limitation,” *Bioresour. Technol.*, vol. 111, pp. 55–61, 2012.