## REFERENCES

[1] Arce-Ruiz, Rosa & Baucells, Neus & Moreno Alonso, Concepcion. (2016). Smart Mobility in Smart Cities. 10.4995/CIT2016.2016.3485..

[2] Quin Cai and Jake K Aggarwal. Automatic tracking of human motion in indoor scenes across multiple synchronized video streams. InSixth International Con-ference on Computer Vision (IEEE Cat. No. 98CH36271), pages 356–362. IEEE,1998.

[3] J. Kang, I. Cohen and G. Medioni, "Tracking objects from multiple and moving cameras," IEE Intelligent Distributed Surveillance Systems, 2004, pp. 31-35, doi: 10.1049/ic:20040094

[4] Laura Leal-Taixe, Gerard Pons-Moll, and Bodo Rosenhahn. Branch-and-price global optimization for multi-view multi-target tracking. In2012 IEEE Conference on Computer Vision and Pattern Recognition, pages 1987–1994. IEEE, 2012

[5] Longyin Wen, Zhen Lei, Ming-Ching Chang, Honggang Qi, and Siwei Lyu.Multi-camera multi-target tracking with space-time-view hyper-graph. International Journal of Computer Vision, 122(2):313–333, 2017.

[6] Yuanlu Xu, Xiaobai Liu, Yang Liu, and Song-Chun Zhu. Multi-view people track-ing via hierarchical trajectory composition. InProceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pages 4256–4265, 2016.

[7] Pierre Baqu'e, Franc ois Fleuret, and Pascal Fua. Deep occlusion reasoning for multi-camera multi-target detection. InProceedings of the IEEE InternationalConference on Computer Vision, pages 271–279, 2017.

[8] Qi Zhang and Antoni B Chan. Wide-area crowd counting via ground-plane density maps and multi-view fusion cnns. InProceedings of the IEEE Conference onComputer Vision and Pattern Recognition, pages 8297–8306, 2019.

[9] H.-M. Hsu, J. Cai, Y. Wang, J.-N. Hwang, and K.-J. Kim, "Multi-Target Multi-Camera Tracking of Vehicles using Metadata-Aided Re-ID and Trajectory-Based Camera Link Model," IEEE Trans. Image Process., vol. 30, pp. 5198–5210, 2021, doi: 10.1109/TIP.2021.3078124.

[10] Y. He, X. Wei, X. Hong, W. Shi, and Y. Gong, "Multi-Target Multi-Camera Tracking by Tracklet-to-Target Assignment," IEEE Trans. Image Process., vol. 29, pp. 5191–5205, 2020, doi: 10.1109/TIP.2020.2980070.

[11] Liu, Chong & Zhang, Yuqi & Luo, Hao & Tang, Jiasheng & Chen, Weihua & Xu, Xianzhe & Wang, Fan & Li, Hao & Shen, Yi-Dong. (2021). City-Scale Multi-Camera Vehicle Tracking Guided by Crossroad zones.

[12] Peng Li, Jiabin Zhang, Zheng Zhu, Yanwei Li, Lu Jiang, Guan Huang (2019) "State-aware Re-identification Feature for Multi-target Multi-camera Tracking" [13] Chen, Junru & Geng, Shiqing & Yan, Yongluan & Huang, Danyang & Liu, Hao & Li, Yadong. (2021). Vehicle Re-identification Method Based on Vehicle Attribute and Mutual Exclusion Between Cameras.

[14] Ha, Ilkyu. (2018). A Probabilistic Target Search Algorithm Based on Hierarchical Collaboration for Improving Rapidity of Drones. Sensors. 18. 2535. 10.3390/s18082535.

[15] Xiaogang Wang,Intelligent multi-camera video surveillance: A review,Pattern Recognition Letters, Volume 34, Issue 1,2013, Pages 3-19,ISSN 0167-8655, https://doi.org/10.1016/j.patrec.2012.07.005.

 [16] N. Dalal and B. Triggs, "Histograms of oriented gradients for human detection," 2005
IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05), 2005, pp. 886-893 vol. 1, doi: 10.1109/CVPR.2005.177.

[17] P. Viola and M. Jones, "Rapid object detection using a boosted cascade of simple features," Proceedings of the 2001 IEEE Computer Society Conference on Computer Vision and Pattern Recognition. CVPR 2001, 2001, pp. I-I, doi: 10.1109/CVPR.2001.990517.

[18] Jiao, Licheng & Zhang, Fan & Liu, Fang & Yang, Shuyuan & Li, Lingling & Feng, Zhixi & Qu, Rong. (2019). A Survey of Deep Learning-Based Object Detection. IEEE Access. PP. 1-1. 10.1109/ACCESS.2019.2939201.

[19] J. Ye et al., "A Robust MTMC Tracking System for AI-City Challenge 2021," 2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2021, pp. 4039-4048, doi: 10.1109/CVPRW53098.2021.00456.

[20]K. -S. Yang, Y. -K. Chen, T. -S. Chen, C. -T. Liu and S. -Y. Chien, "Tracklet-refined Multi-Camera Tracking based on Balanced Cross-Domain Re-Identification for Vehicles," 2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2021, pp. 3978-3987, doi: 10.1109/CVPRW53098.2021.00449.

[21]K. Shim, S. Yoon, K. Ko and C. Kim, "Multi-Target Multi-Camera Vehicle Tracking for City-Scale Traffic Management," 2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2021, pp. 4188-4195, doi: 10.1109/CVPRW53098.2021.00473.

[22]A. Specker, D. Stadler, L. Florin and J. Beyerer, "An Occlusion-aware Multi-target Multi-camera Tracking System," 2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2021, pp. 4168-4177, doi: 10.1109/CVPRW53098.2021.00471.

[23]Y. -L. Li, Z. -Y. Chin, M. -C. Chang and C. -K. Chiang, "Multi-Camera Tracking By Candidate Intersection Ratio Tracklet Matching," 2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2021, pp. 4098-4106, doi: 10.1109/CVPRW53098.2021.00463.

[24]Liu, Chong & Zhang, Yuqi & Luo, Hao & Tang, Jiasheng & Chen, Weihua & Xu, Xianzhe & Wang, Fan & Li, Hao & Shen, Yi-Dong. (2021). City-Scale Multi-Camera Vehicle Tracking Guided by Crossroad Zones.

[25]Xu, Jian & Bo, Chunjuan & Wang, Dong. (2021). A novel multi-target multi-camera tracking approach based on feature grouping. Computers & Electrical Engineering. 92. 107153. 10.1016/j.compeleceng.2021.107153.

[26]S. You, H. Yao and C. Xu, "Multi-Target Multi-Camera Tracking With Optical-Based Pose Association," in IEEE Transactions on Circuits and Systems for Video Technology, vol. 31, no. 8, pp. 3105-3117, Aug. 2021, doi: 10.1109/TCSVT.2020.3036467.

[27]Hsu, Hung-Min & Wang, Yizhou & Hwang, Jenq-Neng. (2020). Traffic-Aware Multi-Camera Tracking of Vehicles Based on ReID and Camera Link Model.

[28]P. Li, J. Zhang, Z. Zhu, Y. Li, L. Jiang and G. Huang, "State-Aware Re-Identification Feature for Multi-Target Multi-Camera Tracking," 2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2019, pp. 1506-1516, doi: 10.1109/CVPRW.2019.00192.

[29]Hou, Y., Zheng, L., Wang, Z., & Wang, S. (2019). Locality Aware Appearance Metric for Multi-Target Multi-Camera Tracking. ArXiv, abs/1911.12037.

[30]Li, P., Li, G., Yan, Z., Li, Y., Lu, M., Xu, P., Gu, Y., Bai, B., & Zhang, Y. (2019). Spatio-temporal Consistency and Hierarchical Matching for Multi-Target Multi-Camera Vehicle Tracking. CVPR Workshops.

[31]Hsu, H., Huang, T., Wang, G., Cai, J., Lei, Z., & Hwang, J. (2019). Multi-Camera Tracking of Vehicles based on Deep Features Re-ID and Trajectory-Based Camera Link Models. CVPR Workshops.

[32]Y. He, J. Han, W. Yu, X. Hong, X. Wei and Y. Gong, "City-Scale Multi-Camera Vehicle Tracking by Semantic Attribute Parsing and Cross-Camera Tracklet Matching," 2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2020, pp. 2456-2465, doi: 10.1109/CVPRW50498.2020.00296.

[33]N. Peri et al., "Towards Real-Time Systems for Vehicle Re-Identification, Multi-Camera Tracking, and Anomaly Detection," 2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2020, pp. 2648-2657, doi: 10.1109/CVPRW50498.2020.00319.

[34]Ye, Shiping & Bohush, Rykhard & Chen, Huafeng & Zakharava, I. & Ablameyko, Sergey. (2020). Person Tracking and Reidentification for Multicamera Indoor Video Surveillance Systems. Pattern Recognition and Image Analysis. 30. 827-837. 10.1134/S1054661820040136.

[35]LIU Guanqun, LI Ting. Research on Multi-camera Multi-target Tracking Method Based on Hierarchical Relational Model of Trajectory Tree[J]. Journal of Frontiers of Computer Science and Technology, 2020, 14(6): 1036-1044.

[36]X. Zhang and E. Izquierdo, "Real-Time Multi-Target Multi-Camera Tracking with Spatial-Temporal Information," 2019 IEEE Visual Communications and Image Processing (VCIP), 2019, pp. 1-4, doi: 10.1109/VCIP47243.2019.8965845.

[37]Styles, Olly & Guha, Tanaya & Sanchez, Victor & Kot, Alex. (2020). Multi-Camera Trajectory Forecasting: Pedestrian Trajectory Prediction in a Network of Cameras.

[38]Peng, Jinlong & Wang, Tao & Lin, Weiyao & Wang, Jian & See, John & Wen, Shilei & Ding, Erui. (2020). TPM: Multiple Object Tracking with Tracklet-Plane Matching. Pattern Recognition. 107. 107480. 10.1016/j.patcog.2020.107480.

[39]Wojke, N., Bewley, A., & Paulus, D. (2017). Simple online and realtime tracking with a deep association metric. 2017 IEEE International Conference on Image Processing (ICIP), 3645-3649.

[40]Wang, Zhongdao & Zheng, Liang & Liu, Yixuan & Wang, Shengjin. (2019). Towards Real-Time Multi-Object Tracking.

[41] Siyu Tang, Mykhaylo Andriluka, Bjoern Andres, and Bernt Schiele. Multiple people tracking by lifted multicut and person reidentification. In Proceedings of the IEEE Conference on Computer Vision and pattern Recognition, pages 3539–3548, 2017

[42]Anton Milan, Konrad Schindler, and Stefan Roth. Multitarget tracking by discrete-continuous energy minimization. IEEE transactions on pattern analysis and machine intelligence, 38(10):2054–2068, 2016

[43] Zheng Tang, Gaoang Wang, Hao Xiao, Aotian Zheng, and Jenq-Neng Hwang. Single-camera and inter-camera vehicle tracking and 3d speed estimation based on fusion of visual and semantic features. In CVPR Workshop (CVPRW) on the AI City Challenge, 2018.

[44] Gaoang Wang, Yizhou Wang, Haotian Zhang, Renshu Gu, and Jenq-Neng Hwang. Exploit the connectivity:Multi-object tracking with trackletnet. arXiv preprint arXiv:1811.07258, 2018.

[45]R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," in 2014 IEEE Conference on Computer Vision and Pattern Recognition, pp. 580–587, June 2014.

[46]R. Girshick, "Fast r-cnn," in 2015 IEEE International Conference on Computer Vision (ICCV), pp. 1440–1448, Dec 2015.

[47]S. Ren, K. He, R. Girshick, and J. Sun, "Faster r-cnn: Towards real-time object detection with region proposal networks," IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 39, pp. 1137–1149, June 2017.

[48]K. He, G. Gkioxari, P. Dollr, and R. Girshick, "Mask r-cnn," in 2017 IEEE International Conference on Computer Vision (ICCV), pp. 2980–2988, Oct 2017.

[49]J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You only look once: Unified, real-time object detection," in 2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), pp. 779–788, June 2016.

[50]W. Liu, D. Anguelov, D. Erhan, C. Szegedy, S. Reed, C.-Y. Fu, and A. C. Berg, "Ssd: Single shot multibox detector," in Computer Vision – ECCV 2016 (B. Leibe, J. Matas, N. Sebe, and M. Welling, eds.), (Cham), pp. 21–37, Springer International Publishing, 2016.

[51]J. Redmon and A. Farhadi, "Yolo9000: Better, faster, stronger," in 2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), pp. 6517–6525, July 2017.

[52]J. Redmon and A. Farhadi, "Yolov3: An incremental improvement," CoRR, vol. abs/1804.02767, 2018.

[53]Alexey Bochkovskiy, Chien-Yao Wang, Hong-Yuan Mark Liao, "YOLOv4: Optimal Speed and Accuracy of Object Detection" arXiv preprint arXiv: 2004.10934, 2020 - arxiv.org.

[54]Ristani, Ergys & Solera, Francesco & Zou, Roger & Cucchiara, Rita & Tomasi, Carlo. (2016). Performance Measures and a Data Set for Multi-Target, Multi-Camera Tracking.

[55]Y. Sun, X. Zhou, L. Sun and S. Chen, "Vehicle Activity Analysis Based on ANPR System," 2014 12th IEEE International Conference on Embedded and Ubiquitous Computing, 2014, pp. 89-96, doi: 10.1109/EUC.2014.22.

[56]Liu, Xinchen & Liu, Wu & Mei, Tao & Ma, Huadong. (2016). A Deep Learning-Based Approach to Progressive Vehicle Re-identification for Urban Surveillance. 9906. 869-884. 10.1007/978-3-319-46475-6\_53.