

REFERENCES

- [1] J. Pfeiffer, A. Rücklé, C. Poth, A. Kamath, I. Vulić, S. Ruder, K. Cho, I. Gurevych, “AdapterHub: A Framework for Adapting Transformers”, “Proceedings of the 2020 EMNLP (Systems Demonstrations), 2020, pp. 46–54.
- [2] X. Jia, W. Zhou, X. Sun, and Y. Wu, “Eqg-race: Examination-type question generation”, AACL, 2021, pp. 13143-13151.
- [3] X. Sun, J. Liu, Y. Lyu, W. He, Y. Ma, and S. Wang, “Answer-focused and position-aware neural question generation”, Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing, 2018, pp. 3930–3939.
- [4] S. Woo, Z. Li, and J. Mirkovic, “Good automatic authentication question generation”, *Proceedings of the 9th International Natural Language Generation conference*, 2016, pp. 203–206.
- [5] D. Su, Y. Xu, W. Dai, Z. Ji, T. Yu, and P. Fung, “Multi-hop question generation with graph convolutional network”, The 2020 Conference on Empirical Methods in Natural Language Processing, EMNLP 2020, pp. 16-20.
- [6] L. E. Lopez, D. K. Cruz, J. C. B. Cruz, and C. Cheng, “Simplifying Paragraph-Level Question Generation via transformer Language Models”, 8th Pacific International Conference on Artificial Intelligence, 2020, pp. 323-334.
- [7] C. Raffel, N. Shazeer, A. Roberts, K. Lee, S. Narang, M. Matena, Y. Zhou, W. Li, J. Liu, “Exploring the Limits of Transfer Learning with a Unified Text-to-Text Transformer”, Journal of Machine Learning Research, 2020, pp. 1-67.
- [8] L. Xue, N. Constant, A. Roberts, M. Kale, R. Al-Rfou, A. Siddhant, A. Barua C. Raffel, “mT5: A Massively Multilingual Pre-trained Text-to-Text Transformer”, Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pp 483–498

- [9] Y.-H. Chan and Y.-C. Fan, “Bert for question generation”, *Proceedings of the 12th International Conference on Natural Language Generation*, 2019, pp. 173–177.
- [10] N. Vignesh, S. Sowmya “Automatic question generation in Tamil”, “International Journal of Engineering Research and Technology.
- [11] P. Rajpurkar, J. Zhang, K. Lopyrev, and P. Liang, “Squad: 100,000+ questions for Machine Learning comprehension of text”, *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing*, 2016, pp2383-23-92.
- [12] V. Harrison and M. Walker, “Neural generation of diverse questions using answer focus, contextual and linguistic features”, *Proceedings of The 11th International Natural Language Generation Conference*, 2018, pp 296-306.
- [13] K. D. Dhole and C. D. Manning, “Syn-qg: Syntactic and shallow semantic rules for question generation”, *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, 2020, pp 752-765.
- [14] Y. Zhao, X. Ni, Y. Ding, and Q. Ke, “Paragraph-level neural question generation with maxout pointer and gated self-attention networks”, in *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, 2018, pp. 3901–3910.
- [15] X. Du, J. Shao, and C. Cardie, “Learning to ask: Neural question generation for reading comprehension”, *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics*, 2017, pp. 1342-1352.
- [16] T. Scialom, B. Piwowarski, and J. Staiano, “Self-attention architectures for answer-agnostic neural question generation”, *Proceedings of the 57th annual meeting of the Association for Computational Linguistics*, 2019, pp. 6027–6032.
- [17] L. Song, Z. Wang, W. Hamza, Y. Zhang, and D. Gildea, “Leveraging context information for natural question generation”, *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics:*

Human Language Technologies, Volume 2 (Short Papers), 2018, pp. 569–574.

- [18] W. Zhou, M. Zhang, and Y. Wu, “Question-type driven question generation,” *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing, 2019*, pp. 6032-6037.
- [19] J. Li, Y. Gao, L. Bing, I. King, and M. R. Lyu, “Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing, 2019,” pp. 3216-3226.
- [20] P. Rajpurkar, J. Zhang, K. Lopyrev, and P. Liang, “Squad: 100,000+ questions for Machine Learning comprehension of text”, *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing, 2016*, Pp2383-23-92.
- [21] P. Bajaj, D. Campos, N. Craswell, L. Deng, J. Gao, X. Liu, R. Majumder, A. McNamara, B. Mitra, T. Nguyen, M. Rosenberg, X. Song, A. Stoica, S. Tiwary, T. Wang, “MS MARCO: A Human Generated Machine Reading COmprehension Dataset”, “30th Conference on Neural Information Processing Systems (NIPS 2016), Barcelona, Spain.”
- [22] W. Zhou, M. Zhang, and Y. Wu, “Multi-task learning with language modeling for question generation”, *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing, 2019*, pp, 3494-3499.
- [23] J. Yu, W. Liu, S. Qiu, Q. Su, K. Wang, X. Quan, and J. Yin, “Low-resource generation of multi-hop reasoning questions”, in *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, 2020*, pp. 6729–6739.
- [24] M. Lewis, Y. Liu, N. Goyal, M. Ghazvininejad, A. Mohamed, O. Levy, V. Stoyanov, L. Zettlemoyer, “BART: Denoising Sequence-to-Sequence Pre-training for Natural Language Generation, Translation, and Comprehension”, *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, pp. 7871–7880*”.

- [25] Y. Liu, J Gu, N. Goyal, X. Li, S. Edunov, M. Ghazvininejad, M. Lewis, L Zettlemoyer, “Multilingual Denoising Pre-training for Neural Machine Translation”, “Transactions of the Association for Computational Linguistics, 2020, pp. 726–742”.
- [26] J. Pfeiffer, A. Kamath, A. Ruckle, K. Cho, “AdapterFusion: Non-Destructive Task Composition for Transfer Learning”, Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics, pp. 487–503.
- [27] J. Pfeiffer, I. Vulić, I. Gurevych, S. Ruder, MAD-X: “An Adapter-Based Framework for Multi-Task Cross-Lingual Transfer”, Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing, 2020. pp. 7654–7673.
- [28] X. Li, P. Liang, “Prefix-Tuning: Optimizing Continuous Prompts for Generation”, Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics, and the 11th International Joint Conference on Natural Language Processing”, pp 4582–4597.
- [29] <https://www.kaggle.com/c/chaii-hindi-and-tamil-question-answering>.