

References

- [1] Nal Kalchbrenner and Phil Blunsom. Recurrent continuous translation models. In *Proceedings of the 2013 conference on empirical methods in natural language processing*, pages 1700–1709, 2013.
- [2] Kyunghyun Cho, Bart Van Merriënboer, Caglar Gulcehre, Dzmitry Bahdanau, Fethi Bougares, Holger Schwenk, and Yoshua Bengio. Learning phrase representations using rnn encoder-decoder for statistical machine translation. *arXiv preprint arXiv:1406.1078*, 2014.
- [3] Ilya Sutskever, Oriol Vinyals, and Quoc V Le. Sequence to sequence learning with neural networks. In *Advances in neural information processing systems*, pages 3104–3112, 2014.
- [4] Kyunghyun Cho, Bart Van Merriënboer, Dzmitry Bahdanau, and Yoshua Bengio. On the properties of neural machine translation: Encoder-decoder approaches. *arXiv preprint arXiv:1409.1259*, 2014.
- [5] Jonas Gehring, Michael Auli, David Grangier, and Yann N Dauphin. A convolutional encoder model for neural machine translation. *arXiv preprint arXiv:1611.02344*, 2016.
- [6] Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. Neural machine translation by jointly learning to align and translate. *arXiv preprint arXiv:1409.0473*, 2014.
- [7] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. *arXiv preprint arXiv:1706.03762*, 2017.
- [8] Laurent Besacier, Etienne Barnard, Alexey Karpov, and Tanja Schultz. Automatic speech recognition for under-resourced languages: A survey. *Speech communication*, 56:85–100, 2014.

- [9] Francisco Guzmán, Peng-Jen Chen, Myle Ott, Juan Pino, Guillaume Lampe, Philipp Koehn, Vishrav Chaudhary, and Marc’Aurelio Ranzato. The flores evaluation datasets for low-resource machine translation: Nepali-english and sinhala-english. *arXiv preprint arXiv:1902.01382*, 2019.
- [10] Rico Sennrich, Barry Haddow, and Alexandra Birch. Improving neural machine translation models with monolingual data. *arXiv preprint arXiv:1511.06709*, 2015.
- [11] Franck Burlot and François Yvon. Using monolingual data in neural machine translation: a systematic study. *arXiv preprint arXiv:1903.11437*, 2019.
- [12] Vu Cong Duy Hoang, Philipp Koehn, Gholamreza Haffari, and Trevor Cohn. Iterative back-translation for neural machine translation. In *Proceedings of the 2nd Workshop on Neural Machine Translation and Generation*, pages 18–24, 2018.
- [13] Aizhan Imankulova, Takayuki Sato, and Mamoru Komachi. Filtered pseudo-parallel corpus improves low-resource neural machine translation. *ACM Transactions on Asian and Low-Resource Language Information Processing (TALLIP)*, 19(2):1–16, 2019.
- [14] Alberto Poncelas, Gideon Maillette de Buy Wenniger, and Andy Way. Data selection with feature decay algorithms using an approximated target side. *arXiv preprint arXiv:1811.03039*, 2018.
- [15] Alberto Poncelas, Gideon Maillette de Buy Wenniger, and Andy Way. Adaptation of machine translation models with back-translated data using transductive data selection methods. *arXiv preprint arXiv:1906.07808*, 2019.
- [16] Isaac Caswell, Ciprian Chelba, and David Grangier. Tagged back-translation. *arXiv preprint arXiv:1906.06442*, 2019.
- [17] Benjamin Marie, Raphael Rubino, and Atsushi Fujita. Tagged back-translation revisited: Why does it really work? In *Proceedings of the*

58th Annual Meeting of the Association for Computational Linguistics, pages 5990–5997, 2020.

- [18] A Ponzelos, D Shterionov, A Way, GM de Buy Wenniger, and P Passban. Investigating backtranslation in neural machine translation. arxiv 2018. *arXiv preprint arXiv:1804.06189*.
- [19] Mikel Artetxe, Gorka Labaka, Noe Casas, and Eneko Agirre. Do all roads lead to rome? understanding the role of initialization in iterative back-translation. *arXiv preprint arXiv:2002.12867*, 2020.
- [20] Idris Abdulkumin, Bashir Shehu Galadanci, and Abubakar Isa. Iterative batch back-translation for neural machine translation: A conceptual model. *arXiv preprint arXiv:2001.11327*, 2019.
- [21] Ryan Cotterell and Julia Kreutzer. Explaining and generalizing back-translation through wake-sleep. *arXiv preprint arXiv:1806.04402*, 2018.
- [22] Marzieh Fadaee and Christof Monz. Back-translation sampling by targeting difficult words in neural machine translation. *arXiv preprint arXiv:1808.09006*, 2018.
- [23] Shuo Wang, Yang Liu, Chao Wang, Huanbo Luan, and Maosong Sun. Improving back-translation with uncertainty-based confidence estimation. *arXiv preprint arXiv:1909.00157*, 2019.
- [24] Xing Niu, Michael Denkowski, and Marine Carpuat. Bi-directional neural machine translation with synthetic parallel data. *arXiv preprint arXiv:1805.11213*, 2018.
- [25] Idris Abdulkumin, Bashir Shehu Galadanci, and Aliyu Garba. Tag-less back-translation. *arXiv preprint arXiv:1912.10514*, 2019.
- [26] Zi-Yi Dou, Antonios Anastasopoulos, and Graham Neubig. Dynamic data selection and weighting for iterative back-translation. *arXiv preprint arXiv:2004.03672*, 2020.

- [27] Chin-Yew Lin and Franz Josef Och. Automatic evaluation of machine translation quality using longest common subsequence and skip-bigram statistics. In *Proceedings of the 42nd Annual Meeting of the Association for Computational Linguistics (ACL-04)*, pages 605–612, 2004.
- [28] Chin-Yew Lin and Franz Josef Och. Orange: a method for evaluating automatic evaluation metrics for machine translation. In *COLING 2004: Proceedings of the 20th International Conference on Computational Linguistics*, pages 501–507, 2004.
- [29] Yangqiu Song and Dan Roth. Unsupervised sparse vector densification for short text similarity. In *Proceedings of the 2015 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 1275–1280, 2015.
- [30] Guanghao Xu, Youngjoong Ko, and Jungyun Seo. Improving neural machine translation by filtering synthetic parallel data. *Entropy*, 21(12):1213, 2019.
- [31] Aizhan Imankulova, Takayuki Sato, and Mamoru Komachi. Improving low-resource neural machine translation with filtered pseudo-parallel corpus. In *Proceedings of the 4th Workshop on Asian Translation (WAT2017)*, pages 70–78, 2017.
- [32] Nikhil Jaiswal, Mayur Patidar, Surabhi Kumari, Manasi Patwardhan, Shirish Karande, Puneet Agarwal, and Lovekesh Vig. Improving nmt via filtered back translation. In *Proceedings of the 7th Workshop on Asian Translation*, pages 154–159, 2020.
- [33] Tomas Mikolov, Kai Chen, Greg Corrado, and Jeffrey Dean. Efficient estimation of word representations in vector space. *arXiv preprint arXiv:1301.3781*, 2013.
- [34] Piotr Bojanowski, Edouard Grave, Armand Joulin, and Tomas Mikolov. Enriching word vectors with subword information. *Transactions of the Association for Computational Linguistics*, 5:135–146, 2017.

- [35] Mikel Artetxe, Gorka Labaka, and Eneko Agirre. A robust self-learning method for fully unsupervised cross-lingual mappings of word embeddings. *arXiv preprint arXiv:1805.06297*, 2018.
- [36] Nils Reimers and Iryna Gurevych. Making monolingual sentence embeddings multilingual using knowledge distillation. *arXiv preprint arXiv:2004.09813*, 2020.
- [37] Anupama Arukgoda, AR Weerasinghe, and Randil Pushpananda. Improving sinhala-tamil translation through deep learning techniques. In *NL4AI@ AI*IA*, 2019.
- [38] Tomáš Mikolov, Wen-tau Yih, and Geoffrey Zweig. Linguistic regularities in continuous space word representations. In *Proceedings of the 2013 conference of the north american chapter of the association for computational linguistics: Human language technologies*, pages 746–751, 2013.
- [39] Mikel Artetxe and Holger Schwenk. Massively multilingual sentence embeddings for zero-shot cross-lingual transfer and beyond. *Transactions of the Association for Computational Linguistics*, 7:597–610, 2019.
- [40] Fangxiaoyu Feng, Yinfei Yang, Daniel Cer, Naveen Arivazhagan, and Wei Wang. Language-agnostic bert sentence embedding. *arXiv preprint arXiv:2007.01852*, 2020.
- [41] Alexis Conneau, Kartikay Khandelwal, Naman Goyal, Vishrav Chaudhary, Guillaume Wenzek, Francisco Guzmán, Edouard Grave, Myle Ott, Luke Zettlemoyer, and Veselin Stoyanov. Unsupervised cross-lingual representation learning at scale. *arXiv preprint arXiv:1911.02116*, 2019.
- [42] Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*, 2019.

- [43] Guillaume Lample and Alexis Conneau. Cross-lingual language model pre-training. *arXiv preprint arXiv:1901.07291*, 2019.
- [44] Lijun Wu, Yiren Wang, Yingce Xia, QIN Tao, Jianhuang Lai, and Tie-Yan Liu. Exploiting monolingual data at scale for neural machine translation. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 4198–4207, 2019.
- [45] Sergey Edunov, Myle Ott, Michael Auli, and David Grangier. Understanding back-translation at scale. *arXiv preprint arXiv:1808.09381*, 2018.
- [46] Anna Currey and Kenneth Heafield. Zero-resource neural machine translation with monolingual pivot data. In *Proceedings of the 3rd Workshop on Neural Generation and Translation*, pages 99–107, 2019.
- [47] TH Muneeb, Sunil Sahu, and Ashish Anand. Evaluating distributed word representations for capturing semantics of biomedical concepts. In *Proceedings of BioNLP 15*, pages 158–163, 2015.
- [48] Aloka Fernando, Surangika Ranathunga, and Gihan Dias. Data augmentation and terminology integration for domain-specific sinhala-english-tamil statistical machine translation. *arXiv preprint arXiv:2011.02821*, 2020.