

- Dharmasena, G. T. (2006). Integrated Water Resources Management and Sound Information. 32nd WEDC International Conference, Colombo, Sri Lanka.
- Edirisooriya, K. E. (2018). Understanding Disaster Risk and Mitigation Special Reference To Ratnapura District. Elsevier, Procedia Engineering 212 (2018) 1034–1039.
- Ezzine, A., Darragi, F., Rajhi, H., & Ghatassi, A. (2018). Evaluation of Sentinel-1 data for flood mapping in the upstream of Sidi Salem dam (Northern Tunisia). Arabian Journal of Geosciences, 11(8), 1–9. <https://doi.org/10.1007/s12517-018-3505-7>
- Fattah, K. S. (2018). Rainfall-runoff modeling for extreme flash floods in Wadi Samail, Oman. Japan: Journal of Japan Society of Civil Engineers, Ser. B1 (Hydraulic Engineering), Vol. 74, No. 5, I_691-I_696, 2018.
- Frappart, F., Bourrel, L., Brodu, N., Salazar, X. R., Baup, F., Darrozes, J., & Pombosa, R. (2017). Monitoring of the Spatio-temporal dynamics of the floods in the Guayas watershed (Ecuadorian pacific coast) using global monitoring ENVISAT ASAR images and rainfall data. Water (Switzerland), 9(1). <https://doi.org/10.3390/w9010012>
- Gomathi, M. (2018). Supervised classification for flood extent identification using Sentinel-1 radar data. 39th Asian Conference on Remote Sensing 2018.
- Gupta, H. V. (1999). Status of Automatic Calibration for hydrologic models: comparison with multilevel expert calibration. Journal of Hydrologic Engineering, 4(2), 135–143.
- Hanasaki et al., (2014). A quasi-real-time hydrological simulation of the Chao Phraya River using meteorological data from the Thai Meteorological Department. Hydrological Research Letters.
- Hunter. (2005). An adaptive time step solution for raster-based storage cell modeling of floodplain inundation. Advances in Water Research, 28, 975–991.

- Ibrahim, & Nasser. (2015). Comparison between inverse distance weighted (IDW) and kriging. International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064, Volume 6 Issue 11, November 2017.
- Irrigation Department, S. L. (2017). Hydrological Annual Report. Hydrology Division, Irrigation Department, Colombo 07 Sri Lanka.
- Jackson, B., Mcintyre, N., Pechlivanidis, I. G., Jackson, B. M., Mcintyre, N. R., & Wheater, H. S. (2011). Catchment scale hydrological modeling: a review of model types, calibration approaches, and uncertainty analysis methods in the context of recent developments in technology and app Catchment Scale Hydrological Modelling: a Review of Model Types, Calibrate. Article in GlobalNEST International Journal, 13(3), 193–214.
- Javier, J., & Alboreca, A. (2015). Use of Gumbel and Weibull functions to model extreme values of diameter distributions in forest stands. Animals of Forest Science, Springer Nature (since 2011)/EDP Science (until 2010), 2014, 71 (7), pp.741-750.10.1007/s13595-014-0369-1 01102773.
- Kumar, & Tilak. (2018). Comparison of rainfall interpolation method for Delhi. Journal of Emerging Technologies and Innovative Research (JETIR), September 2018, Volume 5, Issue 9.
- Kwak, Y., Park, J., & Fukami, K. (2014). Estimating floodwater from MODIS time series and SRTM DEM data. Artificial Life and Robotics, 19(1), 95–102. <https://doi.org/10.1007/s10015-013-0140>.
- Lee, J. P. (2009). Polarimetric radar imaging from basics to applications in optical science and engineering. CRC Press: Boca Raton, FL, USA, Volume 142.
- Liang, J. &. (2019). A local thresholding approach to flood water delineation using Sentinel-1 SAR imagery. ISPRS Journal of Photogrammetry and Remote Sensing,
- Matgen, P., Hostache, R., Schumann, G., Pfister, L. & Hoffmann, L. (2011). Towards an automated SAR-based flood monitoring system. Physics and Chemistry of the

- Earth, 36(7–8), 241–252. <https://doi.org/10.1016/j.pce.2010.12.009>
- Modeling, F., Sensing, R., & Images, S. (2010). Application of remote sensing and GIS for flood risk analysis : a case study at Kalu Ganga River, Sri Lanka. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Science, XXXVIII(8), 110–115.
- Moriasi, J. G. (2007). Model evaluation guidelines for systematic quantification of accuracy in watershed simulations. 2007 American Society of Agricultural and Biological Engineers ISSN 0001–2351.
- Nandalal, K. D. W. (2009). Use of a hydrodynamic model to forecast floods of Kalu River in Sri Lanka. Journal of Flood Risk Management, 2(3), 151–158. <https://doi.org/10.1111/j.1753-318X.2009.01032.x>
- Nastiti, K. D., Kim, Y., Jung, K., & An, H. (2015). The application of Rainfall-Runoff-Inundation (RRI) model for inundation case in upper Citarum Watershed, West Java-Indonesia. Procedia Engineering, 125, 166–172. <https://doi.org/10.1016/j.proeng.2015.11.024>
- Priority Index Sri Lanka Floods. (2017, May). Retrieved from Priority Index Sri Lanka Floods: <Https://Data.Humdata.Org/Dataset/Priority-Index-Sri-Lanka-Floods-May-2017>
- Ramsy, M. (2019). Development of Water and Energy Budget-based Rainfall-Runoff-Inundation model and its verification in the Kalu and Mundeni River Basins, Sri Lanka. Japan: Journal Of Hydrology 579 (2019) 124163.
- Rawls, W. E. (1992). Infiltration and soil water movement. Handbook Of Hydrology. New York: McGraw-Hill Inc., 5.1–5.51.
- Samarasinghe, S. (2010). Application of remote sensing and GIS for flood risk analysis: a case study at Kalu Ganga River, Sri Lanka. Japan: International Archives of the Photogrammetry, Remote Sensing and Spatial Information Science, Volume XXXVIII, Part 8, Kyoto Japan 2010.

- Sayama. (2012). Rainfall-Runoff-Inundation analysis of the 2010 Pakistan flood in the Kabul River. Japan: Hydrological Sciences Journal, International Centre for Water Hazard and Risk Management, Public Works Research Institute.
- Sayama, T., Myo Lin, N., Fukami, K., Tanaka, S., & Takeuchi, K. (2011). Storm surge inundation simulation of cyclone Nargis with a Rainfall-Runoff-Inundation model. *Journal of Japan Society of Civil Engineers, Ser. B1 (Hydraulic Engineering)*, 67(4), I_529-I_534. https://doi.org/10.2208/jscejhe.67.i_529
- Sayama, T., (2015). An emergency response-type rainfall-runoff-inundation simulation for 2011 Thailand floods. Japan: *Journal of Flood Risk Management*.
- Schaffenberg, W., & Fleming, M. (2013). Hydrologic modeling system HEC-HMS, user manual: version 4.0. US Army Corps of Engineers, Hydrologic Engineering Center HEC, 609.
- Schlaffer, S., Chini, M., Giustarini, L., & Matgen, P. (2017). Probabilistic mapping of flood-induced backscatter changes in SAR time series. *International Journal of Applied Earth Observation and Geoinformation*, 56, 77–87. <https://doi.org/10.1016/j.jag.2016.12.003>
- Senel, G., Eroglu, M., Balcik, F. B., Goksel, C., & Cand, P. D. (2020). Analyzing flood-affected regions in Meriç River using Sentinel-1 and Sentinel-2 data. 1(June), 710–716.
- Subramanya, K. (2013). *Engineering Hydrology*. New Delhi: Mcgraw Hill Education (India) Pvt Ltd.
- Tarpanelli, L. B. (2015). River discharge estimation through MODIS data. *Remote Sensing for Agriculture, Ecosystems, and Hydrology XIII*.
- Tavus, B. (2018). Considerations on the use of Sentinel-1 data in flood mapping in urban areas: Ankara (Turkey) 2018 floods. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, Volume XLII-5, 2018.

- Tavus, B. (2019). Flood mapping using Sentinel-1 SAR data: a case study of Ordu 8 August 2018 flood. International Journal of Environment and Geoinformatics.
- Tekleab, S., Uhlenbrook, S., Mohamed, Y., & Savenije, H. H. (2011). Water balance modeling of upper Blue Nile catchments using a top-down approach. *Hydrol. Earth Syst. Sci.*, 15, 2179-2193. Doi:10.5194/Hess-15-2179-2011
- Thomas, H. A. (1981). Improved methods for national Twater assessment. Harvard University, Harvard Water Resources Group. Cambridge, MA 02138: Water Resources Contract: WR15249270.
- Try, S., Tanaka, S., Tanaka, K., Sayama, T., Oeurng, C., Uk, S., Takara, K., Hu, M., & Han, D. (2020). Comparison of gridded precipitation datasets for rainfall-runoff and inundation modeling in the Mekong River Basin. *PLoS ONE*, 15(1), 1–13. <https://doi.org/10.1371/journal.pone.0226814>
- Uyanika, G. K. (2013). A study on multiple linear regression analysis. *Procedia: Social and Behavioral Sciences*, Volume 106, 10 December 2013, Pages 234-240.
- Vogel, R. M., & Sankarasubramanian, A. (2003). Validation of a watershed model without calibration. *Water Resources Research*, 39(10), P. 1292. Doi:10.1029/2002WR001940
- Wheater, H., Sorooshian, S., & Sharma, K. D. (2008). Hydrological modeling in arid and semi-arid areas. *Hydrological Modelling in Arid and Semi-Arid Areas*.
- Yulianto, F., Sofan, P., Zubaidah, A., Sukowati, K. A. D., Pasaribu, J. M., & Khomarudin, M. R. (2015). Detecting areas affected by flood using multi-temporal ALOS PALSAR remotely sensed data in Karawang, West Java, Indonesia. *Natural Hazards*, 77(2), 959–985. <https://doi.org/10.1007/s11069-015-1633-x>
- Yoshimoto, A. (2017). Applications of satellite-based rainfall estimates in flood inundation modeling- Mundeni Aru River Basin, Sri Lanka. International Water Management Institute (IWMI), Battaramulla 10120, Sri Lanka.

Zeinivand. (2015). Comparison of interpolation methods for precipitation fields using the physically based and spatially distributed model of river runoff for Gharesou Basin, Iran. ISSN 1068-3739, Russian Meteorology and Hydrology, 2015, Vol. 40, No. 7, Pp. 480–488. © Allerton Press, Inc., 2015.