

REFERENCES

- [1] D. Feng and M. Q. Feng, “Experimental validation of cost-effective vision-based structural health monitoring,” *Mechanical Systems and Signal Processing*, vol. 88, pp. 199–211, May 2017, doi: 10.1016/J.YMSSP.2016.11.021.
- [2] C. Psaltis and C. Ioannidis, “AN AUTOMATIC TECHNIQUE FOR ACCURATE NON-CONTACT STRUCTURAL DEFORMATION MEASUREMENTS”.
- [3] G. A. Stephen, J. M. W. Brownjohn, and C. A. Taylor, “Measurements of static and dynamic displacement from visual monitoring of the Humber Bridge,” *Engineering Structures*, vol. 15, no. 3, pp. 197–208, Jan. 1993, doi: 10.1016/0141-0296(93)90054-8.
- [4] L. J. Wu, F. Casciati, and S. Casciati, “Dynamic testing of a laboratory model via vision-based sensing,” *Engineering Structures*, vol. 60, pp. 113–125, Feb. 2014, doi: 10.1016/J.ENGSTRUCT.2013.12.002.
- [5] D. Feng and M. Q. Feng, “Model Updating of Railway Bridge Using In Situ Dynamic Displacement Measurement under Trainloads,” *Journal of Bridge Engineering*, vol. 20, no. 12, p. 04015019, Dec. 2015, doi: 10.1061/(ASCE)BE.1943-5592.0000765.
- [6] M. Q. Feng, Y. Fukuda, D. Feng, and M. Mizuta, “Nontarget Vision Sensor for Remote Measurement of Bridge Dynamic Response,” *Journal of Bridge Engineering*, vol. 20, no. 12, p. 04015023, Dec. 2015, doi: 10.1061/(ASCE)BE.1943-5592.0000747.
- [7] C. A. Santos, C. O. Costa, and J. P. Batista, “Calibration methodology of a vision system for measuring the displacements of long-deck suspension bridges,” *Structural Control and Health Monitoring*, vol. 19, no. 3, pp. 385–404, Apr. 2012, doi: 10.1002/STC.438.
- [8] J. H. Lee, H. N. Ho, M. Shinozuka, and J. J. Lee, “An advanced vision-based system for real-time displacement measurement of high-rise buildings,” *Smart*

Materials and Structures, vol. 21, no. 12, p. 125019, Nov. 2012, doi: 10.1088/0964-1726/21/12/125019.

- [9] H. Jeon *et al.*, “A paired visual servoing system for 6-DOF displacement measurement of structures,” *Smart Materials and Structures*, vol. 20, no. 4, p. 045019, Mar. 2011, doi: 10.1088/0964-1726/20/4/045019.
- [10] H. Zhang, S. Hu, and X. Zhang, “SIFT flow for large-displacement object tracking,” *Applied Optics*, Vol. 53, Issue 27, pp. 6194–6205, vol. 53, no. 27, pp. 6194–6205, Sep. 2014, doi: 10.1364/AO.53.006194.
- [11] P. Kohut *et al.*, “Monitoring of a civil structure’s state based on noncontact measurements;,” <http://dx.doi.org/10.1177/1475921713487397>, vol. 12, no. 5–6, pp. 411–429, May 2013, doi: 10.1177/1475921713487397.
- [12] D. Ribeiro, R. Calçada, J. Ferreira, and T. Martins, “Non-contact measurement of the dynamic displacement of railway bridges using an advanced video-based system,” *Engineering Structures*, vol. 75, pp. 164–180, Sep. 2014, doi: 10.1016/J.ENGSTRUCT.2014.04.051.
- [13] Y. Fukuda, M. Q. Feng, and M. Shinozuka, “Cost-effective vision-based system for monitoring dynamic response of civil engineering structures,” *Structural Control and Health Monitoring*, vol. 17, no. 8, pp. 918–936, Dec. 2010, doi: 10.1002/STC.360.
- [14] J. Baqersad, P. Poozesh, C. Nieszrecki, and P. Avitabile, “Photogrammetry and optical methods in structural dynamics – A review,” *Mechanical Systems and Signal Processing*, vol. 86, pp. 17–34, Mar. 2017, doi: 10.1016/J.YMSSP.2016.02.011.
- [15] Y. Z. Song, C. R. Bowen, A. H. Kim, A. Nassehi, J. Padget, and N. Gathercole, “Virtual visual sensors and their application in structural health monitoring;,” <http://dx.doi.org/10.1177/1475921714522841>, vol. 13, no. 3, pp. 251–264, Feb. 2014, doi: 10.1177/1475921714522841.

- [16] Y. F. Ji and C. C. Chang, “Nontarget Image-Based Technique for Small Cable Vibration Measurement,” *Journal of Bridge Engineering*, vol. 13, no. 1, pp. 34–42, Jan. 2008, doi: 10.1061/(ASCE)1084-0702(2008)13:1(34).
- [17] J. J. Lee and M. Shinozuka, “A vision-based system for remote sensing of bridge displacement,” *NDT & E International*, vol. 39, no. 5, pp. 425–431, Jul. 2006, doi: 10.1016/J.NDTEINT.2005.12.003.
- [18] G. Busca, A. Cigada, P. Mazzoleni, and E. Zappa, “Vibration Monitoring of Multiple Bridge Points by Means of a Unique Vision-Based Measuring System,” *Experimental Mechanics*, vol. 54, no. 2, pp. 255–271, Feb. 2014, doi: 10.1007/S11340-013-9784-8/FIGURES/16.
- [19] S. W. Kim, B. G. Jeon, N. S. Kim, and J. C. Park, “Vision-based monitoring system for evaluating cable tensile forces on a cable-stayed bridge;,” <http://dx.doi.org/10.1177/1475921713500513>, vol. 12, no. 5–6, pp. 440–456, Dec. 2013, doi: 10.1177/1475921713500513.
- [20] H. Schreier, J. J. Orteu, and M. A. Sutton, *Image correlation for shape, motion and deformation measurements: Basic concepts, theory and applications*. Springer US, 2009. doi: 10.1007/978-0-387-78747-3.
- [21] “HISTORY OF PHOTOGRAMMETRY EARLY DEVELOPMENTS 1.”
- [22] I. Yamaguchi, “Speckle Displacement and Decorrelation in the Diffraction and Image Fields for Small Object Deformation,” *Optica Acta: International Journal of Optics*, vol. 28:10, pp. 1359–1376, 1981, [Online]. Available: <http://dx.doi.org/10.1080/713820454>
- [23] W. H. Peters and W. F. Ranson, “Digital imaging techniques in experimental stress analysis,” *Optical Engineering*, vol. 21(3), no. 3, pp. 427–431, 2013, doi: <https://doi.org/10.1117/12.7972925>.
- [24] M. A. Sutton, J. Walters, W. H. Peters, W. F. Ranson, and S. R. Mcneill, “Determination of displacements using an improved digital correlation method.”

- [25] F. Devernay and O. Faugeras, “Computing Differential Properties of 3-D Shapes from Stereoscopic Images without 3-D Models Computing Differential Properties of 3-D Shapes from Stereo-scopic Images without 3-D Models.” [Online]. Available: <https://hal.inria.fr/inria-00074369>
- [26] Z. Wang, M. Vo, H. Kieu, and T. Pan, “Automated fast initial guess in digital image correlation,” *Strain*, vol. 50, no. 1, pp. 28–36, Feb. 2014, doi: 10.1111/str.12063.
- [27] G. Quino *et al.*, “Speckle patterns for DIC in challenging scenarios: Rapid application and impact endurance,” *Measurement Science and Technology*, vol. 32, no. 1, Jan. 2021, doi: 10.1088/1361-6501/abaae8.
- [28] M. A. Sutton, J.-J. Orteu, and H. W. Achenbach, *Image Correlation for Shape, Motion and Deformation Measurements*. New York, USA: Springer, 2009.
- [29] Y. L. Dong and B. Pan, “A Review of Speckle Pattern Fabrication and Assessment for Digital Image Correlation,” *Experimental Mechanics*, vol. 57, no. 8, pp. 1161–1181, Oct. 2017, doi: 10.1007/s11340-017-0283-1.
- [30] G. Lionello and L. Cristofolini, “A practical approach to optimizing the preparation of speckle patterns for digital-image correlation,” *Measurement Science and Technology*, vol. 25, no. 10, Oct. 2014, doi: 10.1088/0957-0233/25/10/107001.
- [31] Y. Barranger, P. Doumalin, J. C. Dupré, and A. Germaneau, “Digital image correlation accuracy: Influence of kind of speckle and recording setup,” in *EPJ Web of Conferences*, Jun. 2010, vol. 6. doi: 10.1051/epjconf/20100631002.
- [32] Z. Chen, C. Quan, F. Zhu, and X. He, “A method to transfer speckle patterns for digital image correlation,” *Measurement Science and Technology*, vol. 26, no. 9, Sep. 2015, doi: 10.1088/0957-0233/26/9/095201.
- [33] A. P. Ilyin, A. v. Mostovshchikov, F. A. Gubarev, I. D. Sytnik, L. Li, and F. A. Gubarev, “Laser speckle correlation technique application for study of aluminum nanopowder combustion,” *Applied Optics*, Vol. 59, Issue 5, pp. 1263–1270, vol. 59, no. 5, pp. 1263–1270, Feb. 2020, doi: 10.1364/AO.380295.

- [34] J. N. Petzing and J. R. Tyrer, “Recent developments and applications in electronic speckle pattern interferometry:,” <http://dx.doi.org/10.1243/0309324981512887>, vol. 33, no. 2, pp. 153–169, Dec. 2005, doi: 10.1243/0309324981512887.
- [35] J. D. Briers, “Speckle techniques,” *Optical measurement methods in biomechanics*, pp. 76–98, Aug. 1997, doi: 10.1007/978-0-585-35228-2_5.
- [36] Z. Chen, C. Quan, F. Zhu, and X. He, “A method to transfer speckle patterns for digital image correlation,” *Measurement Science and Technology*, vol. 26, no. 9, Sep. 2015, doi: 10.1088/0957-0233/26/9/095201.
- [37] X. Zhong, X. Wang, N. Cooley, P. Farrell, and B. Moran, “Application of laser speckle pattern analysis for plant sensing,” in *PIAGENG 2013: Image Processing and Photonics for Agricultural Engineering*, Mar. 2013, vol. 8761, p. 876102. doi: 10.11117/12.2019463.
- [38] S. Cooreman and H. Sol, “Study and generation of optimal speckle patterns for DIC,” 2007. [Online]. Available: <https://www.researchgate.net/publication/267678766>
- [39] S. Yaofeng and J. H. L. Pang, “Study of optimal subset size in digital image correlation of speckle pattern images,” *Optics and Lasers in Engineering*, vol. 45, no. 9, pp. 967–974, Sep. 2007, doi: 10.1016/J.OPTLASENG.2007.01.012.
- [40] Z. Li, P. Zhong, X. Tang, J. Ling, J. Chen, and G. He, “Effect of the speckle size on the quality of speckle pattern in DSPI system,” *IEEE Access*, vol. 7, pp. 115010–115022, 2019, doi: 10.1109/ACCESS.2019.2935754.
- [41] K. Yamahai, M. Zhou, T. Yoshimura, and Z. Liyan, “Optimum determination of speckle size to be used in electronic speckle pattern interferometry,” *Applied Optics*, Vol. 34, Issue 1, pp. 87-91, vol. 34, no. 1, pp. 87–91, Jan. 1995, doi: 10.1364/AO.34.000087.
- [42] G. Lionello and L. Cristofolini, “A practical approach to optimizing the preparation of speckle patterns for digital-image correlation,” *Measurement*

Science and Technology, vol. 25, no. 10, p. 107001, Sep. 2014, doi: 10.1088/0957-0233/25/10/107001.

- [43] J. L. W. Carter, M. D. Uchic, and M. J. Mills, “Impact of speckle pattern parameters on DIC strain resolution calculated from in-situ SEM experiments.”
- [44] D. Feng and M. Q. Feng, “Vision-based multipoint displacement measurement for structural health monitoring,” *Structural Control and Health Monitoring*, vol. 23, no. 5, pp. 876–890, May 2016, doi: 10.1002/STC.1819.
- [45] X. W. Ye, Y. Q. Ni, T. T. Wai, K. Y. Wong, X. M. Zhang, and F. Xu, “A vision-based system for dynamic displacement measurement of long-span bridges: algorithm and verification,” *Smart Structures and Systems*, vol. 12, no. 3_4, pp. 363–379, Sep. 2013, doi: 10.12989/SSS.2013.12.3_4.363.
- [46] S. Silva, “A vision system for vibration monitoring of civil engineering structures Related papers,” 2010, doi: 10.1111/j.1747-1567.2010.00653.x.
- [47] Y. Z. Song, C. R. Bowen, A. H. Kim, A. Nassehi, J. Padget, and N. Gathercole, “Virtual visual sensors and their application in structural health monitoring:,” <http://dx.doi.org/10.1177/1475921714522841>, vol. 13, no. 3, pp. 251–264, Feb. 2014, doi: 10.1177/1475921714522841.
- [48] D. Ribeiro, R. Calçada, J. Ferreira, and T. Martins, “Non-contact measurement of the dynamic displacement of railway bridges using an advanced video-based system,” *Engineering Structures*, vol. 75, pp. 164–180, Sep. 2014, doi: 10.1016/J.ENGSTRUCT.2014.04.051.
- [49] “Template Matching - an overview | ScienceDirect Topics.” <https://www.sciencedirect.com/topics/engineering/template-matching> (accessed Aug. 04, 2021).
- [50] C. Xiu and X. Pan, “Tracking algorithm based on the improved template matching,” *Proceedings of the 29th Chinese Control and Decision Conference, CCDC 2017*, pp. 483–486, Jul. 2017, doi: 10.1109/CCDC.2017.7978142.

- [51] Y. M. Fouda, “A Robust Template Matching Algorithm Based on Reducing Dimensions,” *Journal of Signal and Information Processing*, vol. 06, no. 02, pp. 109–122, 2015, doi: 10.4236/jsip.2015.62011.
- [52] A. Sibiryakov, “Fast and high-performance template matching method,” in *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2011, pp. 1417–1424. doi: 10.1109/CVPR.2011.5995391.
- [53] J. Jiao, X. Wang, Z. Deng, J. Cao, and W. Tang, “A fast template matching algorithm based on principal orientation difference,” *International Journal of Advanced Robotic Systems*, vol. 15, no. 3, May 2018, doi: 10.1177/1729881418778223.
- [54] D. T. Nguyen, W. Li, and P. Ogunbona, “An improved template matching method for object detection,” in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2010, vol. 5996 LNCS, no. PART 3, pp. 193–202. doi: 10.1007/978-3-642-12297-2_19.
- [55] “MATLAB Documentation R2019b,” 2019.
- [56] “PatchMatch: A Randomized Correspondence Algorithm for Structural Image Editing.” https://gfx.cs.princeton.edu/pubs/Barnes_2009_PAR/ (accessed Aug. 04, 2021).
- [57] C. Harris and M. Stephens, “A Combined Corner and Edge Detector,” pp. 23.1–23.6, Apr. 2013, doi: 10.5244/C.2.23.
- [58] E. Rosten and T. Drummond, “Machine Learning for High-Speed Corner Detection,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 3951 LNCS, pp. 430–443, 2006, doi: 10.1007/11744023_34.
- [59] D. G. Lowe, “Distinctive Image Features from Scale-Invariant Keypoints,” *International Journal of Computer Vision* 2004 60:2, vol. 60, no. 2, pp. 91–110, Nov. 2004, doi: 10.1023/B:VISI.0000029664.99615.94.

- [60] H. Bay, A. Ess, T. Tuytelaars, and L. van Gool, “Speeded-Up Robust Features (SURF),” *Computer Vision and Image Understanding*, vol. 110, no. 3, pp. 346–359, Jun. 2008, doi: 10.1016/J.CVIU.2007.09.014.
- [61] A. Neubeck and L. van Gool, “Efficient non-maximum suppression,” *Proceedings - International Conference on Pattern Recognition*, vol. 3, pp. 850–855, 2006, doi: 10.1109/ICPR.2006.479.
- [62] S. Leutenegger, M. Chli, and R. Y. Siegwart, “BRISK: Binary Robust invariant scalable keypoints,” *Proceedings of the IEEE International Conference on Computer Vision*, pp. 2548–2555, 2011, doi: 10.1109/ICCV.2011.6126542.
- [63] P. F. Alcantarilla, A. Bartoli, and A. J. Davison, “KAZE Features,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 7577 LNCS, no. PART 6, pp. 214–227, 2012, doi: 10.1007/978-3-642-33783-3_16.
- [64] X. Bai, X. Ning, and L. Wang, “Analysis and comparison of feature detection and matching algorithms for rovers vision navigation,” *2012 the 8th IEEE International Symposium on Instrumentation and Control Technology, ISICT 2012 - Proceedings*, pp. 66–71, 2012, doi: 10.1109/ISICT.2012.6291628.
- [65] T. Mouats, N. Aouf, D. Nam, and S. Vidas, “Performance Evaluation of Feature Detectors and Descriptors Beyond the Visible,” *Journal of Intelligent and Robotic Systems: Theory and Applications*, vol. 92, no. 1, pp. 33–63, Sep. 2018, doi: 10.1007/s10846-017-0762-8.
- [66] D. Lecompte, J. Vantomme, and H. Sol, “Crack detection in a concrete beam using two different camera techniques,” *Structural Health Monitoring*, vol. 5, no. 1, pp. 59–68, Mar. 2006, doi: 10.1177/1475921706057982.
- [67] B. Y. Lee, Y. Y. Kim, S. T. Yi, and J. K. Kim, “Automated image processing technique for detecting and analysing concrete surface cracks,” *Structure and Infrastructure Engineering*, vol. 9, no. 6, pp. 567–577, 2013, doi: 10.1080/15732479.2011.593891.

- [68] J. F. Destrebecq, E. Toussaint, and E. Ferrier, “Analysis of Cracks and Deformations in a Full Scale Reinforced Concrete Beam Using a Digital Image Correlation Technique,” *Experimental Mechanics*, vol. 51, no. 6, pp. 879–890, Jul. 2011, doi: 10.1007/s11340-010-9384-9.
- [69] M. Küntz, M. Jolin, J. Bastien, F. Perez, and F. Hild, “Digital image correlation analysis of crack behavior in a reinforced concrete beam during a load test,” *Canadian Journal of Civil Engineering*, vol. 33, no. 11, pp. 1418–1425, Nov. 2006, doi: 10.1139/L06-106.
- [70] S. L. Kumar, H. B. Aravind, and N. Hossiney, “Digital image correlation (DIC) for measuring strain in brick masonry specimen using Ncorr open source 2D MATLAB program,” *Results in Engineering*, vol. 4, Dec. 2019, doi: 10.1016/j.rineng.2019.100061.
- [71] N. McCormick and J. Lord, “Digital image correlation,” *Materials Today*, vol. 13, no. 12, pp. 52–54, Dec. 2010, doi: 10.1016/S1369-7021(10)70235-2.
- [72] S. Gokhan Ozkaya, M. Baygin, M. Alperen Ozdemir, and I. Kazaz, “Image Processing Based Analysis of the Compressive Strength for the Stones Used In Historical Masonry Structures,” *International Journal of Computer Science and Software Engineering (IJCSSE)*, vol. 6, no. 10, 2017, [Online]. Available: www.IJCSSE.org
- [73] T. Ramos *et al.*, “2D and 3D Digital Image Correlation in Civil Engineering - Measurements in a Masonry Wall,” in *Procedia Engineering*, 2015, vol. 114, pp. 215–222. doi: 10.1016/j.proeng.2015.08.061.
- [74] A. W. Yu and C. M. Zhu, “Application of DIC system in the tensile test of medium and heavy plate,” *Advanced Materials Research*, vol. 819, pp. 212–215, 2013, doi: 10.4028/www.scientific.net/AMR.819.212.
- [75] A. D. Evans, A. Das, and N. Croft, “Implementing Digital Image Correlation for Determining the Tensile Characteristics of Post-Processed Thin Sheet Metal”, doi: 10.1051/matecconf/201.

- [76] Y. H. Wang *et al.*, “Whole field sheet-metal tensile test using digital image correlation,” *Experimental Techniques*, vol. 34, no. 2, pp. 54–59, Mar. 2010, doi: 10.1111/j.1747-1567.2009.00483.x.
- [77] C. O. Paulsen, E. Fagerholt, T. Børvik, and I. Westermann, “Comparing in situ DIC results from an etched surface with a gold speckled surface,” *Metals*, vol. 9, no. 8, 2019, doi: 10.3390/met9080820.
- [78] Y. Chen, C. Ji, C. Zhang, and S. Sun, “The application of DIC technique to evaluate residual tensile strength of aluminum alloy plates with multi-site damage of collinear and non-collinear cracks,” *Metals*, vol. 9, no. 2, Feb. 2019, doi: 10.3390/met9020118.
- [79] P. Konopík, J. Džugan, and M. Rund, “DYNAMIC TENSILE AND MICRO-TENSILE TESTING USING DIC METHOD.”
- [80] L. Farge, S. André, and J. Boisse, “Use of Digital Image Correlation to study the effect of temperature on the development of plastic instabilities in a semi-crystalline polymer.”
- [81] X. Poulain, L. W. Kohlman, W. Binienda, G. D. Roberts, R. K. Goldberg, and A. A. Benzerga, “Determination of the intrinsic behavior of polymers using digital image correlation combined with video-monitored testing,” *International Journal of Solids and Structures*, vol. 50, no. 11–12, pp. 1869–1878, Jun. 2013, doi: 10.1016/j.ijsolstr.2013.01.041.
- [82] M. Aydin and Ö. Öz, “APPLICATION OF DIGITAL IMAGE CORRELATION TECHNIQUE TO TENSILE TEST FOR PRINTED PLA SPECIMENS,” 2018.
- [83] M. Jerabek, Z. Major, and R. W. Lang, “Strain determination of polymeric materials using digital image correlation,” *Polymer Testing*, vol. 29, no. 3, pp. 407–416, May 2010, doi: 10.1016/j.polymertesting.2010.01.005.
- [84] A. Fuad and A. Ghani, “Digital image correlation technique in measuring deformation and failure of composite and adhesive Hybrid Composite Characterization CFRP/GFRP Under Static Loading View project DIGITAL

IMAGE CORRELATION TECHNIQUE IN MEASURING DEFORMATION AND FAILURE OF COMPOSITE AND ADHESIVE,” vol. 11, no. 22, 2016, [Online]. Available: www.arpnjournals.com

- [85] G. Szébényi and V. Hliva, “Detection of delamination in polymer composites by digital image correlation-experimental test,” *Polymers*, vol. 11, no. 3, Mar. 2019, doi: 10.3390/polym11030523.
- [86] L. C. S. Nunes, “Mechanical characterization of hyperelastic polydimethylsiloxane by simple shear test,” *Materials Science and Engineering A*, vol. 528, no. 3, pp. 1799–1804, Jan. 2011, doi: 10.1016/j.msea.2010.11.025.
- [87] S. P. Mates, R. Rhorer, A. Forster, R. K. Everett, K. E. Simmonds, and A. Bagchi, “Modeling and DIC Measurements of Dynamic Compression Tests of a Soft Tissue Simulant.”
- [88] L. Chevalier, S. Calloch, F. Hild, and Y. Marco, “Digital image correlation used to analyze the multiaxial behavior of rubber-like materials,” *European Journal of Mechanics, A/Solids*, vol. 20, no. 2, pp. 169–187, 2001, doi: 10.1016/S0997-7538(00)01135-9.
- [89] Z. Li and Z. Liu, “An algorithm for obtaining real stress field of hyperelastic materials based on digital image correlation system,” *International Journal of Computational Materials Science and Engineering*, vol. 6, no. 4, Dec. 2017, doi: 10.1142/S2047684118500033.
- [90] J. Zapata-Farfán *et al.*, “Low-energy/pulse response and high-resolution-CMOS camera for spatiotemporal femtosecond laser pulses characterization @ 1.55 μm,” *Review of Scientific Instruments*, vol. 90, no. 4, Apr. 2019, doi: 10.1063/1.5071447.
- [91] O. Stankiewicz, G. Lafruit, and M. Domański, “Multiview video: Acquisition, processing, compression, and virtual view rendering,” *Academic Press Library in Signal Processing: Image and Video Processing and Analysis and Computer Vision*, vol. 6, pp. 3–74, Jan. 2018, doi: 10.1016/B978-0-12-811889-4.00001-4.
- [92] “MATLAB Documentation.”

- [93] N. R. Raajan, M. Ramkumar, B. Monisha, C. Jaiseeli, and S. P. Venkatesan, “Disparity Estimation from Stereo Images,” *Procedia Engineering*, vol. 38, pp. 462–472, Jan. 2012, doi: 10.1016/J.PROENG.2012.06.057.
- [94] R. A. Hamzah and H. Ibrahim, “Literature Survey on Stereo Vision Disparity Map Algorithms,” 2016, doi: 10.1155/2016/8742920.
- [95] H. Hirschmüller, “Stereo processing by semiglobal matching and mutual information,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 30, no. 2, pp. 328–341, Feb. 2008, doi: 10.1109/TPAMI.2007.1166.
- [96] L. R. Ramírez-Hernández *et al.*, “Improve three-dimensional point localization accuracy in stereo vision systems using a novel camera calibration method,” *International Journal of Advanced Robotic Systems*, vol. 17, no. 1, Jan. 2020, doi: 10.1177/1729881419896717.
- [97] S. Kolling, P. A. du Bois, D. J. Benson, and W. W. Feng, “A tabulated formulation of hyperelasticity with rate effects and damage,” *Computational Mechanics*, vol. 40, no. 5, pp. 885–899, 2007, doi: 10.1007/S00466-006-0150-X.