

## REFERENCES

- [1] United Nations, “Wpp2019\_Pop\_F01\_1\_Total\_Population\_Both\_Sexes.” 2019. [Online]. Available: <http://creativecommons.org/licenses/by/3.0/igo/>
- [2] M. J. P. T. M. Jayasekara, H. K. Kadupitiya, and U. W. A. Vitharana, “Mapping of soil erosion hazard zones of Sri Lanka,” *Trop. Agric. Res.*, vol. 29, no. 2, p. 135, 2018, doi: 10.4038/tar.v29i2.8284.
- [3] M. A. Kumar, D. Mudappa, and T. R. S. Raman, “Asian elephant *Elephas maximus* habitat use and ranging in fragmented rainforest and plantations in the Anamalai Hills, India,” *Trop. Conserv. Sci.*, vol. 3, no. 2, pp. 143–158, 2010, doi: 10.1177/194008291000300203.
- [4] The Department of Wildlife Conservation, *The First Island Wide National Survey of Elephants in Sri Lanka :2011*. The Department of Wildlife Conservation, Battaramulla, Sri Lanka, 2013.
- [5] P. D. GORADE and M. N. DATAR, “Checklist of Palatable Grass Species from Peninsular India,” *Not. Sci. Biol.*, vol. 6, no. 4, pp. 441–447, 2014, doi: 10.15835/nsb649376.
- [6] “Ele\_Survey\_2011.Pdf.”
- [7] The World Bank, “Forest area (% of land area)- Sri Lanka 2022,” 2022. <https://data.worldbank.org/indicator/AG.LND.FRST.ZS?locations=LK>
- [8] C. W. M. Rathnayake, S. Jones, M. Soto-Beregov, and L. Wallace, “Human–elephant conflict and land cover change in Sri Lanka,” *Appl. Geogr.*, vol. 143, no. February, p. 102685, 2022, doi: 10.1016/j.apgeog.2022.102685.
- [9] N. Gunatilleke, R. Pethiyagoda, and S. Gunatilleke, “Biodiversity of Sri Lanka,” *J. Natl. Sci. Found. Sri Lanka*, vol. 36, no. Special Issue, pp. 25–61, 2008, doi: 10.4038/jnsfsr.v36i0.8047.
- [10] L. M. A. P. Gunawardhana, “An analysis of Human-Elephant conflict as a disaster : A case study in Anuradhapura district of Sri Lanka An analysis of Human-Elephant conflict as a disaster : A case study in Anuradhapura district of Sri Lanka,” *J. Trop. Environ.*, vol. 1, no. 1, pp. 40–55, 2018, [Online].

Available:

[https://www.researchgate.net/profile/Asanka\\_Gunawardhana/publication/327155123\\_An\\_analysis\\_of\\_Human-Elephant\\_conflict\\_as\\_a\\_disaster\\_A\\_case\\_study\\_in\\_Anuradhapura\\_district\\_of\\_Sri\\_Lanka/links/5b7d0db4a6fdcc5f8b5b14a7/An-analysis-of-Human-Elephant-conflict-as](https://www.researchgate.net/profile/Asanka_Gunawardhana/publication/327155123_An_analysis_of_Human-Elephant_conflict_as_a_disaster_A_case_study_in_Anuradhapura_district_of_Sri_Lanka/links/5b7d0db4a6fdcc5f8b5b14a7/An-analysis-of-Human-Elephant-conflict-as)

- [11] H. M. Bandaratillake, “Impacts and effectiveness of logging bans in natural forests: Sri Lanka - H.M. Bandaratillake,” in *Forests Out of Bounds: Impacts and Effectiveness of Logging Bans in Natural Forests in Asia-Pacific*, Patrick B. Durst, Ed. FAO Regional Office for Asia and the Pacific 39 Phra Atit Road Bangkok 10200 Thailand, 2001. [Online]. Available: <https://www.fao.org/3/x6967e/x6967e00.htm#Contents>
- [12] P. J. Nyhus, *Human-Wildlife Conflict and Coexistence*, vol. 41. 2016. doi: 10.1146/annurev-environ-110615-085634.
- [13] B. . Okita-Ouma *et al.*, “Shrinking spaces for the world’s largest land animal,” *IUCN*, 2022. <https://www.iucn.org/news/species-survival-commission/202108/shrinking-spaces-worlds-largest-land-animal>
- [14] E. Maximus *et al.*, “Aspects of the reproductive biology and breeding management of Asian and African elephants,” *Int. Zoo Yb*, vol. 40, pp. 20–40, 2006.
- [15] R. C. Fleischer, E. A. Perry, K. Muralidharan, E. E. Stevens, and C. M. Wemmer, “Phylogeography of the Asian elephant (*Elephas maximus*) based on mitochondrial DNA,” *Evolution (N. Y.)*, vol. 55, no. 9, pp. 1882–1892, 2001, doi: 10.1111/j.0014-3820.2001.tb00837.x.
- [16] IUCN SSC Asian Elephant Specialist Group, “The Asian Elephants (*Elephas maximus*),” 2018.
- [17] WWF, “Elephants,” *World Wildlife Fund*, 2022. [wwf.panda.org/discover/knowledge\\_hub/endangered\\_species/elephants](http://wwf.panda.org/discover/knowledge_hub/endangered_species/elephants)
- [18] A. A. Desai and H. S. Riddle, “Human-Elephant Conflict in Asia,” *U.S. Fish*

- Wildl. Serv.*, no. June, pp. 1–92, 2015.
- [19] L. J. Shaffer, K. K. Khadka, J. Van Den Hoek, and K. J. Naithani, “Human-elephant conflict: A review of current management strategies and future directions,” *Front. Ecol. Evol.*, vol. 6, no. JAN, pp. 1–12, 2019, doi: 10.3389/fevo.2018.00235.
  - [20] C. Williams *et al.*, “*Elephas maximus*. The IUCN Red List of Threatened Species,” *Elephas maximus*, vol. 2020, no. The IUCN Red List of Threatened Species 2020, pp. 1–29, 2020, [Online]. Available: <https://www.iucnredlist.org/species/7140/45818198>
  - [21] P. Fernando *et al.*, “DNA analysis indicates that Asian elephants are native to Borneo and are therefore a high priority for conservation,” *PLoS Biol.*, vol. 1, no. 1, pp. 110–115, 2003, doi: 10.1371/journal.pbio.0000006.
  - [22] P. Fernando, M. E. Pfreuder, S. E. Encalada, and R. Lande, “Mitochondrial DNA variation, phylogeography and population structure of the Asian elephant,” *Heredity (Edinb.)*, vol. 84, no. 3, pp. 362–372, 2000, doi: 10.1046/j.1365-2540.2000.00674.x.
  - [23] R. Sukumar, *The Living Elephants*. 2003.
  - [24] P. Fernando, M. K. C. R. De Silva, L. K. A. Jayasinghe, H. K. Janaka, and J. Pastorini, “First country-wide survey of the Endangered Asian elephant: Towards better conservation and management in Sri Lanka,” *Oryx*, vol. 55, no. 1, pp. 46–55, 2021, doi: 10.1017/S0030605318001254.
  - [25] LIFE, “Situational analysis report Sri Lanka,” 2019.
  - [26] P. Fernando, J. Jayewardene, T. Prasad, W. Hendavitharana, and J. Pastorini, “Current status of Asian elephants in Sri Lanka,” *Gajah*, vol. 35, no. 2011, pp. 93–103, 2011.
  - [27] C. Santiapillai, S. Wijeyamohan, G. Bandara, R. Athurupana, N. Dissanayake, and B. Read, “An assessment of the human-elephant conflict in Sri Lanka,” *Ceylon J. Sci. (Biological Sci.)*, vol. 39, no. 1, p. 21, 2010, doi: 10.4038/cjsbs.v39i1.2350.

- [28] P. Fernando *et al.*, “Ranging behavior of the Asian elephant in Sri Lanka,” *Mamm. Biol.*, vol. 73, no. 1, pp. 2–13, 2008, doi: 10.1016/j.mambio.2007.07.007.
- [29] M. S. L. R. P. Marasinghe, N. D. K. Dayawansa, and R. P. De Silva, “Seasonal changes in home range and habitat use of elephants in Southern and north-central provinces of Sri Lanka,” *Trop. Agric. Res.*, vol. 26, no. 2, p. 248, 2015, doi: 10.4038/tar.v26i2.8089.
- [30] J. F. Eisenberg, “Ecology and Behavior of the Asian Elephant,” *Elephant*, vol. 1, no. 5, pp. 36–56, 1980, doi: 10.22237/elephant/1521731835.
- [31] P. Fernando *et al.*, “Population Changes of Wild Elephants in Sri Lanka due to Human Elephant Conflict ; Analyzing of the most vulnerable age groups for Anthropogenic Activities,” vol. 22, no. 2, p. 4, 2014.
- [32] E. A. Archie, C. J. Moss, and S. C. Alberts, “The ties that bind: Genetic relatedness predicts the fission and fusion of social groups in wild African elephants,” *Proc. R. Soc. B Biol. Sci.*, vol. 273, no. 1586, pp. 513–522, 2006, doi: 10.1098/rspb.2005.3361.
- [33] T. B. Poole *et al.*, “Social behaviour and breeding physiology of a group of Asian elephants at the Pinnawala Elephant Orphanage , Sri Lanka,” *Reprod. Biol.*, vol. 35, pp. 297–310, 1997.
- [34] S. Mandal, “How do animals find their way back home? A brief overview of homing behavior with special reference to social Hymenoptera,” *Insectes Soc.*, vol. 65, no. 4, pp. 521–536, 2018, doi: 10.1007/s00040-018-0647-2.
- [35] S. Dror *et al.*, “Are Asian elephants afraid of honeybees? Experimental studies in northern Thailand,” *Mamm. Biol.*, vol. 100, no. 4, pp. 355–363, 2020, doi: 10.1007/s42991-020-00042-w.
- [36] S. Mekonen, “Coexistence between human and wildlife: The nature, causes and mitigations of human wildlife conflict around Bale Mountains National Park, Southeast Ethiopia,” *BMC Ecol.*, vol. 20, no. 1, pp. 1–9, 2020, doi: 10.1186/s12898-020-00319-1.

- [37] A. J. Dickman, “Complexities of conflict: The importance of considering social factors for effectively resolving human-wildlife conflict,” *Anim. Conserv.*, vol. 13, no. 5, pp. 458–466, 2010, doi: 10.1111/j.1469-1795.2010.00368.x.
- [38] K. T. Biratu and O. M. Kosa, “The Roles, Challenges and Opportunities of Gadaa System in Resolving Water Conflict: The Case of Borana Oromo,” *Open J. Soc. Sci.*, vol. 08, no. 02, pp. 19–31, 2020, doi: 10.4236/jss.2020.82002.
- [39] G. Mmopelwa and T. Mpolokeng, “Attitudes and perceptions of livestock farmers on the adequacy of government compensation scheme : Human-Carnivore Conflict in Ngamiland G Mmopelwa and T Mpolokeng Source : Botswana Notes and Records , Vol . 40 ( 2008 ), pp . 147-158 Publish,” *Botsw. Notes Rec.*, vol. 40, no. 2008, pp. 147–158, 2016.
- [40] B. M. A. O. Perera, “The Human-Elephant Con fl ict ;,” *Gajaha*, vol. 30, pp. 41–52, 2009.
- [41] M. Rangarajan, *Gajah*, vol. 53, no. 9. 2019.
- [42] J. S. F. Sajla and M. F. Famees, “Human-elephant conflict: challenges in agriculture Sector in Polonnaruwa district; A study based on literature review,” *Sri Lanka J. Soc. Sci. Humanit.*, vol. 2, no. 1, p. 73, 2022, doi: 10.4038/sljssh.v2i1.58.
- [43] M. R. McHale *et al.*, “Democratization of ecosystem services—a radical approach for assessing nature’s benefits in the face of urbanization,” *Ecosyst. Heal. Sustain.*, vol. 4, no. 5, pp. 115–131, 2018, doi: 10.1080/20964129.2018.1480905.
- [44] L. J. Shaffer, K. K. Khadka, J. Van Den Hoek, and K. J. Naithani, “Human-elephant conflict: A review of current management strategies and future directions,” *Front. Ecol. Evol.*, vol. 6, no. JAN, 2019, doi: 10.3389/fevo.2018.00235.
- [45] R. Babigumira, A. Angelsen, M. Buis, S. Bauch, T. Sunderland, and S. Wunder, “Forest Clearing in Rural Livelihoods: Household-Level Global-Comparative Evidence,” *World Dev.*, vol. 64, no. S1, pp. S67–S79, 2014, doi:

10.1016/j.worlddev.2014.03.002.

- [46] L. J. Shaffer, B. Hall, and J. Street, “Indigenous Fire Use Tom Anage Savanna Landscapes in,” *Fire Ecol.*, vol. 6, no. 2, pp. 43–59, 2010, doi: 10.4996/fireecolgy.0602043.
- [47] R. Hoare, “Lessons From 20 Years of Human–Elephant Conflict Mitigation in Africa,” *Hum. Dimens. Wildl.*, vol. 20, no. 4, pp. 289–295, 2015, doi: 10.1080/10871209.2015.1005855.
- [48] Y. Bi *et al.*, “Kamala tree as an indicator of the presence of Asian elephants during the dry season in the Shivalik landscape of northwestern India,” *Ecol. Indic.*, vol. 71, pp. 239–247, 2016, doi: 10.1016/j.ecolind.2016.07.011.
- [49] R. Alfred *et al.*, “Home range and ranging behaviour of bornean elephant (*elephas maximus borneensis*) females,” *PLoS One*, vol. 7, no. 2, 2012, doi: 10.1371/journal.pone.0031400.
- [50] Hoare, Richard E. and J. T. Du Toit, “Coexistence between people and elephants in African savannas,” *Conserv. Biol.*, vol. 13, no. 3, pp. 633–639, 1999, doi: 10.1046/j.1523-1739.1999.98035.x.
- [51] P. Fernando, E. Wikramanayake, D. Weerakoon, L. K. A. Jayasinghe, M. Gunawardene, and H. K. Janaka, “Perceptions and patterns of human-elephant conflict in old and new settlements in Sri Lanka: Insights for mitigation and management,” *Biodivers. Conserv.*, vol. 14, no. 10, pp. 2465–2481, 2005, doi: 10.1007/s10531-004-0216-z.
- [52] R. Sukumar, “Ecology of the Asian elephant in southern India. II. Feeding habits and crop raiding patterns,” *J. Trop. Ecol.*, vol. 6, no. 1, pp. 33–53, 1990, doi: 10.1017/S0266467400004004.
- [53] N. W. Sitati, M. J. Walpole, R. J. Smith, and N. Leader-Williams, “Predicting spatial aspects of human-elephant conflict,” *J. Appl. Ecol.*, vol. 40, no. 4, pp. 667–677, 2003, doi: 10.1046/j.1365-2664.2003.00828.x.
- [54] M. D. Graham, B. Notter, W. M. Adams, P. C. Lee, and T. N. Ochieng, “Patterns of crop-raiding by elephants, *Loxodonta africana*, in Laikipia, Kenya,

- and the management of human-elephant conflict,” *Syst. Biodivers.*, vol. 8, no. 4, pp. 435–445, 2010, doi: 10.1080/14772000.2010.533716.
- [55] A. J. Sitienei, G. Jiwen, and S. M. Ngene, “Assessing the cost of living with elephants (*Loxodonta africana*) in areas adjacent to Meru National Park, Kenya,” *Eur. J. Wildl. Res.*, vol. 60, no. 2, pp. 323–330, 2014, doi: 10.1007/s10344-013-0789-5.
  - [56] V. R. Goswami, K. Medhi, J. D. Nichols, and M. K. Oli, “Mechanistic understanding of human-wildlife conflict through a novel application of dynamic occupancy models,” *Conserv. Biol.*, vol. 29, no. 4, pp. 1100–1110, 2015, doi: 10.1111/cobi.12475.
  - [57] P. Liu, H. Wen, L. Lin, J. Liu, and L. Zhang, “Habitat evaluation for Asian elephants (*Elephas maximus*) in Lincang: Conservation planning for an extremely small population of elephants in China,” *Biol. Conserv.*, vol. 198, pp. 113–121, 2016, doi: 10.1016/j.biocon.2016.04.005.
  - [58] C. A. Ladue, S. M. Farinelli, I. Eranda, C. Jayasinghe, and R. P. G. Vandercone, “The influence of habitat changes on elephant mortality associated with human–elephant conflict: Identifying areas of concern in the north central dry zone of sri lanka,” *Sustain.*, vol. 13, no. 24, 2021, doi: 10.3390/su132413707.
  - [59] C. A. LaDue, I. Eranda, C. Jayasinghe, and R. P. G. Vandercone, “Mortality Patterns of Asian Elephants in a Region of Human–Elephant Conflict,” *J. Wildl. Manage.*, vol. 85, no. 4, pp. 794–802, 2021, doi: 10.1002/jwmg.22012.
  - [60] S. De Silva, C. Elizabeth Webber, U. S. Weerathunga, T. V. Pushpakumara, D. K. Weerakoon, and G. Wittemyer, “Demographic variables for wild Asian elephants using longitudinal observations,” *PLoS One*, vol. 8, no. 12, 2013, doi: 10.1371/journal.pone.0082788.
  - [61] I. Union, F. O. R. Conservation, and O. F. Nature, *Human-elephant conflict mitigation measures in Hwange*, vol. 6, no. 9. 2017. doi: 10.14196/sjpas.v6i9.2368.
  - [62] B. M. A. O. Perera, “The Human-Elephant Conflict ;,” *Gajaha*, vol. 30, no.

January, pp. 41–52, 2009.

- [63] M. P. B. Wijayagunawardane *et al.*, “The use of audio playback to deter crop-raiding Asian elephants,” *Wildl. Soc. Bull.*, vol. 40, no. 2, pp. 375–379, 2016, doi: 10.1002/wsb.652.
- [64] A. L. Massey, A. A. King, and J. Foufopoulos, “Fencing protected areas: A long-term assessment of the effects of reserve establishment and fencing on African mammalian diversity,” *Biol. Conserv.*, vol. 176, pp. 162–171, 2014, doi: 10.1016/j.biocon.2014.05.023.
- [65] M. Mutinda *et al.*, “Detusking fence-breaker elephants as an approach in human-elephant conflict mitigation,” *PLoS One*, vol. 9, no. 3, 2014, doi: 10.1371/journal.pone.0091749.
- [66] P. C. Lee and M. D. Graham, “African elephants *Loxodonta africana* and human-elephant interactions: Implications for conservation,” *Int. Zoo Yearb.*, vol. 40, no. 1, pp. 9–19, 2006, doi: 10.1111/j.1748-1090.2006.00009.x.
- [67] M. D. Graham, W. M. Adams, and G. N. Kahiro, “Mobile phone communication in effective human elephant-conflict management in Laikipia County, Kenya,” *Oryx*, vol. 46, no. 1, pp. 137–144, 2012, doi: 10.1017/S0030605311001104.
- [68] P. Dabare *et al.*, “Listening to the giants: Using elephant infra-sound to solve the Human-Elephant conflict,” *RealWSN 2015 - Proc. 6th ACM Work. Real World Wirel. Sens. Networks, co-located with SenSys 2015*, no. November, pp. 23–26, 2015, doi: 10.1145/2820990.2821000.
- [69] A. J. Hansen and R. Defries, “Ecological Mechanisms Linking Protected Areas,” *Ecol. Appl.*, vol. 17, no. 4, pp. 974–988, 2007.
- [70] C. L. R. Delgado, P. D. Waters, C. Gilbert, T. J. Robinson, and J. A. M. Graves, “Physical mapping of the elephant X chromosome: Conservation of gene order over 105 million years,” *Chromosom. Res.*, vol. 17, no. 7, pp. 917–926, 2009, doi: 10.1007/s10577-009-9079-1.
- [71] A. Rabinowitz and K. A. Zeller, “A range-wide model of landscape connectivity

- and conservation for the jaguar, *Panthera onca*,” *Biol. Conserv.*, vol. 143, no. 4, pp. 939–945, 2010, doi: 10.1016/j.biocon.2010.01.002.
- [72] T. S. F. Adams, M. J. Chase, T. L. Rogers, and K. E. A. Leggett, “Taking the elephant out of the room and into the corridor: Can urban corridors work?,” *Oryx*, vol. 51, no. 2, pp. 347–353, 2017, doi: 10.1017/S0030605315001246.
- [73] W. Pan, L. Lin, A. Luo, and L. Zhang, “Corridor use by Asian elephants,” *Integr. Zool.*, vol. 4, no. 2, pp. 220–231, 2009, doi: 10.1111/j.1749-4877.2009.00154.x.
- [74] M. Wijesundara, “A Solution for the Elephant-Human Conflict A Solution for the Elephant-Human Conflict Amalinda Gamage \* and Malitha Wijesundara Sri Lanka Institute of Information Technology,” no. June, 2017, doi: 10.1109/TIIEC.2014.35.
- [75] D. Gunaryadi, Sugiyo, and S. Hedges, “Community-based human-elephant conflict mitigation: The value of an evidence-based approach in promoting the uptake of effective methods,” *PLoS One*, vol. 12, no. 5, pp. 1–13, 2017, doi: 10.1371/journal.pone.0173742.
- [76] T. E. Davies *et al.*, “Effectiveness of intervention methods against crop-raiding elephants,” *Conserv. Lett.*, vol. 4, no. 5, pp. 346–354, 2011, doi: 10.1111/j.1755-263X.2011.00182.x.
- [77] T. B. Poole, K. Payne, W. R. Langbauer Jr, and C. J. Moss, “Behavioral Ecology and Sociobiology The social contexts of some very low frequency calls of African elephants,” *Behav Ecol Sociobiol*, vol. 22, pp. 385–392, 1988.
- [78] V. Thuppil and R. G. Coss, “Playback of felid growls mitigates crop-raiding by elephants *Elephas maximus* in southern India,” *Oryx*, vol. 50, no. 2, pp. 329–335, 2016, doi: 10.1017/S0030605314000635.
- [79] L. E. King, F. Lala, H. Nzumu, E. Mwambingu, and I. Douglas-Hamilton, “Beehive fences as a multidimensional conflict-mitigation tool for farmers coexisting with elephants,” *Conserv. Biol.*, vol. 31, no. 4, pp. 743–752, 2017, doi: 10.1111/cobi.12898.

- [80] Sukumar R., *The Asian elephant, ecology and management*. Cambridge, UK, 1992.
- [81] E. M. Gross, N. Drouet-Hoguet, N. Subedi, and J. Gross, “The potential of medicinal and aromatic plants (MAPs) to reduce crop damages by Asian Elephants (*Elephas maximus*),” *Crop Prot.*, vol. 100, pp. 29–37, 2017, doi: 10.1016/j.cropro.2017.06.002.
- [82] R. Eranga, “Agricultural Lifestyle, Perspectives and Conservational Issues in Protected Areas: A Study of Human-Elephant Conflict in Pidurangala in the Central Province of Sri Lanka,” *Geogr. Rev. Japan Ser. B*, vol. 85, no. 1, pp. 17–28, 2012, doi: 10.4157/geogrevjapanb.85.17.
- [83] K. U. Mar, M. Lahdenperä, and V. Lummaa, “Causes and correlates of calf mortality in captive asian elephants (*elephas maximus*),” *PLoS One*, vol. 7, no. 3, pp. 1–9, 2012, doi: 10.1371/journal.pone.0032335.
- [84] P. Fernando, P. Leimgruber, T. Prasad, and J. Pastorini, “Problem-Elephant Translocation: Translocating the Problem and the Elephant?,” *PLoS One*, vol. 7, no. 12, 2012, doi: 10.1371/journal.pone.0050917.
- [85] M. Lahdenperä, K. U. Mar, A. Courtiol, and V. Lummaa, “Differences in age-specific mortality between wild-caught and captive-born Asian elephants,” *Nat. Commun.*, vol. 9, no. 1, 2018, doi: 10.1038/s41467-018-05515-8.
- [86] Parliament, “Disaster Management Act, No: 13 of 2005,” *Distribution*, no. 20, pp. 0–87, 2005.
- [87] *Fauna and flora protection (amendment) Act, No. 22*, no. 20. Sri Lanka, 2009, pp. 0–86.
- [88] Department of Wildlife Conservation, *National Policy on conservation and management of wild elephants in Sri Lanka*. 2009.
- [89] A. D. G. Ranjeewa, J. Pastorini, K. Isler, D. K. Weerakoon, H. D. Kottage, and P. Fernando, “Decreasing reservoir water levels improve habitat quality for Asian elephants,” *Mamm. Biol.*, vol. 88, pp. 130–137, 2018, doi: 10.1016/j.mambio.2017.10.002.

- [90] D. T. Jones-farrand, L. W. Burger, D. H. Johnson, and M. R. Ryan, “Grassland Establishment for Wildlife Conservation,” *Fish Wildl. responses to farm bill Conserv. Pract.*, no. January, pp. 25–43, 2007.
- [91] L. J. Skitka, N. P. Aramovich, B. L. Lytle, and E. G. Sargis, “The psychology of justice and legitimacy: The Ontario symposium,” *Psychol. Justice Legitimacy*, vol. 11, no. January, pp. 1–350, 2011, doi: 10.4324/9780203837658.
- [92] T. Nakano, T. Bat-Oyun, and M. Shinoda, “Responses of palatable plants to climate and grazing in semi-arid grasslands of Mongolia,” *Glob. Ecol. Conserv.*, vol. 24, p. e01231, 2020, doi: 10.1016/j.gecco.2020.e01231.
- [93] Stubbs & Blundell, *Appetite: Psychobiological and Behavioral Aspects*, Third Edit. Academic Press, 2013. doi: doi.org/10.1016/B978-0-12-800259-9.00002-0.
- [94] P. D. Gorade and M. N. Datar, “Checklist of Palatable Grass Species from Peninsular India,” *Not. Sci. Biol.*, vol. 6, no. 4, pp. 441–447, 2014, doi: 10.15835/nsb649376.
- [95] P. Bhatt, N. M. B. Pradhan, and P. Wegge, “Seed dispersal by megaherbivores: Do Asian elephants disperse Mallotus philippensis, a main food tree in northern India and Nepal?,” *J. Nat. Hist.*, vol. 45, no. 15–16, pp. 915–921, 2011, doi: 10.1080/00222933.2010.538088.
- [96] K. Krishnan and S. Braude, “Journal of the Asian Elephant Specialist Group,” *Gajah*, vol. 41, no. 32, pp. 3–11, 2014.
- [97] D. Sirimewan, C. Naiduwa-Handi, and M. Nhc, *Sustainability for people-envisioning multi disciplinary solution*, vol. 0. 2018. [Online]. Available: <https://www.researchgate.net/publication/340528861>
- [98] C. Sampson *et al.*, “New elephant crisis in Asia - Early warning signs from Myanmar,” *PLoS One*, vol. 13, no. 3, pp. 1–13, 2018, doi: 10.1371/journal.pone.0194113.
- [99] A. M. D. B. Alahakoon, E. M. A. B. Pushpakumara, G. Ellepol, and K. B.

- Ranawana, “Food and feeding patterns of Asian Elephants in Udawalawe National Park, Sri Lanka,” *Gajah*, vol. 46, no. 2017, pp. 4–13, 2017, [Online]. Available: <https://www.researchgate.net/publication/320857265>
- [100] C. Sampson *et al.*, “Effects of illegal grazing and invasive Lantana camara on Asian elephant habitat use,” *Biol. Conserv.*, vol. 220, no. January 2017, pp. 50–59, 2018, doi: 10.1016/j.biocon.2018.01.021.
- [101] C. Schwarz, A. Johncola, and M. Hammer, “Foraging Ecology of Semi-Free-Roaming Asian Elephants in Northern Thailand,” *Gajah*, vol. 52, pp. 4–14, 2020.
- [102] K. A. P. Samansiri and D. K. Weerakoon, “Feeding behaviour of Asian elephants in the Northwestern region of Sri Lanka,” *Gajah*, vol. 27, no. January 1998, pp. 27–34, 2007.
- [103] R. Kannan, V. Dhivya, and T. S. K. Janani, “Future Perspective of Seed Ball Technology For Creating New Ecosystem,” *Int. J. Plant Environ.*, vol. 7, no. 04, pp. 293–296, 2021, doi: 10.18811/ijpen.v7i04.9.
- [104] P. J. Kerbiriou, T. J. Stomph, E. T. Lammerts van Bueren, and P. C. Struik, “Influence of transplant size on the above- and below-ground performance of four contrasting field-grown lettuce cultivars,” *Front. Plant Sci.*, vol. 4, no. SEP, pp. 1–16, 2013, doi: 10.3389/fpls.2013.00379.
- [105] C. Tamilarasan, R. Jerlin, and K. Raja, “Standardization of seed ball media for fodder sorghum to increase green cover and fodder availability in degraded lands,” *J. Appl. Nat. Sci.*, vol. 13, no. SI, pp. 18–25, 2021, doi: 10.31018/jans.v13iSI.2772.
- [106] T. Awan, I. Ali, M. E. Safdar, M. Ahmad, and M. S. Akhtar, “Comparison of parachute, line and traditional rice transplanting methods at farmer’s field in rice growing area,” *J. Agric. Sci.*, vol. 45, no. 4, pp. 432–438, 2008.
- [107] S. Hussain, M. Ramzan, M. A. Rana, R. A. Mann, and M. Akhter, “Effect of various planting techniques on yield and yield components of rice,” *J. Anim. Plant Sci.*, vol. 23, no. 2, pp. 672–674, 2013.

- [108] S. P. A. Sivaneson, “Effect of Different Crop Establishment Methods on Growth and Yield Response of Lowland Irrigated Rice in the Northern Region of Sri Lanka,” *J. Dryzone Agric.*, vol. 4, no. 1, pp. 30–34, 2018.
- [109] T. R. Soderstrom and R. P. Ellis, “The woody bamboos (Poaceae: Bambuseae) of Sri Lanka : a morphological-anatomical study,” 1988. doi: 10.5962/bhl.title.123329.
- [110] Clayton, “Poaceae,” in *A Revised Handbook to the Flora of Ceylon*, V. VIII, M. D. Dassanayake, Ed. Amerind Publishing Co. Pvt. Ltd., New Delhi, 1994, p. 469.
- [111] R. Wahab, M. T. Mustapa, O. Sulaiman, A. Mohamed, A. Hassan, and I. Khalid, “Anatomical and physical properties of cultivated two- and four-year-old bambusa vulgaris,” *Sains Malaysiana*, vol. 39, no. 4, pp. 571–579, 2010.
- [112] R. Wahab, A. Mohamed, M. T. Mustafa, and A. Hassan, “Physical characteristics and anatomical properties of cultivated bamboo (Bambusa vulgaris Schrad.) culms,” *J. Biol. Sci.*, vol. 9, no. 7, pp. 753–759, 2009, doi: 10.3923/jbs.2009.753.759.
- [113] M. Fahim, M. Haris, W. Khan, and S. Zaman, “Bamboo As a Construction material,” *Adv. Sci. Technol. Res. J. Adv.*, vol. 16, no. 3, pp. 165–175, 2022, doi: <https://doi.org/10.12913/22998624/149737>.
- [114] A. S. Nordahlia, U. M. K. Anwar, H. Hamdan, M. Abd Latif, and S. M. A. Mahanim, “Anatomical, physical and strength properties of Shizostachyum brachycladum (Buluh lemang),” *J. Bamboo Ratt.*, vol. 10, no. 3–4, pp. 111–122, 2011.
- [115] R. Anokye, R. M. Kalong, E. S. Bakar, J. J. Ratnasingam, M. Jawaid, and K. Awang, “Variations in moisture content affect the shrinkage of Gigantochloa scorchedinii and Bambusa vulgaris at different heights of the Bamboo Culm,” *BioResources*, vol. 9, no. 4, pp. 7484–7493, 2014, doi: 10.15376/biores.9.4.7484-7493.
- [116] A. Joshi, S. Kale, S. Chandel, and D. Pal, “Likert Scale: Explored and

- Explained,” *Br. J. Appl. Sci. Technol.*, vol. 7, no. 4, pp. 396–403, 2015, doi: 10.9734/bjast/2015/14975.
- [117] D. Clark-Carter, “Measures of Central Tendency Interaction of radiation with matter Inferences for Two Populations,” *Int. Encycl. Educ.*, 2010.
- [118] D. A. Bodenham and N. M. Adams, “A comparison of efficient approximations for a weighted sum of chi-squared random variables,” *Stat. Comput.*, vol. 26, no. 4, pp. 917–928, 2016, doi: 10.1007/s11222-015-9583-4.
- [119] A. Suheel *et al.*, “Diversity and matrix scoring of fodder plants in Ladakh Himalaya, India: Implications for exploration, conservation and evaluation,” *Indian Journals .com*, vol. 42, no. 2, pp. 191–197, 2022, [Online]. Available: <https://indianjournals.com/ijor.aspx?target=ijor:rma&volume=42&issue=2&article=001>
- [120] H. A. D. D. T. Gunasekera and R. C. L. De Silva, “Study of the Effects of Soil Acidity and Salinity on Aluminium Mobility in Selected Soil Samples in Sri Lanka,” *Asian J. Environ. Ecol.*, no. February, pp. 58–67, 2020, doi: 10.9734/ajee/2020/v13i430191.
- [121] J. E. O. Ansa and Y. A. Garjila, “Effect of Cutting Frequency on Forage Growth and Yield in Elephant Grass in the Southern Rainforest of Nigeria,” *Int. J. Environ. Agric. Res.*, no. 7, pp. 5,3-7, 2019.
- [122] J. Hanson and R. Schultze-kraft, “Forage grasses,” pp. 1–7.
- [123] D. H. Bade, B. E. Conrad, and E. C. Holt, “Temperature and Water Stress Effects on Growth of Tropical Grasses,” *J. Range Manag.*, vol. 38, no. 4, p. 321, 1985, doi: 10.2307/3899412.
- [124] S. L. Prakash, G. V. Samarakoon, B. D. Madurapperuma, S. Karunaratna, and T. D. Surasinghe, “Defenders of Wildlife Conservation in Sri Lanka: a Cautionary Note for the Future of Rangers,” *Parks*, vol. 27, no. 2, pp. 57–62, 2021, doi: 10.2305/IUCN.CH.2021.PARKS-27-2SLP.en.
- [125] D. A. Wilcox, J. Bateman, K. Kowalski, J. Meeker, and N. Dunn, “Extent of Sedge / Grass Meadow in a Lake Michigan Drowned-River-Mouth Wetland

Dictated by Topography / Bathymetry and Lake Level Methods,” pp. 1–16, 2021.

- [126] X. Le Roux and T. Bariac, “Seasonal variations in soil, grass and shrub water status in a West African humid savanna,” *Oecologia*, vol. 113, no. 4, pp. 456–466, 1998, doi: 10.1007/s004420050398.
- [127] N. Nawaz, R. Javed, K. Hussain, K. Nawaz, and A. Majeed, “Effect of Climatic and Soil Conditions on Guinea Grass (*Panicum maximum* (Jacq.) B.K) at Different Locations of Punjab, Pakistan,” *World J. Agric. Sci.*, vol. 10, no. 5, pp. 231–242, 2014, doi: 10.5829/idosi.wjas.2014.10.5.1825.
- [128] I. A. Kagan, J. P. Goodman, D. H. Seman, L. M. Lawrence, and S. R. Smith, “Effects of Harvest Date, Sampling Time, and Cultivar on Total Phenolic Concentrations, Water-Soluble Carbohydrate Concentrations, and Phenolic Profiles of Selected Cool-Season Grasses in Central Kentucky,” *J. Equine Vet. Sci.*, vol. 79, pp. 86–93, 2019, doi: 10.1016/j.jevs.2019.05.005.
- [129] M. ROY, “HABITAT USE AND FORAGING ECOLOGY OF THE ASIAN ELEPHANT (*Elephas maximus*) IN BUXA TIGER RESERVE AND ADJOINING AREAS OF NORTHERN WEST BENGAL,” 2009. [Online]. Available: [https://www.researchgate.net/profile/Mukti-Roy/publication/280940953\\_PH\\_D\\_THESES/links/55cd7a2708ae1141f6b9f067/PH-D-THESES.pdf](https://www.researchgate.net/profile/Mukti-Roy/publication/280940953_PH_D_THESES/links/55cd7a2708ae1141f6b9f067/PH-D-THESES.pdf)
- [130] J. Chen, X. B. Deng, L. Zhang, and Z. L. Bai, “Diet composition and foraging ecology of Asian elephants in Shangyong, Xishuangbanna, China,” *Acta Ecol. Sin.*, vol. 26, no. 2, pp. 309–316, 2006, doi: 10.1016/s1872-2032(06)60006-1.
- [131] I. A. W. Al-Baldawi, S. R. S. Abdullah, F. Suja, N. Anuar, and I. Mushrifah, “Comparative performance of free surface and sub-surface flow systems in the phytoremediation of hydrocarbons using *Scirpus grossus*,” *J. Environ. Manage.*, vol. 130, pp. 324–330, 2013, doi: 10.1016/j.jenvman.2013.09.010.
- [132] C. Technology, P. Pinang, and C. Author, “*Bambusa Vulgaris* : Chemical Composition and,” vol. 5, no. 9, pp. 27–39, 2016.

- [133] R. Wang, K. Wang, M. Zhou, J. Xu, and J. Jiang, “Efficient fractionation of moso bamboo by synergistic hydrothermal-deep eutectic solvents pretreatment,” *Bioresour. Technol.*, vol. 328, no. February, p. 124873, 2021, doi: 10.1016/j.biortech.2021.124873.
- [134] T. Kurei, R. Tsushima, Y. Okahisa, S. Nakaba, R. Funada, and Y. Horikawa, “Creation and structural evaluation of the three-dimensional cellulosic material ‘White-Colored Bamboo,’” *Holzforschung*, vol. 75, no. 2, pp. 180–186, 2021, doi: doi:10.1515/hf-2020-0030.
- [135] Y. Okahisa and H. Sakata, “Effects of Growth Stage of Bamboo on the Production of Cellulose Nanofibers,” *Fibers Polym.*, vol. 20, no. 8, pp. 1641–1648, 2019, doi: 10.1007/s12221-019-8581-0.
- [136] J. Garvin and J. Lechman, “Impact and Penetration of Granular Materials by Discrete Element Simulations,” Mar. 2008.
- [137] Y. Song, Y. Lee, D.-S. Lee, D.-T. Nguyen, and H.-J. Bae, “Utilization of bamboo biomass as a biofuels feedstocks: Process optimization with yeast immobilization and the sequential fermentation of glucose and xylose,” *Fuel*, vol. 307, p. 121892, Jan. 2022, doi: 10.1016/j.fuel.2021.121892.
- [138] D. Mathew, “Molecular markers in improvement of Capsicum spp . - a review,” no. June, 2014.
- [139] A. Sharma, “TRACE : Tennessee Research and Creative Exchange An Experimental Study of Particle Crushing in Granular Material and Projectile Penetration,” 2019.
- [140] J. Layek, “Raised and sunken bed land configuration for crop diversification and crop and water productivity enhancement in rice paddies of the north eastern region of India,” *Paddy Water Environ.*, Dec. 2014.
- [141] M. J. Baloch *et al.*, “Yield related morphological measures of short duration cotton genotypes,” *J. Anim. Plant Sci.*, vol. 24, no. 4, pp. 1198–1211, 2014.
- [142] H. M. Mathers, S. B. Lowe, C. Scagel, D. K. Struve, and L. T. Case, “M 2003, 85%Abiotic Factors Influencing Root Growth of the window of marketability

- of the Woody Nursery Plants in Containers,” *Horttechnology*, vol. 17, no. June, pp. 151–162, 2007, [Online]. Available: <https://journals.ashs.org/horttech/view/journals/horttech/17/2/article-p151.xml>
- [143] A. Aldrete, J. Mexal, R. Phillips, and A. D. Vallotton, “Copper coated polybags improve seedling morphology for two nursery-grown Mexican pine species,” *For. Ecol. Manage.*, vol. 163, pp. 197–204, Jun. 2002, doi: 10.1016/S0378-1127(01)00579-5.
- [144] D. U. Shah, T. P. S. Reynolds, and M. H. Ramage, “The strength of plants: Theory and experimental methods to measure the mechanical properties of stems,” *J. Exp. Bot.*, vol. 68, no. 16, pp. 4497–4516, 2017, doi: 10.1093/jxb/erx245.
- [145] B. onwuka, “Effects of Soil Temperature on Some Soil Properties and Plant Growth,” *Adv. Plants Agric. Res.*, vol. 8, no. 1, pp. 34–37, 2018, doi: 10.15406/apar.2018.08.00288.
- [146] D. J. Rae, W. G. Liang, D. M. Watson, G. A. C. Beattie, and M. D. Huang, “Evaluation of petroleum spray oils for control of the asian citrus psylla, diaphorina citri (kuwayama) (hemiptera: Psyllidae), in china,” *Int. J. Pest Manag.*, vol. 43, no. 1, pp. 71–75, 1997, doi: 10.1080/096708797229013.
- [147] K. A. Mather, A. L. Caicedo, N. R. Polato, K. M. Olsen, S. McCouch, and M. D. Purugganan, “The extent of linkage disequilibrium in rice (*Oryza sativa L.*),” *Genetics*, vol. 177, no. 4, pp. 2223–2232, 2007, doi: 10.1534/genetics.107.079616.
- [148] E. Habte *et al.*, “Forage performance and detection of marker trait associations with potential for napier grass (*cenchrus purpureus*) improvement,” *Agronomy*, vol. 10, no. 4, 2020, doi: 10.3390/agronomy10040542.
- [149] S. Srivastav, P. Singh, G. Mishra, K. K. Jha, and R. L. Khosa, “Achyranthes aspera-An important medicinal plant : A review,” *J. Nat. Prod. Plant Resour.*, vol. 1, no. 1, pp. 1–14, 2011.
- [150] H. Mukherjee *et al.*, “Commercial Importance , Medicinal Value and

- Therapeutic Potentials of Chaff Flower ( Achyranthes aspera ) – A Review,” *Int. J. Chem. Biochem. Sci.*, vol. 6, no. 2, pp. 62–70, 2018, [Online]. Available: <http://dx.doi.org/10.1016/j.jep.2017.03.035> Ahttp://ijps.aizeonpublishers.net/content/2013/3/ijps229-233.pdf%0Ahttp://dx.doi.org/10.1016/j.micres.2012.11.002
- [151] “NSP - Weeds A - C.” <https://www.fao.org/agriculture/crops/thematic-sitemap/theme/biodiversity/weeds/listweeds/var/en/>
- [152] W. E. Gnanaraj, M. Johnson, R. B. Mohanamathi, and K. M. Subramanian, “In vitro clonal propagation of Achyranthes aspera L. and Achyranthes bidentata Blume using nodal explants,” *Asian Pac. J. Trop. Biomed.*, vol. 2, no. 1, pp. 1–5, 2012, doi: 10.1016/S2221-1691(11)60179-2.
- [153] Vora, A. B., J. A. Patel, and B. L. Punjani, “Comparative photosynthesis and levels of metabolites in leaves and chloroplasts of sun-adapted and shade-adapted plants of Achyranthes aspera Lin.,” *J. Environ. Biol.*, vol. 10, no. 2, pp. 159–164, 1989.
- [154] D. P. A. Dissanayake, S. Sivaganesh, M. H. A. Tissera, S. M. Handunnetti, and L. D. A. M. Arawwawala, “Comparison of antioxidant properties of Cyathula prostrata Linn and Achyranthes aspera Linn grown in Sri Lanka,” *Res. Rev. Insights*, vol. 2, no. 3, pp. 1–3, 2018, doi: 10.15761/rri.1000138.
- [155] Djufri and Wardiah, “The diversity of undergrowth plants on Acacia nilotica stands as food resources of banteng (*Bos javanicus*) in baluran National park, East java, Indonesia,” *Biodiversitas*, vol. 18, no. 1, pp. 288–294, 2017, doi: 10.13057/biodiv/d180138.
- [156] Kuldip S. Dogra, “Phytotoxicity of Parthenium hysterophorus residues towards growth of three native plant species (Acacia catechu willd, Achyranthes aspera L. and Cassia tora L.) in Himachal Pradesh, India,” *Int. J. Plant Physiol. Biochem.*, vol. 4, no. 5, pp. 105–109, 2012, doi: 10.5897/ijppb11.009.
- [157] V. K. Hivrale, N. P. Chougule, A. P. Giri, P. J. Chhabda, and M. S. Kachole, “Biochemical characterisation of  $\alpha$ -amylase inhibitors from Achyranthes aspera and their interactions with digestive amylases of coleopteran and lepidopteran

- insects,” *J. Sci. Food Agric.*, vol. 91, no. 10, pp. 1773–1780, 2011, doi: 10.1002/jsfa.4380.
- [158] A. Bagavan, A. A. Rahuman, C. Kamaraj, and K. Geetha, “Larvicidal activity of saponin from Achyranthes aspera against Aedes aegypti and Culex quinquefasciatus (Diptera: Culicidae),” *Parasitol. Res.*, vol. 103, no. 1, pp. 223–229, 2008, doi: 10.1007/s00436-008-0962-z.
- [159] F. S. Vp and R. Muthuswami, “GC-MS analysis of ethanolic leaf extract of Achyranthes aspera Linn GC-MS analysis of ethanolic leaf extract of Achyranthes aspera Linn,” no. July, 2020.
- [160] G. R. Rao, D. K. Mesta, M. D. S. Chandran, and T. V. Ramachandra, “New Plant Records For Karnataka From Uttara Kannada District, G.R.Ro,” *J. Econ. Taxon. Bot.*, vol. 35, no. 1, pp. 154–157, 2011.
- [161] B. Vojiant Tangahu, “Growth Rate Measurement of Scirpus Grossus Plant as Preliminary Step to Apply the Plant in Wastewater Treatment Using Reedbed System,” *J. Civ. Environ. Eng.*, vol. 05, no. 06, 2016, doi: 10.4172/2165-784x.1000192.
- [162] A. Majrashi, B. Bin Bakar, B. A. Nasrulhaq, and K. M. Moneruzzaman, “Modeling of biomass ramets growth patterns using fractal topography analysis of *Scirpus grossus* L. on peat and paddy soils,” *Res. J. Biotechnol.*, vol. 9, no. 4, pp. 48–55, 2014.
- [163] D. A. Simpson *et al.*, “Aliso: A Journal of Systematic and Evolutionary Botany Phylogeny of Cyperaceae Based on DNA Sequence Data—a New rbcL Analysis Phylogeny of Cyperaceae Based on DNA Sequence Data—a New rbcL Analysis,” *Aliso A J. Syst. Evol. Bot.*, vol. 23, no. 1, 2007, [Online]. Available: <http://scholarship.claremont.edu/aliso%0Ahttp://scholarship.claremont.edu/ali> so/vol23/iss1/9%0Ahttp://scholarship.claremont.edu/aliso/vol23/iss1/
- [164] N. Dhatchanamoorthy, N. Balachandran, and M. Ayyanar, “Notes on some Rare Plant Collections from the Southern Coromandel Coast, India,” *South Indian J. Biol. Sci.*, vol. 2, no. 2, p. 256, 2016, doi: 10.22205/sijbs/2016/v2/i2/100312.

- [165] D. A. Simpson, C. A. Inglis, D. A. Simpson, and C. A. Inglis, “Cyperaceae horticultural importance : a checklist,” vol. 56, no. 2, pp. 257–360, 2012.
- [166] D. A. Simpson, C. Yesson, A. Culham, C. A. Couch, and A. M. Muasya, “Climate change and cyperaceae,” *Clim. Chang. Ecol. Syst.*, pp. 439–456, 2011, doi: 10.1017/CBO9780511974540.020.
- [167] C. Udomsri, S. Premcharoen, C. Thawatphan, C. Vidthayanon, and S. Vajrodaya, “Community Structure of Aquatic Plants in Bung Khong Long, Nongkhai Province, A Ramsar Site of Thailand,” *Nat. Sci.*), vol. 39, pp. 64–75, 2005.
- [168] M. E. Neubauer, C. Plaza de los Reyes, G. Pozo, C. A. Villamar, and G. Vidal, “Growth and nutrient uptake by *Schoenoplectus californicus* (C.A. Méyer) Sójak in a constructed wetland fed with swine slurry,” *J. Soil Sci. Plant Nutr.*, vol. 12, no. 3, pp. 421–430, 2012, doi: 10.4067/s0718-95162012005000004.
- [169] “Useful Tropical Plants,” 2014.  
<https://tropical.theferns.info/viewtropical.php?id=Cyperus+haspan>
- [170] C. T. Bryson and R. Carter, “The Significance of Cyperaceae as Weeds,” in *Sedges: Uses, Diversity, and Systematics of the Cyperaceae*, B. A. F. Robert Francis, Cox Naczi, Ed. Missouri Botanical Garden Press, 2008, pp. 15–101.
- [171] “PLANTS Database.” <https://plants.usda.gov/home>
- [172] J. C. Bede, W. G. Goodman, and S. S. Tobe, “Developmental distribution of insect juvenile hormone III in the sedge, *Cyperus iria* L.,” *Phytochemistry*, vol. 52, no. 7, pp. 1269–1274, 1999, doi: 10.1016/S0031-9422(99)00438-0.
- [173] I. C. Burke, W. E. Thomas, J. F. Spears, and J. W. Wilcut, “Influence of environmental factors on after-ripened crowfootgrass (*Dactyloctenium aegyptium*) seed germination,” *Weed Sci.*, vol. 51, no. 3, pp. 342–347, 2003, doi: 10.1614/0043-1745(2003)051[0342:ioefoa]2.0.co;2.
- [174] “Plant Rescue,” 2008.
- [175] G. C. Mishra and B. B. B., “Effect of weed management practices on growth and fibre yield of jute (*Corchorus capsularis*).,” *Indian J. Agron.*, vol. 41, no. 1,

- pp. 132–135, 1996.
- [176] “Cyperus haspan (Dwarf sedge),” 2004.  
<https://www.shootgardening.co.uk/plant/cyperus-haspan>
- [177] M. S. Amjad, “Ethnobotanical profiling and floristic diversity of Bana Valley, Kotli (Azad Jammu and Kashmir), Pakistan,” *Asian Pac. J. Trop. Biomed.*, vol. 5, no. 4, pp. 292–299, 2015, doi: 10.1016/S2221-1691(15)30348-8.
- [178] and D. L. P. Holm, L. G., J. V. Pancho, J. P. Herberger, *A Geographical Atlas of World Weeds.*, vol. 32, no. 2. John Wiley and Sons, New York., 1979. doi: 10.2307/2806777.
- [179] P. Chathura and D. Perera, “Review of major abundant weeds of cultivation in Sri Lanka,” no. February, 2017.
- [180] J. Rodenburg and H. Meinke, “Adapting weed management in rice to changing climates,” vol. 2080, no. March, pp. 22–26, 2010.
- [181] Y. Jiang, B. H. Ownley, and F. Chen, “Terpenoids from Weedy Ricefield Flatsedge (*Cyperus iria* L.) Are Developmentally Regulated and Stress-Induced, and have Antifungal Properties,” *Molecules*, vol. 23, no. 12, 2018, doi: 10.3390/molecules23123149.
- [182] M. I. Galinato, K. Moody, and C. M. Piggin, *Upland Rice Weeds of South and Southeast Asia*. 1999.
- [183] “Cyperus haspan (Dwarf sedge).”  
<https://www.shootgardening.co.uk/plant/cyperus-haspan>
- [184] L. L. Spatt, S. H. B. Dornelles, D. M. Sanchotene, A. B. Brum, B. W. Carloto, and M. B. Scherer, “Low-level resistance of *Cyperus iria* L. to ALS-inhibiting herbicides occurring in the State of Rio Grande do Sul,” *Científica*, vol. 44, no. 4, p. 532, 2016, doi: 10.15361/1984-5529.2016v44n4p532-537.
- [185] “Cyperus iria — rice-field flatsedge,” 2022.  
<https://gobotany.nativeplanttrust.org/species/cyperus/iria/>
- [186] R. D. Singh, P. A. Sarkar, and A. K. Ghosh, “Tolerance of rice weeds for natural

- floodwater submergence.,” *Int. Rice Res. Newslett.*, vol. 8, no. 5, pp. 19–20, 1983.
- [187] B. S. Chauhan and D. E. Johnson, “ Relative Importance of Shoot and Root Competition in Dry-Seeded Rice Growing with Junglerice ( *Echinochloa colona* ) and Ludwigia ( *Ludwigia hyssopifolia* ),” *Weed Sci.*, vol. 58, no. 3, pp. 295–299, 2010, doi: 10.1614/ws-d-09-00068.1.
- [188] A. M. Peerzada, “Biology, agricultural impact, and management of *Cyperus rotundus* L.: the world’s most tenacious weed,” *Acta Physiol. Plant.*, vol. 39, no. 12, 2017, doi: 10.1007/s11738-017-2574-7.
- [189] E. W. Stoller and R. D. Sweet, “Biology and Life Cycle of Purple and Yellow Nutsedges (*Cyperus rotundus* and *C. esculentus*),” *Weed Technol.*, vol. 1, no. 1, pp. 66–73, 1987.
- [190] L. G. Holm, J. V. Pancho, J. P. Herberger, and D. L. Plunknett., *The World’s Worst Weeds: Distribution and Biology*. East-West Center, 1977.
- [191] M. HOROWITZ, “Growth, Tuber Formation and Spread of *Cyperus Rotundus* L. From Single Tubers,” *Weed Res.*, vol. 12, no. 4, pp. 348–363, 1972, doi: 10.1111/j.1365-3180.1972.tb01229.x.
- [192] H. C. Evans, “Biological control of tropical grassy weeds.,” in *Tropical grassy weeds.*, P. J. T. F. W. G. Baker, Ed. CAB International for CASAFA, 1991, pp. 52–72.
- [193] W. T. Parsons and E. G. C. William Thomas Parsons, *Noxious Weeds of Australia*, 2nd ed. Csiro Publishing, 2001.
- [194] B. Rubin and J. Kigel, “*Cyperus rotundus* and *C. esculentus*.,” in *Handbook of Flowering*, CRC Press, 2019, pp. 402–406.
- [195] R. Govaerts and D. A. Simpson, *World checklist of Cyperaceae*. Kew Pub., Royal Botanic Gardens., 2007.
- [196] R. Neeser, C., Aguero and C. J. Swanton, “Survival and dormancy of purple nutsedge (*Cyperus rotundus*) tubers.,” *Weed Sci.*, vol. 45, no. 6, pp. 784–790.
- [197] R. D. Williams, “Growth and reproduction of *Cyperus esculentus* L. and

- Cyperus rotundus L.," *Weed Res.*, vol. 22, no. 3, pp. 149–154, 1982.
- [198] C. C. Black, T. M. Chen, and R. H. Brown, "Biochemical Basis for Plant Competition," *Weed Sci.*, vol. 17, no. 3, pp. 338–344, 1969, doi: 10.1017/s0043174500054187.
- [199] E. Shahraki and M. Saravani, "A study on the effects of urea and molasses on the nutritional value of nut grass (Cyperus Rotundus) forage silos of Sistan region," *Int. Res. J. Appl. Basic Sci*, vol. 6, no. 12, pp. 1793–1800, 2013, [Online]. Available: [http://irjabs.com/files\\_site/paperlist/r\\_1894\\_131127161634.pdf](http://irjabs.com/files_site/paperlist/r_1894_131127161634.pdf)
- [200] P. K. Jha and D. N. Sen, *Biology and ecology of Cyperus rotundus Linn. Biology and ecology of Cyperus rotundus Linn.* Geobios International, Jodhpur, India, 1985.
- [201] S. Mangoensoekarjo, "Studies on the competitive effects of purple nutsedge (Cyperus rotundus L.) on crops. Studies on the competitive effects of purple nutsedge (Cyperus rotundus L.) on crops.," 1977.
- [202] J. R. Summerlin, H. D. Coble, and F. H. Yelverton, "Effect of mowing on perennial sedges," *Weed Sci.*, vol. 48, no. 4, pp. 501–507, 2000, doi: 10.1614/0043-1745(2000)048[0501:eomops]2.0.co;2.
- [203] F. Fimbristylis, "Fimbristylis miliacea (=F. quinquangularis)," vol. 60, no. March, p. 2016, 2016.
- [204] M. Begum, A. S. Juraimi, R. Amartalingam, S. O. B. S. Rastan, and A. Bin Man, "Growth and development of Fimbristylis Miliacea (L.) Vahl," *Biotropia (Bogor)*, vol. 15, no. 1, pp. 1–11, 2008, doi: 10.11598/btb.2008.15.1.1.
- [205] M. Begum, A. S. Juraimi, R. Amartalingam, S. O. B. S. Rastan, and A. B. Man, "Growth and development of Fimbristylis miliacea (L.) Vahl. BIOTROPIA-The," *Southeast Asian J. Trop. Biol.*, vol. 15, no. 1, pp. 1–11, 2008.
- [206] M. Begum, A. S. Juraimi, R. Amartalingam, S. R. Syed Omar, and A. Bin Man, "Effect of Fimbristylis miliacea competition with MR220 rice in relation to different nitrogen levels and weed density," *Int. J. Agric. Biol.*, vol. 11, no. 2,

- pp. 183–187, 2009.
- [207] C. E. Schaedler, J. A. Noldin, D. Agostinetto, T. Dal Magro, and L. C. Fontana, “Germination and growth of *Fimbristylis miliacea* biotypes resistant and susceptible to acetolactate synthase-inhibiting herbicides,” *Planta Daninha*, vol. 31, no. 3, pp. 687–694, 2013, doi: 10.1590/s0100-83582013000300020.
- [208] I. F. Hanum and L. J. G. Van der Maesen, *PROSEA: Plant Resources of South-East Asia II, Auxiliary Plants*. Yayasan Obor Indonesia., 1997.
- [209] A. J. G. H. Kostermans, S. Wirjahardja, and R. J. Dekker., “Weeds of Rice in Indonesia.” and G. T. (eds. . M. Soerjani, A. J. G. H. Kostermans, Ed. Balai Pustaka, Jakarta, Indonesia., 1987, pp. 24–565.
- [210] J. Duke, *Handbook of legumes of world economic importance*. Springer Science & Business Media., 2012.
- [211] R. A. Halim and B. C. Pengelly, “*Alysicarpus vaginalis* (L.) DC.,” in *Record from Proseabase.*, L. ’. Mannetje and R. M. Jones, Eds. Record from Proseabase. PROSEA (Plant Resources of South-East Asia) Foundation, Bogor, Indonesia., 1992.
- [212] L. J. Qian Tang-huang,Liang Qiong-fang, “Research on the Propagation Technology of Three New Wild Ground Cover Plants.” [https://en.cnki.com.cn/Article\\_en/CJFDTotal-BFYY201313030.htm](https://en.cnki.com.cn/Article_en/CJFDTotal-BFYY201313030.htm)
- [213] D. S. Pokle, “Review of the genus *Alysicarpus* Desv.,” *BIOINFOLET-A Q. J. Life Sci.*, vol. 15, no. 2, pp. 90–102, 2018.
- [214] B. G. Cook *et al.*, “*Alysicarpus vaginalis*,” *Tropical Forages: an interactive selection tool*, 2005. [http://www.tropicalforages.info/key/forages/Media/Html/entities/alysicarpus\\_vaginalis.htm](http://www.tropicalforages.info/key/forages/Media/Html/entities/alysicarpus_vaginalis.htm)
- [215] Mohamedalmontasir A. M. Mohamed and Mahmoud H. Mohamed, “Effect of seeding rate on plant performance of *Alysicarpus ovalifolius* under rain-fed in Semi-arid zone, Sudan,” *World J. Adv. Res. Rev.*, vol. 9, no. 1, pp. 203–206, 2021, doi: 10.30574/wjarr.2021.9.1.0013.

- [216] V. Heuzé, G. Tran, P. Hassoun, and F. Lebas, “Alyce clover (*Alysicarpus vaginalis*),” 2020. <https://www.feedipedia.org/node/333>
- [217] B. G. Cook, B. C. Pengelly, S. D. Brown, J. L. Donnelly, and R. Eagles, D. A., Franco, M. A. & Schultze-Kraft, “Tropical Forages: an interactive selection tool. Tropical Forages: an interactive selection tool.” 2005.
- [218] I. G. N. Jelantik, I. Benu, T. T. Nikolaus, G. E. M. Malelak, A. Firmanto, and C. L. O. Leo-Penu, “Effect of different pasture legumes on growth profile and forage production of the selected native pasture grasses mix at different growth stages,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 888, no. 1, p. 012061, 2021, doi: 10.1088/1755-1315/888/1/012061.
- [219] Randall RP, *A Global Compendium of Weeds*. : Department of Agriculture and Food Western Australia, Perth, Australia, 2012. [Online]. Available: <http://www.cabi.org/isc/FullTextPDF/2013/20133109119.pdf>
- [220] P. Hanelt, R. Buttner, and Mansfeld R., *Mansfeld's Encyclopedia of Agricultural and Horticultural Crops (except Ornamentals)*. Berlin, Germany: Springer., 2001.
- [221] M. S. Serag, A.-H. A. Khedr, G. M. Abogadallah, and H. E. Shaaban, “Performance and chemical composition of three *Echinochloa* grasses over short term experiment,” *Sci. J. Damietta Fac. Sci.*, vol. 3, no. 1, pp. 43–52, 2014, [Online]. Available: [https://www.researchgate.net/publication/272493287\\_Performance\\_and\\_chemical\\_composition\\_of\\_three\\_Echinochloa\\_grasses\\_over\\_short\\_term\\_experiment](https://www.researchgate.net/publication/272493287_Performance_and_chemical_composition_of_three_Echinochloa_grasses_over_short_term_experiment)
- [222] S. Covshoff *et al.*, “C<sub>4</sub> photosynthesis in the rice paddy: Insights from the noxious weed *Echinochloa glabrescens* [OPEN],” *Plant Physiol.*, vol. 170, no. 1, pp. 57–73, 2016, doi: 10.1104/pp.15.00889.
- [223] A. Shabbir, B. S. Chauhan, and M. J. Walsh, “Biology and management of *Echinochloa colona* and *E. crus-galli* in the northern grain regions of Australia,” *Crop Pasture Sci.*, vol. 70, no. 11, pp. 917–925, 2019, doi: 10.1071/CP19261.

- [224] J. C. Chun and K. Moody, “Growth, development, and morphological characteristics of *Echinochloa colona*,” *Korean J. Weed Sci.*, vol. 6, no. 1, pp. 1–6, 1986.
- [225] M. Asaduzzaman, E. Koetz, H. Wu, M. Hopwood, and A. Shephard, “Fate and adaptive plasticity of heterogeneous resistant population of *Echinochloa colona* in response to glyphosate,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–11, 2021, doi: 10.1038/s41598-021-94370-7.
- [226] FAO, *Grassland Index. A searchable catalogue of grass and forage legumes. FAO, Rome, Italy*. FAO, Rome, Italy, 2011.
- [227] V. NoHeuzé, G. Tran, G. Maxin, and F. Lebas, “Egyptian crowfoot grass (*Dactyloctenium aegyptium*),” *Feedipedia, a programme by INRA, CIRAD, AFZ and FAO*. <http://>, 2015. www.feedipedia.org/node/465 Title
- [228] B. S. Chauhan and D. E. Johnson, “Ecological studies on *Cyperus difformis*, *Cyperus iria* and *fimbristylis miliacea*: Three troublesome annual sedge weeds of rice,” *Ann. Appl. Biol.*, vol. 155, no. 1, pp. 103–112, 2009, doi: 10.1111/j.1744-7348.2009.00325.x.
- [229] B. S. Chauhan and S. B. Abugho, “Growth of *Echinochloa glabrescens* in Response to Rice Cultivar and Density,” *J. Crop Improv.*, vol. 27, no. 4, pp. 391–405, 2013, doi: 10.1080/15427528.2013.786774.
- [230] “Fire Effects Information System (FEIS),” 2008. <https://www.fs.fed.us/database/feis/plants/graminoid/echcru/all.html>
- [231] P. C. D. Perera and N. Dahanayake, “Review of major abundant weeds of cultivation in Sri Lanka,” *Int. J. Sci. Res. Publ.*, vol. 5, no. 5, pp. 1–9, 2015.
- [232] FAO, “Crop Ecological Requirements Database (ECOCROP).” FAO, 2022. [Online]. Available: <https://www.fao.org/land-water/land/land-governance/land-resources-planning-toolbox/category/details/en/c/1027491/>
- [233] N. K. Cho, Y. K. Kang, C. K. Song, Y. S. Ko, and Y. I. Cho, “Effects of seeding rate on forage yield and chemical composition of *Echinochloa crusgalli* var. *frumentacea* (Roxb) Wight in Jeju region. J,” *OURNAL-KOREAN Soc. Grassl.*

- Sci.* 21(4), 225–232., vol. 21, no. 4, pp. 225–232, 2001.
- [234] J. Rojas-Sandoval and P. Acevedo-Rodriguez, *Echinochloa crus-galli* (*barnyard grass*). *Invasive Species Compendium*, CABI Publishing, Wallingford, UK, 2014. [Online]. Available: <http://www.cabi.org/isc/datasheet/20367>
- [235] U. Quattrocchi, *CRC World dictionary of grasses: common names, scientific names, eponyms, synonyms, and etymology*. CRC Press, Taylor and Francis Group, Boca Raton, USA, 2006.
- [236] P. R. Regmi and N. R. Devkota, “Effects of nitrogen fertilization and cutting height on the forage yield and feeding value of eleusine indica in the dry season in Nepal,” *Weed Biol. Manag.*, vol. 9, no. 2, pp. 106–111, 2009, doi: 10.1111/j.1445-6664.2009.00327.x.
- [237] S. Rani and J. S. Rana, “In vitro propagation of *Tylophora indica*-influence of explanting season , growth regulator synergy , culture passage and planting substrate,” *J. Am. Sci.*, vol. 6, no. 12, pp. 385–392, 2010.
- [238] H. K. Takano, R. S. Oliveira, J. Constantin, G. B. P. Braz, and J. C. Padovese, “Crescimento, desenvolvimento e produção de sementes de capim-pé-de-galinha,” *Planta Daninha*, vol. 34, no. 2, pp. 249–258, 2016, doi: 10.1590/S0100-83582016340200006.
- [239] A. Kanzler and J. van Staden, “Seed germination in goose grass (*Eleusine indica*),” *South African J. Bot.*, vol. 3, no. 2, pp. 108–110, 1984, doi: 10.1016/s0022-4618(16)30063-8.
- [240] J. R. Fulwider and R. E. Engel, “The Effect of Temperature and Light on Germination of Seed of Goosegrass, *Eleusine indica*,” *Weeds*, vol. 7, no. 3, pp. 359–361, 1959.
- [241] “Goosegrass, *Eleusine indica*,” 2020. <https://www.northeastipm.org/schools/pests/goosegrass/>
- [242] J. L. Howard, “*Imperata brasiliensis*, I. cylindrica. In: Fire Effects Information System, [Online].” U.S. Department of Agriculture, Forest Service, Rocky

- Mountain Research Station, Fire Sciences Laboratory, 2005.
- [243] S. K. NMcDonald *et al.*, “Population dynamics of cogongrass, *Imperata cylindrica*,” in *Proceedings, Southern Weed Science Society. Champagne, IL.*, 1996, p. 156.
- [244] C. T. Bryson and R. Carter, “Cogongrass, *Imperata cylindrica*, in the United States.,” *Weed Technol.*, vol. 7, no. 4, pp. 1005–1009, 1993.
- [245] “Forage Plants,” 2012. <https://www.feedipedia.org/>
- [246] “Isolation and characterization of endophytic fungi from *Isachne globosa* , a common rice weed found in Sri Lanka,” 2017. [Online]. Available: [https://moam.info/isolation-and-characterization-of-endophytic-fungi-from-\\_5b9ec04c097c47f24b8b46a8.html](https://moam.info/isolation-and-characterization-of-endophytic-fungi-from-_5b9ec04c097c47f24b8b46a8.html)
- [247] “*Isachne globosa*,” *Weed Science Society of America*. <https://wssa.net/wp-content/uploads/Isachne-globosa.pdf>
- [248] M. J. Thorsen, K. J. Dickinson, and P. J. Seddon, “Seed dispersal systems in the New Zealand flora.,” *Perspect. Plant Ecol. Evol. Syst.*, vol. 11, no. 4, pp. 285–309, 2009.
- [249] S. N. Jayawardena, S. W. Abeysekera, N. Gunathilaka, and H. M. J. K. Herath, “Potential for Zero-Tillage Technique in Rice and Other Field Crop Cultivation in Rice-Based Cropping Systems in the Dry and Intermediate Zones of Sri Lanka Zero-tillage Rice Cultivation,” pp. 65–74.
- [250] D. D. Witharana, “Effect of Different Densities of *Isachne globosa* (Thunb. O. Ktze.) on Growth and Yield of Rice,” Uva Wellassa University, 2013. [Online]. Available: <http://www.erepo.lib.uwu.ac.lk/bitstream/handle/123456789/6493/UWULD-EAG-09-0045-13052019121914.pdf?sequence=1&isAllowed=y>
- [251] K. B. D. P. Samarajeewa, T. Horiuchi, and S. Oba, “Finger millet (*Eleucine corocana L. Gaertn.*) as a cover crop on weed control, growth and yield of soybean under different tillage systems,” *Soil Tillage Res.*, vol. 90, no. 1–2, pp. 93–99, 2006, doi: 10.1016/j.still.2005.08.018.

- [252] A. P. S. Mendis, D. L. Wathugala, and H. K. M. S. Kumarasinghe, “Evaluation of appropriateness of current weed management techniques practiced in rice cultivation in Akuressa and Athuraliya D.S. divisions,” *Trop. Agric. Res. Ext.*, vol. 22, no. 1–2, p. 30, 2019, doi: 10.4038/tare.v22i1-2.5485.
- [253] “Pacific Island Ecosystems at Risk (PIER). US Forest Service, 3–5.,” 2013.
- [254] H. B. Gilliland, R. E. Holttum, N. L. Bor, and H. M. Burkill, *A revised Flora of Malaya, Vol. III: Grasses*. Singapore Botanical Gardens, Singapore, 1971.
- [255] “Tropical Forages,” *Ischaemum timorense*, 2020. [https://www.tropicalforages.info/text/entities/ischaemum\\_timorense.htm#:~:te xt=Dry matter,4 week harvests\)](https://www.tropicalforages.info/text/entities/ischaemum_timorense.htm#:~:text=Dry%20matter,4%20week%20harvests) cited elsewhere.
- [256] K. L. Mehra and Z. Fachrerozi, *Indonesian economic plant resources*. Lembaga Biology Nasional LIPI, Bogor, Indonesia, 1985.
- [257] D. E. Barnes and G. C. Luz, *Common weeds of Malaysia and their control*. Shah Alam, Selangor, Malaysia: Ancom Sendirian Berhad, 1990.
- [258] M. R. Henderson, *Malayan Wild Flowers, Part I. Monocotyledons*. Caxton Press Ltd., Kuala Lumpur, Malaysia, 1959.
- [259] G. L. Pyrah, “Taxonomic and distributional studies in Leersia (Gramineae),” *Tesis Dr. Philos.*, pp. 1–149, 1967.
- [260] “Pacific Island Ecosystems at Risk (PIER),” 2013. [http://www.hear.org/pier/species/leersia\\_hexandra.htm](http://www.hear.org/pier/species/leersia_hexandra.htm)
- [261] S. P. Miller, “Arbuscular mycorrhizal colonization of semi-aquatic grasses along a wide hydrologic gradient,” *New Phytol.*, vol. 145, no. 1, pp. 145–155, 2000, doi: 10.1046/j.1469-8137.2000.00566.x.
- [262] FAO, “ACHYRANTHES ASPERA (L.),” *Foos and Agriculture Organization of the United Nation*, 2022. <https://www.fao.org/agriculture/crops/thematic-sitemap/theme/biodiversity/weeds/listweeds/var/en/>
- [263] “Forage-and-Weed-ID-Handbook.pdf.” <https://nfrec.ifas.ufl.edu/media/nfrecifasufledu/deleted-obsolete->

- [264] “Panicum maximum,” 2022. [https://wildflowernursery.co.za/indigenous-plant-database/panicum-maximum/#:~:text=It bears delicate flowering stems with tiny creamy-coloured,a very long flowering season starting in November.](https://wildflowernursery.co.za/indigenous-plant-database/panicum-maximum/#:~:text=It%20bears%20delicate%20flowering%20stems%20with%20tiny%20creamy-coloured,a%20very%20long%20flowering%20season%20starting%20in%20November)
- [265] “Ischaemum timorense,” 2020. [&lt;a href="https://www.tropicalforages.info/text/entities/ischaemum\\_timorense.htm#:~:text=Dry matter,4 week harvests\) cited elsewhere.](https://www.tropicalforages.info/text/entities/ischaemum_timorense.htm#:~:text=Dry%20matter,4%20week%20harvests))
- [266] “Trpcial Forages.” <https://www.tropicalforages.info/text/intro/index.html>
- [267] D. Olivera Vicedo, R. de Mello Prado, C. A. Martínez, E. Habermann, and M. de Cássia Piccolo, “Short-term warming and water stress affect Panicum maximumJacq. stoichiometric homeostasis and biomass production,” *Sci. Total Environ.*, vol. 681, pp. 267–274, 2019, doi: 10.1016/j.scitotenv.2019.05.108.
- [268] “Guinea Grass (Panicum maximum).” <https://www.nddb.coop/farmer/animal-nutrition/fodder/grasses/guinea-grass>
- [269] X. H. Zhang, Y. P. Luo, H. T. Huang, J. Liu, Y. N. Zhu, and Q. F. Zeng, “Leersia hexandra Swartz: a newly discovered hygrophyte with chromium hyperaccumulator properties.,” *Acta Ecol. Sin.*, vol. 26, no. 3, pp. 950–953, 2006.
- [270] “Guinea grass (Panicum maximum).” <https://www.dlium.com/2020/05/guinea-grass-panicum-maximum.html>
- [271] M. A. Hossain, Y. Ishimine, H. Kuramochi, H. Akamine, S. Murayama, and M. Konnai, “Efficacy of Post-emergence Herbicides on Torpedograss (Panicum repens L.),” *J. Weed Sci. Technol.*, vol. 42, no. 3, pp. 197–205, 1997, doi: 10.3719/weed.42.197.
- [272] J. P. Cuda, J. C. Dunford, and J. M. Leavengood, “Invertebrate fauna associated with torpedograss, Panicum repens (Cyperales: Poaceae), in Lake Okeechobee, Florida, and prospects for biological control,” *Florida Entomol.*, vol. 90, no. 1, pp. 238–248, 2007, doi: 10.1653/0015-4040(2007)90[238:IFAWTP]2.0.CO;2.
- [273] J. P. N. R. Chandrasena and W. H. Y. Dhammadika, “Studies on the biology of

- panicum repens l. 1 Comparative morphological development of three selections from different geographical localities in sri lanka,” *Trop. Pest Manag.*, vol. 34, no. 3, pp. 291–297, 1988, doi: 10.1080/09670878809371259.
- [274] K. R. Stone, “Panicum repens. In: Fire Effects Information System,” U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory, 2011.
- [275] M. A. Hossain, Y. Ishimine, H. Akikamine, and S. Murayama, “Growth and Development ( Panicum Island , Characteristics repens L .) in Japan \* of Torpedograss Okinawa Southern Md . Amzad Hossain \*\*, Yukio Ishimine \*\*\*, Hikaru Akamine \*\*\* and Seiichi Murayama \*\*\*,” *Weed Res. Japan*, vol. 41, no. 4, pp. 323–331, 1996.
- [276] K. Kumar, V. K. Singh, J. N. Govil, and G. Singh, “Ethnopharmacognostical studies on *Panicum repens* L.,” in *Recent Progress in Medicinal Plants. Vol 1: Ethnomedicine and pharmacognosy*, Sci Tech Publishing, . Houston, USA., 2002.
- [277] B. J. BRECKE, J. B. UNRUH, and J. A. DUSKY, “ Torpedograss (*Panicum repens*) Control with Quinclorac in Bermudagrass (*Cynodon dactylon* × *C. transvaalensis*) Turf 1 ,” *Weed Technol.*, vol. 15, no. 4, pp. 732–736, 2001, doi: 10.1614/0890-037x(2001)015[0732:tprcwq]2.0.co;2.
- [278] E. Weber, *Invasive plant species of the world: A reference guide to environmental weeds*. CAB International, Wallingford, UK.
- [279] J. L. Opeña, B. S. Chauhan, and A. M. Baltazar, “Seed germination ecology of *echinochloa glabrescens* and its implication for management in rice (*Oryza sativa* L.),” in *PLoS ONE*, vol. 9, no. 3, 2014. doi: 10.1371/journal.pone.0092261.
- [280] “Riceweeds en - Poaceae - *Echinochloa colona* (L.) Link.” [http://publish.plantnet-project.org/project/riceweeds\\_en/collection/collection/information/details/EC\\_HCO](http://publish.plantnet-project.org/project/riceweeds_en/collection/collection/information/details/EC_HCO)

- [281] A. M. Baltazar, “Herbicide-resistant weeds in the Philippines: Status and resistance mechanisms,” *Weed Biol. Manag.*, vol. 17, no. 2, pp. 57–67, 2017, doi: 10.1111/wbm.12120.
- [282] B. S. Chauhan, “Shade reduces growth and seed production of *Echinochloa colona*, *Echinochloa crus-galli*, and *Echinochloa glabrescens*,” *Crop Prot.*, vol. 43, pp. 241–245, 2013, doi: 10.1016/j.cropro.2012.10.009.
- [283] B. M. Waterhouse and A. A. Mitchell, *Northern Australia Quarantine Strategy: weeds target list. Miscellaneous Publication No. 6/98. 110 pp.*, Second edi. Australian Quarantine & Inspection Service., 1998.
- [284] W. Schütz, P. Milberg, and B. B. Lamont, “Seed dormancy, after-ripening and light requirements of four annual Asteraceae in south-western Australia,” *Ann. Bot.*, vol. 90, no. 6, pp. 707–714, 2002, doi: 10.1093/aob/mcf250.
- [285] International Rice Research Institute (IRRI), “*Echinochloa colona*.” <http://www.knowledgebank.irri.org/training/fact-sheets/item/echinochloa-colona>
- [286] K. Manning, R. Pelling, T. Higham, J. L. Schwenniger, and D. Q. Fuller, “4500-Year old domesticated pearl millet (*Pennisetum glaucum*) from the Tilemsi Valley, Mali: New insights into an alternative cereal domestication pathway,” *J. Archaeol. Sci.*, vol. 38, no. 2, pp. 312–322, 2011, doi: 10.1016/j.jas.2010.09.007.
- [287] W. D. Clayton, R. Govaerts, K. T. Harman, H. Williamson, and M. Vorontsova, *World Checklist of Poaceae*. Richmond, UK: Royal Botanic Gardens, Kew., 1994. [Online]. Available: <http://apps.kew.org/wcs>
- [288] “Flora of China Editorial Committee,” *Flora of China. S Herbaria*. t. Louis, Missouri and Cambridge, Massachusetts, USA: Missouri Botanical Garden and Harvard University, 2015. [Online]. Available: [http://www.efloras.org/flora\\_page.aspx?flora\\_id=2](http://www.efloras.org/flora_page.aspx?flora_id=2)
- [289] T. H. Awan, B. S. Chauhan, and P. C. Sta Cruz, “Physiological and morphological responses of *Ischaemum rugosum* Salisb. (Wrinkled grass) to

- different nitrogen rates and rice seeding rates,” *PLoS One*, vol. 9, no. 6, 2014, doi: 10.1371/journal.pone.0098255.
- [290] G. Plaza and F. A. Hernández, “Efeitos em Zonas e Rotação das Culturas do Ischaemum rugosum e sua Resistência ao Bispiribac-Sódio em Ariari, Colômbia,” *Planta Daninha*, vol. 32, no. 3, pp. 591–599, 2014, [Online]. Available: <http://www.scopus.com/inward/record.url?eid=2-s2.0-84907241939&partnerID=tZOTx3y1>
- [291] D. D. Witharana, A. S. K. Abeysekara, U. B. Wickrama, and H. K. S. G. Gunadasa, “Competitive effect of Isachne globosa (Thunb.)O.Ktze on growth and yield of wet seeded rice (*Oryza sativa L.*),” 2015.
- [292] S. Sadi, S. Shanmugavelu, A. R. Azizan, F. M. Abdullah, and M. W. Zahari, “Effects of Ischaemum rugosum-Gliricidia sepium diet mixtures on growth performance , digestibility and carcass characteristics of Katjang crossbred goat,” vol. 43, no. 2, pp. 179–190, 2015.
- [293] C. A. A. Lim, T. H. Awan, P. C. Pompe, and B. S. Chauhan, “Influence of environmental factors, cultural practices, and herbicide application on seed germination and emergence ecology of Ischaemum rugosum Salisb,” *PLoS One*, vol. 10, no. 9, pp. 1–28, 2015, doi: 10.1371/journal.pone.0137256.
- [294] B. H. Bakar and L. N. Ahmed Nabi, “Seed germination, seedling establishment and growth patterns of wrinklegrass (Ischaemum rugosum Salisb.),” *Weed Biol. Manag.*, vol. 3, no. 1, pp. 8–14, 2003, doi: 10.1046/j.1445-6664.2003.00075.x.
- [295] C. P. Wilsie and M. Takahashi, *Napier grass (Pennisetum purpureum): a pasture and green fodder crop for Hawaii*. 1934.
- [296] P. J. Skerman and F. Riveros, *Tropical grasses. FAO Plant Production and Protection Series No. 23.*, FAO, Rome, 1990.
- [297] L. J. M. Aroeira *et al.*, “Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (Pennisetum purpureum, Schum.),” *Anim. Feed Sci. Technol.*, vol. 78, no. 3–4, pp. 313–324, 1999, doi: 10.1016/S0377-8401(98)00270-3.

- [298] FAO, *Grassland Index. A searchable catalogue of grass and forage legumes*. FAO, Rome, Italy, 2015. [Online]. Available: <https://web.archive.org/web/20170120044942/http://www.fao.org/ag/AGP/AGPC/doc/GB>
- [299] B. Göhl, *Les aliments du bétail sous les tropiques*. FAO, Division de Production et Santé Animale, Roma, Italy, 1982. [Online]. Available: [http://www.fastonline.org/CD3WD\\_40/JF/414/05-222.pdf](http://www.fastonline.org/CD3WD_40/JF/414/05-222.pdf)
- [300] S. W. Kotagama and C. N. B. Bambaradeniya, *An overview of the wetlands of Sri Lanka and their conservation significance*. 2006.
- [301] M. A. Hyde, B. T. Wursten, P. Ballings, and M. Coates Palgrave, “Flora of Zimbabwe :Sacciolepis interrupta (Willd.) Stapf,” 2022. [https://www.zimbabweflora.co.zw/speciesdata/species.php?species\\_id=106590](https://www.zimbabweflora.co.zw/speciesdata/species.php?species_id=106590)
- [302] P. S. RANI and M. V. M. P. V. SINDHU, “Germination ecology of<em> Sacciolepis interrupta </em>(Willd). Stapf,” *J. Crop Weed*, vol. 16, no. 2, pp. 122–129, 2020, doi: 10.22271/09746315.2020.v16.i2.1325.
- [303] R. Decary, *Plantes et animaux utiles de Madagascar., 54e année, 6e série, 4e volume, 1er et dernier fascicule*. 1946.
- [304] “Tropical Forages,” 2020. [https://www.tropicalforages.info/text/entities/hymenachne\\_amplexicaulis.htm](https://www.tropicalforages.info/text/entities/hymenachne_amplexicaulis.htm)
- [305] C. Barooah and I. Ahmed, *Plant Diversity of Assam: A Checklist of Angiosperms and Gymnosperms*. Vedams eBooks (P) Ltd, New Delhi, India., 2014.
- [306] B. Y. Ong and Z. Aziz, “Efficacy of Cordyceps sinensis as an adjunctive treatment in kidney transplant patients: A systematic-review and meta-analysis,” *Complement. Ther. Med.*, vol. 30, pp. 84–92, 2017, doi: 10.1016/j.ctim.2016.12.007.
- [307] C.K. Varshney J. Rzóska, Ed., “Aquatic Weeds in South East Asia,” in *Proceedings of a Regional Seminar, on Noxious Aquatic Vegetation, New Delhi*,

12-17 December 1973, 1973.

- [308] G. D. S. N. Chandrasena, J. D. K. M. Jayawardane, S. D. Umange, and A. D. B. U. Gunawardana, “Host Range of Panicle Rice Mite *Steneotarsonemus spinki* Smiley (Acari: Tarsonemidae) in Sri Lanka,” *Univers. J. Agric. Res.*, vol. 4, no. 1, pp. 21–24, 2016, doi: 10.13189/ujar.2016.040104.
- [309] JSTOR, “*Sacciolepis interrupta* (Willd.) Stapf [family POACEAE].” <https://plants.jstor.org/stable/10.5555/al.ap.flora.ftea008478>
- [310] S. Renu, T. C. George, and T. A. C., “No Title,” *Indian J. Weed Sci.*, vol. 32, no. 3&4, pp. 140–145, 2000.
- [311] C. C. Baskin and J. M. Baskin, *Seeds: Ecology, Biogeography, And, Evolution of Dormancy and Germination*. Elsevier Inc., 2001. doi: doi.org/10.1016/B978-0-12-080260-9.X5000-3.
- [312] C. Manidool, *Dactyloctenium aegyptium* (L.) Willd. Proseabase: Plant Resources of South-East Asia Foundation, 1992.
- [313] 2016 PIER, *Pacific Island Ecosystems at Risk*. Honolulu, USA: HEAR, University of Hawaii. [Online]. Available: <http://www.hear.org/pier/index.html>
- [314] A. A. Adu, A. R. Yeo, and O. T. Okusanyat, “The response to salinity of a population of *Dactyloctenium aegyptium* from a saline habitat in southern Nigeria,” *J. Trop. Ecol.*, vol. 10, no. 2, pp. 219–228, 1994, doi: 10.1017/S0266467400007860.
- [315] W. D. Clayton, S. M. Phillips, and S. A. Renvoize, 1974. *Flora of Tropical East Africa. Gramineae (Part 2)*. Crown Agents, London, U.:
- [316] K. Royal Botanic Gadens, “*Leersia hexandra* Sw.” <https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:137026-2>
- [317] P. Inthima and K. Sujipuli, “Improvement of growth and bacoside production in *Bacopa monnieri* through induced autotetraploidy with colchicine,” *PeerJ*, vol. 2019, no. 10, 2019, doi: 10.7717/peerj.7966.
- [318] K. Rajamani, “Medicinal Crops: Brahmi,” 2021.

[https://agritech.tnau.ac.in/horticulture/horti\\_medicinal\\_crops\\_brahmi.html](https://agritech.tnau.ac.in/horticulture/horti_medicinal_crops_brahmi.html)

- [319] Vikaspedia, “Bacopa monnieri,” 2022. <https://vikaspedia.in/agriculture/crop-production/package-of-practices/medicinal-and-aromatic-plants/bacopa-monnieri>
- [320] “Bacopa monnieri,” *Visakpaedia*, 2022. <https://vikaspedia.in/agriculture/crop-production/package-of-practices/medicinal-and-aromatic-plants/bacopa-monnieri>
- [321] S. S. Mulay and B. Duraiswamy, “Mulay and Duraiswamy ootropic Studies on leaf and stem of Bacopa monnieri ( linn ). Pharmacologyonline 1 : 1144-1152 ( 2011 ) Mulay and Duraiswamy,” vol. 1152, pp. 1144–1152, 2011.
- [322] S. Mathur, M. M. Gupta, M. Ram, S. Sharma, and S. Kumar, “Herb yield and bacoside-A content of field-grown Bacopa monnieri accessions,” *J. Herbs, Spices Med. Plants*, vol. 9, no. 1, pp. 11–18, 2002, doi: 10.1300/J044v09n01\_03.
- [323] T. H. S. Dhanushka, D. C. K. Illeperuma, and K. D. P. Gunathilake, “EasyChair Preprint Antioxidant Activity of Aqueous Extracts of Dehydrated Lunuwila,” 2021.
- [324] N. Bharti, D. Yadav, D. Barnawal, D. Maji, and A. Kalra, “Exiguobacterium oxidotolerans, a halotolerant plant growth promoting rhizobacteria, improves yield and content of secondary metabolites in Bacopa monnieri (L.) Pennell under primary and secondary salt stress,” *World J. Microbiol. Biotechnol.*, vol. 29, no. 2, pp. 379–387, 2013, doi: 10.1007/s11274-012-1192-1.
- [325] J. Rojas-Sandoval, “Bacopa monnieri (water hyssop). Invasive Species Compendium.” CABI, Wallingford, UK., 2018. doi: . DOI:10.1079/ISC.112638.20203483089.
- [326] M. Debnath, “Responses of Bacopa monnieri to salinity and drought stress in vitro,” *J. Med. Plants Res.*, vol. 2, no. 11, pp. 347–351, 2008.
- [327] R. P. V. J. Rajapakse, S. P. Lawton, K. J. K. Karunathilake, B. V. P. Perera, N. T. B. Nguyen, and T. H. Le, “Molecular characterization of *Fasciola jacksoni*

- from wild elephants (*Elephas maximus maximus*) of Sri Lanka: A taxonomic evaluation,” *Parasitology*, vol. 146, no. 10, pp. 1247–1255, 2019, doi: 10.1017/S0031182019000519.
- [328] DOA, “Rice - the staple food-crop establishment,” *Deoartment of Agriculture*, 2022.
- [329] “Texas butterfly ranch,” *Stuart Allen Art Services*, 2020.  
<https://texasbutterflyranch.com/2017/12/19/q-a-seed-balls-com-founder-says-throw-and-grow-gardening-often-doesnt-work/>
- [330] “Anatomy of Bamboo culm,” *UK Bamboo Supplies*, 2022.  
[www.ukbamboo.com](http://www.ukbamboo.com)