

6.0 REFERENCES

- [1] S. Abd-Khorsand, S. Saber-Samandari, and S. Saber-Samandari, “Development of nanocomposite scaffolds based on TiO₂ doped in grafted chitosan/hydroxyapatite by freeze drying method and evaluation of biocompatibility,” *International Journal of Biological Macromolecules*, vol. 101, pp. 51–58, 2017, doi: 10.1016/j.ijbiomac.2017.03.067.
- [2] M. Ansari, S. Naghib, F. Moztarzadeh, and A. Salati, “Synthesis and characterization of hydroxyapatitecalcium hydroxide for dental composites,” *Ceramics - Silikaty*, vol. 55, no. 2, pp. 123–126, 2011.
- [3] E. A. Ofudje, A. I. Adeogun, M. A. Idowu, and S. O. Kareem, “Synthesis and characterization of Zn-Doped hydroxyapatite: scaffold application, antibacterial and bioactivity studies,” *Heliyon*, vol. 5, no. 5, p. e01716, 2019, doi: 10.1016/j.heliyon.2019.e01716.
- [4] N. Sultana, M. Mokhtar, M. I. Hassan, R. M. Jin, F. Roozbahani, and T. H. Khan, “Chitosan-based nanocomposite scaffolds for tissue engineering applications,” *Materials and Manufacturing Processes*, vol. 30, no. 3, pp. 273–278, 2015, doi: 10.1080/10426914.2014.892610.
- [5] J. M. Unagolla and S. U. Adikary, “Adsorption of cadmium and lead heavy metals by chitosan biopolymer: A study on equilibrium isotherms and kinetics,” *MERCon 2015 - Moratuwa Engineering Research Conference*, no. November 2016, pp. 234–239, 2015, doi: 10.1109/MERCon.2015.7112351.
- [6] R. Logithkumar, A. Keshavnarayan, S. Dhivya, A. Chawla, S. Saravanan, and N. Selvamurugan, “A review of chitosan and its derivatives in bone tissue engineering,” *Carbohydrate Polymers*, vol. 151, pp. 172–188, 2016, doi: 10.1016/j.carbpol.2016.05.049.
- [7] N. Morin-crini *et al.*, *Fundamentals and Applications of Chitosan To cite this version : HAL Id : hal-02152878 Fundamentals and Applications of Chitosan*. 2019.
- [8] M. Swetha, K. Sahithi, A. Moorthi, N. Srinivasan, K. Ramasamy, and N.

- Selvamurugan, “Biocomposites containing natural polymers and hydroxyapatite for bone tissue engineering,” *International Journal of Biological Macromolecules*, vol. 47, no. 1, pp. 1–4, 2010, doi: 10.1016/j.ijbiomac.2010.03.015.
- [9] S. Lazić, S. Zec, N. Miljević, and S. Milonjić, “The effect of temperature on the properties of hydroxyapatite precipitated from calcium hydroxide and phosphoric acid,” *Thermochimica Acta*, vol. 374, no. 1, pp. 13–22, 2001, doi: 10.1016/S0040-6031(01)00453-1.
- [10] D. Boudemagh, P. Venturini, S. Fleutot, and F. Cleymand, *Elaboration of hydroxyapatite nanoparticles and chitosan/hydroxyapatite composites: a present status*, vol. 76, no. 5. 2019.
- [11] J. Venkatesan and S. K. Kim, “Nano-hydroxyapatite composite biomaterials for bone tissue engineering - A review,” *Journal of Biomedical Nanotechnology*, vol. 10, no. 10, pp. 3124–3140, 2014, doi: 10.1166/jbn.2014.1893.
- [12] S. Ahmed, Annu, A. Ali, and J. Sheikh, “A review on chitosan centred scaffolds and their applications in tissue engineering,” *International Journal of Biological Macromolecules*, vol. 116, no. 2017, pp. 849–862, 2018, doi: 10.1016/j.ijbiomac.2018.04.176.
- [13] J. Venkatesan and S. K. Kim, “Chitosan composites for bone tissue engineering - An overview,” *Marine Drugs*, vol. 8, no. 8, pp. 2252–2266, 2010, doi: 10.3390/md8082252.
- [14] X. Wang, X. Wang, Y. Tan, B. Zhang, Z. Gu, and X. Li, “Synthesis and evaluation of collagen-chitosan- hydroxyapatite nanocomposites for bone grafting,” *Journal of Biomedical Materials Research - Part A*, vol. 89, no. 4, pp. 1079–1087, 2009, doi: 10.1002/jbm.a.32087.
- [15] Q. Hu, B. Li, M. Wang, and J. Shen, “Preparation and characterization of biodegradable chitosan/hydroxyapatite nanocomposite rods via in situ hybridization: A potential material as internal fixation of bone fracture,” *Biomaterials*, vol. 25, no. 5, pp. 779–785, 2004, doi: 10.1016/S0142-

9612(03)00582-9.

- [16] C. Xianmiao, L. Yubao, Z. Yi, Z. Li, L. Jidong, and W. Huanan, “Properties and in vitro biological evaluation of nano-hydroxyapatite/chitosan membranes for bone guided regeneration,” *Materials Science and Engineering C*, vol. 29, no. 1, pp. 29–35, 2009, doi: 10.1016/j.msec.2008.05.008.
- [17] J. M. Oliveira *et al.*, “Novel hydroxyapatite/chitosan bilayered scaffold for osteochondral tissue-engineering applications: Scaffold design and its performance when seeded with goat bone marrow stromal cells,” *Biomaterials*, vol. 27, no. 36, pp. 6123–6137, 2006, doi: 10.1016/j.biomaterials.2006.07.034.
- [18] S. Shemshad, S. Kamali, A. Khavandi, and S. Azari, “Synthesis, characterization and in-vitro behavior of natural chitosan-hydroxyapatite-diopside nanocomposite scaffold for bone tissue engineering,” *International Journal of Polymeric Materials and Polymeric Biomaterials*, vol. 68, no. 9, pp. 516–526, 2019, doi: 10.1080/00914037.2018.1466138.
- [19] M. Rinaudo, “Chitin and chitosan: Properties and applications,” *Progress in Polymer Science (Oxford)*, vol. 31, no. 7, pp. 603–632, 2006, doi: 10.1016/j.progpolymsci.2006.06.001.
- [20] S. Kumari, S. H. Kumar Annamareddy, S. Abanti, and P. Kumar Rath, “Physicochemical properties and characterization of chitosan synthesized from fish scales, crab and shrimp shells,” *International Journal of Biological Macromolecules*, vol. 104, pp. 1697–1705, 2017, doi: 10.1016/j.ijbiomac.2017.04.119.
- [21] A. Baxter, M. Dillon, K. D. Anthony Taylor, and G. A. F. Roberts, “Improved method for i.r. determination of the degree of N-acetylation of chitosan,” *International Journal of Biological Macromolecules*, vol. 14, no. 3, pp. 166–169, 1992, doi: 10.1016/S0141-8130(05)80007-8.
- [22] M. Peter *et al.*, “Preparation and characterization of chitosan-gelatin/nanohydroxyapatite composite scaffolds for tissue engineering applications,” *Carbohydrate Polymers*, vol. 80, no. 3, pp. 687–694, 2010, doi:

10.1016/j.carbpol.2009.11.050.

- [23] I. Yamaguchi *et al.*, “Preparation and microstructure analysis of chitosan/hydroxyapatite nanocomposites,” *Journal of Biomedical Materials Research*, vol. 55, no. 1, pp. 20–27, 2001, doi: 10.1002/1097-4636(200104)55:1<20::AID-JBM30>3.0.CO;2-F.
- [24] Y. Yuan, B. M. Chesnutt, W. O. Haggard, and J. D. Bumgardner, “Deacetylation of chitosan: Material characterization and in vitro evaluation via albumin adsorption and pre-osteoblastic cell cultures,” *Materials*, vol. 4, no. 8, pp. 1399–1416, 2011, doi: 10.3390/ma4081399.
- [25] A. T. Paulino, J. I. Simionato, J. C. Garcia, and J. Nozaki, “Characterization of chitosan and chitin produced from silkworm cysalides,” *Carbohydrate Polymers*, vol. 64, no. 1, pp. 98–103, 2006, doi: 10.1016/j.carbpol.2005.10.032.
- [26] Z. Shahbazarab, A. Teimouri, A. N. Chermahini, and M. Azadi, “Fabrication and characterization of nanobiocomposite scaffold of zein/chitosan/nanohydroxyapatite prepared by freeze-drying method for bone tissue engineering,” *International Journal of Biological Macromolecules*, vol. 108, pp. 1017–1027, 2018, doi: 10.1016/j.ijbiomac.2017.11.017.
- [27] H. Ye, X. Y. Liu, and H. Hong, “Characterization of sintered titanium/hydroxyapatite biocomposite using FTIR spectroscopy,” *Journal of Materials Science: Materials in Medicine*, vol. 20, no. 4, pp. 843–850, 2009, doi: 10.1007/s10856-008-3647-3.
- [28] N. K. Nga, L. T. Thanh Tam, N. T. Ha, P. Hung Viet, and T. Q. Huy, “Enhanced biomineralization and protein adsorption capacity of 3D chitosan/hydroxyapatite biomimetic scaffolds applied for bone-tissue engineering,” *RSC Advances*, vol. 10, no. 70, pp. 43045–43057, 2020, doi: 10.1039/d0ra09432c.
- [29] C. E. Tanase, M. I. Popa, and L. Verestiu, “Chitosan-hydroxyapatite composite obtained by biomimetic method as new bone substitute,” *Proceedings - 2009 Advanced Technologies for Enhanced Quality of Life, AT-EQUAL 2009*, pp.

42–46, 2009, doi: 10.1109/AT-EQUAL.2009.19.

- [30] M. Shahnavaizi *et al.*, “Fabrication of chitosan-nano hydroxyapatite scaffold for dental tissue engineering,” *Key Engineering Materials*, vol. 720, pp. 223–227, 2017, doi: 10.4028/www.scientific.net/KEM.720.223.
- [31] Y. W. Gu, K. A. Khor, and P. Cheang, “Bone-like apatite layer formation on hydroxyapatite prepared by spark plasma sintering (SPS),” *Biomaterials*, vol. 25, no. 18, pp. 4127–4134, 2004, doi: 10.1016/j.biomaterials.2003.11.030.
- [32] Y. Li, Z. Zhang, and Z. Zhang, “Porous Chitosan/Nano-Hydroxyapatite Composite Scaffolds Incorporating Simvastatin-Loaded PLGA Microspheres for Bone Repair,” *Cells Tissues Organs*, vol. 205, no. 1, pp. 20–31, 2018, doi: 10.1159/000485502.
- [33] Y. X. Chen, R. Zhu, Q. F. Ke, Y. S. Gao, C. Q. Zhang, and Y. P. Guo, “MgAl layered double hydroxide/chitosan porous scaffolds loaded with PFT α to promote bone regeneration,” *Nanoscale*, vol. 9, no. 20, pp. 6765–6776, 2017, doi: 10.1039/c7nr00601b.
- [34] X. Liu *et al.*, “In vitro BMP-2 peptide release from thiolated chitosan based hydrogel,” *International Journal of Biological Macromolecules*, vol. 93, pp. 314–321, 2016, doi: 10.1016/j.ijbiomac.2016.08.048.