

References

- Abeyasinghe, U. M., & Amarasekera, H. S. (2011). Pressure and non-pressure preservation methods for rubber wood treatment by Boron preservatives. *Proceedings of International Forestry and Environment Symposium*, 16(0). <https://doi.org/10.31357/fesympo.v16i0.94>
- Abubakar, S., Liu, X., & Xiong, X. (2023). *Biological Deterioration and Conservation of Archaeological Wood: a review*.
- Alade, A. A., Naghizadeh, Z., Wessels, C. B., & Tyhoda, L. (2022). A review of the effects of wood preservative impregnation on adhesive bonding and joint performance. *Journal of Adhesion Science and Technology*, 36(15), 1593–1617.
- Ali, M. R., Abdullah, U. H., Ashaari, Z., Hamid, N. H., & Hua, L. S. (2021). Hydrothermal modification of wood: A review. *Polymers*, 13(16), 2612.
- Altaner, C. (2022). Preservative Treated Timber Products in New Zealand. *Cellulose Chemistry and Technology*, 56(7–8), 705–716. <https://doi.org/10.35812/cellulosechemtechnol.2022.56.62>
- Altgen, M., Willems, W., Hosseinpourpia, R., & Rautkari, L. (2018). Hydroxyl accessibility and dimensional changes of Scots pine sapwood affected by alterations in the cell wall ultrastructure during heat-treatment. *Polymer Degradation and Stability*, 152, 244–252.
- Amarasinghe, W. V. T. D., Terada, T., & Yamamoto, H. (2021). Enhancing the carbon sequestration of high-elevation Eucalyptus plantations in Sri Lanka for future carbon market activities. *Journal of Forest Research*, 26(5), 351–357.
- Antwi-Boasiako, C., & Ampsonah, D. (2012). Compressive strength, static bending and specific gravity of chemically-treated stakes from three structural and general-purpose hardwoods. *Journal of the Indian Academy of Wood Science*, 9(2), 83–91.
- Arantes, V., & Goodell, B. (2014). Current understanding of brown-rot fungal biodegradation mechanisms: a review. *Deterioration and Protection of Sustainable Biomaterials*, 3–21.
- Article, R. (n.d.). *i Forest*. 10, 895–908. <https://doi.org/10.3832/ifor2380-010>
- Ashwath, M. N., Sathish, B. N., Akshayakumari, A., Rashmitha, H. R., Leosh, D., & Devagiri, G. M. (2023). *Suitability of Acrocarpus fraxinifolius as a Pulp Raw Material*.
- Bakir, D., Dogu, D., Kartal, S. N., & Terzi, E. (2023). Evaluation of pit dimensions and uptake of preservative solutions in wood after permeability improvement by bioincising. *Wood Material Science & Engineering*, 18(1), 233–243.
- Binbuga, N., Ruhs, C., Hasty, J. K., Henry, W. P., & Schultz, T. P. (2008). *Developing environmentally benign and effective organic wood preservatives by understanding the biocidal and non-biocidal properties of extractives in naturally durable heartwood*. 62(3), 264–269. <https://doi.org/doi:10.1515/HF.2008.038>

- Boonstra, M. (2008). *A two-stage thermal modification of wood*. Ghent University.
- Brischke, C. (2019). Timber. In *Long-term Performance and Durability of Masonry Structures* (pp. 129–168). Elsevier.
- Brischke, C., & Rapp, A. O. (2008). Influence of wood moisture content and wood temperature on fungal decay in the field: Observations in different micro-climates. *Wood Science and Technology*, 42(8), 663–677. <https://doi.org/10.1007/s00226-008-0190-9>
- Brostow, W., Datashvili, T., & Miller, H. (2010). Wood and wood derived materials. *Journal of Materials Education*, 32(3), 125.
- Burpee, C. M. (n.d.). *Pressure Treated Wood for Highway Construction*.
- Caldeira, F. (2010). Boron in wood preservation. A review in its physico-chemical aspects. *Silva Lusitana*, 18(2), 179–196.
- Camuffo, D. (2018). Standardization activity in the evaluation of moisture content. *Journal of Cultural Heritage*, 31, S10–S14.
- Candelier, K., Thevenon, M.-F., Petrisans, A., Dumarcay, S., Gerardin, P., & Petrisans, M. (2016). Control of wood thermal treatment and its effects on decay resistance: a review. *Annals of Forest Science*, 73, 571–583.
- Cao, S., Cheng, S., & Cai, J. (2022). Research progress and prospects of wood high-temperature heat treatment technology. *BioResources*, 17(2), 3702.
- Carlquist, S. (2018). Living Cells in Wood 3. Overview; Functional Anatomy of the Parenchyma Network. *Botanical Review*, 84(3), 242–294. <https://doi.org/10.1007/s12229-018-9198-5>
- Chen, C., Kuang, Y., Zhu, S., Burgert, I., Keplinger, T., Gong, A., Li, T., Berglund, L., Eichhorn, S. J., & Hu, L. (2020). Structure–property–function relationships of natural and engineered wood. *Nature Reviews Materials*, 5(9), 642–666.
- Civardi, C., Schwarze, F. W. M. R., & Wick, P. (2015). Micronized copper wood preservatives: An efficiency and potential health risk assessment for copper-based nanoparticles. *Environmental Pollution*, 200, 126–132.
- Claverie, M., Notaro, M., Fontaine, F., & Wery, J. (2020). Current knowledge on Grapevine Trunk Diseases with complex etiology: a systemic approach. *Phytopathologia Mediterranea*, 59(1), 29–53. <https://doi.org/10.14601/Phyto-11150>
- Croitoru, C., Patachia, S., & Lunguleasa, A. (2015). New method of wood impregnation with inorganic compounds using ethyl methylimidazolium chloride as carrier. *Journal of Wood Chemistry and Technology*, 35(2), 113–128. <https://doi.org/10.1080/02773813.2014.892991>
- Damette, O., & Delacote, P. (2011). Unsustainable timber harvesting, deforestation and the role of certification. *Ecological Economics*, 70(6), 1211–1219. <https://doi.org/https://doi.org/10.1016/j.ecolecon.2011.01.025>

- Daswatte, C. (2012). *Sri Lanka Style: Tropical Design and Architecture*. Tuttle Publishing.
- De Zoysa, M., & Inoue, M. (2008). Forest Governance and Community Based Forest Management in Sri Lanka: Past, Present and Future Perspectives. *International Journal of Social Forestry*, 1(1), 27–49.
- Derkyi, N. (2020). Azoles for renewable energy development and wood treatment. In *Azoles-Synthesis, Properties, Applications and Perspectives*. IntechOpen.
- Donaldson, L. A., & Radotic, K. (2013). Fluorescence lifetime imaging of lignin autofluorescence in normal and compression wood. *Journal of Microscopy*, 251(2), 178–187.
- Efhamisisi, D. (2015). *Preservation of plywood against biological attack with low environmental impact using tannin-boron preservative*. Université de Montpellier.
- Engelund, E. T., Thygesen, L. G., Svensson, S., & Hill, C. A. S. (2013). A critical discussion of the physics of wood-water interactions. *Wood Science and Technology*, 47(1), 141–161. <https://doi.org/10.1007/s00226-012-0514-7>
- Fan, S., Gao, X., Pang, J., Liu, G., & Li, X. (2023). Enhanced Preservative Performance of Pine Wood through Nano-Xylan Treatment Assisted by High-Temperature Steam and Vacuum Impregnation. *Materials*, 16(11), 3976.
- Freeman, M. H., & McIntyre, C. R. (2008). Copper-based wood preservatives. *Forest Products Journal*, 58(11), 6–27.
- Frihart, C. R. (2015). *Introduction to Special Issue Wood Adhesives : Past , Present , and Future*. <https://doi.org/10.13073/65.1-2.4>
- Gérardin, P. (2016a). New alternatives for wood preservation based on thermal and chemical modification of wood—a review. *Annals of Forest Science*, 73, 559–570.
- Gérardin, P. (2016b). New alternatives for wood preservation based on thermal and chemical modification of wood — a review. *Annals of Forest Science*, 559–570. <https://doi.org/10.1007/s13595-015-0531-4>
- Goli, G., Negro, F., Emmerich, L., & Militz, H. (2023). Thermal and chemical modification of wood—a combined approach for exclusive, high-demanding performance products. *Wood Material Science & Engineering*, 18(1), 58–66.
- Grosse, C., Noël, M., Thévenon, M., Rautkari, L., & Gérardin, P. (2018). *Influence of Water and Humidity on Wood Modification with Lactic Acid*. 6(3), 259–269. <https://doi.org/10.7569/JRM.2017.634176>
- Hassan, B., & Fitzgerald, C. (2023). Potential of Gas-Propelled Aerosol Containing Synergized Pyrethrins for Localized Treatment of Cryptotermes brevis (Kalotermitidae: Blattodea). *Insects*, 14(6), 522.
- Hill, C., Altgen, M., & Rautkari, L. (2021). Thermal modification of wood—A review:

- Chemical changes and hygroscopicity. *Journal of Materials Science*, 56, 6581–6614.
- Himandi, S., Perera, P., Amarasekera, H., Rupasinghe, R., & Vlosky, R. P. (2021). Wood residues in the Moratuwa woodworking industry cluster of Sri Lanka: Potential for sector synergies and value-added products. *Forest Products Journal*, 71(4), 379–390.
- Homan, W. J., & Jorissen, A. J. M. (2004). Wood modification developments. *Heron*, 49(4), 361–385.
- Homan, W., Tjeerdsma, B., Beckers, E., & Jorissen, A. (2000). Structural and other properties of modified wood. *World Conference on Timber Engineering*, 5.
- Hristozov, D., Pizzol, L., Basei, G., Zabeo, A., Mackevica, A., Hansen, S. F., Gosens, I., Cassee, F. R., de Jong, W., & Koivisto, A. J. (2018). Quantitative human health risk assessment along the lifecycle of nano-scale copper-based wood preservatives. *Nanotoxicology*, 12(7), 747–765.
- Ibraheem, B. M., Aani, S. Al, Alsarayreh, A. A., Alsalhy, Q. F., & Salih, I. K. (2023). Forward Osmosis Membrane: Review of Fabrication, Modification, Challenges and Potential. *Membranes*, 13(4), 379.
- Järvinen, J., Ilgin, H. E., & Karjalainen, M. (2022). Wood preservation practices and future outlook: Perspectives of experts from Finland. *Forests*, 13(7), 1044.
- Johnson, M. G., Luxton, T. P., Rygiewicz, P. T., Reichman, J. R., Bollman, M. A., King, G. A., Storm, M. J., Nash, M. S., & Andersen, C. P. (2021). Transformation and release of micronized Cu used as a wood preservative in treated wood in wetland soil. *Environmental Pollution*, 287, 117189.
- Kamm, B., Kamm, M., Richter, K., Reimann, W., & Siebert, A. (2000). Investigation into the biotechnological modification of wood and its application in the wood-based material industry. *Acta Biotechnologica*, 20(3–4), 305–312. <https://doi.org/10.1002/abio.370200311>
- Khazaei, J. (2008). Water Absorption Characteristics. *Agronomical Research in Moldavia*, XLI(2), 5–16.
- Kránitz, K., Sonderegger, W., Bues, C.-T., & Niemz, P. (2016). Effects of aging on wood: a literature review. *Wood Science and Technology*, 50, 7–22.
- Kretschmann, D. E. (2010). Chapter 5 - Mechanical Properties of Wood. *Wood Handbook - Wood as an Engineering Material*, 1–46.
- Kumar, A., Richter, J., Tywoniak, J., Hajek, P., Adamopoulos, S., Šegedin, U., & Petrič, M. (2017). Surface modification of Norway spruce wood by octadecyltrichlorosilane (OTS) nanosol by dipping and water vapour diffusion properties of the OTS-modified wood. *Holzforschung*, 72(1), 45–56.
- Lebow, S., Arango, R., Woodward, B., Lebow, P., & Ohno, K. (2015a). Efficacy of alternatives to zinc naphthenate for dip treatment of wood packaging materials. *International Biodeterioration & Biodegradation*, 104, 371–376.

- Lebow, S., Arango, R., Woodward, B., Lebow, P., & Ohno, K. (2015b). Efficacy of alternatives to zinc naphthenate for dip treatment of wood packaging materials. *International Biodeterioration and Biodegradation*, 104, 371–376. <https://doi.org/10.1016/j.ibiod.2015.07.006>
- Li, H., Zhang, F., Ramaswamy, H. S., Zhu, S., & Yu, Y. (2016). High-pressure treatment of Chinese fir wood: Effect on density, mechanical properties, humidity-related moisture migration, and dimensional stability. *BioResources*, 11(4), 10497–10510.
- Lian, M., Huang, Y., Liu, Y., Jiang, D., Wu, Z., Li, B., Xu, Q., Murugadoss, V., Jiang, Q., & Huang, M. (2022). An overview of regenerable wood-based composites: preparation and applications for flame retardancy, enhanced mechanical properties, biomimicry, and transparency energy saving. *Advanced Composites and Hybrid Materials*, 5(3), 1612–1657.
- Mai, C., Schmitt, U., & Niemz, P. (2022). A brief overview on the development of wood research. *Holzforschung*, 76(2), 102–119.
- Manga Bengono, D. M., Tamba, J. G., Zobo Mfomo, J., Fopah-Lele, A., Diboma, B. S., Banyuy, F. G., & Biwolé, A. B. (2023). Influence of the anatomical structure on the moisture sorption and thermodynamic properties of the African tropical woods. *Heat and Mass Transfer*, 59(1), 113–130.
- Mantanis, G. I. (2017). Chemical modification of wood by acetylation or furfurylation: A review of the present scaled-up technologies. *BioResources*, 12(2), 4478–4489.
- Marais, B. N., Brischke, C., & Militz, H. (2022). Wood durability in terrestrial and aquatic environments – A review of biotic and abiotic influence factors. *Wood Material Science & Engineering*, 17(2), 82–105. <https://doi.org/10.1080/17480272.2020.1779810>
- Matsumura, J., Booker, R. E., Ridoutt, B. G., Donaldson, L. A., Mikajiri, N., Matsunaga, H., & Oda, K. (1999). Impregnation of radiata pine wood by vacuum treatment II: effect of pre-steaming on wood structure and resin content. *Journal of Wood Science*, 45, 456–462.
- Mendis, M., Perera, H., Dharmaratne, D., Amarasekera, H., Jayasinghe, R., & Halwatura, R. (2020). Preliminary investigation on ancient timber structures through microscopic analysis. *2020 From Innovation to Impact, FITI 2020*, 0–4. <https://doi.org/10.1109/FITI52050.2020.9424882>
- Mendis, M S, & Halwatura, P. A. U. I. R. U. (2023). Impacts of chemical modification of wood on water absorption : a review. *Journal of the Indian Academy of Wood Science*, 20(1), 73–88. <https://doi.org/10.1007/s13196-023-00309-y>
- Mendis, M S, Halwatura, R. U., Somadeva, D. R. K., & Jayasinghe, R. A. (2020). Spectroscopic Determination of Chemical Elements on Abundantly Available Five Leaf Types in Tropics. *9Th Ysf Symposium*, 4(4), 31.
- Mendis, M S, Ishani, P. A. U., & Halwatura, • R U. (n.d.). *Impacts of chemical modification of wood on water absorption: a review*.

<https://doi.org/10.1007/s13196-023-00309-y>

- Mendis, Malsha S., Rajapaksha, M., & Halwatura, R. U. (2020). Unleashing the potentials of traditional construction technique in bio-climatic building designs: A case of Ambalam, Sri Lanka. *International Journal of Environmental Science and Development*, 11(6), 298–304. <https://doi.org/10.18178/ijesd.2020.11.6.1266>
- Mendis, Malsha S., & Umesh Halwatura, R. (2019). Decoding the societal transitions on environmental innovation under vernacular timber construction practice in Sri lanka. *2019 From Innovation to Impact, FITI 2019*, 1–6. <https://doi.org/10.1109/FITI49428.2019.9037628>
- Millat-e-Mustafa, M. (2001). *A review of forest policy trends in Bangladesh*. 0(June), 114–121. <http://www.communityforestry.lk/wp-content/uploads/2012/researchpapers/A Review of Forest Policy Trends in Sri Lanka.PDF>
- Mishra, B., & Singh, R. K. (2023). *Sustainable Operations in Paper and Pulp Industry : Analysis of Challenges*.
- Mohebby, B., Sharifnia-Dizboni, H., & Kazemi-Najafi, S. (2009). Combined hydro-thermo-mechanical modification (CHTM) as an innovation in mechanical wood modification. *Proceeding of 4th European Conference on Wood Modification (ECWM4), Stockholm, Sweden*, 15, 353–360.
- Morais, S., Fonseca, H. M. A. C., Oliveira, S. M. R., Oliveira, H., Gupta, V. K., Sharma, B., & de Lourdes Pereira, M. (2021). Environmental and health hazards of chromated copper arsenate-treated wood: A review. *International Journal of Environmental Research and Public Health*, 18(11), 5518.
- Morozovs, A., & Bukšāns, E. (2009). Fire performance characteristics of acetylated ash (*Fraxinus excelsior* L.) wood. *Wood Material Science & Engineering*, 4(1–2), 76–79. <https://doi.org/10.1080/17480270903315580>
- Narasimhamurthy. (2022). *Preservation of Engineered Wood Composites (Solid Wood Plywood, Blockboards/Flush Doors) Made from Plantation Timbers BT - Science of Wood Degradation and its Protection* (R. Sundararaj (ed.); pp. 625–646). Springer Singapore. https://doi.org/10.1007/978-981-16-8797-6_18
- Nath, S., Waugh, D., Ormondroyd, G., Spear, M., Pitman, A., Curling, S., & Mason, P. (2020). Laser incising of wood: A review. *Lasers in Engineering*, 45(4–6), 381–403.
- Nyrud, A. Q., Bringslimark, T., & Bysheim, K. (2014). Benefits from wood interior in a hospital room: A preference study. *Architectural Science Review*, 57(2), 125–131. <https://doi.org/10.1080/00038628.2013.816933>
- Owoyemi, J. M. (2010). The influence of preservative viscosity on fluid absorption by *Gmelina arborea* wood. *For. For. Prod. J.*, 3, 32–39.
- Owoyemi, J. M., Oyebamiji, W. O., & Aladejana, J. T. (2015). Drying Characteristics

- of Three Selected Nigerian Indigenous Wood Species Using Solar Kiln Dryer and Air Drying Shed. *American Journal of Science and Technology*, 2(4), 176–182. <http://www.aascit.org/journal/ajst>
- P.Sudeshika. (2019). *a Study on Most Abundantly Utilized Timber for Structural. December*, 107–114.
- Paul, A., Laurila, T., Vuorinen, V., & Divinski, S. V. (2014). Thermodynamics, diffusion and the kirkendall effect in solids. In *Thermodynamics, Diffusion and the Kirkendall Effect in Solids* (Vol. 9783319074). <https://doi.org/10.1007/978-3-319-07461-0>
- Pavia, K. J. (2006). A review of double-diffusion wood preservation suitable for Alaska. *USDA Forest Service - General Technical Report PNW*, 676, 1–23.
- Perera, P., Rupasinghe, R. L., Weerasekera, D., Vlosky, R., & Bandara, R. (2022). Revisiting Forest Certification in Sri Lanka: The Forest Management and Export Wood-Based Manufacturing Sector Perspectives. *Forests*, 13(2), 1–18. <https://doi.org/10.3390/f13020179>
- Pramreiter, M., Nenning, T., Malzl, L., & Konnerth, J. (2023). A plea for the efficient use of wood in construction. *Nature Reviews Materials*, 8(4), 217–218. <https://doi.org/10.1038/s41578-023-00534-4>
- Pushpakumara, B. H. J., Gunasekara, M. T., & Abhayathunge, U. I. (2023). Investigation on mechanical and of Sri Lankan timber species for construction applications. *Case Studies in Construction Materials*, 19, e02269. <https://doi.org/https://doi.org/10.1016/j.cscm.2023.e02269>
- Reinprecht, L., & Repák, M. (2019). The impact of paraffin-thermal modification of beech wood on its biological, physical and mechanical properties. *Forests*, 10(12), 1102.
- Repola, J. (2006). Models for vertical wood density of Scots pine, Norway spruce and birch stems, and their application to determine average wood density. *Silva Fennica*, 40(4), 673–685. <https://doi.org/10.14214/sf.322>
- Richter, C. (2015). Wood characteristics: Description, causes, prevention, impact on use and technological adaptation. *Wood Characteristics: Description, Causes, Prevention, Impact on Use and Technological Adaptation*, 1–222. <https://doi.org/10.1007/978-3-319-07422-1>
- Rowell, R. M. (2006). Chemical modification of wood: A short review. *Wood Material Science & Engineering*, 1(1), 29–33. <https://doi.org/10.1080/17480270600670923>
- Rowell, R. M., & Ellis, W. D. (1984). *Effects of Moisture on the Chemical Modification of Wood with Epoxides and Isocyanates*. 16(2), 257–267.
- Rowell, R. M., Ibach, R. E., McSweeny, J., & Nilsson, T. (2009). Understanding decay resistance, dimensional stability and strength changes in heat-treated and acetylated wood. *Wood Material Science & Engineering*, 4(1–2), 14–22.

<https://doi.org/10.1080/17480270903261339>

- Roy, A., Manna, K., Dey, S., & Pal, S. (2023). Chemical modification of β -cyclodextrin towards hydrogel formation. *Carbohydrate Polymers*, 120576.
- Ruwanpathirana, B. N. (1880). *Timber Utilization in Sri Lanka 1 . Timber resources in Sri Lanka*.
- Ruwanpathirana, N. D. (2012). Sustainable utilization of timber resources in Sri Lanka. *SOBA, Ministry of Environment, Sri Lanka*, 56–70.
- Sandberg, D., Kutnar, A., & Mantanis, G. (2017a). Wood modification technologies- a review. *Iforest-Biogeosciences and Forestry*, 10(6), 895.
- Sandberg, D., Kutnar, A., & Mantanis, G. (2017b). Wood modification technologies - A review. *IForest*, 10(6), 895–908. <https://doi.org/10.3832/ifor2380-010>
- Sarapää, P. (2003). Wood density and growth. *Wood Quality and Its Biological Basis*, 87–117.
- Sargent, R. (2022). Evaluating dimensional stability in modified wood: an experimental comparison of test methods. *Forests*, 13(4), 613.
- Sarıoğlu, E., Turhan, E. A., Karaz, S., Bengü, B., Biçer, A., Yarıcı, T., Erkey, C., & Senses, E. (2023). A facile method for cross-linking of methacrylated wood fibers for engineered wood composites. *Industrial Crops and Products*, 193, 116296.
- Schmid, J., Brandon, D., Werther, N., & Klippel, M. (2019). Technical note - Thermal exposure of wood in standard fire resistance tests. *Fire Safety Journal*, 107, 179–185. <https://doi.org/https://doi.org/10.1016/j.firesaf.2018.02.002>
- Schubert, M., Panzarasa, G., & Burgert, I. (2022). Sustainability in wood products: a new perspective for handling natural diversity. *Chemical Reviews*, 123(5), 1889–1924.
- Schultz, T. P., Nicholas, D. D., & Preston, A. F. (2007). A brief review of the past, present and future of wood preservation. *Pest Management Science: Formerly Pesticide Science*, 63(8), 784–788.
- Sedhain, G. (2023). *Surface Modification of Wood Using Nano-Sized Titania Particles Coated by Liquid-Precursor Flame Spray Pyrolysis*. Mississippi State University.
- Service, F., & Simpson, W. T. (1993). Specific Gravity , Moisture Content , and Density Relationship for Wood. *Gen Tech Rep FPLGTR76 Madison WI US Department of Agriculture Forest Service Forest Products Laboratory 13 P, Gen. Tech.*, 13. <http://citeseervx.ist.psu.edu/viewdoc/download?doi=10.1.1.155.4926&rep=r ep1&type=pdf>
- Shirmohammadli, Y., Hashemi, A., & Masoudnia, R. (n.d.). *EXPERIMENTAL AND NUMERICAL INVESTIGATION OF CROSS- LAMINATED TIMBER JOINTS WITH MULTIPLE GLUED-IN RODS*. 1389–1396.

- Shukla, S. R., & Kamdem, D. P. (2012). Effect of copper based preservatives treatment of the properties of southern pine LVL. *Construction and Building Materials*, 34, 593–601.
- Sikkema, R., Dallemand, J. F., Matos, C. T., van der Velde, M., & San-Miguel-Ayanz, J. (2017). How can the ambitious goals for the EU's future bioeconomy be supported by sustainable and efficient wood sourcing practices? *Scandinavian Journal of Forest Research*, 32(7), 551–558. <https://doi.org/10.1080/02827581.2016.1240228>
- Singh, S., Davey, S., & Cole, M. (2010). New Zealand Journal of Forestry Science 40 (2010) 199-209. *New Zealand Journal of Forestry Science*, 40, 199–209. <http://www.scopus.com/inward/record.url?eid=2-s2.0-77955440077&partnerID=tZOTx3y1>
- Sjostrom, E. (2013). *Wood chemistry: fundamentals and applications*. Elsevier.
- Spear, M. J., Curling, S. F., Dimitriou, A., & Ormondroyd, G. A. (2021). Review of functional treatments for modified wood. *Coatings*, 11(3), 327.
- Srivastava, R. K., Shetti, N. P., Reddy, K. R., Nadagouda, M. N., Badawi, M., Bonilla-Petriciolet, A., & Aminabhavi, T. M. (2023). Valorization of biowastes for clean energy production, environmental depollution and soil fertility. *Journal of Environmental Management*, 332, 117410. <https://doi.org/https://doi.org/10.1016/j.jenvman.2023.117410>
- Sudeshika, D. M. P., Mendis, M. S., & Halwatura, R. U. (2019). *A study on most abundantly utilized timber for structural application in Sri Lanka*.
- Sudeshika, D. M. P., Mendis, M. S., & Halwatura, R. U. (2020). Investigation on the Mechanical Property Variation on Timber Caused Due to the Thermal and Chemical Modification. *MERCon 2020 - 6th International Multidisciplinary Moratuwa Engineering Research Conference, Proceedings*, July, 78–83. <https://doi.org/10.1109/MERCon50084.2020.9185330>
- Tamblyn, N. E. (1985a). *Treatment of wood by diffusion*.
- Tamblyn, N. E. (1985b). Treatment of wood by diffusion. In *Preservation of Timber in the Tropics* (pp. 121–140). Springer.
- Tarmian, A., Zahedi Tajrishi, I., Oladi, R., & Efhamisisi, D. (2020). Treatability of wood for pressure treatment processes: a literature review. *European Journal of Wood and Wood Products*, 78, 635–660.
- Taylor, P., Rowell, R. M., Fs, U., & Rowell, R. M. (2006). *Wood Material Science & Engineering Chemical modification of wood: A short review* *Chemical modification of wood: A short review*. January 2015, 37–41. <https://doi.org/10.1080/17480270600670923>
- Teng, T.-J., Arip, M. N. M., Sudesh, K., Nemoikina, A., Jalaludin, Z., Ng, E.-P., & Lee, H.-L. (2018). Conventional technology and nanotechnology in wood preservation: A review. *BioResources*, 13(4), 9220–9252.

- Thybring, E. E., & Fredriksson, M. (2021). Wood modification as a tool to understand moisture in wood. *Forests*, 12(3), 1–18. <https://doi.org/10.3390/f12030372>
- Thybring, E. E., & Fredriksson, M. (2023a). Wood and Moisture. In *Springer Handbook of Wood Science and Technology* (pp. 355–397). Springer.
- Thybring, E. E., & Fredriksson, M. (2023b). *Wood and Moisture BT - Springer Handbook of Wood Science and Technology* (P. Niemz, A. Teischinger, & D. Sandberg (eds.); pp. 355–397). Springer International Publishing. https://doi.org/10.1007/978-3-030-81315-4_7
- Toan, D. (n.d.). *Methods of Determining the Moisture Content of Wood*.
- Townsend, T. G., Dubey, B., Solo-gabriele, H., & Gainesville, P. O. B. (2011). ASSESSING POTENTIAL WASTE DISPOSAL IMPACT FROM PRESERVATIVE TREATED WOOD PRODUCTS Department of Environmental Engineering Sciences , University of Florida , Department of Civil , Architectural and Environmental Engineering , University of Miami , Coral Ga. October, 1–19.
- Tsapko, Y., Horbachova, O., Mazurchuk, S., & Bondarenko, O. (2021). Study of resistance of thermomodified wood to the influence of natural conditions. *IOP Conference Series: Materials Science and Engineering*, 1164(1), 12080.
- Usta, I. (2004). The effect of moisture content and wood density on the preservative uptake of Caucasian fir (*Abies nordmanniana* (Link.) Spach.) treated with CCA. *Turkish Journal of Agriculture and Forestry*, 28(1), 1–7. <https://doi.org/10.3906/tar-0308-6>
- Van Acker, J., Van den Bulcke, J., Forsthuber, B., & Grüll, G. (2023). Wood Preservation and Wood Finishing. In *Springer Handbook of Wood Science and Technology* (pp. 793–871). Springer.
- Walker, J. C. F., Archer, K., & Lebow, S. (2006). Wood preservation. *Primary Wood Processing: Principles and Practice*, 297–338.
- Wang, D., Fu, F., & Lin, L. (2022). Molecular-level characterization of changes in the mechanical properties of wood in response to thermal treatment. *Cellulose*, 29(6), 3131–3142.
- Wegner, T., Skog, K. E., Ince, P. J., & Michler, C. J. (2010). Uses and Desirable Properties of Wood in the 21st Century. *Journal of Forestry*, 108(4), 165–173. <https://doi.org/10.1093/jof/108.4.165>
- Weththasinghe, K. K., Akash, A., & Harding, T. (2022). Carbon footprint of wood and plastic as packaging materials—An Australian case of pallets. *Journal of Cleaner Production*, 363, 132446.
- Widehammar, S. (2004). Stress-strain relationships for spruce wood: Influence of strain rate, moisture content and loading direction. *Experimental Mechanics*, 44, 44–48.
- Wijesinghe, L. C. A. de S. (2003). *Forestry in Sri Lanka a voyage through time*.

- Wimmers, G. (2017). Wood: A construction material for tall buildings. *Nature Reviews Materials*, 2, 1–3. <https://doi.org/10.1038/natrevmats.2017.51>
- Wood - Densities of Various Species.* (n.d.). Retrieved June 21, 2023, from https://www.engineeringtoolbox.com/wood-density-d_40.html
- Wrigley, E. A. (2017). The supply of raw materials in the industrial revolution. In *The causes of the industrial revolution in England* (pp. 97–120). Routledge.
- Xie, Y., Fu, Q., Wang, Q., Xiao, Z., & Militz, H. (2013). Effects of chemical modification on the mechanical properties of wood. *Eur. J. Wood Wood Prod*, 71(4), 401–416.
- Yildiz, S., & Gümüşkaya, E. (2007). The effects of thermal modification on crystalline structure of cellulose in soft and hardwood. *Building and Environment*, 42(1), 62–67.
- Yu, C. W. F., & Kim, J. T. (2012). Long-term impact of formaldehyde and VOC emissions from wood-based products on indoor environments; and issues with recycled products. *Indoor and Built Environment*, 21(1), 137–149.
- Yuan, Z., Dai, W., Zhang, S., Wang, F., Jian, J., Zeng, J., & Zhou, H. (2022). Heterogeneous strategies for selective conversion of lignocellulosic polysaccharides. *Cellulose*, 29(6), 3059–3077. <https://doi.org/10.1007/s10570-022-04434-8>
- Zelinka, S. L., Altgen, M., Emmerich, L., Guigo, N., Keplinger, T., Kymäläinen, M., Thybring, E. E., & Thygesen, L. G. (2022). Review of Wood Modification and Wood Functionalization Technologies. *Forests*, 13(7), 1–46. <https://doi.org/10.3390/f13071004>
- Zeng, X., Jin, Q., Wang, P., & Huang, C. (2023). Distribution and Speciation of Heavy Metal(loid)s in Soils under Multiple Preservative-Treated Wooden Trestles. *Toxics*, 11(3), 249. <https://doi.org/10.3390/toxics11030249>
- Zhang, N., Li, S., Xiong, L., Hong, Y., & Chen, Y. (2015). Cellulose-hemicellulose interaction in wood secondary cell-wall. *Modelling and Simulation in Materials Science and Engineering*, 23(8). <https://doi.org/10.1088/0965-0393/23/8/085010>
- Žigon, J., & Pavlič, M. (2023). Assessment of the Combined Charring and Coating Treatments as a Wood Surface Protection Technique. *Forests*, 14(3), 440.

H.Amarsekera,W.C.Dheerasekera. (2007). *Study on Cane Furniture industries at Wewaldeniya ans Wood- based Furniture industries at Moratuwa*. Sri Lanka: National Enterprise Development Authority - NEDA.

Amarasekera, H. (2023, 01 13). *Construction timber in Sri Lanka - future trends and technologies*. Nugegoda: University of Sri Jayewardenepura. Retrieved from <http://dr.lib.sjp.ac.lk/handle/123456789/12565>

Amarasinghe W.V.T.D., M. C. (2021). The Effect of Incising on Coal-Tar Creosote Treated Wooden Sleepers to Increase Retention. *Proceedings of International Forestry and Environment Symposium*. Nugegoda, Sri Lanka: University of Sri Jayewardenepura.