

REFERENCES

- [1] S. Ramírez-Gallego, B. Krawczyk, S. García, M. Woźniak, and F. Herrera, “A survey on data preprocessing for data stream mining: Current status and future directions,” *Neurocomputing*, vol. 239, pp. 39–57, 2017.
- [2] J. Read, “Concept-drifting data streams are time series; the case for continuous adaptation,” *ArXiv*, vol. abs/1810.02266, 2018.
- [3] J. Lu, A. Liu, F. Dong, F. Gu, J. Gama, and G. Zhang, “Learning under concept drift: A review,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 31, no. 12, pp. 2346–2363, 2019.
- [4] C. de Masson D’Autume, S. Ruder, L. Kong, and D. Yogatama, “Episodic memory in lifelong language learning,” *Advances in Neural Information Processing Systems*, vol. 32, no. NeurIPS, 2019.
- [5] F. Shen and O. Hasegawa, “Self-organizing incremental neural network and its application,” in *Artificial Neural Networks – ICANN 2010*, K. Diamantaras, W. Duch, and L. S. Iliadis, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2010, pp. 535–540.
- [6] Ł. Korycki and B. Krawczyk, “Adaptive Deep Forest for Online Learning from Drifting Data Streams,” 2020. [Online]. Available: <http://arxiv.org/abs/2010.07340>
- [7] M. Du, F. Li, G. Zheng, and V. Srikumar, “DeepLog : Anomaly Detection and Diagnosis from System Logs through Deep Learning.”
- [8] B. Debnath, M. Solaimani, M. A. Gulzar, and N. Arora, “LogLens : A Real-time Log Analysis System,” no. July, 2018.
- [9] A. Das, F. Mueller, and B. Rountree, “Aarohi: Making Real-Time Node Failure Prediction Feasible,” *Proceedings - 2020 IEEE 34th International Parallel and Distributed Processing Symposium, IPDPS 2020*, pp. 1092–1101, 2020.
- [10] Y. Chen, X. Yang, Q. Lin, D. Zhang, H. Dong, Y. Xu, H. Li, Y. Kang, H. Zhang, F. Gao, Z. Xu, and Y. Dang, “Outage prediction and diagnosis for cloud service systems,” *The Web Conference 2019 - Proceedings of the World Wide Web Conference, WWW 2019*, pp. 2659–2665, 2019.
- [11] A. Das, F. Mueller, C. Siegel, and A. Vishnu, “Desh: Deep learning for system health prediction of lead times to failure in HPC,” *HPDC 2018 - Proceedings*

of the 2018 International Symposium on High-Performance Parallel and Distributed Computing, pp. 40–51, 2018.

- [12] X. Sun, K. Chakrabarty, R. Huang, Y. Chen, B. Zhao, H. Cao, Y. Han, X. Liang, and L. Jiang, “System-level hardware failure prediction using deep learning,” in *2019 56th ACM/IEEE Design Automation Conference (DAC)*, 2019, pp. 1–6.
- [13] P. A. Svendsen, “Online failure prediction in unix systems,” Master’s thesis, Universitetet i Agder/University of Agder, 2011.
- [14] T. Pitakrat, A. v. Hoorn, and L. Grunske, “Increasing dependability of component-based software systems by online failure prediction (short paper),” in *2014 Tenth European Dependable Computing Conference*, 2014, pp. 66–69.
- [15] C. Wiwatcharakoses and D. Berrar, “SOINN+, a Self-Organizing Incremental Neural Network for Unsupervised Learning from Noisy Data Streams,” *Expert Systems with Applications*, vol. 143, p. 113069, 2020. [Online]. Available: <https://doi.org/10.1016/j.eswa.2019.113069>
- [16] A. V. Hoorn and L. Grunske, “The Journal of Systems and Software Hora : Architecture-aware online failure prediction,” vol. 137, pp. 669–685, 2018.
- [17] S. He, P. He, Z. Chen, T. Yang, Y. Su, and M. R. Lyu, “A Survey on Automated Log Analysis for Reliability Engineering,” vol. 1, no. 1, 2020. [Online]. Available: <http://arxiv.org/abs/2009.07237>
- [18] T. Chen, Y. Li, Y. Liu, Y. Guo, and Y. Li, “A novel machine learning approach for predicting system failure,” *Journal of Systems and Software*, vol. 144, pp. 1–9, 2018.
- [19] Y. Lu, Y. Zhu, Y. Guo, H. Zhang, and Z. Huang, “System log analysis for system failure prediction: A survey,” *IEEE Access*, vol. 8, pp. 227 880–227 896, 2020.
- [20] “Linux logging basics - the ultimate guide to logging,” Sep 2022. [Online]. Available: <https://www.loggly.com/ultimate-guide/linux-logging-basics/>
- [21] S. C. H. Hoi, D. Sahoo, J. Lu, and P. Zhao, “Online learning: A comprehensive survey,” *Neurocomputing*, vol. 459, pp. 249–289, 2021. [Online]. Available: <https://doi.org/10.1016/j.neucom.2021.04.112>
- [22] A. A. Benczúr, L. Kocsis, and R. Pálovics, “Online machine learning in big data streams,” *arXiv preprint arXiv:1802.05872*, 2018.
- [23] R. A. A. Habeeb, F. Nasaruddin, A. Gani, I. A. T. Hashem, E. Ahmed, and M. Imran, “Real-time big data processing for anomaly detection: A survey,” *International Journal of Information Management*, vol. 45, pp. 289–307, 2019.

- [24] A. L. Suárez-Cetrulo, D. Quintana, and A. Cervantes, “A survey on machine learning for recurring concept drifting data streams,” *Expert Systems with Applications*, vol. 213, p. 118934, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0957417422019522>
- [25] L. Minku, A. White, and X. Yao, “The impact of diversity on online ensemble learning in the presence of concept drift,” *IEEE Trans. Knowl. Data Eng.*, vol. 22, pp. 730–742, 05 2010.
- [26] M. McCloskey and N. J. Cohen, “Catastrophic interference in connectionist networks: The sequential learning problem,” ser. *Psychology of Learning and Motivation*, G. H. Bower, Ed. Academic Press, 1989, vol. 24, pp. 109–165. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0079742108605368>
- [27] I. Goodfellow, M. Mirza, X. Da, A. Courville, and Y. Bengio, “An empirical investigation of catastrophic forgetting in gradient-based neural networks,” 12 2013.
- [28] G. E. Hinton, O. Vinyals, and J. Dean, “Distilling the knowledge in a neural network,” *CoRR*, vol. abs/1503.02531, 2015. [Online]. Available: <http://arxiv.org/abs/1503.02531>
- [29] J. Zhang, C. Chen, W. Zhuang, and L. Lv, “Addressing catastrophic forgetting in federated class-continual learning,” *CoRR*, vol. abs/2303.06937, 2023. [Online]. Available: <https://doi.org/10.48550/arXiv.2303.06937>
- [30] M. Biesialska, K. Biesialska, and M. R. Costa-jussà, “Continual Lifelong Learning in Natural Language Processing: A Survey,” pp. 6523–6541, 2021.
- [31] M. Roseberry, B. Krawczyk, Y. Djenouri, and A. Cano, “Self-adjusting k nearest neighbors for continual learning from multi-label drifting data streams,” *Neurocomputing*, vol. 442, no. June, pp. 10–25, 2021.
- [32] D. Lopez-Paz and M. Ranzato, “Gradient episodic memory for continual learning,” in *NIPS*, 2017.
- [33] S. Hochreiter and J. Schmidhuber, “Long Short-Term Memory,” *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 11 1997. [Online]. Available: <https://doi.org/10.1162/neco.1997.9.8.1735>
- [34] T. Chen and C. Guestrin, “XGBoost: A scalable tree boosting system,” in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, ser. KDD ’16. New York, NY, USA: ACM, 2016, pp. 785–794. [Online]. Available: <http://doi.acm.org/10.1145/2939672.2939785>

- [35] S. Zhang, Y. Liu, W. Meng, Z. Luo, J. Bu, S. Yang, P. Liang, D. Pei, J. Xu, Y. Zhang, Y. Chen, H. Dong, X. Qu, and L. Song, “PreFix: Switch Failure Prediction in Datacenter Networks,” *Performance Evaluation Review*, vol. 46, no. 1, pp. 64–66, 2018.
- [36] K. O’Shea and R. Nash, “An introduction to convolutional neural networks,” *CoRR*, vol. abs/1511.08458, 2015. [Online]. Available: <http://arxiv.org/abs/1511.08458>
- [37] N. Garg, *Apache Kafka*. Packt Publishing, 2013.
- [38] I. Robinhood Markets, “Faust - Python Stream Processing — Faust 1.9.0 documentation,” 2017. [Online]. Available: <https://faust.readthedocs.io/en/latest/>
- [39] U.S. Securities and Exchange Commission, “EDGAR Log File Data Set,” 30-09-2012. [Online]. Available: <https://www.sec.gov/dera/data/edgar-log-file-data-set.html>
- [40] A. Iosup, H. Li, M. Jan, S. Anoep, C. Dumitrescu, L. Wolters, and D. H. J. Epema, “The grid workloads archive,” *Future Gener. Comput. Syst.*, vol. 24, no. 7, p. 672–686, jul 2008. [Online]. Available: <https://doi.org/10.1016/j.future.2008.02.003>
- [41] Q. Fu, J.-G. Lou, Y. Wang, and J. Li, “Execution anomaly detection in distributed systems through unstructured log analysis,” in *2009 Ninth IEEE International Conference on Data Mining*, 2009, pp. 149–158.
- [42] J.-G. Lou, Q. Fu, S. Yang, Y. Xu, and J. Li, “Mining invariants from console logs for system problem detection,” in *Proceedings of the 2010 USENIX Conference on USENIX Annual Technical Conference*, ser. USENIXATC’10. USA: USENIX Association, 2010, p. 24.
- [43] J.-G. Lou, Q. Fu, S. Yang, J. Li, and B. Wu, “Mining program workflow from interleaved traces,” in *Proceedings of the 16th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, ser. KDD ’10. New York, NY, USA: Association for Computing Machinery, 2010, p. 613–622. [Online]. Available: <https://doi.org/10.1145/1835804.1835883>
- [44] W. Xu, L. Huang, A. Fox, D. Patterson, and M. I. Jordan, “Detecting large-scale system problems by mining console logs,” in *Proceedings of the ACM SIGOPS 22nd Symposium on Operating Systems Principles*, ser. SOSP ’09. New York, NY, USA: Association for Computing Machinery, 2009, p. 117–132. [Online]. Available: <https://doi.org/10.1145/1629575.1629587>

- [45] M. Mizutani, “Incremental mining of system log format,” in *2013 IEEE International Conference on Services Computing*, 2013, pp. 595–602.
- [46] K. Shima, “Length matters: Clustering system log messages using length of words,” *ArXiv*, vol. abs/1611.03213, 2016.
- [47] M. Du and F. Li, “Spell: Streaming parsing of system event logs,” in *2016 IEEE 16th International Conference on Data Mining (ICDM)*, 2016, pp. 859–864.
- [48] P. He, J. Zhu, P. Xu, Z. Zheng, and M. R. Lyu, “A directed acyclic graph approach to online log parsing,” *ArXiv*, vol. abs/1806.04356, 2018.
- [49] P. He, J. Zhu, Z. Zheng, and M. R. Lyu, “Drain: An online log parsing approach with fixed depth tree,” in *2017 IEEE International Conference on Web Services (ICWS)*, 2017, pp. 33–40.
- [50] H. Dai, H. Li, C.-S. Chen, W. Shang, and T.-H. Chen, “Logram: Efficient log parsing using nn -gram dictionaries,” *IEEE Transactions on Software Engineering*, vol. 48, no. 3, pp. 879–892, 2022.
- [51] Q. Lin, H. Zhang, J.-G. Lou, Y. Zhang, and X. Chen, “Log clustering based problem identification for online service systems,” *2016 IEEE/ACM 38th International Conference on Software Engineering Companion (ICSE-C)*, pp. 102–111, 2016.
- [52] S. He, Q. Lin, J.-G. Lou, H. Zhang, M. Lyu, and D. Zhang, “Identifying impactful service system problems via log analysis,” 10 2018, pp. 60–70.
- [53] C. Sammut and G. I. Webb, Eds., *TF-IDF*. Boston, MA: Springer US, 2010, pp. 986–987. [Online]. Available: https://doi.org/10.1007/978-0-387-30164-8_832
- [54] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, J. Vanderplas, A. Passos, D. Cournapeau, M. Brucher, M. Perrot, and E. Duchesnay, “Scikit-learn: Machine learning in Python,” *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [55] X. Jin and J. Han, *K-Means Clustering*. Boston, MA: Springer US, 2010, pp. 563–564. [Online]. Available: https://doi.org/10.1007/978-0-387-30164-8_425
- [56] J. Montiel, M. Halford, S. M. Mastelini, G. Bolmier, R. Sourty, R. Vaysse, A. Zouitine, H. M. Gomes, J. Read, T. Abdessalem *et al.*, “River: machine learning for streaming data in python,” 2021.

- [57] M. P. LaValley, “Logistic regression,” *Circulation*, vol. 117, no. 18, pp. 2395–2399, 2008.
- [58] H. M. Gomes, A. Bifet, J. Read, J. P. Barddal, F. Enembreck, B. Pfahringer, G. Holmes, and T. Abdesslem, “Adaptive random forests for evolving data stream classification,” *Machine Learning*, vol. 106, pp. 1469–1495, 2017.
- [59] T.-K. An and M.-H. Kim, “A new diverse adaboost classifier,” in *2010 International conference on artificial intelligence and computational intelligence*, vol. 1. IEEE, 2010, pp. 359–363.
- [60] X. C. Pham, M. T. Dang, S. V. Dinh, S. Hoang, T. T. Nguyen, and A. W.-C. Liew, “Learning from data stream based on random projection and hoeffding tree classifier,” in *2017 International Conference on Digital Image Computing: Techniques and Applications (DICTA)*. IEEE, 2017, pp. 1–8.
- [61] D. A. Dickey and W. A. Fuller, “Distribution of the estimators for autoregressive time series with a unit root,” *Journal of the American statistical association*, vol. 74, no. 366a, pp. 427–431, 1979.
- [62] D. Kwiatkowski, P. C. Phillips, P. Schmidt, and Y. Shin, “Testing the null hypothesis of stationarity against the alternative of a unit root: How sure are we that economic time series have a unit root?” *Journal of Econometrics*, vol. 54, no. 1, pp. 159–178, 1992. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/030440769290104Y>
- [63] J. Klinkenberg, C. Terboven, S. Lankes, and M. S. Müller, “Data mining-based analysis of hpc center operations,” in *2017 IEEE International Conference on Cluster Computing (CLUSTER)*, 2017, pp. 766–773.
- [64] Z. Zheng, Z. Lan, R. Gupta, S. Coghlan, and P. Beckman, “A practical failure prediction with location and lead time for blue gene/p,” in *2010 International Conference on Dependable Systems and Networks Workshops (DSN-W)*, 2010, pp. 15–22.
- [65] A. Gainaru, M.-S. Bouguerra, F. Cappello, M. Snir, and W. T. C. Kramer, “Navigating the blue waters : Online failure prediction in the petascale era,” 2013.
- [66] X. Yu, P. Joshi, J. Xu, G. Jin, H. Zhang, and G. Jiang, “Cloudseer: Workflow monitoring of cloud infrastructures via interleaved logs,” in *Proceedings of the Twenty-First International Conference on Architectural Support for Programming Languages and Operating Systems*, ser. ASPLOS ’16. New York, NY, USA: Association for Computing Machinery, 2016, p. 489–502. [Online]. Available: <https://doi.org/10.1145/2872362.2872407>

- [67] T. Islam and D. Manivannan, “Predicting application failure in cloud: A machine learning approach,” in *2017 IEEE International Conference on Cognitive Computing (ICCC)*, 2017, pp. 24–31.
- [68] Adam, Martin, Magnoni, Luca, Pilát, Martin, and Adamová, Dagmar, “Erratic server behavior detection using machine learning on streams of monitoring data,” *EPJ Web Conf.*, vol. 245, p. 07002, 2020. [Online]. Available: <https://doi.org/10.1051/epjconf/202024507002>
- [69] X. Yu, P. Joshi, J. Xu, G. Jin, H. Zhang, and G. Jiang, “Cloudseer: Workflow monitoring of cloud infrastructures via interleaved logs,” *SIGARCH Comput. Archit. News*, vol. 44, no. 2, p. 489–502, mar 2016. [Online]. Available: <https://doi.org/10.1145/2980024.2872407>