## **BIBLIOGRAPHY**

- Abeysingha, N. (2022). A Review of Recent Changes in Rainfall Trend in Sri Lanka. *Tropical Agricultural Research and Extension*, 25(1).
- Alahacoon, N., & Edirisinghe, M. (2021). Spatial variability of rainfall trends in Sri Lanka from 1989 to 2019 as an indication of climate change. *ISPRS International Journal of Geo-Information*, 10(2), 84.
- Alahacoon, N., Pani, P., Matheswaran, K., Samansiri, S., Amarnath, G., Balasubramanya, S.,
  & Horbulyk, T. (2016). Rapid emergency response mapping for the 2016 floods in Kelani river basin, Sri Lanka. *International Eater management Institude (IWMI)*.
- Anuruddhika, M., Perera, K., Premarathna, L., Hansameenu, W., & Weerasinghe, V. (2022). Forecasting flood inundation areas of Attanagalu Oya. *Ceylon Journal of Science*, 51(3), 217-227.
- Bandara, W., Dinelka, K., & Neluwala, N. (2022). Discharge Observations Assimilation to Improve Flood Prediction Skills. *ICSBE 2020* (pp. pp. 143-150). Singapore: Springer.
- Chathuranika, I., Gunathilake, M., Azamathulla, H., & Rathnayake, U. (2022). Evaluation of Future Streamflow in the Upper Part of the Nilwala River Basin (Sri Lanka) under Climate Change. *Hydrology*, 9(3), 48.
- Chow, V., Maidment, D., & Mays, L. (1988). Applied hydrology. McGraw-hill.
- Chunderlik, J., & Simonovic, S. (2004). Calibration, verification and sensitivity analysis of the HEC-HMS hydrologic mode. Water Resources Research Report No. 048; Facility for Intelligent Decision Support, Department of Civil and Environmental Engineering, London, Ontario, Canada.
- Climate Resilience Improvement Project (CRIP). (2019). Flood and Drought Risk Assessment for the Kelani Ganga Basin, Volume I: Main Report.
- Dammalage, T. L., & Jayasinghe, N. T. (2019). Land-use change and its impact on urban flooding: A case study on Colombo district flood on May 2016. Engineering, Technology & Applied Science Research, 9(2), 3887-3891.
- Dammalage, T., & Jayasinghe, N. (2019). Land-use change and its impact on urban flooding: A case study on Colombo district flood on May 2016. *Engineering, Technology & Applied Science Research*, 9(2), 3887-3891.

- Darshika, T., & Jayawardane, S. (2017). Future climate projections for annual and seasonal rainfall in Sri Lanka using CMIP5 models. *International Conference on Climate Change*, (pp. 79-85, Vol. 1).
- De Silva, C. (2006). Impacts of climate change on water resources in Sri Lanka.
- De Silva, C. (2007). Impacts of climate change on rainfall runoff and water security in Sri Lanka-Predictions for 2050s. Water Resources Research in Sri Lanka. Water Professionals Day, Postgraduate Institute of Agriculture, University of Peradeniya, (pp. 183-196).
- De Silva, M., Weerakoon, S., & Herath, S. (2014). Modeling of event and continuous flow hydrographs with HEC–HMS: Case study in the Kelani River Basin, Sri Lanka. *Journal of Hydrologic Engineering*, 19(4), 800-806.
- De Silva, M., Weerakoon, S., Herath, S., Ratnayake, U., & Mahanama, S. (2012). Flood inundation mapping along the lower reach of Kelani river basin under the impact of climatic change. *Engineer*, 45(02), 23-29.
- Disaster Management Center, S. L. (2016). Sri Lanka Post Disaster Needs Assessment: Floods and Landslides May 2016.
- Disaster Management Center, S. L. (2017). Sri Lanka Post Disaster Needs Assessment: Floods and Landslides May 2017.
- Dissanayaka, K., & Rajapakse, R. (2019). Long-term precipitation trends and climate extremes in the Kelani River basin, Sri Lanka, and their impact on streamflow variability under climate change. *Paddy and Water Environment*, 17(2), 281-289.
- Dorji, S., Herath, S., & Mishra, B. (2017). Future Climate of Colombo Downscaled with SDSM-Neural Network. *Climate*, 5, 24.
- Dushyantha, C., & Ptuhina, I. (2020). Flood risk assessment of river "Kelani Ganga" exceeding its threshold water level. *E3S Web of Conferences* (pp. 02006, Vol. 157). EDP Sciences.
- Erena, S., & Worku, H. (2018). Flood risk analysis: causes and landscape based mitigation strategies in Dire Dawa city, Ethiopia. *Geoenvironmental Disasters*, 5(1), 1-19.
- Fowze, J., Gunasekara, I., Liyanage, P., Hazarika, M., & Samarakoon, L. (2008). Flood hazard mapping in lower reach of Kelani River, Sri Lanka. *Proceedings of the 29th Asian Conference on Remote Sensing–ACRS.*

- Green, A., & Stephenson, D. (1986). Criteria for comparison of single event models. Hydrological Sciences -Journal -Des Sciences Hydrologiques, 313(9).
- Guinot, V., Cappelaere, B., Delenne, C., & Ruelland, D. (2011). Towards improved criteria for hydrological model calibration: theoretical analysis of distance- and weak form-based functions. *Journal of Hydrology*, 401(1–2), 1–13.
- Gunasekara, I. (2008). Flood hazard mapping in lower reach of Kelani river.
- Gunathilake , M., Panditharathne, P., Gunathilake, A., & Warakagoda, N. (2019). Application of HEC-HMS Model on Event-Based Simulations in the Seethawaka Ganga River, Sri Lanka. Sch. J. Appl. Sci. Res, 2, 32-40.
- Gupta, H., Kling, H., Yilmaz, K., & Martinez, G. (2009). Decomposition of the mean squared error and NSE performance criteria: Implications for improving hydrological modelling. *Journal of Hydrology*, 377(1–2), 80–91. 3.
- Halwatura, D., & Najim, M. (2013). Application of the HEC-HMS model for runoff simulation in a tropical catchment. *Environmental modelling & software*, 46, 155-162.
- Herath , S., & Ratnayake, U. (2004). Monitoring rainfall trends to predict adverse impacts—a case study from Sri Lanka (1964–1993). *Global Environmental Change*, 14, 71-79.
- Herath, H., Dayananda, R., & Weerakoon, S. (2015). Climate change impact prediction in upper Mahaweli Basin. International Conference on Structural Engineering and Construction Management, 148–152.
- Herath, M., & Wijesekera, N. (2021). Evaluation of HEC-HMS model for water resources management in Maha Oya Basin in Sri Lanka. *ENGINEER*, 54(02), 45-53.
- IPCC. (2007). Climate Change 2007. In S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K. Averyt, . . . H. Miller, *The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.
- IPCC. (2014). Climate Change 2014: Synthesis Report. In R. Pachauri, & L. Meyer, Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (p. 151). Geneva, Switzerland: IPCC.

Irrigation, D. (2019). IDF Curves, 75% Probability Rainfall, Evapotranspiration.

- Irrigation, D. (2022). Environmental Impact Assessment for Alterations to the Salinity Barrier at Ambatale in Kelani River. Ministry of Irrigation.
- Iturbide, M., Gutiérrez, J., Alves, L., Bedia, J., Cerezo-Mota, R., Cimadevilla, E., & Vera, C. (2020). An update of IPCC climate reference regions for subcontinental analysis of climate model data: definition and aggregated datasets. *Earth System Science Data*, 12(4), 2959-2970.
- Januriyadi, N., Kazama, S., Moe, I., & Kure, S. (2018). Evaluation of future flood risk in Asian megacities: a case study of Jakarta. *Hydrological Research Letters*, 12(3), 14-22.
- Jayadeera, P. (2016). Development of a rainfall runoff model for Kalu ganga basin of Sri Lanka using HEC-HMS model. *Retrieved from http://dl.lib.mrt.ac.lk/handle/123/12800*.
- Jayawardene, H., Sonnadara, D., & Jayewardene, D. (2005). Trends of rainfall in Sri Lanka over the last century. *Sri Lankan Journal of Physics*, 6.
- Kamran, M., & Rajapakse, R. (2018). Effect of watershed subdivision and antecedent moisture condition on HEC-HMS model performance in the Maha Oya basin, sri Lanka. *International Journal of Engineering Technology and Sciences*, 5(2), 22-37.
- Kay, A., Crooks, S., Pall, P., & Stone, D. (2011). Attribution of Autumn/Winter 2000 flood risk in England to anthropogenic climate change: a catchment-based study. *Journal of Hydrology*, 406(1-2), 97-112.
- Klein, R., & Nicholls, R. (1999). Assessment of coastal vulnerability to climate change. *Ambio*, 182-187.
- Komolafe, A., Herath, S., & Avtar, R. (2018a). Methodology to Assess Potential Flood Damages in Urban Areas under the Influence of Climate Change. *Natural Hazards Review*,, 19(2), 05018001.
- Komolafe, A., Herath, S., Avtar, R., & Vuillaume, J. (2019). Comparative analyses of flood damage models in three Asian countries: Towards a regional flood risk modelling. *Environment Systems and Decisions*, 39(2), 229–246.
- Krause, P., Boyle, D., & Base, F. (2005). Comparison of different efficiency criteria for hydrological model assessment. *Advances in Geosciences*, 5, 89–97.
- Kundzewicz, Z., Pińskwar, I., & Brakenridge, G. (2013). Large floods in Europe, 1985–2009. *Hydrological Sciences Journal*, 58(1), 1-7.

- Legates, D., & Mccabe, G. (1999). Evaluating the use of "goodness-of-fit" Measures in hydrologic and hydroclimatic model validation. *Water Resources Research*, 35(1), 233–241.
- Madhushankha, J., & Wijesekera, N. (2021). Application of HEC-HMS Model to Estimate Daily Streamflow in Badddegama Watershed of Gin Ganga Basin Sri Lanka. *ENGINEER*, 54(01), 89-97.
- Mahenthiran, B., & Rajapakse, L. (2021). Water Resources Availability and Low Flow Discharge Analysis of Two Selected River Basins in the Dry Zone Under Changing Climate Conditions. 2021 Moratuwa Engineering Research Conference (MERCon) (pp. 504-509). IEEE.
- Manawadu, L., & Fernando, N. (2008). Climate Change in Sri Lanka. Journal of Hydrology.
- Moriasi, D., Arnold, J., Van Liew, M., Bingner, R., Harmel, R., & Veith, T. (2007). Model evaluation guidelines for systematic quantification of accuracy in watershed simulations. *Transactions of the ASABE*, 50(3), 885-900.
- Moufar, M., & Perera, E. (2018). Floods and Countermeasures Impact Assessment for the Metro Colombo Canal System, Sri Lanka. *Hydrology*, 5(1), 11.
- Mullan, B., Porteous, A., Wratt, D., & Hollis, M. (2005). Changes in drought risk with climate change. Prepared for Ministry for the Environment (NZ Climate Change Office) and Ministry of Agriculture and Forestry. NIWA Client Report:WLG2005–23. Wellington: National Institute of Water and Atmospheric Research.
- Muthuwaththa , L., & Liyanage, P. (2013). Impact of rainfall change on the agro-ecological regions of Sri Lanka. *International conference on climate change impacts and adaptations for food and environment security sustaining agriculture under changing climate*, (pp. 59-66).
- Nandalal, H., & Ratnayake, U. (2010). Event based modeling of a watershed using HEC-HMS. J Inst Eng Sri Lanka, xxxxiii(2):28–37.
- Nanseer, N., & Rajkumar, S. (2006). Kelani Ganga Conservation Barrage and Results of Model Studies. *ENGINEER*, Vol. XXXIX, No. 02, 42-49.
- Naveendrakumar, G., Vithanage, M., Kwon, H. H., Iqbal, M., Pathmarajah, S., & Obeysekera, J. (2018). Five decadal trends in averages and extremes of rainfall and temperature in Sri Lanka. Advances in Meteorology.

- Niroshinie, M., Babel, M., & Herath, S. (2011). A methodology to analyze extreme flooding under future climate change scenarios for Colombo.
- O'Brien, G., O'keefe, P., Rose, J., & Wisner, B. (2006). Climate change and disaster management. *Disasters*, 30(1), 64-80.
- Papaioannou, G., Loukas, A., Vasiliades, L., & Aronica, G. (2016). Flood inundation mapping sensitivity to riverine spatial resolution and modelling approach. *Natural Hazards*, 83(S1), 117–132.
- Patabendige, C., Kazama, S., & Komori, D. (2016). Near future climatic impact on seasonal runoff in Sri Lanka. In Proceedings of water in the past, water in the present and water for the future: 20th Congress of the Asia Pacific Division of the International Association for Hydro Environment Engineering & Research, (p. Vol. 20).
- Pattnayak, K., Kar, S., Dalal, M., & Pattnayak, R. (2017). Projections of annual rainfall and surface temperature from CMIP5 models over the BIMSTEC countries. *Global and Planetary Change*, 152, 152-166.
- Premalal, K. (2009). Climate Change in Sri Lanka. *Global Climate Change and its Impacts on Agriculture, Forestry and Water in the Tropics*, 21.
- Punsara, C., & Rajapakse, L. (2021). Water Resources Availability and Low Flow Discharge Analysis of Kelani River Basin in Wet Zone under Changing Climate Conditions. *Moratuwa Engineering Research Conference (MERCon)* (pp. pp. 516-521). IEEE.
- Rajkumar, S., Mishra, S., & Singh, R. (2021). Application of hydrologic modelling system (HEC-HMS) for flood assessment; case study of Kelani River Basin, Sri Lanka. *Hydrological extremes* (pp. pp. 3-18). Cham: Springer.
- Rathnayake, U., Sachindra, D., & Nandalal, K. (2010). Rainfall forecasting for flood prediction in the Nilwala basin. the International Symposium on Coastal Zones and Climate Change: Assessing the Impacts and Developing Adaptation Strategies. Melbourne, Australia: Monash University.
- Ritter, A., & Muñoz-Carpena, R. (2013). Performance evaluation of hydrological models: Statistical significance for reducing subjectivity in goodness-of-fit assessments. *Journal* of Hydrology, 480, 33–45.
- Samarasinghe, J., Basnayaka, V., Gunathilake, M., Azamathulla, H., & Rathnayake, U. (2022). Comparing Combined 1D/2D and 2D Hydraulic Simulations Using High-Resolution

Topographic Data: Examples from Sri Lanka - Lower Kelani River Basin. *Hydrology*, 9(2), 39.

- Samarasinghe, J., Perera, E., Teo, F., Chan, A., & Ghosh, S. (2021). Flood inundations and risk mapping in a tidal river: a case study for the Kelani River basin, Sri Lanka.
- Sampath, D., Weerakoon, S., & Herath, S. (2015). HEC-HMS model for runoff simulation in a tropical catchment with intra-basin diversions—case study of the Deduru Oya River Basin, Sri Lanka. J Inst Eng Sri Lanka, XLVIII(1):1–9.
- Selvarajah, H., Koike, T., Rasmy, M., Tamakawa, K., Yamamoto, A., Kitsuregawa, M., & Zhou, L. (2021). Development of an integrated approach for the assessment of climate change impacts on the hydro-meteorological characteristics of the Mahaweli river basin, Sri Lanka. *Water*, 13(9), 1218.
- Senadhinatha, N. (2020). Flood forecasting model using HEC-HMS for Nagalagam Street hydrometric station with relative impact of antecedent rainfall in Kelani river basin (Doctoral dissertation).
- Shantha, W., & Jayasundara, J. (2005). Study on changes of rainfall in the Mahaweli upper watershed in Sri Lanka due to climatic changes and develop a correction model for global warming. *International Symposium on the Stabilisation of Greenhouse Gas Concentrations* (p. Vol. 114). Exeter, UK: Hadley Centre, Met Office.
- Siddiqui, M., Haider, S., Gabriel, H., & Shahzad, A. (2018). Rainfall–runoff, flood inundation and sensitivity analysis of the 2014 Pakistan flood in the Jhelum and Chenab river basin. *Hydrological Sciences Journal*, 63(13-14), 1976-1997.
- Sirisena, T., Maskey, S., Bamunawala, J., Coppola, E., & Ranasinghe, R. (2021). Projected streamflow and sediment supply under changing climate to the coast of the Kalu river basin in tropical Sri Lanka over the 21st century. *Water*, 13(21), 3031.
- Siriwardena, K., Widanapathirana, S., & Pannala, P. (2021). Evaluation of the Impacts of the Salinity Barrage in Kelani Ganga Using 1D-2D Hydraulic Model in Terms of Flooding. In Multi-Hazard Early Warning and Disaster Risks . *Springer*, (pp. pp. 349-362). Cham.
- Sudeshika, P., & Rajapakse, L. (2021). ). Impact of Digital Elevation Model on Rainfall-Runoff-Inundation modelling-A Case Study of Lower Kelani River Basin. *Moratuwa Engineering Research Conference (MERCon)* (pp. pp. 528-533). IEEE.

- Suja , A., & Rajapakse, R. (2020). Evaluation of topographic data sources for 2D flood modelling: case study of Kelani basin, Sri Lanka. *IOP Conference Series: Earth and Environmental Science* (pp. 012043, Vol. 612, No. 1). IOP Publishing.
- Tanaka, T., Tachikawa, Y., Ichikawa, Y., & Yorozu, K. (2019). An automatic domain updating method for fast 2-dimensional flood-inundation modelling. *Environmental Modelling* & Software, 116, 110–118.
- Teng, J., Jakeman, A., Vaze, J., Croke, B., Dutta, D., & Kim, S. (2017). Flood inundation modelling: A review of methods, recent advances and uncertainty analysis. *Environmental Modelling & Software*, 90, 201–216.
- UNFCCC. (2013). *Reporting and accounting of LULUCF activities under the Kyoto Protoco*. Bonn, Germany: United Nations Framework Convention on Climatic Change.
- Vuillaume, J., Dorji, S., Komolafe, A., & Herath, S. (2018). Sub-seasonal extreme rainfall prediction in the Kelani River basin of Sri Lanka by using self-organizing map classification. *Natural Hazards*, 94(1), 385-404.
- Wagenaar, D., Dahm, R., Diermanse, F., Dias, W., Dissanayake, D., Vajja, H., & Bouwer, L. (2019). Evaluating adaptation measures for reducing flood risk: A case study in the city of Colombo, Sri Lanka. *International Journal of Disaster Risk Reduction*, 37, 101162.
- Wijekoon, T., & Rajapakse, L. (2022). Climate Elasticity of Runoff in Kalu and Kelani River Basins in the Wet Zone of Sri Lanka. *In 2022 Moratuwa Engineering Research Conference (MERCon)* (pp. pp. 1-6). IEEE.
- Wijesekera, N. (2000). Parameter Estimation in Watershed Model : A Case Study Using Gin Ganga Watershed. *The Institution of Engineers, Sri Lanka*, 1, 26–32.
- Wijesekera, N., & Abeynayake, J. (2003). Watershed similarity conditions for peakflow transposition-a study of river basins in the wet zone of Sri Lanka.
- Willmott, C., Ackleson, S., Davis, R., Feddema, J., Klink, K., Legates, D., & Rowe, C. (1985). Statistics for the evaluation and comparison of models . *Journal of Geophysical Research-Oceans*, 90(NC5), 8995–9005.
- World Meteorological Organization. (1982). WMO project for the intercomparison of conceptual models of snowmelt runoff. In Hydrological Aspects of Alpine and High-Mountain Areas, (pp. 193–202).

- Wu, Y., & Liu, S. (2014). A suggestion for computing objective function in model calibration. *Ecological Informatics*, 24, 107–111.
- Yu, D., Yin, J., & Liu, M. (2016). Validating city-scale surface water flood modelling using crowd-sourced data. *Environmental Research Letters*, 11(12), 124011.
- Zheng, H., Chiew, F., Charles, S., & Podger, G. (2018). Future climate and runoff projections across South Asia from CMIP5 global climate models and hydrological modelling. *Journal of Hydrology: Regional Studies*, 18, 92-109.
- Zubair, L., & Agalawatte, P. (2014). Climate Change Projections for Sri Lanka for the midtwentieth Century from CMIP5 Simulations under a High Emissions Scenario. AGU Fall Meeting Abstracts, (pp. GC23D-0664, Vol. 2014).