

REFERENCES

- ABRISA Technologies. (n.d.). *Glass strengthening methods*. Retrieved January 06, 2022, from ABRISA Technologies Website: <https://abrisatechnologies.com/fabrication-facts/glass-strengthening-methods/>.
- Achintha, M. (2016). Chapter 5 - Sustainability of glass in construction. In Khatib, J.M., *Sustainability of Construction Materials* (2nd edition) (pp. 79-104). Woodhead Publishing. doi:10.1016/B978-0-08-100370-1.00005-6.
- AIS Windshield Experts. (2014, April 09). *Process of manufacturing of laminated glass*. Retrieved January 22, 2022, from AIS Windshield Expert Website: <https://www.flickr.com/photos/102443579@N03/13736252093/>.
- American Society of Civil Engineers (ASCE)/SEI 7-22. (2022)., *Minimum design loads for buildings and other structures*. 1801 Alexander Bell Drive, Reston, Virginia: ASCE. Retrieved from <https://www.asce.org/publications-and-news/asce-7>
- American Society for Testing and Materials (ASTM) E 1886-05. (2005). *Standard test method for performance of exterior windows, curtain walls, doors, and impact protecting systems impacted by missile(s) and exposed to cyclic pressure differentials*. West Conshohocken, PA: ASTM International.
- American Society for Testing and Materials (ASTM) E 1996-09. (2009). *Standard specification for performance of exterior windows, curtain walls, doors, and impact protective systems impacted by windborne debris in hurricanes*. West Conshohocken, PA: ASTM International.
- Architecture & Design. (2017, May 08). *Jackson Architecture among firms to tackle health challenges in the tropics*. Retrieved May 10, 2022, from Architecture & Design Website: <https://www.architectureanddesign.com.au/projects/education-research/jackson-architecture-among-firms-to-tackle-health>.
- Architectuul. (n.d.). *Parada Tokyo Building*. Retrieved January 10, 2022, from Architectuul Website: <https://architectuul.com/architecture/prada-tokyo-building>.
- Australian Standard (AS) 1288:2021. (2021). *Glass in buildings - Selection and installation*. Australia: Standards Australia Limited.
- Australian/New Zealand Standard (AS/NZS) 1170.2:2011. (2011). *Structural design actions. Part 2: Wind actions*. Sydney, NSW 2001 and Wellington 6011: SAI Global Limited.

- Behr, R.A., and Minor, J.E. (1994). A survey of glazing system behaviour in multi-story buildings during Hurricane Andrew. *The Structural Design of Tall Buildings*, 3, 143-161. doi:10.1002/tal.4320030302.
- Chen, S., Zang, M., Wang, D., Yoshimura, S., and Yamada, T. (2017). Numerical analysis of impact failure of automotive laminated glass: A review. *Composites Part B*. doi:10.1016/j.compositesb.2017.04.007.
- Choy, C.W., Wu, M.C., and Lee, T.C. (2020). Assessment of the damages and direct economic loss in Hong Kong due to Super Typhoon Mangkhut in 2018. *Tropical Cyclone Research and Review*, 9(4), 193-205. doi:10.1016/j.tcr.2020.11.001.
- Cormie, D., Mays, G., and Smith, P. (2009). *Blast effects on buildings*. (2nd edition). Thomas Telford Services Ltd. Retrieved from <https://www.amazon.com/Blast-Effects-Buildings-2nd-Cormie/dp/0727735217>.
- Cyclone Testing Station, James Cook University, Australia. (2017). *Simulated windborne debris impact testing of building envelope components - Technical Note No.04*. Townsville QLD 4811 Australia: Cyclone Testing Station, James Cook University, Australia. Retrieved August 05, 2022, from https://www.jcu.edu.au/__data/assets/pdf_file/0003/1171362/Tech-Note-4-Windborne-Debris-Impact-Testing.pdf.
- Department of Public Works, Queensland Government. (2006). *Design guidelines for Queensland public cyclone shelters*. Queensland: The State of Queensland, Department of Public Works. Retrieved August 05, 2022, from https://www.housing.qld.gov.au/__data/assets/pdf_file/0023/5558/designguidelinesqueenslandpubliccycloneshelters.pdf.
- Department of Science, Bureau of Meteorology. (1977). *Report on cyclone Tracy December 1974*. Canberra: Australian Government Publishing Service.
- Experimental Building Station. (1978). *Technical Record 440 – Guidelines for the testing and evaluation of products for cyclone-prone areas*. Experimental Building Station.
- Fowza, M.J.F. and Hidallana-Gamage, H.D. (2020). Study on use of glass in Sri Lankan construction industry. *2020 Moratuwa Engineering Research Conference (MERCon)* (pp. 107-112). Moratuwa: Institute of Electrical and Electronics Engineers. doi:10.1109/MERCon50084.2020.9185303.
- Francis, L.F. (2016). Chapter 3 - Melt processes. In L. Francis, *Materials Processing: A Unified Approach to Processing of Metals, Ceramics and Polymers* (pp. 105-249). Academic Press. doi:10.1016/B978-0-12-385132-1.00003-3.

- Gilani, G. (2020). *MCDM approach for assessing the sustainability of buildings' facades* [PhD Thesis]. Barcelona, Spain: University Research Institute for Sustainability Science and Technology (IS.UPC). Retrieved from <https://www.tdx.cat/bitstream/handle/10803/669822/TGG1de1.pdf?sequence=1&isAllowed=y>.
- Glass Academy. (2016, September 06). *Heat-strengthened glass, tempered glass, and laminated glass*. Retrieved January 22, 2022, from Glass Academy Website: <http://glass-academy.com/blog/>.
- GW News. (2021, May 02). *How the float glass process has revolutionised the glass industry*. Retrieved January 16, 2022, from GW News Website: <https://www.gw-news.eu/node/160746/print>.
- Hadhi, I. (2019, January 30). *Future of building envelopes (façades) in Sri Lanka*. Retrieved October 02, 2021, from Daily FT: <https://www.ft.lk/propertyconstruction/Future-of-building-envelopes--fa%C3%A7ades--in-Sri-Lanka/10516-671904>.
- Hidallana-Gamage, H.D. (2015). *Response of laminated glass panels to near field blast events* [PhD Thesis]. Queensland University of Technology, School of Civil Engineering and Built Environment, Faculty of Science and Engineering. Brisbane, Australia: Queensland University of Technology. Retrieved from https://eprints.qut.edu.au/85263/1/Hasitha%20Damruwan_Hidallana%20Gamage_Thesis.pdf.
- Hidallana-Gamage, H.D., Thambiratnam, D.P., and Perera, N.J. (2013). Computational analysis of laminated glass panels under blast loads: A comparison of two dimensional and three dimensional modelling approaches. *International Journal of Engineering and Science*, 2(8), 69-79.
- Hidallana-Gamage, H.D., Thambiratnam, D.P., and Perera, N.J. (2014). Numerical modelling and analysis of the blast performance of laminated glass panels and the influence of material parameters. *Engineering Failure Analysis*, 45, 65-84. doi:10.1016/j.engfailanal.2014.06.013.
- Holmes, J.D., Kwok, K.C.S., and Ginger, J.D. (2012). *Wind loading handbook for Australia and New Zealand - Background to AS/NZ 1170.2 wind actions*. Australian Wind Engineering Society.
- Holmquist, T.J., Johnson, G.R., Lopatin, C., Grady, D., and Hertel Jr, E.S. (1995). *High strain rate properties and constitutive modelling of glass*. Sandia National Lab. (SNL-NM), Albuquerque, NM (United States). doi:10.2172/41367.

- Honfi, D., Reith, A., and Vigh, L. G. (2014). Why glass structures fail? - Learning from failures of glass structures. *Challenging Glass 4 & COST Action TU0905 Final Conference* (pp. 791-800). Taylor & Francis Group, London. doi:10.1201/b16499-109.
- Hong Kong Observatory. (2020, February 11). *Super Typhoon Mangkhut (1822): 7 to 17 September 2018*. Retrieved March 12, 2022, from Hong Kong Observatory Website: <https://www.hko.gov.hk/en/informtc/mangkhut18/report.htm>.
- Huang, X.H., Wang, X.E., Yang, J., Pan, Z., Wang, F., and Azim, I. (2021). Nonlinear analytical study of structural laminated glass under hard body impact in the pre-crack stage. *Thin-Walled Structures*, 167, 1-17. doi:10.1016/j.tws.2021.108137.
- Inhabit Group. (n.d.). *Integrated Marine Operations Centre*. Retrieved September 12, 2022, from Inhabit Group Website: <https://inhabitgroup.com/project/integrated-marine-operations-centre/>.
- Jayaweera, G.C.S., Hidallana-Gamage, H.D., and Baleshan, B. (2022). Case studies on blast behaviour of glass façades: Sri Lanka Easter bombings. *2022 Moratuwa Engineering Research Conference (MERCon)* (pp. 1-6). Moratuwa, Sri Lanka: The Institute of Electrical and Electronics Engineers. doi:10.1109/MERCon55799.2022.9906182.
- Johnson, G.R., and Holmquist, T.J. (1993). An improved computational constitutive model for brittle materials. *AIP conference proceedings* (pp. 981-984). Colorado, USA: Colorado Springs.
- Kragh, M.K. (2011). The decade of the facade engineer. *Intelligent Glass Solutions*(1). Retrieved from <https://www.cibse.org/media/frvksbu/kragh-4.pdf>
- Landsea, C.W., Franklin, J.L., McAdie, C.J., Beven, J.L., Gross, J.M., Jarvinen, B.R., Pasch, R.J., Rappaport, E.N., Dunion, J.P., and Dodge, P.P. (2004). A reanalysis of Hurricane Andrew's intensity. *Bulletin of the American Meteorological Society*, 85(11), 1699-1712. doi:10.1175/bams-85-11-1699.
- Lee, B.E., and Wills, J. (2002). Vulnerability of fully glazed high-rise buildings in tropical cyclones. *Journal of Architectural Engineering*, 8(2), 42-48. doi:10.1061/(ASCE)1076-0431(2002)8:2(42).
- Legislative Council. (2018). *The Government's preparations, emergency response and recovery efforts arising from Super Typhoon Mangkhut*. Discussion Paper of House Committee Meeting on 4th October, 2018, Legislative Council Paper No. CB(2)2055/17-18(01). Retrieved from <https://www.legco.gov.hk/yr17-18/english/hc/papers/hc20181004cb2-2055-1-e.pdf>.

- Li, Y., and Stewart, M.G. (2011). Cyclone damage risks caused by enhanced greenhouse Conditions and economic viability of strengthened residential construction. *Natural Hazards Review*, 12(1), 9-18. doi:10.1061/(asce)nh.1527-6996.0000024.
- Lin, N. (2005). *Simulation of windborne debris trajectories* [MSc Thesis]. Texas Tech University, Department of Civil, Environmental, & Construction Engineering. Lubbock, Texas: Texas Tech University, US.
- Lin, N., Holmes, J.D., and Letchford, C.W. (2007). Trajectories of wind-borne debris in horizontal winds and applications to impact testing. *Journal of Structural Engineering*, 133(2), 274-282. doi:10.1061/(ASCE)0733-9445(2007)133:2(274).
- Liu, B., Xu, T., Xu, X., Wang, Y., Sun, Y., and Li, Y. (2015). Energy absorption mechanism of polyvinyl butyral laminated windshield subjected to head impact: Experiment and numerical simulations. *International Journal of Impact Engineering*, 90, 26-36. doi:10.1016/j.ijimpeng.2015.11.010.
- Magic Glass. (n.d.). *How is laminated glass made?* Retrieved January 22, 2022, from Magic Glass Website: <https://magicglass.com.au/blogs/glass-blog-glazing-glass-projects-rope-access-news/how-is-laminated-glass-made>.
- Makwana, R.R. (2013). Design consideration of facade wall system. *International Journal of Engineering Research & Technology (IJERT)*, 2(4), 2449-2453.
- Mason, M., and Haynes, K. (2010). *Historical case studies of extreme events: Adaptation lessons from cyclone Tracy*. Gold Coast: National Climate Change Adaptation Research Facility.
- Mejorin, A., Trabucco, D., and Stelzer, I. (2019). *Cyclone-resistant façades: Best practices in Australia, Hong Kong, Japan, and the Philippines*. Chicago, USA: Council on Tall Buildings and Urban Habitat.
- Meyland, M.J., and Nielsen, J.H. (2020). Ongoing research into the failure of glass at high strain rates. Paper presented at Challenging Glass 7, Conference on Architectural and Structural Applications of Glass. 7. Ghent University, Belgium: Belis, Bos & Louter (Eds.). doi:10.7480/cgc.7.4428.
- Minor, J.E. (2005). Lessons learned from failures of the building envelope in windstorms. *Journal of Architectural Engineering*, 11(1), 10-14. doi:10.1061/(ASCE)1076-0431(2005)11:1(10).
- Minor, J.E., McDonald, J.R., and Mehta, K.C. (1993). *The tornado: an engineering-oriented perspective*. Washington DC: National Oceanic and Atmospheric Administration, US Department of Commerce. Retrieved from <https://repository.library.noaa.gov/view/noaa/7227>.

- Minor, J.E., and Mehta, K.C. (1979). Wind damage observations and implications. *Journal of the Structural Division*, 105, 2279-2291. doi:10.1061/JSDEAG.0005277.
- Nascimento, M.L.F. (2014). Brief history of the flat glass patent - Sixty years of the float process. *World Patent Information*, 38(2014), 50-56. doi:10.1016/j.wpi.2014.04.006.
- National Hurricane Centre. (2018). *Costliest U.S. tropical cyclones tables updated*. Miami: US Department of Commerce. Retrieved from <https://www.nhc.noaa.gov/news/UpdatedCostliest.pdf>.
- Nawar, M., Salim, H., Newberry, M., and El-Sisi, A. (2021). High strain rate response of laminated glass interlayer materials. *Construction and Building Materials*, 299, 1-12. doi:10.1016/j.conbuildmat.2021.123934.
- Nayer, M. (2011, December 18). Hyatt Regency New Orleans re-opens after Katrina (Photos). Retrieved January 20, 2022, from HuffPost Contributor Website: https://www.huffpost.com/entry/hyatt-regency-new-orleans_b_1013756.
- Netherton, M.D., and Stewart, M.G. (2009). Probabilistic modelling of safety and damage blast risks for window glazing. *Canadian Journal of Civil Engineering*, 36(8), 1321-1331. doi:10.1139/L08-144.
- Nippon Sheet Glass Co. Ltd. (n.d.). *The float process*. Retrieved January 16, 2022, from NSG Group Website: <https://www.pilkington.com/en/global/knowledge-base/glass-technology/the-float-process/the-float-process>.
- Owen, J.S. (2015). Windborne debris in the urban environment. *Technical Journal, Construction Issue 2-B(12)*, 145-165. doi:10.4467/2353737XCT.15.130.4167.
- Peng, L., and Li, Y. (2019). Wind impacts on buildings in Hong Kong due to Mangkhut. Research Forum 2019 Impacts of Super Typhoon Mangkhut May 3, 2019. Retrieved from https://www.hko.gov.hk/en/research_forum/files/RF2019_Prof_YGLi.pdf.
- Peroni, M., Solomos, G., Pizzinato, V., and Larcher, M. (2011). Experimental investigation of high strain-rate behaviour of glass. *Applied Mechanics and Materials*, 82(2011), 63-68. doi:10.4028/www.scientific.net/AMM.82.63.
- Pilkington, L.A.B. (1969). Review lecture: The float glass process. *Proc. R. Soc. Lond. A*, 314, pp. 1-25. London: The Royal Society. doi:10.1098/rspa.1969.0212.
- Powar, O., and Jayachandran A. (2021). Learning from façade failures over urban landscape: Aftermath of cyclone vardah. *Natural Hazards Review*, 22(1). doi:10.1061/(ASCE)NH.1527-6996.0000424.

- Pratama, Y.T., and Susetyo, B. (2019). Cost analysis of facade work in high-rise building by value engineering method. *International Journal of Engineering Research and Advanced Technology (IJERAT)*, 5(7), 100-109. doi:10.31695/IJERAT.2019.3537.
- Qingdao Morn Building Materials Co. Ltd. (2019, June 15). *Glass processing - Laminated glass processing*. Retrieved January 22, 2022, from MORN Glass Website: <https://www.mornglass.com/glass-processing-laminated-glass.html>.
- Rappaport, E.N. (1993). *Preliminary Report: Hurricane Andrew, 16 - 28 August, 1992*. Miami: National Hurricane Center, US Department of Commerce. Retrieved February 05, 2022, from <https://web.archive.org/web/20160906055141/http://www.nhc.noaa.gov/1992andrew.html>.
- Shetty, M.S., Wei, J., Dharani, L.R., and Stutts, D.S. (2013). Analysis of damage in laminated architectural glazing subjected to wind loading and windborne debris impact. *Buildings*, 3(2), 422-441. doi:10.3390/buildings3020422.
- Silvestru, V.A., Enghardt, O., and Schneider, J. (2019). Linear adhesive connections at the edge of laminated glass panes: an experimental study under tensile, compressive and shear loading. *Glass Structures & Engineering*, 4, 45–68. doi:10.1007/s40940-018-0080-y.
- Suwen, C., Xing, C., and Xiqiang, W. (2018). The mechanical behaviour of polyvinyl butyral at intermediate strain rates and different temperatures. *Construction and Building Materials*, 182, 66-79. doi:10.1016/j.conbuildmat.2018.06.080.
- Swift Glass. (2016, November 08). *Thermal glass tempering vs. Chemical strengthening: What's the difference?* Retrieved January 06, 2022, from Swift Glass Website: <https://www.swiftglass.com/blog/thermal-glass-tempering-vs-chemical-strengthening-whats-difference/>.
- Tachikawa, M. (1983). Trajectories of flat plates in uniform flow with application to wind-generated missiles. *Journal of Wind Engineering and Industrial Aerodynamics*, 14(1-3), 443-453. doi:10.1016/0167-6105(83)90045-4.
- Tamura, Y. (2009). Wind-induced damage to buildings and disaster risk reduction. The Seventh Asia-Pacific Conference on Wind Engineering, APCWE-VII. Taipei, Taiwan.
- Taywade, P., and Shejwal, S. (2015). Structural design of a glass facade. *International Journal of Scientific and Research Publications*, 5(3), 1-6. Retrieved from <http://www.ijsrp.org/research-paper-0315.php?rp=P393822>.

- Teotia, M., and Soni, R.K. (2018). Applications of finite element modelling in failure analysis of laminated glass composites: A review. *Engineering Failure Analysis*, 94, 412-437. doi:10.1016/j.engfailanal.2018.08.016.
- Uematsu, Y., Suzuya, J., and Nozawa, T. (1992). Building damage in Aomori and Akita prefectures due to Typhoon No.19 of 1991. *Journal of Wind Engineering*, 1992(51), 35-47. doi:10.5359/jawe.1992.51_35.
- Viridian Glass. (2011). *Test procedure to evaluate the performance of cyclone-resistant glazing when subject to the test criteria of AS1170.2-2011*. Viridian Glass.
- Walker, G.R. (1975). *Report on cyclone Tracy: Effect on buildings*. Department of Housing and Construction, Australia.
- Walker, G.R. (1991). The application of wind engineering technology to the mitigation of damage to housing from tropical cyclones - an Australian achievement. *International Conference on Impact of Disasters*. Los Angeles, USA.
- Walker, G.R. (2010). A review of the impact of Cyclone Tracy on building regulations and insurance. *Australian Meteorological and Oceanographic Journal*, 60(3), 199-206. doi:10.22499/2.6003.008.
- Wang, X.E., Huang, X.H., Yang, J., Hou, X., Zhu, Y., and Xie, D. (2021). Experimental and analytical study on the pre-crack impact response of thick multi-layered laminated glass under hard body impact. *International Journal of Mechanical Sciences*, 206, 1-20. doi:10.1016/j.ijmecsci.2021.106613.
- Wikimedia. (2018, September 17). *Hang Seng Bank Headquarters Building after Typhoon Mangkhut*. Retrieved January 20, 2022, from Wikimedia: https://commons.wikimedia.org/wiki/File:Hang_Seng_Bank_Headquarters_Building_after_Typhoon_Mangkhut.jpg.
- Wikimedia. (2018, September 17). *Immigration Tower in Wan Chai damaged by Typhoon Mangkhut 2018*. Retrieved January 20, 2022, from Wikimedia: https://commons.wikimedia.org/wiki/File:Immigration_Tower_in_Wan_Chai_damaged_by_Typhoon_Mangkhut_%282018%29.jpg.
- Wikimedia. (2018, September 18). *Two Harbourfront after Typhoon Mangkhut 2018*. Retrieved January 20, 2022, from Wikimedia: https://commons.wikimedia.org/wiki/File:Two_Harbourfront_after_Typhoon_Mangkhut_201809.jpg.
- Wikipedia. (2013, March 23). Aldar Headquarters in Abu Dhabi [image]. Retrieved January 10, 2022, from Wikipedia: https://en.wikipedia.org/wiki/Aldar_Headquarters_building#/media/File:Aldar_Headquarters_Building.jpg.

- Williams, D.J., and Redgen, B.N. (2012). *Investigation into Australian impact testing methods and criteria for glass façades* [Project Thesis]. Brisbane: Queensland University of Technology, Australia.
- Wills, J.A.B, Lee, B.E., and Wyatt, T.A. (2002). A model of wind-borne debris damage. *Journal of Wind Engineering and Industrial Aerodynamics*, 90(4-5), 555-565. doi:10.1016/S0167-6105(01)00197-0.
- Yarosh, K., Wolf, A.T., and Sitte, S. (2008). Evaluation of silicone sealants at high movement rates relevant to bomb mitigating window and curtainwall design. *Journal of ASTM International*, 6(2). doi:10.1520/JAI101953.
- Yuan, Y., Xu, C., Xu, T., Sun, Y., Liu, B., and Li, Y. (2017). An analytical model for deformation and damage of rectangular laminated glass under low-velocity impact. *Composite Structures*. doi:10.1016/j.compstruct.2017.06.029.
- Zavadskas, E.K., Kaklauskas, A., Turskis, Z., and Tamošaitien, J. (2008). Selection of the effective dwelling house walls by applying attribute values determined at intervals. *Journal of Civil Engineering and Management*, 14(2), 85-93.
- Zhang, X., Hao, H., and Ma, G. (2013). Laboratory test and numerical simulation of laminated glass window vulnerability to debris impact. *International Journal of Impact Engineering*, 55, 49-62. doi:10.1016/j.ijimpeng.2013.01.002.
- Zhang, X., Hao, H., and Ma, G. (2014). Dynamic material model of annealed soda-lime glass. *International Journal of Impact Engineering*, 77(2015), 108-119. doi:10.1016/j.ijimpeng.2014.11.016.
- Zhang, X., Hao, H., Shi, Y., and Cui, J. (2015). The mechanical properties of Polyvinyl Butyral (PVB) at high strain rates. *Construction and Building Materials*, 93, 404-415. doi:10.1016/j.conbuildmat.2015.04.057.
- Zhang, X., Liu, H., Maharaj, C., Zheng, M., Mohagheghian, I., Zhang, G., Yan, Y., and Dear, J.P. (2020). Impact response of laminated glass with varying interlayer materials. *International Journal of Impact Engineering*, 139, 1-15. doi:10.1016/j.ijimpeng.2020.103505.
- Zhang, X., Zou, Y., Hao, H., Li, X., Ma, G., and Liu, K. (2012). Laboratory test on dynamic material properties of annealed float glass. *International Journal of Protective Structures*, 3(4), 407-430. doi:10.1260/2041-4196.3.4.407.
- Zhao, C., Yang, J., Wang, X.E., and Azim, I. (2019). Experimental investigation into the post-breakage performance of pre-cracked laminated glass plates. *Construction and Building Materials*, 224, 996-1006. doi:10.1016/j.conbuildmat.2019.07.286.

Zhou, X.Q., Wang, M.Y., and Li, L.X. (2019). Dynamic damage assessment of float glass under blast loading. *Advances in Structural Engineering*, 22(11), 1-13. doi:10.1177/1369433219845691.