

## REFERENCES

- 
- [1] G. J. Snyder and E. S. Toberer, “Complex thermoelectric materials,” *Nat. Mater.*, vol. 7, no. 2, pp. 105–114, Feb. 2008.
  - [2] T. C. Harman, P. J. Taylor, M. P. Walsh, and B. E. LaForge, “Quantum Dot Superlattice Thermoelectric Materials and Devices,” *Science (80-. ).*, vol. 297, no. 5590, pp. 2229–2232, Sep. 2002.
  - [3] A. I. Hochbaum, R. Chen, R. D. Delgado, W. Liang, E. C. Garnett, M. Najarian, A. Majumdar, and P. Yang, “Enhanced thermoelectric performance of rough silicon nanowires,” *Nature*, vol. 451, no. 7175, pp. 163–167, Jan. 2008.
  - [4] R. Venkatasubramanian, E. Siivola, T. Colpitts, and B. O’Quinn, “Thin-film thermoelectric devices with high room-temperature figures of merit,” *Nature*, vol. 413, no. 1, pp. 1–8, 2001.
  - [5] R. Prasher, “Ultralow thermal conductivity of a packed bed of crystalline nanoparticles: A theoretical study,” *Phys. Rev. B*, vol. 74, no. 16, p. 165413, Oct. 2006.
  - [6] A. J. Minnich, M. S. Dresselhaus, Z. F. Ren, and G. Chen, “Bulk nanostructured thermoelectric materials: current research and future prospects,” *Energy Environ. Sci.*, vol. 2, no. 5, p. 466, 2009.
  - [7] A. I. Boukai, Y. Bunimovich, J. Tahir-Kheli, J.-K. Yu, W. A. Goddard III, and J. R. Heath, “Silicon nanowires as efficient thermoelectric materials,” *Nature*, vol. 451, no. 7175, pp. 168–171, Jan. 2008.
  - [8] B. C. Sales, D. Mandrus, and R. K. Williams, “Filled Skutterudite Antimonides: A New Class of Thermoelectric Materials,” *Science (80-. ).*, vol. 272, no. 5266, pp. 1325–1328, May 1996.
  - [9] Y. Pei, X. Shi, A. LaLonde, H. Wang, L. Chen, and G. J. Snyder, “Convergence of electronic bands for high performance bulk thermoelectrics,” *Nature*, vol. 473, no. 7345, pp. 66–69, May 2011.
  - [10] J. P. Heremans, V. Jovovic, E. S. Toberer, A. Saramat, K. Kurosaki, A.

- Charoenphakdee, S. Yamanaka, and G. J. Snyder, “Enhancement of Thermoelectric Efficiency in PbTe by Distortion of the Electronic Density of States,” *Science* (80-.), vol. 321, no. 5888, pp. 554–557, Jul. 2008.
- [11] W. He *et al.*, “High thermoelectric performance in low-cost SnS 0.91 Se 0.09 crystals,” *Science* (80-.), vol. 365, no. 6460, pp. 1418–1424, Sep. 2019.
- [12] G. A. Slack, *CRC Handbook of Thermoelectrics*. 1995.
- [13] T. M. Tritt and M. A. Subramanian, “Thermoelectric Materials, Phenomena, and Applications: A Bird’s Eye View,” *MRS Bull.*, vol. 31, no. March, 2006.
- [14] H. Xie, S. Hao, J. Bao, T. J. Slade, G. J. Snyder, C. Wolverton, and M. G. Kanatzidis, “All-Inorganic Halide Perovskites as Potential Thermoelectric Materials: Dynamic Cation off-Centering Induces Ultralow Thermal Conductivity,” *J. Am. Chem. Soc.*, vol. 142, no. 20, pp. 9553–9563, May 2020.
- [15] M. A. Haque, S. Kee, D. R. Villalva, W. Ong, and D. Baran, “Halide Perovskites: Thermal Transport and Prospects for Thermoelectricity,” *Adv. Sci.*, vol. 7, no. 10, p. 1903389, May 2020.
- [16] Y. Sun, Y. Liu, R. Li, Y. Li, and S. Bai, “Strategies to Improve the Thermoelectric Figure of Merit in Thermoelectric Functional Materials,” *Front. Chem.*, vol. 10, May 2022.
- [17] Z.-Z. Lin, C.-L. Huang, and Z. Huang, “Thermo-Electric Properties of Cu and Ni Nanoparticles Packed Beds,” *J. Nanosci. Nanotechnol.*, vol. 18, no. 5, pp. 3413–3418, 2018.
- [18] G. J. Snyder, J. R. Lim, C. K. Huang, and J. P. Fleurial, “Thermoelectric microdevice fabricated by a MEMS-like electrochemical process,” *Nat. Mater.*, vol. 2, no. 8, pp. 528–531, 2003.
- [19] A. A. Balandin, “Thermal properties of graphene and nanostructured carbon materials,” *Nat. Mater.*, vol. 10, no. 8, pp. 569–581, Aug. 2011.
- [20] M.-J. Lee, J.-H. Ahn, J. H. Sung, H. Heo, S. G. Jeon, W. Lee, J. Y. Song, K.-H. Hong, B. Choi, S.-H. Lee, and M.-H. Jo, “Thermoelectric materials by using

- two-dimensional materials with negative correlation between electrical and thermal conductivity,” *Nat. Commun.*, vol. 7, no. 1, p. 12011, Nov. 2016.
- [21] S. K. Bux, R. G. Blair, P. K. Gogna, H. Lee, G. Chen, M. S. Dresselhaus, R. B. Kaner, and J.-P. Fleurial, “Nanostructured bulk silicon as an effective thermoelectric material,” *Adv. Funct. Mater.*, vol. 19, no. 15, pp. 2445–2452, 2009.
  - [22] M. S. Dresselhaus, G. Chen, M. Y. Tang, R. Yang, H. Lee, D. Wang, Z. Ren, J. P. Fleurial, and P. Gogna, “New directions for low-dimensional thermoelectric materials,” *Adv. Mater.*, vol. 19, no. 8, pp. 1043–1053, 2007.
  - [23] M. Saiz-Bretín, A. V. Malyshev, P. A. Orellana, and F. Domínguez-Adame, “Enhancing thermoelectric properties of graphene quantum rings,” *Phys. Rev. B*, vol. 91, no. 8, p. 085431, Feb. 2015.
  - [24] K. Wu, L. Rademaker, and J. Zaanen, “Bilayer excitons in two-dimensional nanostructures for greatly enhanced thermoelectric efficiency,” *Phys. Rev. Appl.*, vol. 2, no. 5, pp. 1–8, 2014.
  - [25] Z.-Z. Lin, C.-L. Huang, W.-K. Zhen, Y.-H. Feng, X.-X. Zhang, and G. Wang, “Experimental Study on Thermal Conductivity and Hardness of Cu and Ni Nanoparticle Packed Bed for Thermoelectric Application,” *Nanoscale Res. Lett.*, vol. 12, no. 1, p. 189, Dec. 2017.
  - [26] V. T. Tran, J. Saint-Martin, P. Dollfus, and S. Volz, “Optimizing the thermoelectric performance of graphene nano-ribbons without degrading the electronic properties,” *Sci. Rep.*, vol. 7, no. 1, pp. 4–6, 2017.
  - [27] A. U. Khan, K. Kobayashi, D. M. Tang, Y. Yamauchi, K. Hasegawa, M. Mitome, Y. Xue, B. Jiang, K. Tsuchiya, D. Golberg, Y. Bando, and T. Mori, “Nano-micro-porous skutterudites with 100% enhancement in ZT for high performance thermoelectricity,” *Nano Energy*, vol. 31, pp. 152–159, 2017.
  - [28] B. Poudel, Q. Hao, Y. Ma, Y. Lan, A. Minnich, B. Yu, X. Yan, D. Wang, A. Muto, D. Vashaee, X. Chen, J. Liu, Dresselaus, G. Chen, and Z. Ren, “High-Thermoelectric Performance of Nanostructured Bismuth Antimony Telluride

- Bulk Alloys,” *Science* (80-.), vol. 320, no. 5876, pp. 634–638, 2008.
- [29] P. Valentini, W. W. Gerberich, and T. Dumitrică, “Phase-transition plasticity response in uniaxially compressed silicon nanospheres,” *Phys. Rev. Lett.*, vol. 99, no. 17, pp. 1–4, 2007.
- [30] G. Wang, “Nanotechnology: The New Features,” Dec. 2018.
- [31] J. Jeevanandam, A. Barhoum, Y. S. Chan, A. Dufresne, and M. K. Danquah, “Review on nanoparticles and nanostructured materials: History, sources, toxicity and regulations,” *Beilstein J. Nanotechnol.*, vol. 9, no. 1, pp. 1050–1074, 2018.
- [32] S. Dean, G. Mansoori, and T. Fauzi Soelaiman, “Nanotechnology — An Introduction for the Standards Community,” *J. ASTM Int.*, vol. 2, no. 6, p. 13110, 2005.
- [33] S. Tsiper, O. Dicker, I. Kaizerman, Z. Zohar, M. Segev, and Y. C. Eldar, “Sparsity-Based Super Resolution for SEM Images,” *Nano Lett.*, vol. 17, no. 9, pp. 5437–5445, 2017.
- [34] M. R. Hauwiller, J. C. Ondry, and A. P. Alivisatos, “Using Graphene Liquid Cell Transmission Electron Microscopy to Study in Situ Nanocrystal Etching,” *J. Vis. Exp.*, no. 135, pp. 1–9, 2018.
- [35] C. Shao and H. Bao, “Thermal transport in bismuth telluride quintuple layer: Mode-resolved phonon properties and substrate effects,” *Sci. Rep.*, vol. 6, no. May, pp. 2–11, 2016.
- [36] K. W. Adu, H. R. Gutiérrez, U. J. Kim, G. U. Sumanasekera, and P. C. Eklund, “Confined Phonons in Si Nanowires,” *Nano Lett.*, vol. 5, no. 3, pp. 409–414, Mar. 2005.
- [37] J. T. Glückert, L. Adamska, W. Schinner, M. S. Hofmann, S. K. Doorn, S. Tretiak, and A. Högele, “Dipolar and charged localized excitons in carbon nanotubes,” *Phys. Rev. B*, vol. 98, no. 19, pp. 1–6, 2018.
- [38] F. Zhou, A. L. Moore, M. T. Pettes, Y. Lee, J. H. Seol, Q. L. Ye, L. Rabenberg,

- and L. Shi, “Effect of growth base pressure on the thermoelectric properties of indium antimonide nanowires,” *J. Phys. D. Appl. Phys.*, vol. 43, no. 2, pp. 1–9, Jan. 2010.
- [39] A. Mavrokefalos, A. L. Moore, M. T. Pettes, L. Shi, W. Wang, and X. Li, “Thermoelectric and structural characterizations of individual electrodeposited bismuth telluride nanowires,” *J. Appl. Phys.*, vol. 105, no. 10, 2009.
- [40] D. Li, Y. Wu, R. Fan, P. Yang, and A. Majumdar, “Thermal conductivity of Si/SiGe superlattice nanowires,” *Appl. Phys. Lett.*, vol. 83, no. 15, pp. 3186–3188, Oct. 2003.
- [41] M. Elsahati, K. Clarke, and R. Richards, “Thermal conductivity of copper and silica nanoparticle packed beds,” *Int. Commun. Heat Mass Transf.*, vol. 71, pp. 96–100, 2016.
- [42] D. Loss, “Editorial: Quantum phenomena in Nanotechnology,” *Nanotechnology*, vol. 20, no. 43, p. 430205, 2009.
- [43] F. Capasso, “Band-Gap Engineering: From Physics and Materials to New Semiconductor Devices,” *Science (80-. ).*, vol. 235, no. 4785, pp. 172–176, Jan. 1987.
- [44] W. Jolie, C. Murray, P. S. Weiß, J. Hall, F. Portner, N. Atodiresei, A. V. Krasheninnikov, C. Busse, H. P. Komsa, A. Rosch, and T. Michely, “Tomonaga-Luttinger Liquid in a Box: Electrons Confined within MoS<sub>2</sub> Mirror-Twin Boundaries,” *Phys. Rev. X*, vol. 9, no. 2, p. 11055, 2019.
- [45] N. Yang, X. Xu, G. Zhang, and B. Li, “Thermal transport in nanostructures,” *AIP Adv.*, vol. 2, no. 4, p. 041410, Dec. 2012.
- [46] M.-C. Hsiao, C.-C. M. Ma, J.-C. Chiang, K.-K. Ho, T.-Y. Chou, X. Xie, C.-H. Tsai, L.-H. Chang, and C.-K. Hsieh, “Thermally conductive and electrically insulating epoxy nanocomposites with thermally reduced graphene oxide–silica hybrid nanosheets,” *Nanoscale*, vol. 5, no. 13, p. 5863, 2013.
- [47] M.-H. Bae, Z. Li, Z. Aksamija, P. N. Martin, F. Xiong, Z.-Y. Ong, I. Knezevic,

- and E. Pop, “Ballistic to diffusive crossover of heat flow in graphene ribbons,” *Nat. Commun.*, vol. 4, no. 1, p. 1734, Jun. 2013.
- [48] H. Liu, G. Qin, Y. Lin, and M. Hu, “Disparate Strain Dependent Thermal Conductivity of Two-dimensional Penta-Structures,” *Nano Lett.*, vol. 16, no. 6, pp. 3831–3842, Jun. 2016.
- [49] Y. Lin and J. W. Connell, “Advances in 2D boron nitride nanostructures: nanosheets, nanoribbons, nanomeshes, and hybrids with graphene,” *Nanoscale*, vol. 4, no. 22, p. 6908, 2012.
- [50] J. O. Sofo and G. D. Mahan, “Thermoelectric figure of merit of superlattices,” *Appl. Phys. Lett.*, vol. 65, no. 21, pp. 2690–2692, 1994.
- [51] G. Chen, “Size and Interface Effects on Thermal Conductivity of Superlattices and Periodic Thin-Film Structures,” *J. Heat Transfer*, vol. 119, no. 2, p. 220, 1997.
- [52] S. G. Volz and G. Chen, “Molecular dynamics simulation of thermal conductivity of silicon nanowires,” *Appl. Phys. Lett.*, vol. 75, no. 14, pp. 2056–2058, Oct. 1999.
- [53] D. Li, Y. Wu, P. Kim, L. Shi, P. Yang, and A. Majumdar, “Thermal conductivity of individual silicon nanowires,” *Appl. Phys. Lett.*, vol. 83, no. 14, pp. 2934–2936, 2003.
- [54] C. Dames and G. Chen, “Theoretical phonon thermal conductivity of Si/Ge superlattice nanowires,” *J. Appl. Phys.*, vol. 95, no. 2, pp. 682–693, Jan. 2004.
- [55] R. Yang, G. Chen, and M. S. Dresselhaus, “Thermal conductivity of simple and tubular nanowire composites in the longitudinal direction,” *Phys. Rev. B*, vol. 72, no. 12, p. 125418, Sep. 2005.
- [56] S. Bravyi, D. Gosset, and R. König, “Quantum Advantage with Shallow Circuits,” *Science (80- ).*, vol. 311, no. October, pp. 308–311, 2018.
- [57] E. Ziambaras and P. Hyldgaard, “Thermal transport in SiC nanostructures,” *Mater. Sci. Eng. C*, vol. 25, no. 5–8, pp. 635–640, Dec. 2005.

- [58] G. J. Snyder and T. S. Ursell, “Thermoelectric efficiency and compatibility,” *Phys. Rev. Lett.*, vol. 91, no. 14, pp. 148301/1–148301/4, 2003.
- [59] C. Goupil, W. Seifert, K. Zabrocki, E. E. Müller, and G. J. Snyder, “Thermodynamics of Thermoelectric Phenomena and Applications,” *Entropy*, vol. 13, no. 8, pp. 1481–1517, Aug. 2011.
- [60] Y. Chen, J. Ma, and W. Li, “Understanding the thermal conductivity and Lorenz number in tungsten from first principles,” *Phys. Rev. B*, vol. 99, no. 2, p. 020305, Jan. 2019.
- [61] S. Li, Z. Tong, and H. Bao, “The lattice and electronic thermal conductivity of doped SnSe: a first-principles study,” *J. Appl. Phys.*, 2019.
- [62] A. Sood, R. Cheaito, T. Bai, H. Kwon, Y. Wang, C. Li, L. Yates, T. Bouger, S. Graham, M. Asheghi, M. Goorsky, and K. E. Goodson, “Direct Visualization of Thermal Conductivity Suppression Due to Enhanced Phonon Scattering Near Individual Grain Boundaries,” *Nano Lett.*, vol. 18, no. 6, pp. 3466–3472, 2018.
- [63] B.-L. Huang and M. Kaviany, “Ab initio and molecular dynamics predictions for electron and phonon transport in bismuth telluride,” *Phys. Rev. B*, vol. 77, no. 12, p. 125209, Mar. 2008.
- [64] S. Lee, S. H. Kang, and Y. K. Kwon, “Low Lattice Thermal Conductivity of a Two-Dimensional Phosphorene Oxide,” *Sci. Rep.*, vol. 9, no. 1, pp. 1–9, 2019.
- [65] Y. Nakamura, “Nanostructure design for drastic reduction of thermal conductivity while preserving high electrical conductivity,” *Sci. Technol. Adv. Mater.*, vol. 19, no. 1, pp. 31–43, 2018.
- [66] G. Zhang and Y. W. Zhang, “Thermal properties of two-dimensional materials,” *Chinese Phys. B*, vol. 26, no. 3, 2017.
- [67] C. Shao, X. Yu, N. Yang, Y. Yue, and H. Bao, “A Review of Thermal Transport in Low-Dimensional Materials Under External Perturbation: Effect of Strain, Substrate, and Clustering,” *Nanoscale Microscale Thermophys. Eng.*, vol. 21, no. 4, pp. 201–236, 2017.

- [68] D. Li, Y. Gong, Y. Chen, J. Lin, Q. Khan, Y. Zhang, Y. Li, H. Zhang, and H. Xie, “Recent Progress of Two-Dimensional Thermoelectric Materials,” *Nano-Micro Lett.*, vol. 12, no. 1, p. 36, Dec. 2020.
- [69] L. D. Hicks and M. S. Dresselhaus, “Effect of quantum-well structures on the thermoelectric figure of merit,” *Phys. Rev. B*, vol. 47, no. 19, pp. 12727–12731, 1993.
- [70] A. Shakouri, “Thermoelectric, thermionic and thermophotovoltaic energy conversion,” *Int. Conf. Thermoelectr. ICT, Proc.*, pp. 492–497, 2005.
- [71] P. Vaqueiro and A. V. Powell, “Recent developments in nanostructured materials for high-performance thermoelectrics,” *J. Mater. Chem.*, vol. 20, no. 43, pp. 9577–9584, 2010.
- [72] I. Chowdhury, R. Prasher, K. Lofgreen, G. Chrysler, S. Narasimhan, R. Mahajan, D. Koester, R. Alley, and R. Venkatasubramanian, “On-chip cooling by superlattice-based thin-film thermoelectrics,” *Nat. Nanotechnol.*, vol. 4, no. 4, pp. 235–238, 2009.
- [73] L. D. Hicks and M. S. Dresselhaus, “Thermoelectric figure of merit of a one-dimensional conductor,” *Phys. Rev. B*, vol. 47, no. 24, pp. 16631–16634, Jun. 1993.
- [74] X. B. Zhao, X. H. Ji, Y. H. Zhang, T. J. Zhu, J. P. Tu, and X. B. Zhang, “Bismuth telluride nanotubes and the effects on the thermoelectric properties of nanotube-containing nanocomposites,” *Appl. Phys. Lett.*, vol. 86, no. 6, pp. 1–3, 2005.
- [75] G. Zhang, Q. Yu, W. Wang, and X. Li, “Nanostructures for thermoelectric applications: Synthesis, growth mechanism, and property studies,” *Adv. Mater.*, vol. 22, no. 17, pp. 1959–1962, 2010.
- [76] P. Kim, L. Shi, A. Majumdar, and P. L. McEuen, “Mesoscopic thermal transport and energy dissipation in carbon nanotubes,” *Phys. B Condens. Matter*, vol. 323, no. 1–4, pp. 67–70, 2002.
- [77] C. J. Vineis, A. Shakouri, A. Majumdar, and M. G. Kanatzidis, “Nanostructured

- thermoelectrics: Big efficiency gains from small features,” *Adv. Mater.*, vol. 22, no. 36, pp. 3970–3980, 2010.
- [78] J. Y. Raty, G. Galli, C. Bostedt, T. W. Van Buuren, and L. J. Terminello, “Quantum confinement and fullerenelike surface reconstructions in nanodiamonds,” *Phys. Rev. Lett.*, vol. 90, no. 3, pp. 1–4, 2003.
- [79] T. A. Costi and V. Zlatić, “Thermoelectric transport through strongly correlated quantum dots,” *Phys. Rev. B*, vol. 81, no. 23, p. 235127, Jun. 2010.
- [80] C. Pan, M. Long, and J. He, “Enhanced thermoelectric properties in boron nitride quantum-dot,” *Results Phys.*, vol. 7, no. April, pp. 1487–1491, 2017.
- [81] T. C. Harman, P. J. Taylor, D. L. Spears, and M. P. Walsh, “Thermoelectric quantum-dot superlattices with high ZT,” *J. Electron. Mater.*, vol. 29, no. 1, pp. 1–4, 2000.
- [82] B. Sothmann, R. Sánchez, and A. N. Jordan, “Thermoelectric energy harvesting with quantum dots,” *Nanotechnology*, vol. 26, no. 3, p. 32001, 2015.
- [83] A. A. Joshi and A. Majumdar, “Transient ballistic and diffusive phonon heat transport in thin films,” *J. Appl. Phys.*, vol. 74, no. 1, pp. 31–39, 1993.
- [84] Y. S. Ju, “Phonon heat transport in silicon nanostructures,” *Appl. Phys. Lett.*, vol. 87, no. 15, pp. 1–3, 2005.
- [85] F. Case, “Nanotechnology and molecular simulation,” *Mol. Simul.*, vol. 37, no. 8, p. 647, 2011.
- [86] M. Fermeglia, A. Mio, S. Aulic, D. Marson, E. Laurini, and S. Pricl, “Multiscale molecular modelling for the design of nanostructured polymer systems: industrial applications,” *Mol. Syst. Des. Eng.*, vol. 5, no. 9, pp. 1447–1476, 2020.
- [87] X. Zhang and L.-D. D. Zhao, “Thermoelectric materials: Energy conversion between heat and electricity,” *J. Mater.*, vol. 1, no. 2, pp. 92–105, Jun. 2015.
- [88] Y. Pei, A. LaLonde, S. Iwanaga, and G. J. Snyder, “High thermoelectric figure

- of merit in heavy hole dominated PbTe,” *Energy Environ. Sci.*, vol. 4, no. 6, p. 2085, 2011.
- [89] A. F. May, J.-P. Fleurial, and G. J. Snyder, “Thermoelectric performance of lanthanum telluride produced via mechanical alloying,” *Phys. Rev. B*, vol. 78, no. 12, p. 125205, Sep. 2008.
- [90] R. Eder, Y. Ohta, and T. Shimozato, “Validity of the rigid-band picture for the t - J model,” *Phys. Rev. B*, vol. 50, no. 5, pp. 3350–3355, Aug. 1994.
- [91] A. Mehdizadeh Dehkordi, M. Zebarjadi, J. He, and T. M. Tritt, “Thermoelectric power factor: Enhancement mechanisms and strategies for higher performance thermoelectric materials,” *Mater. Sci. Eng. R Reports*, vol. 97, pp. 1–22, Nov. 2015.
- [92] B. Yu, M. Zebarjadi, H. Wang, K. Lukas, H. Wang, D. Wang, C. Opeil, M. Dresselhaus, G. Chen, and Z. Ren, “Enhancement of Thermoelectric Properties by Modulation-Doping in Silicon Germanium Alloy Nanocomposites,” *Nano Lett.*, vol. 12, no. 4, pp. 2077–2082, Apr. 2012.
- [93] L. david, R, *CRC Handbook of Chemistry and Physics*, 87th ed. Taylor & Francis, 2006.
- [94] Robin E. Bentley, *Handbook of Temperature Measurement*. Springer, 1998.
- [95] A. Dean, J and A. Lange., N, *Lange's Handbook of Chemistry*. McGraw-Hill, 1998.
- [96] A. Stranz, J. Kähler, A. Waag, and E. Peiner, “Thermoelectric Properties of High-Doped Silicon from Room Temperature to 900 K,” *J. Electron. Mater.*, vol. 42, no. 7, pp. 2381–2387, Jul. 2013.
- [97] G. Eranna, *Crystal Growth and Evaluation of Silicon for VLSI and ULSI*, 1st ed. Taylor & Francis, 2014.
- [98] Q. Zhao, C. E. Finlayson, D. R. E. Snoswell, A. Haines, C. Schäfer, P. Spahn, G. P. Hellmann, A. V. Petukhov, L. Herrmann, P. Burdet, P. A. Midgley, S. Butler, M. Mackley, Q. Guo, and J. J. Baumberg, “Large-scale ordering of

- nanoparticles using viscoelastic shear processing,” *Nat. Commun.*, vol. 7, pp. 1–10, 2016.
- [99] W.-J. Yao and B. Y. Cao, “Molecular Dynamics Studies on Ballistic Thermal Resistance of Graphene Nano-Junctions,” *Commun. Theor. Phys.*, vol. 63, no. 5, pp. 619–624, 2015.
- [100] H. Maune, H. Y. Chiu, and M. Bockrath, “Thermal resistance of the nanoscale constrictions between carbon nanotubes and solid substrates,” *Appl. Phys. Lett.*, vol. 89, no. 1, 2006.
- [101] R. Prasher, “Predicting the thermal resistance of nanosized constrictions,” *Nano Lett.*, vol. 5, no. 11, pp. 2155–2159, 2005.
- [102] R. Prasher, T. Tong, and A. Majumdar, “Thermal Resistance of Nano Constrictions,” in *Heat Transfer, Volume 1*, 2006, vol. 2, pp. 535–540.
- [103] P. Wan, L. Gao, and J. Wang, “Approaching ultra-low thermal conductivity in  $\beta$ -SiC nanoparticle packed beds through multiple heat blocking mechanisms,” *Scr. Mater.*, vol. 128, pp. 1–5, 2017.
- [104] C. Leiterer, S. Berg, A. P. Eskelinen, A. Csaki, M. Urban, P. Törmä, and W. Fritzsche, “Assembling gold nanoparticle chains using an AC electrical field: Electrical detection of organic thiols,” *Sensors Actuators, B Chem.*, vol. 176, pp. 368–373, 2013.
- [105] J. Vieaud, J. Gao, J. Cane, M. Stchakovsky, A. En Naciri, K. Ariga, R. Oda, E. Pouget, and Y. Battie, “Gold Nanoparticle Chains: Synthesis, Characterization, and Modeling Using Spectroscopic Ellipsometry,” *J. Phys. Chem. C*, vol. 122, no. 22, pp. 11973–11984, 2018.
- [106] B. Li, X. Wen, R. Li, Z. Wang, P. G. Clem, and H. Fan, “Stress-induced phase transformation and optical coupling of silver nanoparticle superlattices into mechanically stable nanowires,” *Nat. Commun.*, vol. 5, no. 1, p. 4179, Sep. 2014.
- [107] J. Nickolls, I. Buck, M. Garland, and K. Skadron, “Scalable Parallel

- Programming with CUDA,” *Queue*, vol. 6, no. 2, pp. 40–53, Mar. 2008.
- [108] J. Godet, L. Pizzagalli, S. Brochard, and P. Beauchamp, “Comparison between classical potentials and ab initio methods for silicon under large shear,” *J. Phys. Condens. Matter*, vol. 15, no. 41, pp. 6943–6953, 2003.
- [109] T. Ohira, T. Inamuro, and T. Adachi, “Molecular dynamics simulation of amorphous silicon with tersoff potential,” *Mater. Res. Soc. Symp. Proc.*, vol. 336, pp. 177–182, 1994.
- [110] L. Pizzagalli, J. Godet, J. Guénolé, S. Brochard, E. Holmstrom, K. Nordlund, and T. Albaret, “A new parametrization of the Stillinger-Weber potential for an improved description of defects and plasticity of silicon,” *J. Phys. Condens. Matter*, vol. 25, no. 5, 2013.
- [111] W. Sun, “The dynamic effect on mechanical contacts between nanoparticles,” *Nanoscale*, vol. 5, no. 24, pp. 12658–12669, 2013.
- [112] D. Chrobak, N. Tymiak, A. Beaber, O. Ugurlu, W. W. Gerberich, and R. Nowak, “Deconfinement leads to changes in the nanoscale plasticity of silicon,” *Nat. Nanotechnol.*, vol. 6, no. 8, pp. 480–484, Aug. 2011.
- [113] A. J. H. McGaughey, “Phonon transport in molecular dynamics simulations: formulation and thermal conductivity prediction,” University of Michigan, 2008.
- [114] H. S. Kim, Z. M. Gibbs, Y. Tang, H. Wang, and G. J. Snyder, “Characterization of Lorenz number with Seebeck coefficient measurement,” *APL Mater.*, vol. 3, no. 4, pp. 1–6, 2015.
- [115] P. Kivinen, A. Savin, M. Zgirski, P. Törmä, J. Pekola, M. Prunnila, and J. Ahopelto, “Electron-phonon heat transport and electronic thermal conductivity in heavily doped silicon-on-insulator film,” *J. Appl. Phys.*, vol. 94, no. 5, pp. 3201–3205, 2003.
- [116] C. H. Su, “Experimental determination of lattice thermal conductivity and Lorenz number as functions of temperature for n-type PbTe,” *Mater. Today*

*Phys.*, vol. 5, pp. 58–63, 2018.

- [117] Z. Xu, “Heat transport in low-dimensional materials: A review and perspective,” *Theor. Appl. Mech. Lett.*, vol. 6, no. 3, pp. 113–121, May 2016.
- [118] T. Ikeshoji and B. Hafskjold, “Non-equilibrium molecular dynamics calculation of heat conduction in liquid and through liquid-gas interface,” *Mol. Phys.*, vol. 81, no. 2, pp. 251–261, 1994.
- [119] P. Wirnsberger, D. Frenkel, and C. Dellago, “An enhanced version of the heat exchange algorithm with excellent energy conservation properties,” *J. Chem. Phys.*, vol. 143, no. 12, 2015.
- [120] F. Müller-Plathe, “A simple nonequilibrium molecular dynamics method for calculating the thermal conductivity,” *J. Chem. Phys.*, vol. 106, no. 14, pp. 6082–6085, 1997.
- [121] P. K. Schelling, S. R. Phillpot, and P. Keblinski, “Comparison of atomic-level simulation methods for computing thermal conductivity,” *Phys. Rev. B*, vol. 65, no. 14, p. 144306, Apr. 2002.
- [122] D. P. Sellan, E. S. Landry, J. E. Turney, A. J. H. McGaughey, and C. H. Amon, “Size effects in molecular dynamics thermal conductivity predictions,” *Phys. Rev. B*, vol. 81, no. 21, p. 214305, Jun. 2010.
- [123] S. Wang, “Molecular dynamics study of thermal conductivity of bismuth telluride,” University of Florida, 2013.
- [124] M. S. Green, “Markoff Random Processes and the Statistical Mechanics of Time-Dependent Phenomena. II. Irreversible Processes in Fluids,” *J. Chem. Phys.*, vol. 22, no. 3, pp. 398–413, Mar. 1954.
- [125] R. Kubo, “Statistical-Mechanical Theory of Irreversible Processes. I. General Theory and Simple Applications to Magnetic and Conduction Problems,” *J. Phys. Soc. Japan*, vol. 12, no. 6, pp. 570–586, Jun. 1957.
- [126] C. Madhusudana, *Thermal contact conductance: a review*, Second edi. Springer US, 2014.

- [127] X. J. Hu, R. Prasher, and K. Lofgreen, “Ultralow thermal conductivity of nanoparticle packed bed,” *Appl. Phys. Lett.*, vol. 91, no. 20, p. 203113, Nov. 2007.
- [128] L. Zi-zhen, H. Congliang, and L. Yinshi, “A generalized thermal conductivity model for nanoparticle packed bed considering particle deformation,” *Int. J. Heat Mass Transf.*, vol. 129, pp. 28–36, 2019.
- [129] G. J. Hu and B. Y. Cao, “Thermal resistance between crossed carbon nanotubes: Molecular dynamics simulations and analytical modeling,” *J. Appl. Phys.*, vol. 114, no. 22, 2013.
- [130] V. Bahadur, J. Xu, Y. Liu, and T. S. Fisher, “Thermal Resistance of Nanowire-Plane Interfaces,” *J. Heat Transfer*, vol. 127, no. 6, p. 664, 2005.
- [131] T. (Department of E. S. U. of C. Dove, Martin, *Introduction to Lattice Dynamics*. Cambridge University Press, 1993.
- [132] W. M. Mook, J. D. Nowak, C. R. Perrey, C. B. Carter, R. Mukherjee, S. L. Girshick, P. H. McMurry, and W. W. Gerberich, “Compressive stress effects on nanoparticle modulus and fracture,” *Phys. Rev. B*, vol. 75, no. 21, p. 214112, Jun. 2007.
- [133] K. L. Johnson, *Contact mechanics*. Cambridge University Press, 1985.
- [134] K. E. Mueggenburg, X. M. Lin, R. H. Goldsmith, and H. M. Jaeger, “Elastic membranes of close-packed nanoparticle arrays,” *Nat. Mater.*, vol. 6, no. 9, pp. 656–660, 2007.
- [135] Y. Ding, X. R. Niu, and G. F. Wang, “Elastic compression of nanoparticles with surface energy,” *J. Phys. D. Appl. Phys.*, vol. 48, no. 48, p. 485303, 2015.
- [136] S. R. Hostler, Y. Q. Qu, M. T. Demko, A. R. Abramson, X. Qiu, and C. Burda, “Thermoelectric properties of pressed bismuth nanoparticles,” *Superlattices Microstruct.*, vol. 43, no. 3, pp. 195–207, 2008.
- [137] J. Dupont and J. D. Scholten, “On the structural and surface properties of transition-metal nanoparticles in ionic liquids,” *Chem. Soc. Rev.*, vol. 39, no. 5,

pp. 1780–1804, 2010.

- [138] K. Hajlaoui, A. R. Yavari, A. LeMoulec, W. J. Botta, F. G. Vaughan, J. Das, A. L. Greer, and Å. Kvick, “Plasticity induced by nanoparticle dispersions in bulk metallic glasses,” *J. Non. Cryst. Solids*, vol. 353, no. 3, pp. 327–331, 2007.
- [139] M. Raftari, Z. J. Zhang, S. R. Carter, G. J. Leggett, and M. Geoghegan, “Nanoscale Contact Mechanics between Two Grafted Polyelectrolyte Surfaces,” *Macromolecules*, vol. 48, no. 17, pp. 6272–6279, 2015.
- [140] M. Kopycinska-Müller, R. H. Geiss, and D. C. Hurley, “Contact mechanics and tip shape in AFM-based nanomechanical measurements,” *Ultramicroscopy*, vol. 106, no. 6, pp. 466–474, 2006.
- [141] G. Anciaux and J.-F. Molinari, “Contact mechanics at the nanoscale, a 3D multiscale approach,” *Int. J. Numer. Methods Eng.*, vol. 00, no. 79, pp. 1041–1067, 2009.
- [142] G. F. Wang and X. Q. Feng, “Effects of surface stresses on contact problems at nanoscale,” *J. Appl. Phys.*, vol. 101, no. 1, 2007.
- [143] J. A. Greenwood, “Adhesion of elastic spheres,” *Proc. R. Soc. London. Ser. A Math. Phys. Eng. Sci.*, vol. 453, no. 1961, pp. 1277–1297, Jun. 1997.
- [144] G. Mora-Barzaga, E. N. Miranda, and E. M. Bringa, “Molecular dynamics simulations of thermal conductivity between two nanoparticles in contact,” *J. Appl. Phys.*, vol. 127, no. 22, p. 224303, Jun. 2020.
- [145] B. Y. Cao, W. J. Yao, and Z. Q. Ye, “Networked nanoconstrictions: An effective route to tuning the thermal transport properties of graphene,” *Carbon N. Y.*, vol. 96, pp. 711–719, 2016.
- [146] J. M. Larkin and A. J. H. McGaughey, “Thermal conductivity accumulation in amorphous silica and amorphous silicon,” *Phys. Rev. B*, vol. 89, no. 14, p. 144303, Apr. 2014.
- [147] A. J. H. McGaughey and M. Kaviany, “Quantitative validation of the Boltzmann transport equation phonon thermal conductivity model under the

- single-mode relaxation time approximation,” *Phys. Rev. B*, vol. 69, no. 9, p. 094303, Mar. 2004.
- [148] A. A. Maradudin and A. E. Fein, “Scattering of Neutrons by an Anharmonic Crystal,” *Phys. Rev.*, vol. 128, no. 6, pp. 2589–2608, Dec. 1962.
- [149] R. J. Bell and P. Dean, “Atomic vibrations in vitreous silica,” *Discuss. Faraday Soc.*, vol. 50, p. 55, 1970.
- [150] E. Tiemann, P. Gersema, K. K. Voges, T. Hartmann, A. Zenesini, and S. Ospelkaus, “Beyond Born-Oppenheimer approximation in ultracold atomic collisions,” *Phys. Rev. Res.*, vol. 2, no. 1, p. 013366, Mar. 2020.
- [151] E. Schrödinger, “An Undulatory Theory of the Mechanics of Atoms and Molecules,” *Phys. Rev.*, vol. 28, no. 6, pp. 1049–1070, Dec. 1926.
- [152] P. Hohenberg and W. Kohn, “Inhomogeneous Electron Gas,” *Phys. Rev.*, vol. 136, no. 3B, pp. B864–B871, Nov. 1964.
- [153] W. Kohn and L. J. Sham, “Self-Consistent Equations Including Exchange and Correlation Effects,” *Phys. Rev.*, vol. 140, no. 4A, pp. A1133–A1138, Nov. 1965.
- [154] W. Kohn, “Nobel Lecture: Electronic structure of matter—wave functions and density functionals,” *Rev. Mod. Phys.*, vol. 71, no. 5, pp. 1253–1266, Oct. 1999.
- [155] J. A. Pople, “Nobel Lecture: Quantum chemical models,” *Rev. Mod. Phys.*, vol. 71, no. 5, pp. 1267–1274, Oct. 1999.
- [156] J. Bardeen and W. Shockley, “Deformation Potentials and Mobilities in Non-Polar Crystals,” *Phys. Rev.*, vol. 80, no. 1, pp. 72–80, Oct. 1950.
- [157] H. Fröhlich, “Electrons in lattice fields,” *Adv. Phys.*, vol. 3, no. 11, pp. 325–361, Jul. 1954.
- [158] Y. Zeng and A. Marconnet, “Tuning the Anisotropy of In-Plane Thermal Conduction in Thin Films by Modulating Thickness,” *Phys. Rev. Appl.*, vol. 9, no. 1, p. 011001, Jan. 2018.

- [159] R. Prasher, T. Tong, and A. Majumdar, “Approximate Analytical Models for Phonon Specific Heat and Ballistic Thermal Conductance of Nanowires,” *Nano Lett.*, vol. 8, no. 1, pp. 99–103, Jan. 2008.
- [160] N. S. Mohammad, “Understanding quantum confinement in nanowires: basics, applications and possible laws,” *J. Phys. Condens. Matter*, vol. 26, no. 42, p. 423202, Oct. 2014.
- [161] D. L. Nika, E. P. Pokatilov, A. A. Balandin, V. M. Fomin, A. Rastelli, and O. G. Schmidt, “Reduction of lattice thermal conductivity in one-dimensional quantum-dot superlattices due to phonon filtering,” *Phys. Rev. B*, vol. 84, no. 16, p. 165415, Oct. 2011.
- [162] M. Hu and D. Poulikakos, “Si/Ge Superlattice Nanowires with Ultralow Thermal Conductivity,” *Nano Lett.*, vol. 12, no. 11, pp. 5487–5494, Nov. 2012.
- [163] S. Plimpton, “Fast Parallel Algorithms for Short-Range Molecular Dynamics,” *J. Comput. Phys.*, vol. 117, no. 1, pp. 1–19, Mar. 1995.
- [164] J. D. Gale, “GULP: A computer program for the symmetry-adapted simulation of solids,” *J. Chem. Soc. Faraday Trans.*, vol. 93, no. 4, pp. 629–637, 1997.
- [165] N. Samaraweera, J. M. Larkin, K. L. Chan, and K. Mithraratne, “Reduced thermal conductivity of Si/Ge random layer nanowires: A comparative study against superlattice counterparts,” *J. Appl. Phys.*, vol. 123, no. 24, p. 244303, Jun. 2018.
- [166] F. H. Stillinger and T. A. Weber, “Computer simulation of local order in condensed phases of silicon,” *Phys. Rev. B*, vol. 31, no. 8, pp. 5262–5271, Apr. 1985.
- [167] L. Sementa, G. Barcaro, S. Monti, and V. Caravetta, “Molecular dynamics simulations of melting and sintering of Si nanoparticles: a comparison of different force fields and computational models,” *Phys. Chem. Chem. Phys.*, vol. 20, no. 3, pp. 1707–1715, 2018.
- [168] J. M. Larkin and C. Maloney, “Vibrational mode properties of disordered solids

from high-performance atomistic simulations and calculations,” Carnegie Mellon University, 2013.

- [169] A. Stukowski, “Visualization and analysis of atomistic simulation data with OVITO—the Open Visualization Tool,” *Model. Simul. Mater. Sci. Eng.*, vol. 18, no. 1, p. 015012, Jan. 2010.
- [170] N. Samaraweera, J. M. Larkin, K. L. Chan, and K. Mithraratne, “Modal analysis of the thermal conductivity of nanowires: Examining unique thermal transport features,” *J. Phys. Condens. Matter*, vol. 30, no. 22, p. 225301, Jun. 2018.
- [171] E. Blandre, L. Chaput, S. Merabia, D. Lacroix, and K. Termentzidis, “Modeling the reduction of thermal conductivity in core/shell and diameter-modulated silicon nanowires,” *Phys. Rev. B*, vol. 91, no. 11, p. 115404, Mar. 2015.
- [172] Y. Wang, H. Huang, and X. Ruan, “Decomposition of coherent and incoherent phonon conduction in superlattices and random multilayers,” *Phys. Rev. B*, vol. 90, no. 16, p. 165406, Oct. 2014.
- [173] P. Henadeera, N. Samaraweera, C. Ranasinghe, and A. Wijewardane, “Ultra-low thermal conductivity of nanoparticle chains: A nanoparticle based structure for thermoelectric applications,” *J. Appl. Phys.*, vol. 130, no. 6, p. 064301, Aug. 2021.
- [174] M. Hu, K. P. Giapis, J. V. Goicochea, X. Zhang, and D. Poulikakos, “Significant Reduction of Thermal Conductivity in Si/Ge Core–Shell Nanowires,” *Nano Lett.*, vol. 11, no. 2, pp. 618–623, Feb. 2011.
- [175] M. C. Wingert, Z. C. Y. Chen, E. Dechaumphai, J. Moon, J.-H. Kim, J. Xiang, and R. Chen, “Thermal Conductivity of Ge and Ge–Si Core–Shell Nanowires in the Phonon Confinement Regime,” *Nano Lett.*, vol. 11, no. 12, pp. 5507–5513, Dec. 2011.
- [176] Y. Zhao, L. Yang, L. Kong, M. H. Nai, D. Liu, J. Wu, Y. Liu, S. Y. Chiam, W. K. Chim, C. T. Lim, B. Li, J. T. L. Thong, and K. Hippalgaonkar, “Ultralow Thermal Conductivity of Single-Crystalline Porous Silicon Nanowires,” *Adv. Funct. Mater.*, vol. 27, no. 40, p. 1702824, Oct. 2017.

- [177] Y. Wang, B. Li, and G. Xie, “Significant reduction of thermal conductivity in silicon nanowires by shell doping,” *RSC Adv.*, vol. 3, no. 48, p. 26074, 2013.
- [178] G. Chen, M. S. Dresselhaus, G. Dresselhaus, J.-P. Fleurial, and T. Caillat, “Recent developments in thermoelectric materials,” *Int. Mater. Rev.*, vol. 48, no. 1, pp. 45–66, Feb. 2003.
- [179] J. Chen, G. Zhang, and B. Li, “Phonon coherent resonance and its effect on thermal transport in core-shell nanowires,” *J. Chem. Phys.*, vol. 135, no. 10, Sep. 2011.
- [180] L. Yin, E. Kyung Lee, J. Woon Lee, D. Whang, B. Lyong Choi, and C. Yu, “The influence of phonon scatterings on the thermal conductivity of SiGe nanowires,” *Appl. Phys. Lett.*, vol. 101, no. 4, p. 043114, Jul. 2012.
- [181] M. Hu, X. Zhang, K. P. Giapis, and D. Poulikakos, “Thermal conductivity reduction in core-shell nanowires,” *Phys. Rev. B*, vol. 84, no. 8, p. 085442, Aug. 2011.
- [182] T. Juntunen, T. Koskinen, V. Khayrudinov, T. Haggren, H. Jiang, H. Lipsanen, and I. Tittonen, “Thermal conductivity suppression in GaAs–AlAs core–shell nanowire arrays,” *Nanoscale*, vol. 11, no. 43, pp. 20507–20513, 2019.
- [183] C. W. Zhang, H. Zhou, Y. Zeng, L. Zheng, Y. L. Zhan, and K. D. Bi, “A reduction of thermal conductivity of non-periodic Si/Ge superlattice nanowire: Molecular dynamics simulation,” *Int. J. Heat Mass Transf.*, vol. 132, pp. 681–688, 2019.
- [184] R. Cheaito, C. A. Polanco, S. Addamane, J. Zhang, A. W. Ghosh, G. Balakrishnan, and P. E. Hopkins, “Interplay between total thickness and period thickness in the phonon thermal conductivity of superlattices from the nanoscale to the microscale: Coherent versus incoherent phonon transport,” *Phys. Rev. B*, vol. 97, no. 8, pp. 1–7, 2018.
- [185] J. Gellman, J. M. Hare, C. J. Lowenstein, G. Gerstenblith, V. Coombs, P. Langenberg, J. A. Brinker, and J. R. Resar, “Thin-film thermoelectric devices with high room-temperature figures of merit,” *Nature*, vol. 413, pp. 597–602,

Jan. 2001.

- [186] Y. Zhou, X. Zhang, and M. Hu, “Nonmonotonic Diameter Dependence of Thermal Conductivity of Extremely Thin Si Nanowires: Competition between Hydrodynamic Phonon Flow and Boundary Scattering,” *Nano Lett.*, vol. 17, no. 2, pp. 1269–1276, Feb. 2017.
- [187] M. N. Luckyanova, J. Garg, K. Esfarjani, A. Jndl, M. T. Bulsara, A. J. Schmidt, A. J. Minnich, S. Chen, M. S. Dresselhaus, Z. Ren, E. A. Fitzgerald, and G. Chen, “Coherent Phonon Heat Conduction in Superlattices,” *Science (80-. ).*, vol. 338, no. 6109, pp. 936–939, Nov. 2012.
- [188] G. Xie, D. Ding, and G. Zhang, “Phonon coherence and its effect on thermal conductivity of nanostructures,” *Adv. Phys. X*, vol. 3, no. 1, pp. 720–755, 2018.
- [189] T. Markussen, “Surface disordered Ge-Si core-shell nanowires as efficient thermoelectric materials,” *Nano Lett.*, vol. 12, no. 9, pp. 4698–4704, 2012.
- [190] X. Peng and P. Logan, “Electronic properties of strained Si/Ge core-shell nanowires,” *Appl. Phys. Lett.*, vol. 96, no. 14, p. 143119, Apr. 2010.
- [191] K. Termentzidis, T. Barreteau, Y. Ni, S. Merabia, X. Zianni, Y. Chalopin, P. Chantrenne, and S. Volz, “Modulated SiC nanowires: Molecular dynamics study of their thermal properties,” *Phys. Rev. B*, vol. 87, no. 12, p. 125410, Mar. 2013.
- [192] D. L. Nika, A. I. Cocemasov, D. V. Crismari, and A. A. Balandin, “Thermal conductivity inhibition in phonon engineered core-shell cross-section modulated Si/Ge nanowires,” *Appl. Phys. Lett.*, vol. 102, no. 21, p. 213109, May 2013.
- [193] K. Momoki, T. Manabe, L. Li, and J. Yan, “Silicon nanoparticle generation and deposition on glass from waste silicon powder by nanosecond pulsed laser irradiation,” *Mater. Sci. Semicond. Process.*, vol. 111, no. February, p. 104998, Jun. 2020.
- [194] D. M. Ceperley and B. J. Alder, “Ground State of the Electron Gas by a

- Stochastic Method,” *Phys. Rev. Lett.*, vol. 45, no. 7, pp. 566–569, Aug. 1980.
- [195] J. P. Perdew and A. Zunger, “Self-interaction correction to density-functional approximations for many-electron systems,” *Phys. Rev. B*, vol. 23, no. 10, pp. 5048–5079, May 1981.
- [196] D. R. Hamann, “Erratum: Optimized norm-conserving Vanderbilt pseudopotentials,” *Phys. Rev. B*, vol. 95, no. 23, p. 239906, Jun. 2017.
- [197] S. Hoang *et al.*, “Activating low-temperature diesel oxidation by single-atom Pt on TiO<sub>2</sub> nanowire array,” *Nat. Commun.*, vol. 11, no. 1, p. 1062, Dec. 2020.
- [198] S. Gao *et al.*, “Catalyst-free synthesis of sub-5 nm silicon nanowire arrays with massive lattice contraction and wide bandgap,” *Nat. Commun.*, vol. 13, no. 1, p. 3467, Dec. 2022.
- [199] D. Lei, J. Benson, A. Magasinski, G. Berdichevsky, and G. Yushin, “Transformation of bulk alloys to oxide nanowires,” *Science (80-.)*, vol. 355, no. 6322, pp. 267–271, Jan. 2017.
- [200] M. Bachmann, M. Czerner, and C. Heiliger, “Ineffectiveness of energy filtering at grain boundaries for thermoelectric materials,” *Phys. Rev. B*, vol. 86, no. 11, p. 115320, Sep. 2012.
- [201] R. Benchamekh, F. Raouafi, J. Even, F. Ben Cheikh Larbi, P. Voisin, and J.-M. Jancu, “Microscopic electronic wave function and interactions between quasiparticles in empirical tight-binding theory,” *Phys. Rev. B*, vol. 91, no. 4, p. 045118, Jan. 2015.
- [202] X. Chen, X. Zhang, J. Gao, Q. Li, Z. Shao, H. Lin, and M. Pan, “Computational Search for Better Thermoelectric Performance in Nickel-Based Half-Heusler Compounds,” *ACS Omega*, vol. 6, no. 28, pp. 18269–18280, Jul. 2021.
- [203] M. Markov, S. E. E. Rezaei, S. N. S. N. Sadeghi, K. Esfarjani, and M. Zebarjadi, “Thermoelectric properties of semimetals,” *Phys. Rev. Mater.*, vol. 3, no. 9, p. 095401, Sep. 2019.
- [204] A. Lörincz, Z. Bozóki, and A. Miklós, “Comments on electron relaxation time

- measurements from transient reflectances of metals,” *J. Appl. Phys.*, vol. 70, no. 2, pp. 941–947, Jul. 1991.
- [205] J. Singh and C. Verma, “Modeling Methods for Nanoscale Semiconductor Devices,” *Silicon*, vol. 14, no. 10, pp. 5125–5132, Jul. 2022.
- [206] T. Frederiksen, M. Paulsson, M. Brandbyge, and A.-P. Jauho, “Inelastic transport theory from first principles: Methodology and application to nanoscale devices,” *Phys. Rev. B*, vol. 75, no. 20, p. 205413, May 2007.
- [207] N. S. Bennett, “Thermoelectric performance in n-type bulk silicon: The influence of dopant concentration and dopant species,” *Phys. status solidi*, vol. 214, no. 7, p. 1700307, Jul. 2017.
- [208] T. Markussen, A.-P. Jauho, and M. Brandbyge, “Surface-Decorated Silicon Nanowires: A Route to High-  $Z$ -  $T$  Thermoelectrics,” *Phys. Rev. Lett.*, vol. 103, no. 5, p. 055502, Jul. 2009.
- [209] L. Shi, J. Jiang, G. Zhang, and B. Li, “High thermoelectric figure of merit in silicon-germanium superlattice structured nanowires,” *Appl. Phys. Lett.*, vol. 101, no. 23, p. 233114, Dec. 2012.
- [210] T. T. M. Vo, A. J. Williamson, V. Lordi, and G. Galli, “Atomistic Design of Thermoelectric Properties of Silicon Nanowires,” *Nano Lett.*, vol. 8, no. 4, pp. 1111–1114, Apr. 2008.
- [211] T. Akiyama, T. Komoda, K. Nakamura, and T. Ito, “Effects of Polytypism on the Thermoelectric Properties of Group-IV Semiconductor Nanowires: A Combination of Density Functional Theory and Boltzmann Transport Calculations,” *Phys. Rev. Appl.*, vol. 8, no. 2, p. 024014, Aug. 2017.
- [212] D. Vashaee and A. Shakouri, “Improved Thermoelectric Power Factor in Metal-Based Superlattices,” *Phys. Rev. Lett.*, vol. 92, no. 10, p. 106103, Mar. 2004.
- [213] J.-H. Bahk, Z. Bian, and A. Shakouri, “Electron energy filtering by a nonplanar potential to enhance the thermoelectric power factor in bulk materials,” *Phys.*

*Rev. B*, vol. 87, no. 7, p. 075204, Feb. 2013.

- [214] Z. Liang, M. J. Boland, K. Butrouna, D. R. Strachan, and K. R. Graham, “Increased power factors of organic–inorganic nanocomposite thermoelectric materials and the role of energy filtering,” *J. Mater. Chem. A*, vol. 5, no. 30, pp. 15891–15900, 2017.
- [215] B. Paul, P. K. Rawat, and P. Banerji, “Dramatic enhancement of thermoelectric power factor in PbTe:Cr co-doped with iodine,” *Appl. Phys. Lett.*, vol. 98, no. 26, p. 262101, Jun. 2011.
- [216] G. Tan, L.-D. Zhao, and M. G. Kanatzidis, “Rationally Designing High-Performance Bulk Thermoelectric Materials,” *Chem. Rev.*, vol. 116, no. 19, pp. 12123–12149, Oct. 2016.
- [217] T. Tanimoto, K. Suekuni, T. Tanishita, H. Usui, T. Tadano, T. Kamei, H. Saito, H. Nishiate, C. H. Lee, K. Kuroki, and M. Ohtaki, “Enargite Cu<sub>3</sub>PS<sub>4</sub>: A Cu–S-Based Thermoelectric Material with a Wurtzite-Derivative Structure,” *Adv. Funct. Mater.*, vol. 30, no. 22, p. 2000973, May 2020.
- [218] Y. You, X. Su, S. Hao, W. Liu, Y. Yan, T. Zhang, M. Zhang, C. Wolverton, M. G. Kanatzidis, and X. Tang, “Ni and Se co-doping increases the power factor and thermoelectric performance of CoSbS,” *J. Mater. Chem. A*, vol. 6, no. 31, pp. 15123–15131, 2018.
- [219] E. B. Isaacs and C. Wolverton, “Remarkable thermoelectric performance in BaPdS<sub>2</sub> via pudding-mold band structure, band convergence, and ultralow lattice thermal conductivity,” *Phys. Rev. Mater.*, vol. 3, no. 1, p. 015403, Jan. 2019.
- [220] I. Terasaki, Y. Sasago, and K. Uchinokura, “Large thermoelectric power in NaCo<sub>2</sub>O<sub>4</sub> single crystals,” *Phys. Rev. B*, vol. 56, no. 20, pp. R12685–R12687, Nov. 1997.
- [221] Y. Nishikubo, S. Nakano, K. Kudo, and M. Nohara, “Enhanced thermoelectric properties by Ir doping of PtSb<sub>2</sub> with pyrite structure,” *Appl. Phys. Lett.*, vol. 100, no. 25, p. 252104, Jun. 2012.

- [222] C. J. Glassbrenner and G. A. Slack, "Thermal Conductivity of Silicon and Germanium from 3°K to the Melting Point," *Phys. Rev.*, vol. 134, no. 4A, pp. A1058–A1069, May 1964.