

REFERENCES

- [1] M. J. Forrest, *Recycling and Re-use of Waste Rubber*. Berlin, Boston: De Gruyter, 2019.
- [2] A. Hameed, Afia S and Shashikala, "Suitability of rubber concrete for railway sleepers," *Perspect. Sci.*, vol. 8, pp. 32–35, 2016.
- [3] S. N. Xiao, Feipeng and Zhao, PE Wenbin and Amirkhanian, "Fatigue behavior of rubberized asphalt concrete mixtures containing warm asphalt additives," *Constr. Build. Mater.*, vol. 23, no. 10, pp. 3144–3151, 2009.
- [4] D. Li, Y. Zhuge, R. Gravina, and J. E. Mills, "Compressive stress strain behavior of crumb rubber concrete (CRC) and application in reinforced CRC slab," *Constr. Build. Mater.*, vol. 166, pp. 745–759, 2018.
- [5] E. Güneyisi, M. Gesoglu, N. Naji, and S. İpek, "Evaluation of the rheological behavior of fresh self-compacting rubberized concrete by using the Herschel–Bulkley and modified Bingham models," *Arch. Civ. Mech. Eng.*, vol. 16, no. 1, pp. 9–19, 2016.
- [6] J. Xie, C. Fang, Z. Lu, Z. Li, and L.-J. Li, "Effects of the addition of silica fume and rubber particles on the compressive behaviour of recycled aggregate concrete with steel fibres," *J. Clean. Prod.*, vol. 197, pp. 656–667, 2018.
- [7] H. Liu, X. Wang, Y. Jiao, and T. Sha, "Experimental Investigation of the Mechanical and Durability Properties of Crumb Rubber Concrete," *Materials (Basel)*, vol. 9, p. 172, 2016.
- [8] J. O. Akinyele, R. W. Salim, and W. K. Kupolati, "the Impact of Rubber Crumb on the Mechanical and Chemical Properties of Concrete," *Eng. Struct. Technol.*, vol. 7, no. 4, pp. 197–204, 2016.
- [9] B. S. Thomas and R. C. Gupta, "Long term behaviour of cement concrete containing discarded tire rubber," *J. Clean. Prod.*, vol. 102, pp. 78–87, 2015.
- [10] M. K. Batayneh, I. Marie, and I. Asi, "Promoting the use of crumb rubber concrete in developing countries," *Waste Manag.*, vol. 28, no. 11, pp. 2171–2176, 2008.

- [11] J. Kang and Y. Jiang, "Improvement of cracking-resistance and flexural behavior of cement-based materials by addition of rubber particles," *J. Wuhan Univ. Technol. Sci. Ed.*, vol. 23, no. 4, pp. 579–583, 2008.
- [12] I. Mohammadi, H. Khabbaz, and K. Vessalas, "In-depth assessment of Crumb Rubber Concrete (CRC) prepared by water-soaking treatment method for rigid pavements," *Constr. Build. Mater.*, vol. 71, pp. 456–471, 2014.
- [13] I. Mohammadi and H. Khabbaz, "Shrinkage performance of Crumb Rubber Concrete (CRC) prepared by water-soaking treatment method for rigid pavements," *Cem. Concr. Compos.*, vol. 62, pp. 106–116, 2015.
- [14] E. Ganjian, M. Khorami, and A. A. Maghsoudi, "Scrap-tyre-rubber replacement for aggregate and filler in concrete," *Constr. Build. Mater.*, vol. 23, no. 5, pp. 1828–1836, 2009.
- [15] F. Aslani, "Mechanical properties of waste tire rubber concrete," *J. Mater. Civ. Eng.*, vol. 28, no. 3, p. 04015152, 2016.
- [16] B. S. Thomas and R. Chandra Gupta, "Properties of high strength concrete containing scrap tire rubber," *J. Clean. Prod.*, vol. 113, pp. 86–92, 2016.
- [17] R. K. Gupta, Trilok and Chaudhary, Sandeep and Sharma, "Assessment of mechanical and durability properties of concrete containing waste rubber tire as fine aggregate," *Constr. Build. Mater.*, vol. 73, pp. 562–574, 2014.
- [18] A. Grinys, H. Sivilevičius, and M. Daukšys, "Tyre Rubber Additive Effect on Concrete Mixture Strength," *J. Civ. Eng. Manag.*, vol. 18, no. 3, pp. 393–401, 2012.
- [19] T. Gonen, "Freezing-thawing and impact resistance of concretes containing waste crumb rubbers," *Constr. Build. Mater.*, vol. 177, pp. 436–442, 2018.
- [20] R. Si, J. Wang, S. Guo, Q. Dai, and S. Han, "Evaluation of laboratory performance of self-consolidating concrete with recycled tire rubber," *J. Clean. Prod.*, vol. 180, pp. 823–831, 2018.
- [21] F. Liu, G. Chen, L. Li, and Y. Guo, "Study of impact performance of rubber reinforced concrete," *Constr. Build. Mater.*, vol. 36, pp. 604–616, 2012.

- [22] F. Aslani, G. Ma, D. L. Yim Wan, and V. X. Tran Le, “Experimental investigation into rubber granules and their effects on the fresh and hardened properties of self-compacting concrete,” *J. Clean. Prod.*, vol. 172, pp. 1835–1847, 2018.
- [23] T. Gupta, S. Chaudhary, and R. Sharma, “Assessment of mechanical and durability properties of concrete containing waste rubber tire as fine aggregate,” *Constr. Build. Mater.*, vol. 73, pp. 562–574, 2014.
- [24] Y. Zheng, L and Huo, X Sharon and Yuan, “Strength, modulus of elasticity, and brittleness index of rubberized concrete,” *J. Mater. Civ. Eng.*, vol. 20, no. 11, pp. 692--699, 2008.
- [25] S. Raffoul, R. Garcia, D. Escolano-Margarit, M. Guadagnini, I. Hajirasouliha, and K. Pilakoutas, “Behaviour of unconfined and FRP-confined rubberised concrete in axial compression,” *Constr. Build. Mater.*, vol. 147, pp. 388–397, 2017.
- [26] M. Forrest, “Recycling and re-use of waste rubber,” in *orrest2014recycling*, 2014.
- [27] U.S. Tire Manufacturers Association, “The national trade association for tire manufacturers that make tires in the U.S.” [Online]. Available: <https://www.ustires.org/>.
- [28] “ETRMA’s statistics on scrap tire collection and recycling in Europe.” [Online]. Available: [//weibold.com/etrmas-statistics-on-scrap-tire-collection-and%02recycling-in-europe/](http://weibold.com/etrmas-statistics-on-scrap-tire-collection-and%02recycling-in-europe/).
- [29] S. Zhang, Zhigang and Ma, Hui and Qian, “Investigation on properties of ECC incorporating crumb rubber of different sizes,” *J. Adv. Concr. Technol.*, vol. 13, no. 5, pp. 241--251, 2015.
- [30] A. Azevedo, F and Pacheco-Torgal, F and Jesus, C and De Aguiar, JL Barroso and Camoes, “Properties and durability of HPC with tyre rubber wastes,” *Constr. Build. Mater.*, vol. 34, no. 186–191, 2012.
- [31] R. Asutkar, Priyanka and Shinde, SB and Patel, “Study on the behaviour of rubber aggregates concrete beams using analytical approach,” *Eng. Sci.*

Technol. an Int. J., vol. 20, no. 1, pp. 151–159, 2017.

- [32] J. E. Li, Danda and Zhuge, Yan and Gravina, Rebecca and Mills, “Compressive stress strain behavior of crumb rubber concrete (CRC) and application in reinforced CRC slab,” *Constr. Build. Mater.*, vol. 166, pp. 745–759, 2018.
- [33] S. Raffoul, R. Garcia, K. Pilakoutas, M. Guadagnini, and N. F. Medina, “Optimisation of rubberised concrete with high rubber content: An experimental investigation,” *Constr. Build. Mater.*, vol. 124, no. October, pp. 391–404, 2016.
- [34] V. J. Thomas, Blessen Skariah and Gupta, Ramesh Chandra and Panicker, “Recycling of waste tire rubber as aggregate in concrete: durability-related performance,” *J. Clean. Prod.*, vol. 112, pp. 504--513, 2016.
- [35] A. S. Senin, Mohamad Syamir and Shahidan, Shahiron and Abdullah, Siti Radziah and Guntor, Nickholas Anting and Leman, “A review on the suitability of rubberized concrete for concrete bridge decks,” in *IOP Conference Series: Materials Science and Engineering*, 2017, p. 012074.
- [36] S. I. Li, Guoqiang and Pang, Su-Seng and Ibekwe, “FRP tube encased rubberized concrete cylinders,” *Mater. Struct.*, vol. 44, no. 1, pp. 233–243, 2011.
- [37] T. M. Pham, X. Zhang, M. Elchalakani, A. Karrech, H. Hao, and A. Ryan, “Dynamic response of rubberized concrete columns with and without FRP confinement subjected to lateral impact,” *Constr. Build. Mater.*, vol. 186, pp. 207–218, 2018.
- [38] H. H. Ibrahim, A. Z. Saber, and H. A. Hodhod, “Abrasion Resistance, Flexural Toughness and Impact Resistance of Rubberized Concrete,” *Int. J. Eng. Adv. Technol.*, vol. 9, no. 3, pp. 1032–1038, 2020.
- [39] A. Richardson, K. Coventry, V. Edmondson, and E. Dias, “Crumb rubber used in concrete to provide freeze–thaw protection (optimal particle size),” *J. Clean. Prod.*, vol. 112, pp. 599–606, 2016.
- [40] A. Topccu, Ilker Bekir and Demir, “Durability of rubberized mortar and concrete,” *J. Mater. Civ. Eng.*, vol. 19, no. 2, pp. 173–178, 2007.

- [41] A. Ocholi, S. P. Ejeh, and S. M. Yinka, “An Investigation into the Thermal Performance of Rubber-Concrete,” *Acad. J. Interdiscip. Stud.*, vol. 3, no. 5, p. 29, 2014.
- [42] K. B. Najim and M. R. Hall, “A review of the fresh/hardened properties and applications for plain- (PRC) and self-compacting rubberised concrete (SCRC),” *Constr. Build. Mater.*, vol. 24, no. 11, pp. 2043–2051, 2010.
- [43] F. O. S. Division, “Tracking the Fate of Scrap Tires in Texas: An Audit Report,” 2006.
- [44] NEPIS, “U.S. Environmental Protection Agency : 1991 Management Control Plan,” 1991.
- [45] R. Policy, Planning and Glass, “United States Environmental Protection Agency EPA/530-SW-90-071A,” 1992.
- [46] “SCRAP TIRE MARKETS IN THE UNITED STATES 9th BIENNIAL REPORT,” 2009.
- [47] N. N. Gerges, C. A. Issa, and S. A. Fawaz, “Rubber concrete: Mechanical and dynamical properties,” *Case Stud. Constr. Mater.*, vol. 9, p. e00184, 2018.
- [48] A. Fazli and D. Rodrigue, “Waste Rubber Recycling: A Review on the Evolution and Properties of Thermoplastic Elastomers,” *Materials (Basel)*, vol. 13, no. 3, 2020.
- [49] A. Siddika, M. A. Al Mamun, R. Alyousef, Y. H. M. Amran, F. Aslani, and H. Alabduljabbar, “Properties and utilizations of waste tire rubber in concrete: A review,” *Constr. Build. Mater.*, vol. 224, pp. 711–731, 2019.
- [50] Instron - USA, “Testing Applications and Solutions,” 25AD. [Online]. Available: <https://www.azom.com/article.aspx?ArticleID=14881>. [Accessed: 02-Aug-2021].
- [51] S. Ramarad, M. Khalid, C. T. Ratnam, A. L. Chuah, and W. Rashmi, “Waste tire rubber in polymer blends: A review on the evolution, properties and future,” *Prog. Mater. Sci.*, vol. 72, pp. 100–140, 2015.
- [52] S. Herrero, P. Mayor, and F. Hernández-Olivares, “Influence of proportion and

- particle size gradation of rubber from end-of-life tires on mechanical, thermal and acoustic properties of plaster–rubber mortars,” *Mater. Des.*, vol. 47, pp. 633–642, 2013.
- [53] L. Li, S. Ruan, and L. Zeng, “Mechanical properties and constitutive equations of concrete containing a low volume of tire rubber particles,” *Constr. Build. Mater.*, vol. 70, pp. 291–308, 2014.
- [54] S. Raffoul, R. Garcia, K. Pilakoutas, M. Guadagnini, and N. F. Medina, “Optimisation of rubberised concrete with high rubber content: An experimental investigation,” *Constr. Build. Mater.*, vol. 124, no. April 2018, pp. 391–404, 2016.
- [55] A. Toumi, T.-H. Nguyen, and A. Turatsinze, “Debonding of a thin rubberised and fibre-reinforced cement-based repairs: Analytical and experimental study,” *Mater. Des.*, vol. 49, pp. 90–95, 2013.
- [56] M. Elchalakani, *High strength rubberized concrete containing silica fume for the construction of sustainable road side barriers*. Elsevier, 2015.
- [57] EPA, “Identification of Non-Hazardous Secondary Materials That Are Solid Waste,” 2021. [Online]. Available: <https://www.epa.gov/rcra/identification-non-hazardous-secondary-materials-are-solid-waste>. [Accessed: 10-Aug-2021].
- [58] M. C. Samolada and A. Zabaniotou, “Potential application of pyrolysis for the effective valorisation of the end of life tires in Greece,” *Environ. Dev.*, vol. 4, pp. 73–87, 2012.
- [59] ETRMA, “End-of-life Tyre REPORT 2015,” 2015.
- [60] Conserve Energy Future, “Tire Recycling.” [Online]. Available: <https://www.conserve-energy-future.com/tirerecycling.php>. [Accessed: 10-Aug-2021].
- [61] F. Elshazly, S. Mustafa, and H. Fawzy, “Rubberized concrete properties and its structural engineering applications – An overview,” *Egypt. J. Eng. Sci. Technol.*, vol. 30, no. 1, pp. 1–11, 2020.
- [62] N. N. Gerges, C. A. Issa, and S. A. Fawaz, “Rubber concrete: Mechanical and

- dynamical properties,” *Case Stud. Constr. Mater.*, vol. 9, 2018.
- [63] Maryland Department of Environment, “Maryland Scrap tire Annual Report 2008,” 2008.
- [64] J. Prabakar, N. Dendorkar, and R. K. Morchhale, “Influence of fly ash on strength behavior of typical soils,” *Constr. Build. Mater.*, vol. 18, no. 4, pp. 263–267, 2004.
- [65] O. Youssf, R. Hassanli, and J. E. Mills, “Retrofitting square columns using FRP-confined crumb rubber concrete to improve confinement efficiency,” *Constr. Build. Mater.*, vol. 153, pp. 146–156, 2017.
- [66] K. B. Najim and M. R. Hall, “Mechanical and dynamic properties of self-compacting crumb rubber modified concrete,” *Constr. Build. Mater.*, vol. 27, no. 1, pp. 521–530, 2012.
- [67] T. Wang, F. Xiao, S. Amirkhanian, W. Huang, and M. Zheng, “A review on low temperature performances of rubberized asphalt materials,” *Constr. Build. Mater.*, vol. 145, pp. 483–505, 2017.
- [68] B. Muñoz-Sánchez, M. J. Arévalo-Caballero, and M. C. Pacheco-Menor, “Influence of acetic acid and calcium hydroxide treatments of rubber waste on the properties of rubberized mortars,” *Mater. Struct.*, vol. 50, no. 1, p. 75, 2016.
- [69] E. Fraile-Garcia, J. Ferreiro-Cabello, M. Mendivil-Giro, and A. S. Vicente-Navarro, “Thermal behaviour of hollow blocks and bricks made of concrete doped with waste tyre rubber,” *Constr. Build. Mater.*, vol. 176, pp. 193–200, 2018.
- [70] A. F. Angelin, F. M. Da Silva, L. A. G. Barbosa, R. C. C. Lintz, M. A. G. De Carvalho, and R. A. S. Franco, “Voids identification in rubberized mortar digital images using K-Means and Watershed algorithms,” *J. Clean. Prod.*, vol. 164, pp. 455–464, 2017.
- [71] J. H. Chen, K. S. Chen, and L. Y. Tong, “On the pyrolysis kinetics of scrap automotive tires,” *J. Hazard. Mater.*, vol. 84, no. 1, pp. 43–55, 2001.
- [72] A. E. Richardson, K. A. Coventry, and G. Ward, “Freeze/thaw protection of concrete with optimum rubber crumb content,” *J. Clean. Prod.*, vol. 23, no. 1,

pp. 96–103, 2012.

- [73] D. Flores-Medina, N. Flores Medina, and F. Hernández-Olivares, “Static mechanical properties of waste rests of recycled rubber and high quality recycled rubber from crumbed tyres used as aggregate in dry consistency concretes,” *Mater. Struct.*, vol. 47, no. 7, pp. 1185–1193, 2014.
- [74] A. B. Eldin, Neil N and Senouci, “Rubber-tire particles as concrete aggregate,” *J. Mater. Civ. Eng.*, vol. 5, no. 4, pp. 478–496, 1993.
- [75] T. M. Pham, W. Chen, A. M. Khan, H. Hao, M. Elchalakani, and T. M. Tran, “Dynamic compressive properties of lightweight rubberized concrete,” *Constr. Build. Mater.*, vol. 238, p. 117705, 2020.
- [76] N. Ganesan, B. Raj, and A. P. Shashikala, “Behavior of self-consolidating rubberized concrete beam-column joints,” *ACI Mater. J.*, vol. 110, no. 6, pp. 697–704, 2013.
- [77] G. Li, M. A. Stubblefield, G. Garrick, J. Eggers, C. Abadie, and B. Huang, “Development of waste tire modified concrete,” *Cem. Concr. Res.*, vol. 34, no. 12, pp. 2283–2289, 2004.
- [78] O. Youssf, M. A. ElGawady, J. E. Mills, and X. Ma, “An experimental investigation of crumb rubber concrete confined by fibre reinforced polymer tubes,” *Constr. Build. Mater.*, vol. 53, pp. 522–532, 2014.
- [79] N. Segre, P. J. M. Monteiro, and G. Sposito, “Surface Characterization of Recycled Tire Rubber to Be Used in Cement Paste Matrix,” *J. Colloid Interface Sci.*, vol. 248, no. 2, pp. 521–523, 2002.
- [80] A. Meddah, M. Beddar, and A. Bali, “Use of shredded rubber tire aggregates for roller compacted concrete pavement,” *J. Clean. Prod.*, vol. 72, pp. 187–192, 2014.
- [81] T. M. Pham, M. Elchalakani, H. Hao, J. Lai, S. Ameduri, and T. M. Tran, “Durability characteristics of lightweight rubberized concrete,” *Constr. Build. Mater.*, vol. 224, pp. 584–599, 2019.
- [82] D. Raghavan, H. Huynh, and C. F. Ferraris, “Workability, mechanical properties, and chemical stability of a recycled tyre rubber-filled cementitious

- composite,” *J. Mater. Sci.*, vol. 33, no. 7, pp. 1745–1752, 1998.
- [83] B. Huang, X. Shu, and J. Cao, “A two-staged surface treatment to improve properties of rubber modified cement composites,” *Constr. Build. Mater.*, vol. 40, pp. 270–274, 2013.
- [84] L.-H. Chou, C.-N. Lin, C.-K. Lu, C.-H. Lee, and M.-T. Lee, “Improving rubber concrete by waste organic sulfur compounds,” *Waste Manag. & Res.*, vol. 28, no. 1, pp. 29–35, 2010.
- [85] A. Benazzouk, O. Douzane, T. Langlet, K. Mezreb, J. M. Roucoult, and M. Quéneudec, “Physico-mechanical properties and water absorption of cement composite containing shredded rubber wastes,” *Cem. Concr. Compos.*, vol. 29, no. 10, pp. 732–740, 2007.
- [86] L.-H. Chou, C.-K. Yang, M.-T. Lee, and C.-C. Shu, “Effects of partial oxidation of crumb rubber on properties of rubberized mortar,” *Compos. Part B Eng.*, vol. 41, no. 8, pp. 613–616, 2010.
- [87] G. Ossola and A. Wojcik, “UV modification of tire rubber for use in cementitious composites,” *Cem. Concr. Compos.*, vol. 52, pp. 34–41, 2014.
- [88] Z. Li, F. Li, and J. S. L. Li, “Properties of concrete incorporating rubber tyre particles,” *Mag. Concr. Res.*, vol. 50, no. 4, pp. 297–304, 1998.
- [89] K. B. Najim and M. R. Hall, “Crumb rubber aggregate coatings/pre-treatments and their effects on interfacial bonding, air entrapment and fracture toughness in self-compacting rubberised concrete (SCRC),” *Mater. Struct.*, vol. 46, no. 12, pp. 2029–2043, 2013.
- [90] F. Pelisser, N. Zavarise, T. A. Longo, and A. M. Bernardin, “Concrete made with recycled tire rubber: Effect of alkaline activation and silica fume addition,” *J. Clean. Prod.*, vol. 19, no. 6, pp. 757–763, 2011.
- [91] O. Onuaguluchi and D. K. Panesar, “Hardened properties of concrete mixtures containing pre-coated crumb rubber and silica fume,” *J. Clean. Prod.*, vol. 82, pp. 125–131, 2014.
- [92] Q. Dong, B. Huang, and X. Shu, “Rubber modified concrete improved by chemically active coating and silane coupling agent,” *Constr. Build. Mater.*,

vol. 48, pp. 116–123, 2013.

- [93] L. H. Chou, C.-K. Lu, J.-R. Chang, and M. T. Lee, “Use of waste rubber as concrete additive,” *Waste Manag. Res.*, vol. 25, no. 1, pp. 68–76, Feb. 2007.
- [94] S. Guo, Q. Dai, R. Si, X. Sun, and C. Lu, “Evaluation of properties and performance of rubber-modified concrete for recycling of waste scrap tire,” *J. Clean. Prod.*, vol. 148, pp. 681–689, 2017.
- [95] H. A. Toutanji, “The use of rubber tire particles in concrete to replace mineral aggregates,” *Cem. Concr. Compos.*, vol. 18, no. 2, pp. 135–139, 1996.
- [96] F. M. Khatib, Zaher K and Bayomy, “Rubberized Portland cement concrete,” *J. Mater. Civ. Eng.*, vol. 11, no. 3, 1999.
- [97] A. R. Khaloo, M. Dehestani, and P. Rahmatabadi, “Mechanical properties of concrete containing a high volume of tire–rubber particles,” *Waste Manag.*, vol. 28, no. 12, pp. 2472–2482, 2008.
- [98] N. Holmes, A. Browne, and C. Montague, “Acoustic properties of concrete panels with crumb rubber as a fine aggregate replacement,” *Constr. Build. Mater.*, vol. 73, pp. 195–204, 2014.
- [99] R. T. M. M., E.-D. A. S., A. E.-W. M. A., and A.-H. M. E., “Mechanical, Fracture, and Microstructural Investigations of Rubber Concrete,” *J. Mater. Civ. Eng.*, vol. 20, no. 10, pp. 640–649, Oct. 2008.
- [100] F. Liu, W. Zheng, L. Li, W. Feng, and G. Ning, “Mechanical and fatigue performance of rubber concrete,” *Constr. Build. Mater.*, vol. 47, pp. 711–719, 2013.
- [101] B. J. Neville A, *Concrete Technology. Revised Edition-2001 Standards Update*. Harlow: Pearson Education Limited, 1990.
- [102] N. N. Eldin and A. B. Senouci, “Measurement and prediction of the strength of rubberized concrete,” *Cem. Concr. Compos.*, vol. 16, no. 4, pp. 287–298, 1994.
- [103] A. Turatsinze and M. Garros, “On the modulus of elasticity and strain capacity of Self-Compacting Concrete incorporating rubber aggregates,” *Resour. Conserv. Recycl.*, vol. 52, no. 10, pp. 1209–1215, 2008.

- [104] D. G. Daniel, "Chapter 8: Factors Influencing Concrete Workability," in *Significance of Tests and Properties of Concrete and Concrete-Making Materials*, J. F. Lamond and J. H. Pielert, Eds. West Conshohocken, PA: ASTM International, 2006, pp. 59–72.
- [105] M. A. Aiello and F. Leuzzi, "Waste tyre rubberized concrete: Properties at fresh and hardened state," *Waste Manag.*, vol. 30, no. 8, pp. 1696–1704, 2010.
- [106] P. Sukontasukkul and C. Chaikaew, "Properties of concrete pedestrian block mixed with crumb rubber," *Constr. Build. Mater.*, vol. 20, no. 7, pp. 450–457, 2006.
- [107] P. N. Fowler, David W and Quiroga, "The effects of aggregate characteristics on the performance of Portland cement concrete," 2003.
- [108] A. El-Gammal, A. K. Abdel-Gawad, Y. El-Sherbini, and A. Shalaby, "Compressive strength of concrete utilizing waste tire rubber," *J. Emerg. Trends Eng. Appl. Sci.*, vol. 1, no. 1, pp. 96–99, 2010.
- [109] A. O. Atahan and A. Ö. Yücel, "Crumb rubber in concrete: Static and dynamic evaluation," *Constr. Build. Mater.*, vol. 36, pp. 617–622, 2012.
- [110] F. M. da Silva, L. A. Gachet Barbosa, R. C. C. Lintz, and A. E. P. G. A. Jacintho, "Investigation on the properties of concrete tactile paving blocks made with recycled tire rubber," *Constr. Build. Mater.*, vol. 91, pp. 71–79, 2015.
- [111] Z. Cheng and Z. Shi, "Vibration attenuation properties of periodic rubber concrete panels," *Constr. Build. Mater.*, vol. 50, pp. 257–265, 2014.
- [112] G. Montella, A. Calabrese, and G. Serino, "Mechanical characterization of a Tire Derived Material: Experiments, hyperelastic modeling and numerical validation," *Constr. Build. Mater.*, vol. 66, pp. 336–347, 2014.
- [113] B. S. Mohammed, K. M. Anwar Hossain, J. T. Eng Swee, G. Wong, and M. Abdullahi, "Properties of crumb rubber hollow concrete block," *J. Clean. Prod.*, vol. 23, no. 1, pp. 57–67, 2012.
- [114] M. M. Al-Tayeb, B. H. Abu Bakar, H. Ismail, and H. M. Akil, "Effect of partial replacement of sand by recycled fine crumb rubber on the performance of hybrid rubberized-normal concrete under impact load: experiment and

- simulation,” *J. Clean. Prod.*, vol. 59, pp. 284–289, 2013.
- [115] B. S. Mohammed, “Structural behavior and m–k value of composite slab utilizing concrete containing crumb rubber,” *Constr. Build. Mater.*, vol. 24, no. 7, pp. 1214–1221, 2010.
- [116] P. Sukontasukkul, “Use of crumb rubber to improve thermal and sound properties of pre-cast concrete panel,” *Constr. Build. Mater.*, vol. 23, no. 2, pp. 1084–1092, 2009.
- [117] A. T. Noaman, B. H. Abu Bakar, and H. M. Akil, “Experimental investigation on compression toughness of rubberized steel fibre concrete,” *Constr. Build. Mater.*, vol. 115, no. C, pp. 163–170, 2016.
- [118] O. Youssf, R. Hassanli, and J. E. Mills, “Mechanical performance of FRP-confined and unconfined crumb rubber concrete containing high rubber content,” *J. Build. Eng.*, vol. 11, pp. 115–126, 2017.
- [119] V. Corinaldesi and J. Donnini, “4 - Waste rubber aggregates,” in *New Trends in Eco-efficient and Recycled Concrete*, J. de Brito and F. Agrela, Eds. Woodhead Publishing, 2019, pp. 87–119.
- [120] N. I. Fattuhi and L. A. Clark, “Cement-based materials containing shredded scrap truck tyre rubber,” *Constr. Build. Mater.*, vol. 10, no. 4, pp. 229–236, 1996.
- [121] C. E. Pierce and M. C. Blackwell, “Potential of scrap tire rubber as lightweight aggregate in flowable fill,” *Waste Manag.*, vol. 23, no. 3, pp. 197–208, 2003.
- [122] L. Zheng, X. Sharon Huo, and Y. Yuan, “Experimental investigation on dynamic properties of rubberized concrete,” *Constr. Build. Mater.*, vol. 22, no. 5, pp. 939–947, 2008.
- [123] E. Güneysi, M. Gesoğlu, and T. Özturan, “Properties of rubberized concretes containing silica fume,” *Cem. Concr. Res.*, vol. 34, no. 12, pp. 2309–2317, 2004.
- [124] M. del Río Merino, J. Santa Cruz Astorqui, and M. G. Cortina, “Viability analysis and constructive applications of lightened mortar (rubber cement mortar),” *Constr. Build. Mater.*, vol. 21, no. 8, pp. 1785–1791, 2007.

- [125] F. Pacheco-Torgal, Y. Ding, and S. Jalali, “Properties and durability of concrete containing polymeric wastes (tyre rubber and polyethylene terephthalate bottles): An overview,” *Constr. Build. Mater.*, vol. 30, pp. 714–724, 2012.
- [126] J. J. Ghenni, Ahmed A and ElGawady, Mohamed A and Myers, “Mechanical Characterization of Concrete Masonry Units Manufactured with Crumb Rubber Aggregate,” *ACI Mater. J.*, vol. 114, no. 1, 2017.
- [127] H. Cheng, C. Chen, S. Wu, Z. A. Mirza, and Z. Liu, “Emergy evaluation of cropping, poultry rearing, and fish raising systems in the drawdown zone of Three Gorges Reservoir of China,” *J. Clean. Prod.*, vol. 144, pp. 559–571, 2017.
- [128] F. M. Khatib, Zaher K and Bayomy, “Rubberized Portland cement concrete,” *J. Mater. Civ. Eng.*, vol. 11, pp. 206–213, 1999.
- [129] H. Su, J. Yang, T.-C. Ling, G. S. Ghataora, and S. Dirar, “Properties of concrete prepared with waste tyre rubber particles of uniform and varying sizes,” *J. Clean. Prod.*, vol. 91, pp. 288–296, 2015.
- [130] M. Bravo and J. de Brito, “Concrete made with used tyre aggregate: durability-related performance,” *J. Clean. Prod.*, vol. 25, pp. 42–50, 2012.
- [131] {Vinh Xuan} Farhad Aslani and Guowei Ma and {Yim Wan}, {Dominic Law} and {Tran Le}, “Experimental investigation into rubber granules and their effects on the fresh and hardened properties of self-compacting concrete,” *J. Clean. Prod.*, vol. 172, pp. 1835–1847, 2018.
- [132] A. Anil Thakare *et al.*, “A study on rheological properties of rubber fiber dosed self-compacting mortar,” *Constr. Build. Mater.*, vol. 262, p. 120745, 2020.
- [133] E. Medina, J. M. Medina, A. Cobo, and D. M. Bastidas, “Evaluation of mechanical and structural behavior of austenitic and duplex stainless steel reinforcements,” *Constr. Build. Mater.*, vol. 78, pp. 1–7, 2015.
- [134] A. Kaci, R. Bouras, V. T. Phan, P. A. Andréani, M. Chaouche, and H. Brossas, “Adhesive and rheological properties of fresh fibre-reinforced mortars,” *Cem. Concr. Compos.*, vol. 33, no. 2, pp. 218–224, 2011.
- [135] S. As’ad, P. Gunawan, and M. Syarif Alaydrus, “Fresh State Behavior of Self

- Compacting Concrete Containing Waste Material Fibres,” *Procedia Eng.*, vol. 14, pp. 797–804, 2011.
- [136] V. P. Villar, N. F. Medina, M. M. Alonso, S. G. Diez, and F. Puertas, “Assessment of parameters governing the steel fiber alignment in fresh cement-based composites,” *Constr. Build. Mater.*, vol. 207, pp. 548–562, 2019.
- [137] S. Grünewald, “9 - Fibre reinforcement and the rheology of concrete,” in *Understanding the Rheology of Concrete*, N. Roussel, Ed. Woodhead Publishing, 2012, pp. 229–256.
- [138] E. Güneysi, “Fresh properties of self-compacting rubberized concrete incorporated with fly ash,” *Mater. Struct.*, vol. 43, no. 8, pp. 1037–1048, 2010.
- [139] M. Sienkiewicz, H. Janik, K. Borzędowska-Labuda, and J. Kucińska-Lipka, “Environmentally friendly polymer-rubber composites obtained from waste tyres: A review,” *J. Clean. Prod.*, vol. 147, 2017.
- [140] R. Wang, X. Gao, H. Huang, and G. Han, “Influence of rheological properties of cement mortar on steel fiber distribution in UHPC,” *Constr. Build. Mater.*, vol. 144, pp. 65–73, 2017.
- [141] M. Djalili-Moghaddam and S. Toll, “Fibre suspension rheology: effect of concentration, aspect ratio and fibre size.,” *Rheol. Acta*, vol. 45, no. 3, pp. 315–320, 2006.
- [142] S. P. Weiss, W. Jason and Yang, Wei and Shah, “Influence of specimen size/geometry on shrinkage cracking of rings,” *J. Eng. Mech.*, vol. 126, no. 1, pp. 93–101, 2000.
- [143] I. B. Topcu, “The properties of rubberized concretes,” *Cem. Concr. Res.*, vol. 25, no. 2, pp. 304–310, 1995.
- [144] S. Rajaei *et al.*, “RETRACTED: Rubberized alkali-activated slag mortar reinforced with polypropylene fibres for application in lightweight thermal insulating materials,” *Constr. Build. Mater.*, vol. 270, p. 121430, 2021.
- [145] W. H. Yung, L. C. Yung, and L. H. Hua, “A study of the durability properties of waste tire rubber applied to self-compacting concrete,” *Constr. Build. Mater.*, vol. 41, pp. 665–672, 2013.

- [146] M. Khorrami, Morteza and Vafai, Abolhassan and Khalilitabas, Ahmad A and Desai, Chandrakant S and Ardakani, “Experimental Investigation on mechanical characteristics and environmental effects on rubber concrete,” *Int. J. Concr. Struct. Mater.*, vol. 4, no. 1, pp. 17–23, 2010.
- [147] K. Jingfu, H. Chuncui, and Z. Zhenli, “Strength and shrinkage behaviors of roller-compacted concrete with rubber additives,” *Mater. Struct.*, vol. 42, no. 8, pp. 1117–1124, 2009.
- [148] P. Sukontasukkul and K. Tiamlom, “Expansion under water and drying shrinkage of rubberized concrete mixed with crumb rubber with different size,” *Constr. Build. Mater.*, vol. 29, pp. 520–526, 2012.
- [149] A. P. C. Duarte, B. A. Silva, N. Silvestre, J. de Brito, E. Júlio, and J. M. Castro, “Tests and design of short steel tubes filled with rubberised concrete,” *Eng. Struct.*, vol. 112, pp. 274–286, 2016.
- [150] E. Ozbay, M. Lachemi, and U. K. Sevim, “Compressive strength, abrasion resistance and energy absorption capacity of rubberized concretes with and without slag,” *Mater. Struct.*, vol. 44, no. 7, pp. 1297–1307, 2011.
- [151] R. Hassanli, J. Mills, D. Li, and T. Benn, “Experimental and Numerical Study on the Behavior of Rubberized Concrete,” *Adv. Civ. Eng. Mater.*, vol. 6, no. 1, pp. 134–156, Apr. 2017.
- [152] M. Turki, Mohamed and Zarrad, Ines and Bretagne, Estelle and Queneudec, “Influence of filler addition on mechanical behavior of cementitious mortar-rubber aggregates: experimental study and modeling,” *J. Mater. Civ. Eng.*, vol. 24, no. 11, pp. 1350–1358, 2012.
- [153] L. P. Rivas-Vázquez, R. Suárez-Orduña, J. Hernández-Torres, and E. Aquino-Bolaños, “Effect of the surface treatment of recycled rubber on the mechanical strength of composite concrete/rubber,” *Mater. Struct.*, vol. 48, no. 9, pp. 2809–2814, 2015.
- [154] W. K. Akinyele, Joseph Olawale and Salim, Ramadhan Wanjala and Kupolati, “The impact of rubber crumb on the mechanical and chemical properties of concrete,” *Eng. Struct. Technol.*, vol. 7, no. 4, pp. 197–204, 2015.

- [155] A. Sofi, “Effect of waste tyre rubber on mechanical and durability properties of concrete – A review,” *Ain Shams Eng. J.*, vol. 9, no. 4, pp. 2691–2700, 2018.
- [156] M. Gesoğlu, E. Güneyisi, G. Khoshnaw, and S. İpek, “Investigating properties of pervious concretes containing waste tire rubbers,” *Constr. Build. Mater.*, vol. 63, pp. 206–213, 2014.
- [157] M. M. Al-Tayeb, B. H. Abu Bakar, H. M. Akil, and H. Ismail, “Performance of Rubberized and Hybrid Rubberized Concrete Structures under Static and Impact Load Conditions,” *Exp. Mech.*, vol. 53, no. 3, pp. 377–384, 2013.
- [158] B. S. Mohammed, M. Adamu, and M. S. Liew, “Evaluating the effect of crumb rubber and nano silica on the properties of high volume fly ash roller compacted concrete pavement using non-destructive techniques,” *Case Stud. Constr. Mater.*, vol. 8, pp. 380–391, 2018.
- [159] N. Ganesan, J. Bharati Raj, and A. P. Shashikala, “Flexural fatigue behavior of self compacting rubberized concrete,” *Constr. Build. Mater.*, vol. 44, pp. 7–14, 2013.
- [160] A. Yilmaz and N. Degirmenci, “Possibility of using waste tire rubber and fly ash with Portland cement as construction materials,” *Waste Manag.*, vol. 29, no. 5, pp. 1541–1546, 2009.
- [161] Y. Park, A. Abolmaali, M. Mohammadagha, and S.-H. Lee, “Flexural Characteristic of Rubberized Hybrid Concrete Reinforced With Steel and Synthetic Fibers,” *Adv. Civ. Eng. Mater.*, vol. 3, no. 1, pp. 495–508, Sep. 2014.
- [162] M. Gesoğlu, E. Güneyisi, G. Khoshnaw, and S. İpek, “Abrasion and freezing–thawing resistance of pervious concretes containing waste rubbers,” *Constr. Build. Mater.*, vol. 73, pp. 19–24, 2014.
- [163] J. Kang, B. Zhang, and G. Li, “The abrasion-resistance investigation of rubberized concrete,” *J. Wuhan Univ. Technol. Sci. Ed.*, vol. 27, no. 6, pp. 1144–1148, 2012.
- [164] Z. Xiong, Q. Cai, F. Liu, L. Li, and Y. Long, “Dynamic performance of RAC-filled double-skin tubular columns subjected to cyclic axial compression,” *Constr. Build. Mater.*, vol. 248, p. 118665, 2020.

- [165] H. Sallam, A. . Sherbini, M. Seleem, and M. Balaha, “Impact resistance of rubberized concrete,” vol. 31, 2008.
- [166] S. Kaewunruen, D. Li, Y. Chen, and Z. Xiang, “Enhancement of Dynamic Damping in Eco-Friendly Railway Concrete Sleepers Using Waste-Tyre Crumb Rubber,” *Materials* , vol. 11, no. 7. 2018.
- [167] M. Adamu, B. S. Mohammed, N. Shafiq, and M. Shahir Liew, “Effect of crumb rubber and nano silica on the fatigue performance of roller compacted concrete pavement,” *Cogent Eng.*, vol. 5, no. 1, p. 1436027, Jan. 2018.
- [168] S. Gupta, Trilok and Tiwari, Anshuman and Siddique, Salman and Sharma, Ravi K and Chaudhary, “Response assessment under dynamic loading and microstructural investigations of rubberized concrete,” *J. Mater. Civ. Eng.*, vol. 29, no. 8, p. 04017062, 2017.
- [169] R. Pacheco-Torres, E. Cerro-Prada, F. Escolano, and F. Varela, “Fatigue performance of waste rubber concrete for rigid road pavements,” *Constr. Build. Mater.*, vol. 176, pp. 539–548, 2018.
- [170] F. Xiao, P. Zhao, and S. Amirhanian, “Fatigue behavior of rubberized asphalt concrete mixtures containing warm asphalt additives,” *Constr. Build. Mater.*, vol. 23, pp. 3144–3151, Oct. 2009.
- [171] S. M. Saeed, M. Y. Aman, K. A. Ahmad, A. Batari, A. T. A. Yero, and A. U. Chinade, “Effect of Crumb Rubber Modifier on the Fatigue Performance of Warm Mix Asphalt,” in *GCEC 2017*, 2019, pp. 1367–1376.
- [172] F. Hernández-Olivares, G. Barluenga, B. Parga-Landa, M. Bollati, and B. Witoszek, “Fatigue behaviour of recycled tyre rubber-filled concrete and its implications in the design of rigid pavements,” *Constr. Build. Mater.*, vol. 21, no. 10, pp. 1918–1927, 2007.
- [173] P. Sugapriya and R. Ramkrishnan, “Crumb Rubber Recycling in Enhancing Damping Properties of Concrete,” *{IOP} Conf. Ser. Mater. Sci. Eng.*, vol. 310, p. 12013, Feb. 2018.
- [174] R. Meesit and S. Kaewunruen, “Vibration Characteristics of Micro-Engineered Crumb Rubber Concrete for Railway Sleeper Applications,” *J. Adv. Concr.*

Technol., vol. 15, no. 2, pp. 55–66, 2017.

- [175] M. Ayman and E. M. A., “Strain Rate Effect on Properties of Rubberized Concrete Confined with Glass Fiber–Reinforced Polymers,” *J. Compos. Constr.*, vol. 20, no. 5, p. 4016014, Oct. 2016.
- [176] O. Youssf, M. A. ElGawady, and J. E. Mills, “Experimental Investigation of Crumb Rubber Concrete Columns under Seismic Loading,” *Structures*, vol. 3, pp. 13–27, 2015.
- [177] M. Ayman, G. Ahmed, and E. M. A., “Shaking-Table Testing of High Energy–Dissipating Rubberized Concrete Columns,” *J. Bridg. Eng.*, vol. 22, no. 8, p. 4017042, Aug. 2017.
- [178] N. V. Rao and T. Meena, “A review on carbonation study in concrete,” *{IOP} Conf. Ser. Mater. Sci. Eng.*, vol. 263, p. 32011, Nov. 2017.
- [179] A. Marques, J. Akasaki, A. Trigo, and M. Marques, “Influence of the surface treatment of tire rubber residues added in mortars,” *Ibracon Struct. Mater. J.*, vol. 1, 2008.
- [180] B. S. Thomas, R. C. Gupta, and V. J. Panicker, “Recycling of waste tire rubber as aggregate in concrete: durability-related performance,” *J. Clean. Prod.*, vol. 112, pp. 504–513, 2016.
- [181] T. C. Ling, H. M. Nor, and S. K. Lim, “Using recycled waste tyres in concrete paving blocks,” *Proc. Inst. Civ. Eng. - Waste Resour. Manag.*, vol. 163, no. 1, pp. 37–45, 2010.
- [182] T. C. Ling, H. M. Nor, M. R. Hainin, and S. K. Lim, “Long-term strength of rubberised concrete paving blocks,” *Proc. Inst. Civ. Eng. - Constr. Mater.*, vol. 163, no. 1, pp. 19–26, 2010.
- [183] S. Zhang and L. Zong, “Evaluation of Relationship between Water Absorption and Durability of Concrete Materials,” *Adv. Mater. Sci. Eng.*, vol. 2014, 2014.
- [184] R. Di Mundo, A. Petrella, and M. Notarnicola, “Surface and bulk hydrophobic cement composites by tyre rubber addition,” *Constr. Build. Mater.*, vol. 172, pp. 176–184, 2018.

- [185] M. Gesoğlu and E. Güneyisi, “Strength development and chloride penetration in rubberized concretes with and without silica fume,” *Mater. Struct.*, vol. 40, no. 9, pp. 953–964, 2007.
- [186] N. Oikonomou and S. Mavridou, “Improvement of chloride ion penetration resistance in cement mortars modified with rubber from worn automobile tires,” *Cem. Concr. Compos.*, vol. 31, no. 6, pp. 403–407, 2009.
- [187] R. Si, S. Guo, and Q. Dai, “Durability performance of rubberized mortar and concrete with NaOH-Solution treated rubber particles,” *Constr. Build. Mater.*, vol. 153, pp. 496–505, 2017.
- [188] B. S. Thomas, R. C. Gupta, P. Mehra, and S. Kumar, “Performance of high strength rubberized concrete in aggressive environment,” *Constr. Build. Mater.*, vol. 83, pp. 320–326, 2015.
- [189] M. Gesoğlu and E. Güneyisi, “Permeability properties of self-compacting rubberized concretes,” *Constr. Build. Mater.*, vol. 25, no. 8, pp. 3319–3326, 2011.
- [190] R. K. E., A. A. A., H. A. A. A., and C. Bruce, “Evaluation of Abrasion Resistance of Self-Consolidating Rubberized Concrete by Acoustic Emission Analysis,” *J. Mater. Civ. Eng.*, vol. 30, no. 8, p. 4018196, Aug. 2018.
- [191] A. M. Rashad, “A comprehensive overview about recycling rubber as fine aggregate replacement in traditional cementitious materials,” *Int. J. Sustain. Built Environ.*, vol. 5, no. 1, pp. 46–82, 2016.
- [192] N. Flores Medina, D. Flores-Medina, and F. Hernández-Olivares, “Influence of fibers partially coated with rubber from tire recycling as aggregate on the acoustical properties of rubberized concrete,” *Constr. Build. Mater.*, vol. 129, pp. 25–36, 2016.
- [193] E. Güneyisi, T. Özturan, and M. Gesoğlu, “A study on reinforcement corrosion and related properties of plain and blended cement concretes under different curing conditions,” *Cem. Concr. Compos.*, vol. 27, no. 4, pp. 449–461, 2005.
- [194] A. Nadal Gisbert *et al.*, “Analysis behaviour of static and dynamic properties of Ethylene-Propylene-Diene-Methylene crumb rubber mortar,” *Constr. Build.*

Mater., vol. 50, pp. 671–682, 2014.

- [195] A. M. Marques, J. R. Correia, and J. de Brito, “Post-fire residual mechanical properties of concrete made with recycled rubber aggregate,” *Fire Saf. J.*, vol. 58, pp. 49–57, 2013.
- [196] İ. B. Topçu and T. Bilir, “Experimental investigation of some fresh and hardened properties of rubberized self-compacting concrete,” *Mater. Des.*, vol. 30, no. 8, pp. 3056–3065, 2009.
- [197] İ. B. Topçu and T. Bilir, “Effects of slag fineness on durability of mortars,” *J. Zhejiang Univ. A*, vol. 8, no. 11, pp. 1725–1730, 2007.
- [198] E. Ünlüoğlu, İ. B. Topçu, and B. Yalaman, “Concrete cover effect on reinforced concrete bars exposed to high temperatures,” *Constr. Build. Mater.*, vol. 21, no. 6, pp. 1155–1160, 2007.
- [199] A. Farhad and K. Maryam, “Properties of High-Performance Self-Compacting Rubberized Concrete Exposed to High Temperatures,” *J. Mater. Civ. Eng.*, vol. 31, no. 5, p. 4019040, May 2019.
- [200] M. M. A. Kader, S. M. Abdel-wehab, M. A. Helal, and H. H. Hassan, “Evaluation of thermal insulation and mechanical properties of waste rubber/natural rubber composite,” *HBRC J.*, vol. 8, no. 1, pp. 69–74, 2012.
- [201] P. Meshgin, Y. Xi, and Y. Li, “Utilization of phase change materials and rubber particles to improve thermal and mechanical properties of mortar,” *Constr. Build. Mater.*, vol. 28, no. 1, pp. 713–721, 2012.
- [202] T. Gupta, S. Siddique, R. K. Sharma, and S. Chaudhary, “Effect of elevated temperature and cooling regimes on mechanical and durability properties of concrete containing waste rubber fiber,” *Constr. Build. Mater.*, vol. 137, pp. 35–45, 2017.
- [203] M. Olivia, “Durability related properties of low calcium fly ash based geopolymer concrete,” Curtin University, 2011.
- [204] S. Raffoul, R. Garcia, K. Pilakoutas, M. Guadagnini, and N. F. Medina, “Optimisation of rubberised concrete with high rubber content: An experimental investigation,” *Constr. Build. Mater.*, vol. 124, pp. 391–404,

2016.

- [205] N. M. Al-Akhras and M. M. Smadi, "Properties of tire rubber ash mortar," *Cem. Concr. Compos.*, vol. 26, no. 7, pp. 821–826, 2004.
- [206] CEN - EN 206-1, *Concrete - Part 1: Specification, performance, production and conformity*. 2000.
- [207] ACI Committee 213, "Guide for Structural Lightweight-Aggregate Concrete," 1999.
- [208] A. Abbas and H. Abdulzahra, "Studying the Properties of Lightweight Concrete Using Construction Materials Waste," *J. Environ. Sci. Eng. A*, vol. 4, 2015.
- [209] W. K. Akinyele, Joseph Olawale and Salim, Ramhadhan Wanjala and Kupolati, "Production of lightweight concrete from waste tire rubber crumb," *Eng. Struct. Technol.*, vol. 8, pp. 108--116, 2016.
- [210] T. M. Pham, M. Elchalakani, A. Karrech, and H. Hao, "Axial impact behavior and energy absorption of rubberized concrete with/without fiber-reinforced polymer confinement," *Int. J. Prot. Struct.*, vol. 10, no. 2, pp. 154–173, Sep. 2018.
- [211] W. Cheewapattananuwong and P. Chaloeywaes, "The Innovation of Natural Rubber Applied with Concrete Road Barriers in Thailand," *Adv. Sci. Technol.*, vol. 103, pp. 55–61, 2020.
- [212] H. Reza, Y. Osama, V. Tom, M. J. E., M. Allan, and G. Rebecca, "Experimental Study on Compressive Behavior of FRP-Confined Expansive Rubberized Concrete," *J. Compos. Constr.*, vol. 24, no. 4, p. 4020034, Aug. 2020.
- [213] M. Elchalakani, M. F. Hassanein, A. Karrech, and B. Yang, "Experimental investigation of rubberised concrete-filled double skin square tubular columns under axial compression," *Eng. Struct.*, vol. 171, pp. 730–746, 2018.
- [214] K. Strukar, T. Kalman Šipoš, I. Miličević, and R. Bušić, "Potential use of rubber as aggregate in structural reinforced concrete element – A review," *Eng. Struct.*, vol. 188, pp. 452–468, 2019.
- [215] H. Reza, Y. Osama, and M. J. E., "Seismic Performance of Precast

- Posttensioned Segmental FRP-Confined and Unconfined Crumb Rubber Concrete Columns,” *J. Compos. Constr.*, vol. 21, no. 4, p. 4017006, Aug. 2017.
- [216] I. M. K. and H. A. A. A., “Ductility and Cracking Behavior of Reinforced Self-Consolidating Rubberized Concrete Beams,” *J. Mater. Civ. Eng.*, vol. 29, no. 1, p. 4016174, Jan. 2017.
- [217] A. S. M. Mendis, S. Al-Deen, and M. Ashraf, “Effect of rubber particles on the flexural behaviour of reinforced crumbed rubber concrete beams,” *Constr. Build. Mater.*, vol. 154, pp. 644–657, 2017.
- [218] R. Hassanli, O. Youssf, and J. E. Mills, “Experimental investigations of reinforced rubberized concrete structural members,” *J. Build. Eng.*, vol. 10, pp. 149–165, 2017.
- [219] O. Youssf, M. A. ElGawady, and J. E. Mills, “Static cyclic behaviour of FRP-confined crumb rubber concrete columns,” *Eng. Struct.*, vol. 113, pp. 371–387, 2016.
- [220] Y. Liu, Feng and Chen, Guixuan and Li, Lijuan and Guo, “Study of impact performance of rubber reinforced concrete,” *Constr. Build. Mater.*, vol. 36, pp. 604–616, 2012.
- [221] I. Abdulkadir, B. S. Mohammed, M. S. Liew, and M. M. A. Wahab, “Modelling and optimization of the mechanical properties of engineered cementitious composite containing crumb rubber pretreated with graphene oxide using response surface methodology,” *Constr. Build. Mater.*, vol. 310, no. December, p. 125259, 2021.
- [222] American Society for Testing and Materials, “Astm, C 136. Standard test method for sieve analysis of fine and coarse aggregates,” in *Standard test method for sieve analysis of fine and coarse aggregates*, American Society for Testing and Materials, Philadelphia, PA, 2005.
- [223] BSI 1097-6, “BSI 1097-6: 2013 Tests for mechanical and physical properties of aggregates. Determination of particle density and water absorption,” in *Tests for mechanical and physical properties of aggregates. Determination of particle density and water absorption*, 2013.

- [224] BSI 1097-3, “Tests for mechanical and physical properties of aggregates: Determination of loose bulk density and voids,” in *Tests for mechanical and physical properties of aggregates: Determination of loose bulk density and voids*, 1998.
- [225] M. Rabehi, B. Mezghiche, and S. Guettala, “Correlation between initial absorption of the cover concrete, the compressive strength and carbonation depth,” *Constr. Build. Mater.*, vol. 45, pp. 123–129, 2013.
- [226] J. XU, Z. Yao, G. Yang, and Q. Han, “Research on crumb rubber concrete: From a multi-scale review,” *Constr. Build. Mater.*, vol. 232, no. Complete, 2020.
- [227] R. Assaggaf, M. Rizwan Ali, S. Al-Dulaijan, and M. Maslehuddin, “Properties of concrete with untreated and treated crumb rubber – A review,” *J. Mater. Res. Technol.*, vol. 11, Feb. 2021.
- [228] M. Ismail, M. Sherir, H. Siad, A. Hassan, and M. Lachemi, “Properties of Self-Consolidating Engineered Cementitious Composite Modified with Rubber,” *J. Mater. Civ. Eng.*, vol. 30, Jan. 2018.
- [229] Y. Wang, Z. Zhang, J. Yu, J. Xiao, and Q. Xu, “Using Green Supplementary Materials to Achieve More Ductile ECC,” *Materials*, vol. 12, no. 6. 2019.
- [230] O. Youssf *et al.*, “Influence of Mixing Procedures, Rubber Treatment, and Fibre Additives on Rubcrete Performance,” *J. Compos. Mater.*, vol. 3, Apr. 2019.
- [231] E. Abdelaal *et al.*, “Novel Approach to Improve Crumb Rubber Concrete Strength Using Thermal Treatment,” *Constr. Build. Mater.*, vol. 229, Sep. 2019.
- [232] L. He, Y. Ma, Q. Liu, and Y. Mu, “Surface modification of crumb rubber and its influence on the mechanical properties of rubber-cement concrete,” *Constr. Build. Mater.*, vol. 120, pp. 403–407, Sep. 2016.
- [233] S. binti Salehuddin, N. L. Rahim, N. M. Ibrahim, S. A. N. Tajri, and M. Z. Zainol Abidin, “The Behaviour of Rubber Tyre as Fine Aggregate in Concrete Mix,” *Appl. Mech. Mater.*, vol. 754–755, pp. 427–431, 2015.
- [234] F. M. Z. Hossain, M. Shahjalal, K. Islam, M. Tiznobaik, and M. S. Alam, “Mechanical properties of recycled aggregate concrete containing crumb rubber

- and polypropylene fiber,” *Constr. Build. Mater.*, vol. 225, pp. 983–996, 2019.
- [235] G. Li *et al.*, “Properties of rubberized concrete modified by using silane coupling agent and carboxylated SBR,” *J. Clean. Prod.*, vol. 112, pp. 797–807, 2016.
- [236] M. K. Ismail and A. A. A. Hassan, “Use of metakaolin on enhancing the mechanical properties of self-consolidating concrete containing high percentages of crumb rubber,” *J. Clean. Prod.*, vol. 125, pp. 282–295, 2016.
- [237] H. Zhong, E. W. Poon, K. Chen, and M. Zhang, “Engineering properties of crumb rubber alkali-activated mortar reinforced with recycled steel fibres,” *J. Clean. Prod.*, vol. 238, p. 117950, 2019.
- [238] F. Jokar, M. Khorram, G. Karimi, and N. Hataf, “Experimental investigation of mechanical properties of crumbed rubber concrete containing natural zeolite,” *Constr. Build. Mater.*, vol. 208, pp. 651–658, 2019.
- [239] Q. Han, G. Yang, J. Xu, Z. Fu, G. Lacidogna, and A. Carpinteri, “Acoustic emission data analyses based on crumb rubber concrete beam bending tests,” *Eng. Fract. Mech.*, vol. 210, pp. 189–202, 2019.
- [240] K. Bisht and P. V Ramana, “Evaluation of mechanical and durability properties of crumb rubber concrete,” *Constr. Build. Mater.*, vol. 155, pp. 811–817, 2017.
- [241] B. S. Thomas, R. C. Gupta, P. Kalla, and L. Cseteneyi, “Strength, abrasion and permeation characteristics of cement concrete containing discarded rubber fine aggregates,” *Constr. Build. Mater.*, vol. 59, pp. 204–212, 2014.
- [242] Z. Zhang, H. Ma, and S. Qian, “Investigation on Properties of ECC Incorporating Crumb Rubber of Different Sizes,” *J. Adv. Concr. Technol.*, vol. 13, no. 5, pp. 241–251, 2015.
- [243] I. Mohammadi, H. Khabbaz, and K. Vessalas, “Enhancing mechanical performance of rubberised concrete pavements with sodium hydroxide treatment,” *Mater. Struct.*, vol. 49, no. 3, pp. 813–827, 2016.
- [244] A. Kashani, T. D. Ngo, P. Hemachandra, and A. Hajimohammadi, “Effects of surface treatments of recycled tyre crumb on cement-rubber bonding in concrete composite foam,” *Constr. Build. Mater.*, vol. 171, pp. 467–473, 2018.

- [245] H. L. Chou, C. K. Lu, J. R. Chang, and T. M. Lee, "Use of waste rubber as concrete additive," *Waste Manag. Res.*, vol. 25, no. 1, pp. 68–76, 2007.
- [246] R. A. Assaggaf, M. R. Ali, S. U. Al-Dulaijan, and M. Maslehuddin, "Properties of concrete with untreated and treated crumb rubber – A review," *J. Mater. Res. Technol.*, vol. 11, pp. 1753–1798, 2021.
- [247] X. Wang, J. Xia, O. Nanayakkara, and Y. Li, "Properties of high-performance cementitious composites containing recycled rubber crumb," *Constr. Build. Mater.*, vol. 156, pp. 1127–1136, 2017.
- [248] O. Youssf, J. E. Mills, and R. Hassanli, "Assessment of the mechanical performance of crumb rubber concrete," *Constr. Build. Mater.*, vol. 125, pp. 175–183, 2016.
- [249] J. Wang, Q. Dai, R. Si, and S. Guo, "Mechanical, durability, and microstructural properties of macro synthetic polypropylene (PP) fiber-reinforced rubber concrete," *J. Clean. Prod.*, vol. 234, pp. 1351–1364, 2019.
- [250] N. Segre and I. Joeke, "Use of tire rubber particles as addition to cement paste," *Cem. Concr. Res.*, vol. 30, no. 9, pp. 1421–1425, 2000.
- [251] M. Safan, F. M. Eid, and M. Awad, "Enhanced properties of crumb rubber and its application in rubberized concrete," *Int. J. Curr. Eng. Technol.*, vol. 7, no. 5, pp. 1784–1790, 2017.
- [252] S. Sgobba, M. Borsa, M. Molfetta, and G. C. Marano, "Mechanical performance and medium-term degradation of rubberised concrete," *Constr. Build. Mater.*, vol. 98, pp. 820–831, 2015.
- [253] X. Colom *et al.*, "Structural and mechanical studies on modified reused tyres composites," *Eur. Polym. J.*, vol. 42, no. 10, pp. 2369–2378, 2006.
- [254] X. Colom, F. Carrillo, and J. Cañavate, "Composites reinforced with reused tyres: Surface oxidant treatment to improve the interfacial compatibility," *Compos. Part A Appl. Sci. Manuf.*, vol. 38, no. 1, pp. 44–50, 2007.
- [255] N. F. Medina, R. Garcia, I. Hajirasouliha, K. Pilakoutas, M. Guadagnini, and S. Raffoul, "Composites with recycled rubber aggregates: Properties and opportunities in construction," *Constr. Build. Mater.*, vol. 188, pp. 884–897,

2018.

- [256] H. Zhang, M. Gou, X. Liu, and X. Guan, “Effect of rubber particle modification on properties of rubberized concrete,” *J. Wuhan Univ. Technol. Sci. Ed.*, vol. 29, no. 4, pp. 763–768, 2014.
- [257] C. K. Leung and Z. C. Grasley, “Effect of micrometric and nanometric viscoelastic inclusions on mechanical damping behavior of cementitious composites,” *Constr. Build. Mater.*, vol. 35, pp. 444–451, 2012.
- [258] A. Ibrahim Abdulla and S. Hadi Ahmed, “Effect of Rubber Treated by Acidic Solution On Some Mechanical Properties of Rubberize Cement Mortar,” *Eng. Technol. J.*, vol. 29, no. 13, pp. 2793–2806, Sep. 2011.
- [259] C. Chen, H. Qian, W. Chen, Z. Zheng, and H. Zhu, “Auto-weighted multi-view constrained spectral clustering,” *Neurocomputing*, vol. 366, pp. 1–11, 2019.
- [260] C.-Y. Chen and M.-T. Lee, “Application of Crumb Rubber in Cement-Matrix Composite,” *Materials*, vol. 12, no. 3, 2019.
- [261] M. Iorio, M. L. Santarelli, G. González-Gaitano, and J. González-Benito, “Surface modification and characterization of basalt fibers as potential reinforcement of concretes,” *Appl. Surf. Sci.*, vol. 427, pp. 1248–1256, 2018.
- [262] S.-J. Park and K.-S. Cho, “Filler–elastomer interactions: influence of silane coupling agent on crosslink density and thermal stability of silica/rubber composites,” *J. Colloid Interface Sci.*, vol. 267, no. 1, pp. 86–91, 2003.
- [263] A. Stewart, B. Schlosser, and E. P. Douglas, “Surface Modification of Cured Cement Pastes by Silane Coupling Agents,” *ACS Appl. Mater. Interfaces*, vol. 5, no. 4, pp. 1218–1225, Feb. 2013.
- [264] G. Xiong, B. Luo, X. Wu, G. Li, and L. Chen, “Influence of silane coupling agent on quality of interfacial transition zone between concrete substrate and repair materials,” *Cem. Concr. Compos.*, vol. 28, no. 1, pp. 97–101, 2006.
- [265] Y. Li, M. Wang, and Z. Li, “Physical and mechanical properties of Crumb Rubber Mortar(CRM)with interfacial modifiers,” *J. Wuhan Univ. Technol. Sci. Ed.*, vol. 25, no. 5, pp. 845–848, 2010.

- [266] L. Yu, Q. Yu, and L. Liu, "Hybrid modified rubber powder and its application in cement mortar," *J. Wuhan Univ. Technol. Sci. Ed.*, vol. 25, no. 6, pp. 1033–1037, 2010.
- [267] R. H. Ghedan and D. M. Hamza, "Effect Of Rubber Treatment On Compressive Strength And Thermal Conductivity Of Modified Rubberized Concrete," *J. Eng. Dev.*, vol. 15, no. 4, pp. 21–29, 2011.
- [268] C. Xiaowei, H. Sheng, G. Xiaoyang, and D. Wenhui, "Crumb waste tire rubber surface modification by plasma polymerization of ethanol and its application on oil-well cement," *Appl. Surf. Sci.*, vol. 409, pp. 325–342, 2017.
- [269] D. Hegemann, H. Brunner, and C. Oehr, "Plasma treatment of polymers for surface and adhesion improvement," *Nucl. Instruments Methods Phys. Res. Sect. B Beam Interact. with Mater. Atoms*, vol. 208, pp. 281–286, 2003.
- [270] U. Lommatzsch, D. Pasedag, A. Baalman, G. Ellinghorst, and H.-E. Wagner, "Atmospheric Pressure Plasma Jet Treatment of Polyethylene Surfaces for Adhesion Improvement," *Plasma Process. Polym.*, vol. 4, no. S1, pp. S1041–S1045, Apr. 2007.
- [271] M. Noeske, J. Degenhardt, S. Strudthoff, and U. Lommatzsch, "Plasma jet treatment of five polymers at atmospheric pressure: surface modifications and the relevance for adhesion," *Int. J. Adhes. Adhes.*, vol. 24, no. 2, pp. 171–177, 2004.
- [272] J. Li, F. Xiao, and S. N. Amirkhanian, "High temperature rheological characteristics of plasma-treated crumb rubber modified binders," *Constr. Build. Mater.*, vol. 236, p. 117614, 2020.
- [273] J. F. Rabek, *Photodegradation of polymers: physical characteristics and applications*. Springer Science & Business Media, 2012.
- [274] I. Mathieson and R. H. Bradley, "Improved adhesion to polymers by UV/ozone surface oxidation," *Int. J. Adhes. Adhes.*, vol. 16, no. 1, pp. 29–31, 1996.
- [275] A. M. Shanmugaraj, J. K. Kim, and S. H. Ryu, "Modification of rubber surface by UV surface grafting," *Appl. Surf. Sci.*, vol. 252, no. 16, pp. 5714–5722, 2006.
- [276] O. Onuaguluchi and N. Banthia, "Durability performance of polymeric scrap

- tire fibers and its reinforced cement mortar,” *Mater. Struct.*, vol. 50, no. 2, p. 158, 2017.
- [277] E. S. Abd-Elaal *et al.*, “Novel approach to improve crumb rubber concrete strength using thermal treatment,” *Constr. Build. Mater.*, vol. 229, p. 116901, 2019.
- [278] H. Liu *et al.*, “Characterization of a *Bacillus subtilis* surfactin synthetase knockout and antimicrobial activity analysis,” *J. Biotechnol.*, vol. 237, pp. 1–12, 2016.
- [279] C. Albano, N. Camacho, J. Reyes, J. L. Feliu, and M. Hernández, “Influence of scrap rubber addition to Portland I concrete composites: Destructive and non-destructive testing,” *Compos. Struct.*, vol. 71, no. 3–4, pp. 439–446, 2005.
- [280] O. Youssf, R. Hassanli, J. E. Mills, and M. Abd Elrahman, “An experimental investigation of the mechanical performance and structural application of LECA-Rubcrete,” *Constr. Build. Mater.*, vol. 175, pp. 239–253, 2018.
- [281] N.-P. Pham, A. Toumi, and A. Turatsinze, “Effect of an enhanced rubber-cement matrix interface on freeze-thaw resistance of the cement-based composite,” *Constr. Build. Mater.*, vol. 207, pp. 528–534, 2019.
- [282] O. Onuaguluchi, “Effects of surface pre-coating and silica fume on crumb rubber-cement matrix interface and cement mortar properties,” *J. Clean. Prod.*, vol. 104, pp. 339–345, 2015.
- [283] A. Kashani, T. D. Ngo, P. Mendis, J. R. Black, and A. Hajimohammadi, “A sustainable application of recycled tyre crumbs as insulator in lightweight cellular concrete,” *J. Clean. Prod.*, vol. 149, pp. 925–935, 2017.
- [284] H. Su, J. Yang, G. S. Ghataora, and S. Dirar, “Surface modified used rubber tyre aggregates: effect on recycled concrete performance,” *Mag. Concr. Res.*, vol. 67, no. 12, pp. 680–691, 2015.
- [285] A. Zandiatashbar *et al.*, “Effect of defects on the intrinsic strength and stiffness of graphene,” *Nat. Commun.*, vol. 5, no. 1, p. 3186, 2014.
- [286] B. C. Brodie, “XIII. On the atomic weight of graphite,” *Philos. Trans. R. Soc. London*, vol. 149, pp. 249–259, Jan. 1859.

- [287] H. V. Kumar, S. J. Woltornist, and D. H. Adamson, "Fractionation and characterization of graphene oxide by oxidation extent through emulsion stabilization," *Carbon N. Y.*, vol. 98, pp. 491–495, 2016.
- [288] T. Tong, Z. Fan, Q. Liu, S. Wang, S. Tan, and Q. Yu, "Investigation of the effects of graphene and graphene oxide nanoplatelets on the micro- and macro-properties of cementitious materials," *Constr. Build. Mater.*, vol. 106, pp. 102–114, 2016.
- [289] L. Lu, P. Zhao, and Z. Lu, "A short discussion on how to effectively use graphene oxide to reinforce cementitious composites," *Constr. Build. Mater.*, vol. 189, pp. 33–41, 2018.
- [290] R. Hu, Y. He, M. Huang, G. Zhao, and H. Zhu, "Strong Adhesion of Graphene Oxide Coating on Polymer Separation Membranes," *Langmuir*, vol. 34, no. 36, pp. 10569–10579, Sep. 2018.
- [291] B. Mensah, S. Kang, W. Wang, and C. Nah, "Effect of graphene on polar and nonpolar rubber matrices," *Mech. Adv. Mater. Mod. Process.*, vol. 4, Feb. 2018.
- [292] Y. Wang *et al.*, "Room-temperature ferromagnetism of graphene.," *Nano Lett.*, vol. 9, no. 1, pp. 220–224, Jan. 2009.
- [293] K. Gong *et al.*, "Reinforcing Effects of Graphene Oxide on Portland Cement Paste," *J. Mater. Civ. Eng.*, vol. 27, p. A4014010, Feb. 2015.
- [294] Z. Pan *et al.*, "Mechanical properties and microstructure of a graphene oxide-cement composite," *Cem. Concr. Compos.*, vol. 58, Feb. 2015.
- [295] X. Li *et al.*, "Incorporation of graphene oxide and silica fume into cement paste: A study of dispersion and compressive strength," *Constr. Build. Mater.*, vol. 123, pp. 327–335, Oct. 2016.
- [296] Y. Shang, D. Zhang, C. Yang, Y. Liu, and Y. Liu, "Effect of graphene oxide on the rheological properties of cement pastes," *Constr. Build. Mater.*, vol. 96, pp. 20–28, Oct. 2015.
- [297] S. C. Devi and R. A. Khan, "Effect of graphene oxide on mechanical and durability performance of concrete," *J. Build. Eng.*, vol. 27, no. November 2018, p. 101007, 2020.

- [298] E. Garcia Taengua, M. Sonebi, K. Hossain, M. Lachemi, and J. Khatib, “Effects of the addition of nanosilica on the rheology, hydration and development of the compressive strength of cement mortars,” *Compos. Part B Eng.*, vol. 81, Nov. 2015.
- [299] M. Sonebi, E. Garcia Taengua, K. Hossain, J. Khatib, and M. Lachemi, “Effect of nanosilica addition on the fresh properties and shrinkage of mortars with fly ash and superplasticizer,” *Constr. Build. Mater.*, vol. 84, pp. 269–276, Jun. 2015.
- [300] S. Lv, Y. Ma, C. Qiu, T. Sun, J. Liu, and Q. Zhou, “Effect of graphene oxide nanosheets of microstructure and mechanical properties of cement composites,” *Constr. Build. Mater.*, vol. 49, pp. 121–127, Dec. 2013.
- [301] H. Peng, Y. Ge, C. S. Cai, Y. Zhang, and Z. Liu, “Mechanical properties and microstructure of graphene oxide cement-based composites,” *Constr. Build. Mater.*, vol. 194, pp. 102–109, Jan. 2019.
- [302] X. Li, S. Chuah, W. Li, Y. Liu, W. Duan, and Z. Li, “Effects of graphene oxide aggregates on hydration degree, sorptivity, and tensile splitting strength of cement paste,” *Compos. Part A Appl. Sci. Manuf.*, vol. 100, May 2017.
- [303] D. Dikin *et al.*, “Preparation and characterization of graphene oxide paper,” *Nature*, vol. 448, pp. 457–460, Aug. 2007.
- [304] D. Zahin and A. Rizalman, “Properties of cement mortar containing NaOH-treated Crumb rubber as fine aggregate replacement,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 476, p. 12030, Jun. 2020.
- [305] A. Adesina and O. Atoyebi, “Effect of crumb rubber aggregate on the performance of cementitious composites: A review,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 445, Mar. 2020.
- [306] T. M. Pham, Thong M and Chen, Wensu and Khan, Abdul M and Hao, Hong and Elchalakani, Mohamed and Tran, “Dynamic compressive properties of lightweight rubberized concrete,” *Constr. Build. Mater.*, vol. 238, p. 117705, 2020.
- [307] B. S. Mohammed, S. Haruna, M. M. A. Wahab, M. S. Liew, and A. Haruna,

- “Mechanical and microstructural properties of high calcium fly ash one-part geopolymer cement made with granular activator,” *Heliyon*, vol. 5, no. 9, p. e02255, 2019.
- [308] Z. U. Rehman, M. A. Raza, F. A. Ghauri, R. Kanwal, A. Ahmad, and A. Inam, “Graphene Oxide Coatings Deposited on Steel Substrate Using Electrophoretic Deposition and Electrochemical Evaluation of Coatings in Saline Media,” *Key Eng. Mater.*, vol. 778, pp. 111–117, 2018.
- [309] B. S. Mohammed, L. W. Xian, S. Haruna, M. S. Liew, I. Abdulkadir, and N. A. W. A. Zawawi, “Deformation Properties of Rubberized Engineered Cementitious Composites Using Response Surface Methodology,” *Iran. J. Sci. Technol. Trans. Civ. Eng.*, vol. 45, no. 2, pp. 729–740, 2021.
- [310] V. K. Arachchi, J. Gamage, and K. Selvaranjan, “Investigation of replacing aggregate with non-homogeneous waste tire rubber aggregate in concrete,” in *2022 Moratuwa Engineering Research Conference (MERCOn)*, 2022, pp. 1–6.
- [311] Q. Wang, J. Wang, C. Lv, X. Cui, S. Li, and X. Wang, “Rheological behavior of fresh cement pastes with a graphene oxide additive,” *New Carbon Mater.*, vol. 31, no. 6, pp. 574–584, 2016.
- [312] ACI, “Standard Practice for Selecting Proportions for Normal , Heavyweight , and Mass Concrete,” 2002.
- [313] K. Vallurupalli, W. Meng, J. Liu, and K. H. Khayat, “Effect of graphene oxide on rheology, hydration and strength development of cement paste,” *Constr. Build. Mater.*, vol. 265, p. 120311, 2020.
- [314] M. Saatcioglu, “Concrete structures,” *Encycl. Earth Sci. Ser.*, vol. 2018, p. 118, 2013.
- [315] M. Heikal, S. Abd El Aleem, and W. M. Morsi, “Characteristics of blended cements containing nano-silica,” *HBRC J.*, vol. 9, no. 3, pp. 243–255, Dec. 2013.
- [316] D. Mohotti, P. Mendis, K. Wijesooriya, I. Fonseka, D. Weerasinghe, and C. K. Lee, “Abrasion and Strength of high percentage Graphene Oxide (GO) Incorporated Concrete,” *Electron. J. Struct. Eng.*, vol. 22, no. 1, pp. 37–43,

2022.

- [317] C. Liu *et al.*, “Research progress on individual effect of graphene oxide in cement-based materials and its synergistic effect with other nanomaterials,” vol. 10, no. 1, pp. 1208–1235, 2021.
- [318] C. S. R. Indukuri, R. Nerella, and S. R. C. Madduru, “Workability, microstructure, strength properties and durability properties of graphene oxide reinforced cement paste,” *Aust. J. Civ. Eng.*, vol. 18, no. 1, pp. 73–81, Jan. 2020.
- [319] N. Azline *et al.*, “Permeation-durability properties of metakaolin blended concrete containing rubber,” *Eur. J. Environ. Civ. Eng.*, vol. 0, no. 0, pp. 1–16, 2021.
- [320] L. Y. Feng, A. J. Chen, and H. D. Liu, “Effect of Waste Tire Rubber Particles on Concrete Abrasion Resistance Under High - Speed Water Flow,” *Int. J. Concr. Struct. Mater.*, 2021.
- [321] ASTM, “Standard Test Method for Electrical Indication of Concrete ’ s Ability to Resist Chloride,” 2012, pp. 1–8.
- [322] B. Standard, “Testing hardened concrete Ð Part 8 : Depth of penetration of water,” 2000.