

## REFERENCES

1. Abdel-Raouf, M. S., & Abdul-Raheim, A. R. M. (2017). Journal of Pollution Effects & Control Removal of Heavy Metals from Industrial Wastewater by Biomass-Based Materials : A Review. *Journal of Pollution Effects and Control*, 5(1), 1–13. <https://doi.org/10.4172/2375-4397.1000180>
2. Adikary, S. U., Ashokcline, M., & Nirojan, K. (2015). Characterization of Montmorillonite Clay from Naturally Occurring Clay Deposits in Murunkan Area. *International Research Conference, KDU, November*, 163–169.
3. Adikary, S.U. and Wanasinghe, D.D., (2012). Characterization of locally available Montmorillonite clay using FTIR technique. *Annual Transactions of Institution of Engineers Sri Lanka*, 1(part B), pp.140-145.
4. Ahmad, M., Ok, Y.S., Rajapaksha, A.U., Lim, J.E., Kim, B.Y., Ahn, J.H., Lee, Y.H., Al-Wabel, M.I., Lee, S.E. and Lee, S.S., (2016). Lead and copper immobilization in a shooting range soil using soybean stover-and pine needle-derived biochars: Chemical, microbial and spectroscopic assessments. *Journal of Hazardous Materials*, 301, pp.179-186.
5. Ajayi-Banji, A., Ogunlela, A., & Ogunwande, G. (2017). Investigation of locust bean husk char adsorbability in heavy metal removal. *Research in Agricultural Engineering*, 63(1), 29–35. <https://doi.org/10.17221/44/2015-RAE>
6. Akpor, O.B., Ohiobor, G.O. and Olaolu, D.T., (2014). Heavy metal pollutants in wastewater effluents: sources, effects and remediation. *Advances in Bioscience and Bioengineering*, 2(4), pp.37-43.
7. Alandis, N.M., Mekhamer, W., Aldayel, O., Hefne, J.A. and Alam, M., (2019). Adsorptive applications of montmorillonite clay for the removal of Ag (I) and Cu (II) from aqueous medium. *Journal of Chemistry*.
8. Alexandros, Christos and Vassilios, (2014) construcction wetland classification.
9. Ampiah-Bonney, R.J., Tyson, J.F. and Lanza, G.R., (2007). Phytoextraction of arsenic from soil by Leersia oryzoides. *International journal of phytoremediation*, 9(1), pp.31-40.
10. Ashiq, A., Sarkar, B., Adassooriya, N., Walpita, J., Rajapaksha, A.U., Ok, Y.S. and Vithanage, M., (2019). Sorption process of municipal solid waste biochar-montmorillonite composite for ciprofloxacin removal in aqueous media. *Chemosphere*, 236, p.124384.
11. Balarak, D.A.V.O.U.D., Mardanshahi, H.A.D.I.S.E., Chandrika, K.E.T.H.I.N.E.N.I. and Felice, C.S., (2019). Thermodynamic Studies of the Removal of Lead from Synthetic Wastewater using Cyperus rotundus (Nut grass). *Oriental Journal of Chemistry*, 35(5), pp.1529-1534.
12. Bansal, R.C. and Goyal, M., (2005). *Activated carbon adsorption*. CRC press.
13. Barczak, M., Michalak-Zwierz, K., Gdula, K., Tyszcuk-Rotko, K., Dobrowolski, R. and Dąbrowski, A., (2015). Ordered mesoporous carbons as effective sorbents for removal of heavy metal ions. *Microporous and Mesoporous Materials*, 211, pp.162-173.
14. Bhattacharya, T., Banerjee, D.K. and Gopal, B., (2006). Heavy metal uptake by Scirpus littoralis schrad. From fly ash dosed and metal spiked soils. *Environmental monitoring and assessment*, 121(1), pp.363-380.
15. Bodin, H. (2013). Wastewater treatment in constructed wetlands : (Issue 1509). Constructed wetland at Chemelil Sugar Factory Ltd., Kenya.
16. Brix, H., (1994). Functions of macrophytes in constructed wetlands. *Water Science and Technology*, 29(4), pp.71-78.

17. Cao, X., Ma, L., Gao, B. and Harris, W., (2009). Dairy-manure derived biochar effectively sorbs lead and atrazine. *Environmental science & technology*, 43(9), pp.3285-3291.
18. Central Environmental Authority. (2008). Guidelines for the Management of scheduled waste in Sri Lanka in accordance to the National Environmental (Protection & Quality) Regulation No. 01 of 2008. In W. M. Unit (Ed.), Waste Management Unit (Issue 01). Central Environmental Authority
19. Chandra, R., Bharagava, R.N., Yadav, S. and Mohan, D., (2009). Accumulation and distribution of toxic metals in wheat (*Triticum aestivum* L.) and Indian mustard (*Brassica campestris* L.) irrigated with distillery and tannery effluents. *Journal of hazardous materials*, 162(2-3), pp.1514-1521.
20. Chen, C., Liu, H., Chen, T., Chen, D. and Frost, R.L., (2015). An insight into the removal of Pb (II), Cu (II), Co (II), Cd (II), Zn (II), Ag (I), Hg (I), Cr (VI) by Na (I)-montmorillonite and Ca (II)-montmorillonite. *Applied Clay Science*, 118, pp.239-247.
21. Chen, L., Chen, X.L., Zhou, C.H., Yang, H.M., Ji, S.F., Tong, D.S., Zhong, Z.K., Yu, W.H. and Chu, M.Q., (2017). Environmental-friendly montmorillonite-biochar composites: Facile production and tunable adsorption-release of ammonium and phosphate. *Journal of cleaner production*, 156, pp.648-659.
22. Chen, M., Tang, Y., Li, X., & Yu, Z. (2009). Study on the Heavy Metals Removal Efficiencies of Constructed Wetlands with Different Substrates. *Journal of Water Resource and Protection*, 1(May), 1–57. <http://www.scirp.org/journal/jwarp/>
23. Chen, X., Chen, G., Chen, L., Chen, Y., Lehmann, J., McBride, M.B. and Hay, A.G., (2011). Adsorption of copper and zinc by biochars produced from pyrolysis of hardwood and corn straw in aqueous solution. *Bioresource technology*, 102(19), pp.8877-8884.
24. Cho-Ruk, K., Perennial Plants in the Phytoremediation of Lead contaminated Soils, Biotechnology (Faisalabad), (2006), 5 (1), 1-4. *List of publication out of the M. Phil work.*
25. Cortes-Esquivel, J.A., Giácoman-Vallejos, G., Barceló-Quintal, I.D., Méndez-Novelo, R. and Ponce-Caballero, M.C., (2012). Heavy metals removal from swine wastewater using constructed wetlands with horizontal sub-surface flow. *Journal of Environmental Protection*, 3(s1), pp.871-77.
26. Dassanayake, T.M, Kotegoda, N. and Perera, C., (2013). Evaluation of ion adsorption capacities of Murunkan clay and coir as cost effective materials for desalination of water. *Evaluation*, 6(04), p.01.
27. Deng, H., O'Hagan, D. and Schaffrath, C., (2004). Fluorometabolite biosynthesis and the fluorinase from *Streptomyces cattleya*. *Natural product reports*, 21(6), pp.773-784.
28. Deng, Y., Zhang, T. and Wang, Q., (2017). Biochar adsorption treatment for typical pollutants removal in livestock wastewater: a review. *Engineering applications of biochar*, pp.71-82.
29. Denny, P., (1997). Implementation of constructed wetlands in developing countries. *Water Science and Technology*, 35(5), pp.27-34.
30. Dilantha Gunawardana (2016) A Study on the Phytoremediation Potential of *Azolla pinnata* under Laboratory Conditions <https://www.researchgate.net/publication/315648496>
31. Ding, Z., Hu, X., Wan, Y., Wang, S. and Gao, B., (2016). Removal of lead, copper, cadmium, zinc, and nickel from aqueous solutions by alkali-modified biochar: Batch and column tests. *Journal of Industrial and Engineering Chemistry*, 33, pp.239-245.
32. EBC (2012). (2015). European Biochar Certificate - Guidelines for a Sustainable Production of Biochar'. European Biochar Foundation (EBC), Arbaz, Switzerland. Version 6.1 of 19th June, June, 1–22. <https://doi.org/10.13140/RG.2.1.4658.7043>.

33. El-Shafey, E.I., (2010). Removal of Zn (II) and Hg (II) from aqueous solution on a carbonaceous sorbent chemically prepared from rice husk. *Journal of hazardous materials*, 175(1-3), pp.319-327.
34. Fang, C., Zhang, T., Li, P., Jiang, R., Wu, S., Nie, H. and Wang, Y., (2015). Phosphorus recovery from biogas fermentation liquid by Ca–Mg loaded biochar. *Journal of Environmental Sciences*, 29, pp.106-114.
35. Farooqui, A., Ranjana and Nautiyal, C.M., (2016). Deltaic land subsidence and sea level fluctuations along the east coast of India since 8 ka: a palynological study. *The Holocene*, 26(9), pp.1426-1437.
36. Faulkner, S.P. and Richardson, C.J., (2020). Physical and chemical characteristics of freshwater wetland soils. *Constructed wetlands for wastewater treatment*, pp.41-72.
37. Fernando L. Perez-Mercado , Cecilia Lalander, Christina Berger and Sahar S. Dalahmeh (2018) Potential of Biochar Filters for OnsiteWastewater Treatment: Effects of Biochar Type, Physical Properties and Operating Conditions.
38. Fosso-Kankeu, E., Waanders, F.B. and Steyn, F.W., (2015), November. The preparation and characterization of clay-biochar composites for the removal of metal pollutants. In *7th International Conference on Latest Trends in Engineering and Technology (ICLTET'2015)* (pp. 54-57).
39. Frišták, V., Pipíška, M., Lesný, J., Soja, G., Friesl-Hanl, W. and Packová, A., (2015). Utilization of biochar sorbents for Cd 2+, Zn 2+, and Cu 2+ ions separation from aqueous solutions: comparative study. *Environmental monitoring and assessment*, 187(1), pp.1-16.
40. Galletti, A., Verlicchi, P. and Ranieri, E., (2010). Removal and accumulation of Cu, Ni and Zn in horizontal subsurface flow constructed wetlands: Contribution of vegetation and filling medium. *Science of the Total Environment*, 408(21), pp.5097-5105.
41. Garba, S.T., Gudusu, M. and Inuwa, L.B., (2018). Accumulation Ability of the Native Grass Species, Cyperus rotundus for the Heavy Metals; Zinc (Zn), Cadmium (Cd), Nickel (Ni) and Lead (Pb). *International Research Journal of Pure and Applied Chemistry*, pp.1-15.
42. Gerente, C., Lee, V.K.C., Cloirec, P.L. and McKay, G., (2007). Application of chitosan for the removal of metals from wastewaters by adsorption—mechanisms and models review. *Critical reviews in environmental science and technology*, 37(1), pp.41-127.
43. Gill, L.W., Ring, P., Casey, B., Higgins, N.M. and Johnston, P.M., (2017). Long term heavy metal removal by a constructed wetland treating rainfall runoff from a motorway. *Science of the Total Environment*, 601, pp.32-44.
44. Gleick (1993) water in crisis
45. Greenway M. Tonderski K (2006) Constructed Wetlands for Wastewater Treatment
46. Goldberg, E.D., (1985). Black carbon in the environment: properties and distribution.
47. Guo, X., Yang, C., Dang, Z., Zhang, Q., Li, Y. and Meng, Q., (2013). Sorption thermodynamics and kinetics properties of tylosin and sulfamethazine on goethite. *Chemical engineering journal*, 223, pp.59-67.
48. Gupta, M., Sharma, P., Sarin, N.B. and Sinha, A.K., (2009). Differential response of arsenic stress in two varieties of Brassica juncea L. *Chemosphere*, 74(9), pp.1201-1208.
49. Hammer, D., Kayser, A. and Keller, C., (2003). Phytoextraction of Cd and Zn with Salix viminalis in field trials. *Soil use and management*, 19(3), pp.187-192.
50. Hamon, R.E., Holm, P.E., Lorenz, S.E., McGrath, S.P. and Christensen, T.H., (1999). Metal uptake by plants from sludge-amended soils: caution is required in the plateau interpretation. *Plant and Soil*, 216(1), pp.53-64.

51. Hedges, J.I., Eglinton, G., Hatcher, P.G., Kirchman, D.L., Arnosti, C., Derenne, S., Evershed, R.P., Kögel-Knabner, I., de Leeuw, J.W., Littke, R. and Michaelis, W., (2000). The molecularly-uncharacterized component of nonliving organic matter in natural environments. *Organic geochemistry*, 31(10), pp.945-958.
52. Herath, I., Kumarathilaka, P., Navaratne, A., Rajakaruna, N. and Vithanage, M., (2015). Immobilization and phytotoxicity reduction of heavy metals in serpentine soil using biochar. *Journal of Soils and Sediments*, 15(1), pp.126-138.
53. Hien, N.T.T., (2018). Human health risk implication from cadmium and lead contamination at lead-zinc mine area, northern Vietnam. *Vietnam Journal of Science and Technology*, 56(2C), pp.56-65.
54. Ho, Y.S. and Ofomaja, A.E., (2006). Pseudo-second-order model for lead ion sorption from aqueous solutions onto palm kernel fiber. *Journal of hazardous materials*, 129(1-3), pp.137-142.
55. Hossain, M.K., Strezov, V., Chan, K.Y. and Nelson, P.F., (2010). Agronomic properties of wastewater sludge biochar and bioavailability of metals in production of cherry tomato (*Lycopersicon esculentum*). *Chemosphere*, 78(9), pp.1167-1171.
56. Inyang, M., Gao, B., Ding, W., Pullammanappallil, P., Zimmerman, A.R. and Cao, X., (2011). Enhanced lead sorption by biochar derived from anaerobically digested sugarcane bagasse. *Separation Science and Technology*, 46(12), pp.1950-1956.
57. Johansson, C.L., Paul, N.A., de Nys, R. and Roberts, D.A., (2016). Simultaneous biosorption of selenium, arsenic and molybdenum with modified algal-based biochars. *Journal of environmental management*, 165, pp.117-123.
58. Kadlec R H and Knight R L (1996) Treatment Wetlands.
59. Kadlec, R.H. and Wallace, S., (2008). *Treatment wetlands*. CRC press.
60. Kananke, T.C., Wansapala, J. and Gunaratne, A., (2018). Estimation of bioaccumulation, translocation and distribution patterns of cadmium and lead in commonly consumed green leafy vegetables in Colombo district, Sri lanka. *International Journal of Science and Technology*, 4(2), pp.93-112.
61. Karibasappa H., Akila A., Dhanabal N., Dharani R., Dhinesh K. (2017) An Experimental Investigation on Recycling of Grey Water Naturally by Using Canna Plants International Journal of Innovative Research in Science, Engineering and Technology, Vol. 6, Issue 3.
62. Killops, S. and Killops, V., (2005). Introduction to Organic Geochemistry, 2nd edn (paperback).
63. Komkiene, J. and Baltrenaite, E., (2016). Biochar as adsorbent for removal of heavy metal ions [Cadmium (II), Copper (II), Lead (II), Zinc (II)] from aqueous phase. *International Journal of Environmental Science and Technology*, 13(2), pp.471-482.
64. Kookana, R.S., Sarmah, A.K., Van Zwieten, L., Krull, E. and Singh, B., (2011). Biochar application to soil: agronomic and environmental benefits and unintended consequences. *Advances in agronomy*, 112, pp.103-143.
65. Kröpfelová, L., Vymazal, J., Švehla, J. and Štichová, J., (2009). Removal of trace elements in three horizontal sub-surface flow constructed wetlands in the Czech Republic. *Environmental Pollution*, 157(4), pp.1186-1194.
66. Kumar, K.V., Porkodi, K. and Rocha, F., (2008). Isotherms and thermodynamics by linear and non-linear regression analysis for the sorption of methylene blue onto activated carbon: comparison of various error functions. *Journal of Hazardous Materials*, 151(2-3), pp.794-804.
67. Kurt S, (2011) Impacts of Biochar (Black Carbon) Additions on the Sorption and Efficacy of Herbiides.

68. Lee, X.J., Lee, L.Y., Hiew, B.Y.Z., Gan, S., Thangalazhy-Gopakumar, S. and Ng, H.K., (2017). Multistage optimizations of slow pyrolysis synthesis of biochar from palm oil sludge for adsorption of lead. *Bioresource technology*, 245, pp.944-953.
69. Leng, L., Huang, H., Li, H., Li, J. and Zhou, W., (2019). Biochar stability assessment methods: a review. *Science of the total environment*, 647, pp.210-222.
70. Li, H., Dong, X., da Silva, E.B., de Oliveira, L.M., Chen, Y. and Ma, L.Q., (2017). Mechanisms of metal sorption by biochars: biochar characteristics and modifications. *Chemosphere*, 178, pp.466-478.
71. Lim, P.E., Mak, K.Y., Mohamed, N. and Noor, A.M., (2003). Removal and speciation of heavy metals along the treatment path of wastewater in subsurface-flow constructed wetlands. *Water science and technology*, 48(5), pp.307-313.
72. Liphadzi, M.S., Kirkham, M.B., Mankin, K.R. and Paulsen, G.M., (2003). EDTA-assisted heavy-metal uptake by poplar and sunflower grown at a long-term sewage-sludge farm. *Plant and soil*, 257(1), pp.171-182.
73. Liu, J., Dong, Y., Xu, H., Wang, D. and Xu, J., (2007). Accumulation of Cd, Pb and Zn by 19 wetland plant species in constructed wetland. *Journal of hazardous materials*, 147(3), pp.947-953.
74. Liu, W.X., Shen, L.F., Liu, J.W., Wang, Y.W. and Li, S.R., (2007). Uptake of toxic heavy metals by rice (*Oryza sativa* L.) cultivated in the agricultural soil near Zhengzhou City, People's Republic of China. *Bulletin of Environmental Contamination and Toxicology*, 79(2), pp.209-213.
75. McCauley, A., Jones, C., & Olson-Rutz, K. (2017). Nutrient Management : Soil pH and Organic Matter Issue 8, pp. 1–16. <http://landresources.montana.edu/nm/documents/NM8.pdf>
76. Mohamad J. Noufal , Zena A. Maalla, Dareen J. Noufal , Ali A. Hossean (2017) Remove of lead from the polluted water by phytoremediation technique (Eclipta Alba plant) international journal of energy and environment, Volume 8, Issue 1, pp.97-104
77. Mohan, D., Rajput, S., Singh, V.K., Steele, P.H. and Pittman Jr, C.U., (2011). Modeling and evaluation of chromium remediation from water using low cost bio-char, a green adsorbent. *Journal of hazardous materials*, 188(1-3), pp.319-333.
78. Mohotti, A.J., Geeganage, K.T., Mohotti, K.M., Ariyarathne, M., Karunaratne, C.L.S.M. and Chandrajith, R., (2016). Phytoremedial potentials of *Ipomoea aquatica* and *Colocasia esculenta* in soils contaminated with heavy metals through automobile painting, repairing and service centres. *Sri Lankan Journal of Biology*, 1(1).
79. Muhammad F. Hassan B. (2011) The potential of *Pandanus Amaryllifolius* as a heavy metal accumulator.
80. Muranyi, A. and KÖDÖBÖCZ, L., (2008). Heavy metal uptake by plants in different phytoremediation treatments. *Cereal Research Communications*, 36, pp.387-390.
81. Muthukumrana and, S. and Nawas, M.F., (2016). A Comparative study on cadmium phyto remediation efficiency of two aquatic macro physics in Anuradhapura district.
82. Naiya, T.K., Bhattacharya, A.K. and Das, S.K., (2009). Adsorption of Cd (II) and Pb (II) from aqueous solutions on activated alumina. *Journal of colloid and interface science*, 333(1), pp.14-26.
83. Nirbadha, K.G.S., Liyanage, J.A. and Amarasinghe, M.D., (2004). A preliminary study on the presence of-heavy metals in aquatic plants from a freshwater wetland at kelaniya. In *Proceedings of International Forestry and Environment Symposium*.

84. Park, J.H., Choppala, G.K., Bolan, N.S., Chung, J.W. and Chuasavathi, T., (2011). Biochar reduces the bioavailability and phytotoxicity of heavy metals. *Plant and soil*, 348(1), pp.439-451.
85. Pradhan, B.K. and Sandle, N.K., 1999. Effect of different oxidizing agent treatments on the surface properties of activated carbons. *Carbon*, 37(8), pp.1323-1332.
86. Premaratne, W.A.P.J., (2016). Montmorillonite/TiO<sub>2</sub> Advanced Hybrid Material Using Sri Lankan Clay: Preparation and Characterization.
87. Pulford, I.D., Riddell-Black, D. and Stewart, C., (2002). Heavy metal uptake by willow clones from sewage sludge-treated soil: the potential for phytoremediation. *International Journal of Phytoremediation*, 4(1), pp.59-72.
88. Qasaimeh, A., AlSharie, H. and Masoud, T., (2015). A review on constructed wetlands components and heavy metal removal from wastewater. *Journal of Environmental Protection*, 6(07), p.710.
89. Qin, R. and Chen, H., (2016), October. The procession of constructed wetland removal mechanism of pollutants. In *International Conference on Mechanical Materials and Manufacturing Engineering* (pp. 568-570).
90. Qiu, Y., Cheng, H., Xu, C. and Sheng, G.D., (2008). Surface characteristics of crop-residue-derived black carbon and lead (II) adsorption. *Water Research*, 42(3), pp.567-574.
91. Qiu, Y., Zheng, Z., Zhou, Z. and Sheng, G.D., (2009). Effectiveness and mechanisms of dye adsorption on a straw-based biochar. *Bioresource technology*, 100(21), pp.5348-5351.
92. Olotu PN, Zechariah J., Olotu IA, Shaibu KB, Ajima U, Onche EU, Emmanuel DN (2020) Pharmacognostic and Elemental Comparative Studies of the Leaf of *Hygrophila auriculata* (K. Schum) Heine (Acanthaceae) Grown in Industrial and Non-Industrial Areas of Jos-South Local Government Area of Plateau State, Nigeria” *Journal of Natural Product and Plant Resources*, 10 (2): 1-5.
93. Rawal, A., Joseph, S.D., Hook, J.M., Chia, C.H., Munroe, P.R., Donne, S., Lin, Y., Phelan, D., Mitchell, D.R., Pace, B. and Horvat, J., (2016). Mineral–biochar composites: molecular structure and porosity. *Environmental science & technology*, 50(14), pp.7706-7714.
94. Reed, S.C. and Brown, D.S., (1992). Constructed wetland design—the first generation. *Water Environment Research*, 64(6), pp.776-781.
95. Rodríguez-Galán, M., Baena-Moreno, F.M., Vázquez, S., Arroyo-Torralvo, F., Vilches, L.F. and Zhang, Z., (2019). Remediation of acid mine drainage. *Environmental Chemistry Letters*, 17(4), pp.1529-1538.
96. Roongtanakiat, N., (2009). Vetiver phytoremediation for heavy metal decontamination. *PRVN Tech. Bull*, 1.
97. Rydlová, J. and Vosátka, M., (2003). Effect of *Glomus intraradices* isolated from Pb-contaminated soil on Pb uptake by *Agrostis capillaris* is changed by its cultivation in a metal-free substrate. *Folia Geobotanica*, 38(2), pp.155-165.
98. Salido, A.L., Hasty, K.L., Lim, J.M. and Butcher, D.J., (2003). Phytoremediation of arsenic and lead in contaminated soil using Chinese brake ferns (*Pteris vittata*) and Indian mustard (*Brassica juncea*). *International Journal of Phytoremediation*, 5(2), pp.89-103.
99. Sas-Nowosielska, A., Galimska-Stypa, R., Kucharski, R., Zielonka, U., Małkowski, E. and Gray, L., (2008). Remediation aspect of microbial changes of plant rhizosphere in mercury contaminated soil. *Environmental monitoring and assessment*, 137(1), pp.101-109.
100. Sass, B.M., Salem, M.A. and Smith, L.A., (1994). *Mercury usage and alternatives in the electrical and electronics industries. Final report* (No. PB-94-165362/XAB). Battelle, Columbus, OH (United States).

101. Sebastiani, L., Scebba, F. and Tognetti, R., (2004). Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* × *maximowiczii*) and I-214 (*P.* × *euramericana*) exposed to industrial waste. *Environmental and Experimental Botany*, 52(1), pp.79-88.
102. Sekabira, K., Oryemndash, H., Mutumba, G., Kakudidi, E. and Basamba, T.A., (2011). Heavy metal phytoremediation by *Commelina benghalensis* (L) and *Cynodon dactylon* (L) growing in urban stream sediments. *International Journal of Plant Physiology and Biochemistry*, 3(8), pp.133-142.
103. Senevirathna, S.M.N. and Senaratne, A., (2011). Characterization and Beneficiation of Montmorillonite in Clay Deposits, Murunkan, Sri Lanka.
104. Sharma, S., (2009). Study on impact of heavy metal accumulation in *Brachythecium populeum* (Hedw.) BSG. *Ecological Indicators*, 9(4), pp.807-811.
105. Sheoran, A.S. and Sheoran, V., (2006). Heavy metal removal mechanism of acid mine drainage in wetlands: a critical review. *Minerals engineering*, 19(2), pp.105-116.
106. Shtangeeva, I., Laiho, J.V.P., Kahelin, H. and Gobran, G.R., (2004). Phytoremediation of metal-contaminated soils. Symposia papers presented before the division of environmental chemistry. In *American Chemical Society, Anaheim, Calif, USA, http://ersdprojects. science. doe. gov/workshop% 20pdfs/california* (Vol. 202004, p. p050).
107. Sizmur, T., Fresno, T., Akgül, G., Frost, H. and Moreno-Jiménez, E., (2017). Biochar modification to enhance sorption of inorganics from water. *Bioresource Technology*, 246, pp.34-47.
108. Somaratne, S. and Weerakoon, S.R., (2012). A Comprehensive Study on Phytoextractive Potential of Sri Lankan Mustard (*Brassica Juncea* (L.) Czern. & Coss) Genotypes. *International Journal of Agricultural and Biosystems Engineering*, 6(1), pp.25-29.
109. Spokas, K.A., (2010). Review of the stability of biochar in soils: predictability of O: C molar ratios. *Carbon Management*, 1(2), pp.289-303.
110. Standardized Products Definition and Product Testing Guidelines for Biochar that is Used in Soil, (2012).
111. Sun, Y.B., Sun, G.H., Zhou, Q.X., Xu, Y.M., Wang, L., Liang, X.F., Sun, Y. and Qing, X., (2011). Induced-phytoextraction of heavy metals from contaminated soil irrigated by industrial wastewater with Marvel of Peru (*Mirabilis jalapa* L.). *Plant, Soil and Environment*, 57(8), pp.364-371.
112. Sushmita N (2018) Heavy metal accumulation in *Portulaca oleracea* Linn" Journal of Pharmacognosy and Phytochemistry; 7(3): 2978-2982
113. Sustainability report 2015/2016. (2016). Heritance.
114. Syuhada, N., Ghazi, R. M., Campus, J., Faiz, M., & Amin, M. (2019) Phytoremediation of heavy metals from wastewater Journal of Technology and Phytoremediation of heavy metals from wastewater by constructed wetland. Journal of Technology.
115. Tanner, C.C., Sukias, J.P., Headley, T.R., Yates, C.R. and Stott, R., (2012). Constructed wetlands and denitrifying bioreactors for on-site and decentralised wastewater treatment: comparison of five alternative configurations. *Ecological Engineering*, 42, pp.112-123.
116. Tilley, E., Lüthi, C., Morel, A., Zurbrügg, C. and Schertenleib, R. (2014) Compendium of Sanitation Systems and Technologies, 2nd rev. ed.
117. Tilley, M.A., Segura, A., Meadows, V., Hawley, S. and Davenport, J., (2019). Modeling repeated M dwarf flaring at an Earth-like planet in the habitable zone: atmospheric effects for an unmagnetized planet. *Astrobiology*, 19(1), pp.64-86.

118. Tytlak, A., Oleszczuk, P. and Dobrowolski, R., (2015). Sorption and desorption of Cr (VI) ions from water by biochars in different environmental conditions. *Environmental Science and Pollution Research*, 22(8), pp.5985-5994.
119. Ujang, Z., Soedjono, E., Salim, M.R. and Shutes, R.B., (2005). Landfill leachate treatment by an experimental subsurface flow constructed wetland in tropical climate countries. *Water science and Technology*, 52(12), pp.243-250.
120. Umoh, U.U., Dan, S.F. and Duke, O.E., (2014). Commelina benghalensis and Ipomoea pes-caprae as indicators of heavy metal contamination along mobil terminal operational base, Niger Delta, Nigeria. *J Acad Indust Res (JAIR)*, 3, p.225.
121. Vamerali, T., Bandiera, M., Coletto, L., Zanetti, F., Dickinson, N.M. and Mosca, G., (2009). Phytoremediation trials on metal-and arsenic-contaminated pyrite wastes (Torviscosa, Italy). *Environmental Pollution*, 157(3), pp.887-894.
122. Van Ginneken, L., Meers, E., Guisson, R., Ruttens, A., Elst, K., Tack, F.M., Vangronsveld, J., Diels, L. and Dejonghe, W., (2007). Phytoremediation for heavy metal-contaminated soils combined with bioenergy production. *Journal of Environmental Engineering and Landscape Management*, 15(4), pp.227-236.
123. Verheijen, F., Jeffery, S., Bastos, A.C., Van der Velde, M. and Diafas, I., (2010). Biochar application to soils. *A critical scientific review of effects on soil properties, processes, and functions. EUR*, 24099, p.162.
124. Vervaeke, P., Tack, F.M.G., Lust, N. and Verloo, M., (2004). Short-and longer-term effects of the willow root system on metal extractability in contaminated dredged sediment. *Journal of environmental quality*, 33(3), pp.976-983.
125. Vymazal J Brix H cooper (1998) Removal mechanisms and types of constructed wetlands
126. Wang, J., Zhang, C.B. and Jin, Z.X., (2009). The distribution and phytoavailability of heavy metal fractions in rhizosphere soils of Paulowniu fortunei (seem) Hems near a Pb/Zn smelter in Guangdong, PR China. *Geoderma*, 148(3-4), pp.299-306.
127. Wickramasinghe, Y.H.S.D. and Jayawardane, J.M.C.K., (2015), October. Potential of Eichhornia crassipes, Pistia stratiotes and Salvinia molesta in Phytoremediation of Textile Waste Water. In *Annual Research Symposium, University of Colombo, October, 2015*.
128. WorldHealth Organization. (1999). World Health Organization. <https://www.who.int/whr/1999/en/>
129. Yang, X., Zhang, S., Ju, M. and Liu, L., (2019). Preparation and modification of biochar materials and their application in soil remediation. *Applied Sciences*, 9(7), p.1365.
130. Yao, Y., Gao, B., Fang, J., Zhang, M., Chen, H., Zhou, Y., Creamer, A.E., Sun, Y. and Yang, L., (2014). Characterization and environmental applications of clay–biochar composites. *Chemical Engineering Journal*, 242, pp.136-143.
131. Yin, R.K., (1994). Discovering the future of the case study. Method in evaluation research. *Evaluation practice*, 15(3), pp.283-290.
132. Yong, R.N., Mohamed, A.M.O. and Wang, B.W., (1992). Influence of amorphous silica and iron hydroxide on interparticle action and soil surface properties. *Canadian Geotechnical Journal*, 29(5), pp.803-818.
133. Zhang, J., Lu, M., Wan, J., Sun, Y., Lan, H. and Deng, X., (2018). Effects of pH, dissolved humic acid and Cu<sup>2+</sup> on the adsorption of norfloxacin on montmorillonite-biochar composite derived from wheat straw. *Biochemical Engineering Journal*, 130, pp.104-112.
134. Zhang, W., Zheng, J., Zheng, P., Tsang, D.C. and Qiu, R., (2015). Sludge-Derived Biochar for Arsenic (III) Immobilization: Effects of Solution Chemistry on Sorption Behavior. *Journal of environmental quality*, 44(4), pp.1119-1126.

135. Zhao, J., Shen, X.J., Domene, X., Alcañiz, J.M., Liao, X. and Palet, C., (2019). Comparison of biochars derived from different types of feedstock and their potential for heavy metal removal in multiple-metal solutions. *Scientific Reports*, 9(1), pp.1-12.
136. Zhao, S.X., Ta, N. and Wang, X.D., (2017). Effect of temperature on the structural and physicochemical properties of biochar with apple tree branches as feedstock material. *Energies*, 10(9), p.1293.
137. Zheng, R.L., Cai, C., Liang, J.H., Huang, Q., Chen, Z., Huang, Y.Z., Arp, H.P.H. and Sun, G.X., (2012). The effects of biochars from rice residue on the formation of iron plaque and the accumulation of Cd, Zn, Pb, As in rice (*Oryza sativa* L.) seedlings. *Chemosphere*, 89(7), pp.856-862.
138. Zhou, H. and Smith, D.W., (2001). Advanced technologies in water and wastewater treatment. *Canadian Journal of Civil Engineering*, 28(S1), pp.49-66.