

WINDOW DESIGN STRATEGIES TO MAXIMIZE THE THERMAL COMFORT IN DIFFERENT CLIMATIC ZONES.



University of Moratuwa, Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

A dissertation submitted to the
University of Moratuwa as partial
fulfillment of the requirements for
the Degree of Master of Science
in Architecture.

LIBRARY
UNIVERSITY OF MORATUWA, SRI LANKA
MORATUWA

72 "01"

697.135


TH

H.D.U.F. Yapa
Department of Architecture
University of Moratuwa
Sri Lanka.
2001 June.

76218




University of Moratuwa



76218

76218

CONTENTS

	Page No.
Acknowledgement	IV
List of figures	V
CHAPTER ONE	
1.0 INTRODUCTION	
1.1 Topic explanation	01
1.2 Need of study	02
1.3 Aims & Objectives	03
1.4 Scope and limitations	04
1.5 Method of study	04
 University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations www.lib.mrt.ac.lk	
CHAPTER TWO	
2.0 CLIMATE OF SRI LANKA AND THERMAL EFFECT OF WINDOWS.	
2.1 Climate of Sri Lanka	
2.1.1 Definition of climate	06
2.1.2 Climate types	08
2.1.3 Warm humid climate	10
2.1.3.1 Climate of Colombo	12
2.1.3.2 Climate of Nuwara Eliya	12
2.2 Thermal comfort	
2.2.1 Thermal comfort	13
2.2.2 Thermal comfort index	14
1.2.3 PMV & PPD parameters	18
2.3 Thermal comfort requirements in Colombo and Nuwara Eliya	20

2.4 Thermal effect of windows and window modifications	22
2.4.1 Thermal effect of window orientation	24
2.4.2 Thermal effect of window size	27
2.4.3 Thermal effect of glaze type	28
2.4.4 Thermal effect of shading device	31

CHAPTER THREE

3.0 Research methodology

3.1 DEROB-computer simulation	44
3.2 Base cases	52
3.2.1 Hayley-head office building	52
3.2.2 Tea factory hotel at Kandapola	56
3.3 Alternative cases	59
3.3.1 Hayley-head office building	59
3.3.1.1 Shading devices	59
3.3.1.2 Glass type and window size	62
3.3.1.3 Orientation	62
3.3.2 Tea factory hotel at Kandapola.	63
3.3.2.1 Shading devices	63
3.3.2.2 Glass type and window size	65
3.3.2.3 Orientation	66



CHAPTER FOUR

4.0 Analysis and implications

4.1 Analysis of Hayley-head office building	67
4.1.1 Shading devices	67
4.1.2 Glass type and window size	80
4.1.3 Orientation	83
4.2 Window design strategies in Colombo	84
4.3 Analysis of Tea factory hotel at Kandapola.	85
4.3.1 Shading devices	85
4.3.2 Glass type and window size	99
4.3.3 Orientation	102
4.4 Window design strategies in Nuwara eliya	103
CONCLUSION	105
Bibliography	111
APPENDIX I	i
APPENDIX II	xiii



ACKNOWLEDGEMENT

I take this opportunity to convey my deepest gratitude to all those who helped me in the preparation of this dissertation.

Dr Samitha Manawadu & Mr Gamini Weerasinghe year masters department of Architecture for their kind assistance and guidance in carrying out the research.

Dr Ranjith Perera Department of Architecture, for his kind guidance whenever needed.

Dr Rohinton Emmanuel, department of Architecture, for countless discussions, criticism and guidance in carrying out the research.

Dr Atalage, Department of Mechanical engineering for his kind assistance to carry out the study.

Mr Giridhargam, Mr. Moahn Silva and Archt Janantha Perera who gave valuable information, needed for the study.

Wathsala , Thakshila , Mahesha, Prethica, Geetha, Dummi My friends who helped in the formatting of the dissertation and for their sisterly assistance.

My heartfelt thanks to my husband Sumith, My mother, brothers and sisters for encouraging me and assisting me in numerous ways

All those others when I haven't mentioned by name, but who helped me many ways.



LIST OF FIGURES

Fig No.	Page No
1 The relationship between ,PPD and PMV	16
2 Cross ventilation through inlet and outlet	26
3 The best building orientation	27
4 Types of windows	27
5 Types of glass panes	29
6 Modern types of externally adjustable shading device	32
7 Different types of shading devices.	32
8 Horizontal shading devices for high sun and North/south facing walls	34
9 The shading characteristic of a simple window shading chart Indicating the areas of the sky which are shaded by the thickness of the wall	34
10 Types of solid r.c.c. overhangs	36
11 Horizontal pergolas placed parallel to the wall	37
12 Pergolas placed parallel to the wall (bothways)	38
13 Pergolas placed angular to the wall	38
14 A vertical shading device	40
15 Narrow blades for close spacing and broader blades for wider spacing	40
16 Recessed window side walls act as vertical fins	41
17 A shading device with vertical and horizontal elements . shading chart indicating the additional areas of the sky shaded by a combination of horizontal and vertical projections	42

Fig No.	Page No
18 Different types of egg-crate devices	43
19 Five shapes of available building elements	45
20 Specification of building elements in 3D	45
21 Building elements in building coordinate system	47
22 Front view of the Hayleys –head office building	52
23 Recessed windows	53
24 Distribution of the windows in the facades.	53
25 Window to wall areas of ground and upper floor	54
26 Internal view of the windows.	54
27 Plan of Hayleys head office building	55
28 Front elevation of the hayleys head office building	55
29 Side elevation of the hayleys head office building	55
30 Surrounding of the Tea factory hotel	56
31 Window distribution of the Tea factory hotel	56
32 Windows of the bed room	57
33 Windows of the bathroom	57
34 Windows of the games room	58
35 Plan of the tea factory hotel	58
36 Front elevation of the Tea factory hotel	58
37 Section of the Tea factory hotel	59