

References

- [1] Telford, W.M. and Geldart, L.P. and Sheriff, R.E. "*Applied Geophysics Second Edition*". ISBN:0-521-32693-1, Published by Cambridge University Press, Cambridge., 1990.
- [2] Tarantola, Albert. "*Inverse Problem Theory and Methods for Model Parameter Estimation*". 2005.
- [3] "*Earth Resistivity Manual*". USA:Soiltest,Inc.1968.
- [4] Seedher, H.R. and Arora, J.K. "Estimation of two layer soil parameters using finite Wenner resistivity expression". *IEEE Trans.Power Delivery*, vol. 7,no. 3, 1992 , pp. 1213-1217.
- [5] Yang, H.,Yuan, J. and Zong, W. "Determination of three-layer earth model from wenner four-probe test data". *IEEE Trans.Magn.*,vol. 37,no. 5, Sep.2001, pp. 3684-3687.
- [6] Zohdy, A.A.F. "A new method for the automatic interpretation of Schlumberger and Wenner sounding curves". *Geophysics*, vol. 54, 1989, pp. 245-253.
- [7] Takahashi, T. and Kawase, T. "Analysis of apparent resistivity in a multi layer earth structure". *IEEE Transactions on Power Deliver* , vol. 5,No. 2, April 1990, pp. 604-612.
- [8] Gonos, Ioannis F. and Stathopoulos, Ioannis A."Estimation of Multilayer Soil Parameters Using Genetic Algorithms". *IEEE Trans. Power Delivery*,vol. 20,no.1, Jan.2005, pp. 100-106.
- [9] Stephen, J., Manoj, C. and Singh, S.B. "A direct inversion scheme for deep resistivity sounding data using artificial neural networks". *Proc. Indian Acad. Sci. (Earth Planet. Sci.)*, vol 113, No. 1, March 2004, pp. 49-66.
- [10] Calderon-Macias, C., Sen, M.K. and Stoffa, P. L. "Artificial neural networks for parameter estimation in geophysics". *Geophysical Prospecting*, vol 48, 2000, pp. 21-47.
- [11] El-Qady, G. and Ushijima, K. "Inversion of DC resistivity data using neural networks". *Geophysical Prospecting*, vol. 49, 2001, pp. 417-430.

- [12] Loke, M.H., Acworth, Ian and Dahlin, Torleif. "A comparison of smooth and blocky inversion methods in 2D electrical imaging surveys". *Exploration Geophysics*, vol. 34, 2003, pp. 182-187.
- [13] Sharma, S.P. and Kaikkonen, P. "Two-dimensional non-linear inversion of VLF-R data using simulated annealing". *Geophysical Journal International*, vol. 133, 1998, pp. 649-668.
- [14] Basserri, A. and Quezada, J. "Inversion of seismic data by a generalized maximum entropy method.". *71st Ann. Internat. Meeting, Soc. Of Expl. Geophysics., Expanded Abstracts*, 2001, pp. 744-747.
- [15] Ellis, R.G. & Oldenburg, D.W., "The pole-pole 3-D DC-resistivity inverse problem: a conjugate-gradient approach". *Geophys. J. Int* , vol 119,1994, pp.187-194.
- [16] Zang, Z. and Zhou, Z. "Real-time quasi 2-D inversion of array resistivity logging data using neural networks". *Geophysics*, vol 67, 2002, pp. 517-524.
- [17] Poulton, M.M., Sternberg, B.K. and Glass, C.E." Location of subsurface targets in geophysical data using neural networks". *Geophysics* , Vol. 57 No.12, 1992, pp. 1534-1544.
- [18] Murat M.E. and Rudman A. "Automated first arrival picking: A neural network approach". *Geophysical Prospecting*, Vol 40, 1992, pp. 587-604.
- [19] Nath S.K., Chakraborty S., Singh S.K. and Ganguly N. "Velocity inversion in cross-hole seismic tomography by the counter-propagation neural network, genetic algorithm and evolutionary programming techniques". *Geophysical Journal International*, Vol 138, 1999, pp. 108-124.
- [20] Spichak V., Fukuoka K., Kobayashi T., Mogi T., Popova I. and Shima H. "ANN reconstruction of geoelectrical parameters of the Minou fault zone by the scalar CSAMT data". *Journal of Applied Geophysics*, Vol 49, 2002, pp. 75-90.
- [21] Zhang Y. and Paulson K.V. "Magnetotelluric inversion using regularized Hopfield neural networks". *Geophysical Prospecting*, Vol 45, 2002, pp. 725-743.
- [22] A. Tettamanzi, M. Tomassini, " Soft Computing: Integrating Evolutionary, Neural, and Fuzzy System ". ISBN: 3540422048 , Published by Springer-Verlag, 1969.

- [23] Shubhabrata Datta and Malay K. Benerjee, "Optimizing parameters of supervised learning techniques (ANN) for precise mapping of the input-output relationship in TMCP steel", *Scandinavian Journal of Metallurgy*, 2004, 33:310-315
- [24] Freeman J.A., Skapura D.M., "Neural Networks: Algorithms, Applications, and Programming Techniques", ISBN 81-7808-108-3, Published by Pearson Education (Singapore) Pte. Ltd., Indian Branch, 482 F.I.E. Patparganj, Delhi 110 092, India. 2002
- [25] Lean Yu, Shouyang Wang, and K.K. Lai, "An Integrated Data Preparation Scheme for Neural Network Data Analysis", *IEEE Transactions on Knowledge and Data Engineering*, Vol 18, No. 2, 2006, pp. 217-230.
- [26] Lefteri H. Tsoukalas, Robert E Uhrig, "Fuzzy and Neural Approaches in Engineering"
- [27] Stacy L. Özemi, Uygur Özemi, and Can O. Tan, "Methodological issues in Building, Training and Testing Artificial Neural Networks".
- [28] Howard Demuth, Mak Beale, Neural Network Toolbox for use with Matlab, [1994-2004] Mathwork Inc.
- [29] Gosh, D.P., "The application of linear filter theory to the direct interpretation of geoelectrical resistivity sounding measurements". *Geophys. Prospecting*, vol 19, No. 2, 1971, pp. 192-217.
- [30] Gosh, D.P., "Inverse filter coefficients for the computation of apparent resistivity standard curves for a horizontally stratified earth", *Geophys. Prosp.*, vol 19, No. 2, 1971, pp. 769-775.
- [31] Johansen, H.K. 1975 "An interactive computer/graphic-display-terminal; system for the interpretation of resistivity sounding, *Geophysical Prospecting*, vol 23, pp 449-458.
- [32] Zohdy, Adel., "Electrical Methods in US Geological Survey, Tech Water Resources Inv", Book 2, Chap D1, 1974.
- [33] Zohdy, Adel., "Automatic Interpretation of Schlumberger Sounding Curves, Using Modified DarZarrouk Functions," U.S. Geological Survey Bulletin 1313-E, 1975.
- [34] D. Guptasarma, and B. Singh, "New Digital Linear Filters for Hankel J0 and J1 transforms", *Geophysical Prospecting*, vol 45, 1997, pp. 745-762.

- [35] Brian Borchers, Department of Mathematics, New Mexico Tech Socorro, NM 87801
- [36] Anderson, W. L., "Computer Program Numerical Integration of Related Hankel Transforms of Orders 0 and 1 by Adaptive Digital Filtering". *Geophysics*, vol 44(7), 1979, pp.1287-1305.
- [37] Takahashi, T. and Kawase, T., "Calculation of Earth Resistance for a Deep Driven Multi layer Earth Structure", IEEE transactions on Power Delivery, Vol 6, No.2, 1991, pp. 608-614.
- [38] Li, Y. & Oldenburg, D.W., "Inversion of 3-d DC resistivity data using approximate inverse mapping", *Geophys. J. Int.*, vol 116, 1994, pp.527-537.
- [39] Uchida T., "Two-Dimensional Resistivity Inversion for schlumberger Sounding". *BUTSURI-TANSA*, Vol. 44 No. 1, 1991, pp. 1-17
- [40] Christopher C. Pain, Jörg V. Herwanger, Michael H. Worthington and Cassiano R. E. de Oliveira, "Effective multidimensional resistivity inversion using finite-element techniques", *Geophys. J. Int.*, vol 151, 2002, pp. 710-728.
- [41] Beard, L.P., Hohmann, G.W. & Tripp, A., "Fast-resistivity/IP inversion using a low-contrast approximation", *Geophysics*, vol. 61, 1996, pp. 169-179.
- [42] Instruction Manual for EarthImager 2D Version 2.1.7 ,Resistivity and IP Inversion Software, copyright 2002-2006 by Advanced Geosciences, Inc., 12700, Volente Rd., FM 2769, Bldg A, Austin, Texas, 78726. pp. 76.
- [43] Xianjin Yang , "Comparison of 2D and 3D Electrical Resistivity Imaging Methods", Mats Lagmansson, 19th Annual SAGEEP, Geophysical Applications for Environmental and Engineering Hazards- Advances and constraints, April 2-6, 2006.
- [44] Dahlin, T., Bernstone, C. and Loke, M.H., "A 3-D resistivity investigation of a contaminated site at Lernacken, Sweden". *Geophysics*, vol 67, 2002, pp. 1692-1700.
- [45] *RES3DINV ver. 2.15 for Windows 98/Me/2000/NT/XP Rapid 3D Resistivity & IP inversion using the least-squares method (For 3-D surveys using the pole-pole, pole-dipole, dipole-dipole, rectangular, Wenner, Wenner-Schlumberger and non-conventional arrays) On land, underwater and borehole surveys, Geoelectrical*

Imaging 2D & 3D, April 2005, GEOTOMO SOFTWARE,5 Cangkat Minden
Lorong 6, Minden Heights, 11700 Gelugor, Penang, MALAYSIA



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk