

**THE IMPACT OF DAYLIGHT COLOUR VARIABILITY
ON VISUAL PERCEPTION IN SMALL URBAN SPACES:
A CASE STUDY OF PILIYANDALA, SRI LANKA**

Kasuni Pabasara Vijindi Handapangoda

209290K

Degree of Master of Urban Design

Department of Architecture

University of Moratuwa

Sri Lanka

November 2025

**THE IMPACT OF DAYLIGHT COLOUR VARIABILITY
ON VISUAL PERCEPTION IN SMALL URBAN SPACES:
A CASE STUDY OF PILIYANDALA, SRI LANKA**

Kasuni Pabasara Vijindi Handapangoda

209290K

Dissertation Submitted in Partial Fulfillment of the Requirements for The Degree of
Master of Urban Design

Department of Architecture

University of Moratuwa
Sri Lanka

November 2025

DECLARATION

I declare that this is my own work, and that this dissertation does not incorporate without acknowledgement any material previously submitted for a degree or Diploma in any other University or institute of higher learning and to the best of my knowledge and believe it does not contain any material previously published or written by another person except where the acknowledgement is made in the text.

Also, I hereby grant to University of Moratuwa the non-exclusive right to reproduce and distribute my dissertation, in whole or in part in print, electronic or other medium. I retain the right to use this content in whole or in part in future works (such as articles or books).

Signature: -----

Date: 20 – 11 – 2025

Name: K.P.V.Handapangoda

Index No. 209290M

The above candidate has carried out this research for the dissertation under my supervision.

Signature of the supervisor:

Date:

ACKNOWLEDGEMENTS

This research report is based on the subject module of AU 6303 Post Graduate Dissertation of Master of Urban Design (2021/2023).

To begin with, I express my gratitude to my supervisor, senior lecturer Archt. Janaka Darmaseana from the Department of Architecture, for providing valuable assistance in conducting this research study. The supervisor's oversight and guidance were important in conducting this research, and his advice and instructions were helpful in defining the research parameters and providing direction.

I would like to express my gratitude to Archt. Prof. Janaka Wijesundara, the senior lecturer and Head of the Department of Architecture at the University of Moratuwa.

I am also thankful to Landscape Arct. Thathsarani De Silva and Landscape Arct. Upekshika Jalathge for inspiring my thoughts. They have provided significantly more guidance and support than I could have expected.

I express my gratitude to the Urban Development Authority, Kesbawa Divisional Secretariat, and Division, President Piliyandala Bus Terminal Area, Piliyandala Urban Council and Town area stakeholders for their generous assistance in gathering statistical and mapping data.

I would like to express my gratitude to Mrs. Rasanga Nirmani, the technical officer, as well as the staff members of the Department of Architecture, Master of Urban Design, at the University of Moratuwa for their invaluable cooperation in this matter.

Finally, I would like to thank my parents, Spouse and friends for their valuable contributions to the successes of this dissertation.

TABLE OF CONTENTS

DECLARATION	i
ACKNOWLEDGEMENTS	ii
ABSTRACT	ix
INTRODUCTION.....	xi
Research background	xi
Research Gap	xi
Research questions and objectives	xii
Methodology	xiii
Limitations with daylight colour variability	xv
CHAPTER 1 – LITERATURE REVIEW	1
1.1 Daylight Colour Variability in Urban Areas	1
1.1.1 Introduction	1
1.1.2 Colour Variation Standards.....	2
1.1.3 Time-Related Variation of Daytime Characters	3
1.1.4 Records of Environmental Issues Through Daylight Effects	4
1.1.5 Applicable Innovative Solutions for Daylight Colour	5
1.2 Identification of Visual Perception.....	6
1.2.1 Introduction	6
1.2.2 Visual Elements (Scale, Lighting Effect) Recognition.....	6
1.2.3 Daylight Records of Time-Related Climate Adaptations	8
1.2.4 Positive and Negative Visual Impressions of a Small Urban Space	9
1.2.5 Innovative Solutions and Proposals for Environmental Visual Perception	10
1.3 Recognition of Small Urban Space	10
1.3.1 Introduction	10
1.3.2 Types of Small Urban Space.....	11

1.3.3	Time-Related Functional Recognition	12
1.3.4	Background Identification of small urban space	13
1.3.5	Development Plans – Process from the Past.....	14
1.3.6	Recognition Issues of Small Urban Areas	16
1.3.7	Applicable Strategies and Solutions for the Issue Areas	17
CHAPTER 2 – THEORETICAL FRAMEWORK AND RESEARCH		
METHODOLOGY		20
2	Introduction.....	20
2.1	Theoretical Framework	21
2.1.1	Small Urban Area Classification.....	21
2.1.2	Daylight and Colour Dynamic Effects.....	23
2.1.3	Visual Perception in an Urban Environment	26
2.1.4	Environmental Psychological Perspective	28
2.1.5	Human Factors and Environmental Dimensions	30
2.1.6	Chronological Spatial Context	32
2.1.7	Parameters and Limitations of the Theoretical Approach	34
2.2	RESEARCH METHODOLOGY	39
2.2.1	Introduction	39
2.2.2	Methods of Study	40
2.2.3	Case Study Area Selection	41
2.2.4	Parameters for Research Selection.....	42
2.2.5	Data Collection Tools	42
2.2.6	Case Study Limitation Parameters.....	43
2.2.7	Theoretical Limitation Parameters.....	43
2.2.8	Case Study On-Site Works	44
2.2.9	Outcomes Techniques and Strategies	44
2.2.10	Method of Analysing	45
CHAPTER 3 – DATA ANALYSIS AND FINDINGS (CASE STUDY)		48
3	Case study area selection	48

3.1.1	Introduction	48
3.1.2	Type of case study selection parameters.....	48
3.1.3	Layout master plans	54
3.2	Case Study 01: Bus Terminal Area - Open Space (Plaza).....	57
3.3	Case study 02 old bus terminal area – enclosed space (courtyard) 63	
3.4	Case study 03 - 120 bus route, 300m from main junction to Horana side – linear pathway (narrow street).....	70
CONCLUSION AND RECOMENDATION		83
CONCLUSION.....		83
RECOMMENDATION		85
REFERENCES.....		88
ANNEXE 01 – Field works, temperature data		91
ANNEXE 02 – walkability map, Piliyandala		98
ANNEXE 03 – walk score, Piliyandala		99
ANNEXE 04 – Sun Directions, Piliyandala		100
ANNEXE 05 – SunCalc Mapping		102
ANNEXE 06 – Daylight SunCalc Mapping		103
ANNEXE 07 – Colorimeter App Data		105
ANNEXE 08 – Field work other data.....		108

LIST OF FIGURES

FIGURE 1: METHOD OF STUDY	SOURCE: DRAWN BY AUTHOR.....	XIV
FIGURE 2: METHOD OF STUDY	SOURCE: DRAWN BY AUTHOR.....	XIV
FIGURE 3:CORRELATED COLOR TEMPERATURE, CCT (KELVIN SCALE)		24
FIGURE 4:KESBAWA ZONING PLAN 2013-2025 - KESBAWA UC AREA.....		54
FIGURE 5: PROPOSED AREAS.....		55
FIGURE 6: CASE STUDY AREA, PILIYANDALA		55
FIGURE 7: CASE STUDY PLACES, PILIYANDALA TOWN.....		56
FIGURE 8: CASE STUDY 01 - BUS TERMINAL AREA		57
FIGURE 9: CASE STUDY 01 BUS TERMINAL AREA TEMPERATURE (C°)		58
FIGURE 10: OBSERVATION FROM 120 ROUTE TO NEW BUS TERMINAL.....		59
FIGURE 11: OBSERVATION – BUS TERMINAL AND THREE-WHEEL PARK.....	FIGURE 12: BUS TERMINAL FRONT	59
FIGURE 13: OBSERVATION FROM BYPASS ROUTE TO NEW BUS TERMINAL.....		60
FIGURE 14: BUS TERMINAL AREA PLAN VIEW.....		60
FIGURE 15: CASE STUDY 01 - BUS TERMINAL AREA USER CAPACITY		61
FIGURE 16: WALKABILITY DISTANCE FROM BUS TERMINAL AREA		62
FIGURE 17: WALKABILITY ANALYSIS.....		62
FIGURE 18: WALK SCORE PILIYANDALA		62
FIGURE 19: CASE STUDY 02 – OLD BUS TERMINAL AREA.....		63
FIGURE 20: CASE STUDY 01 BUS TERMINAL AREA TEMPERATURE (C°)		64
FIGURE 21: OLD BUS TERMINAL AREA PLAN VIEW		65
FIGURE 22: OLD BUS TERMINAL DOWN ROAD (REV.SARANAPALA MAWATHA).....		65
FIGURE 23: OLD BUS TERMINAL OPEN COURTYARD AREA		66
FIGURE 24: OLD BUS TERMINAL DOWN ROAD (REV.SARANAPALA MAWATHA), TREE CANOPY AREA.....		66
FIGURE 25: OLD BUS TERMINAL DOWN ROAD, FROM 120 ROUTE TO REV.SARANAPALA MAWATHA.....		67
FIGURE 26: OLD BUS TERMINAL AREA, PLAN VIEW		67
FIGURE 27:CASE STUDY 02 – OLD BUS TERMINAL		68
FIGURE 28: WALKABILITY DISTANCE FROM OLD BUS TERMINAL AREA.....		69
FIGURE 29:CASE STUDY 03 - 120 BUS ROUTE, 300M FROM MAIN JUNCTION TO HORANA SIDE – LINEAR PATHWAY (NARROW STREET).....		70
FIGURE 30: CASE STUDY 03 - PLAN VIEW	SOURCE: BY AUTHOR	71
FIGURE 31:PILIYANDALA MAIN JUNCTION (MORNING TIME)		72
FIGURE 32:BUILDING FAÇADE, FROM JUNCTION (MIDDAY TIME).....		72
FIGURE 33: BUILDING FORM (SHADOW EFFECT)		73
FIGURE 34:MORNING (SHADOW EFFECT)		73
FIGURE 35: EVENING SHADOW EFFECT		73
FIGURE 36:MORNING DAYLIGHT COLOUR RANGE (8.00 AM)	SOURCE:WWW.SUNCALC.COM .	74
FIGURE 37: MORNING DAYLIGHT COLOUR RANGE (9.00 AM)	SOURCE: WWW.SUNCALC.COM.....	74
FIGURE 38: MORNING DAYLIGHT COLOUR RANGE (10.00 AM).....		74
FIGURE 39:MIDDAY DAYLIGHT COLOUR RANGE (12.00 PM)	SOURCE : WWW.SUNCALC.COM....	75
FIGURE 40:EVENING DAYLIGHT COLOUR RANGE (5.00 PM)	SOURCE: WWW.SUNCALC.COM.....	75
FIGURE 41: EVENING DAYLIGHT COLOUR RANGE (6.00 PM)		75
FIGURE 42.....		75
FIGURE 43.....		75
FIGURE 44: SUNCALC REFERENCE COLOR RANGE.....		76
FIGURE 45: KELVIN COLOUR TEMPERATURE	SOURCE: LEDVANCE.COM.....	76

FIGURE 46: KELVIN COLOR TEMPERATURE SOURCE: LEDVANCE.COM.....	76
FIGURE 47:COLOR TEMPERATURE METER FIGURE 48: CTM DATA 1 FIGURE 49:CTM DATA 2	77
FIGURE 50 FIGURE 51 FIGURE 52	77
FIGURE 53 VIEWING FROM CLOCK TOWER SIDE IN THE MORNING (ACCORDING TO OBSERVATION)	78
FIGURE 54: REFERENCE KELVIN SCALE	78
FIGURE 55 VIEWING FROM CLOCK TOWER SIDE AT MIDDAY (ACCORDING TO OBSERVATION)	78
FIGURE 56: VIEWING FROM CLOCK TOWER SIDE IN THE EVENING (ACCORDING TO OBSERVATION)	79
FIGURE 57BUILDING AREA(FAÇADE).....	79
FIGURE 58BUILDING FAÇADE LIGHTING REFLECT SOURCE: BY AUTHOR	79
FIGURE 59:BUILDING FAÇADE LIGHTING REFLECTION (CROSS REFLECTION)	80
FIGURE 60: WALKABILITY DISTANCE CASE STUDY AREA 3	81

LIST OF TABLES

TABLE 1: LOCATION 01 PARAMETERS	50
TABLE 2: LOCATION 02 PARAMETERS	51
TABLE 3: LOCATION 03 PARAMETERS	52
TABLE 4: LOCATION 04 PARAMETERS SOURCE : DRAWN BY AUTHOR.....	52
TABLE 5: LOCATION 05 PARAMETERS	53
TABLE 6:DAYLIGHT SCALE IN BUS TERMINAL AREA (BY USING KELVIN SCALE)	58
TABLE 7: CASE STUDY 1 AREA CAPACITY ANALYSIS (ASSUMED BY OBSERVING)	61
TABLE 8:DAYLIGHT SCALE IN OLD BUS TERMINAL AREA (BY USING KELVIN SCALE).....	64
TABLE 9: CASE STUDY 02 - AREA CAPACITY ANALYSIS (ASSUMED BY OBSERVING).....	68
TABLE 10:DAYLIGHT SCALE IN CASE STUDY 03 - 120 BUS ROUTE, 300M FROM MAIN JUNCTION	71
TABLE 11:CASE STUDY 03 - AREA CAPACITY ANALYSIS (ASSUMED BY OBSERVING).....	81
TABLE 12: RECOMMENDATIONS	87