

REFERENCES

- Abtew, W., Obeysekera, J., & Shih, G. (1993). Spatial Analysis for Monthly Rainfall in South Florida. *Water Resources Bulletin - Journal of the American Water Resources Association*, 29(2), 179–188. <https://doi.org/10.1111/j.1752-1688.1993.tb03199.x>
- Adhikary, S. K., Yilmaz, A. G., & Muttil, N. (2014). Optimal design of rain gauge network in the Middle Yarra River catchment, Australia. *Hydrological Processes*, 29(11), 2582–2599. <https://doi.org/10.1002/hyp.10389>
- Alley, W. M. (1984). On the Treatment of Evapotranspirationm Soil Moisture Accounting, and Aquifer Recharge in Monthly Water Balance Models. *Water Resources Research*, 20(8), 1137–1149. <https://doi.org/10.1029/WR020i008p01137>
- Anctil, F., Lauzon, N., Andréassian, V., Oudin, L., & Perrin, C. (2006). Improvement of rainfall-runoff forecasts through mean areal rainfall optimization. *Journal of Hydrology*, 328(3), 717–725. <https://doi.org/10.1016/j.jhydrol.2006.01.016>
- Andiego, G., Waseem, M., Usman, M., & Mani, N. (2018). The Influence of Rain Gauge Network Density on the Performance of a Hydrological Model. *Computational Water, Energy, and Environmental Engineering*, 07(01), 27–50. <https://doi.org/10.4236/cweee.2018.71002>
- Apaydin, H., Sonmez, F. K., & Yildirim, Y. E. (2004). Spatial interpolation techniques for climate data in the GAP region in Turkey. *Climate Research*, 28(1), 31–40. <https://doi.org/10.3354/cr028031>
- Arsenault, R., & Brissette, F. (2014). Determining the Optimal Spatial Distribution of Weather Station Networks for Hydrological Modeling Purposes Using RCM Datasets: An Experimental Approach. *Journal of Hydrometeorology*, 15(1), 517–526. <https://doi.org/10.1175/JHM-D-13-088.1>
- Barbalho, F. D., Silva, G. F. N. da, & Formiga, K. T. M. (2014). Average Rainfall

- Estimation: Methods Performance Comparison in the Brazilian Semi-Arid. *Journal of Water Resource and Protection*, 06(02), 97–103. <https://doi.org/10.4236/jwarp.2014.62014>
- Bardossy, A., & Das, T. (2008). Influence of rainfall observation network on model calibration and application. *Hydrology and Earth System Sciences*, 12(1), 77–89.
- Beven, K. J., & Hornberger, G. M. (1982). Assessing the Effect of Spatial Pattern of Precipitation in Modeling Stream Flow Hydrographs. *Water Resources Bulletin - Journal of the American Water Resources Association*, 18(5), 823–829. <https://doi.org/10.1111/j.1752-1688.1982.tb00078.x>
- Bleasdale, A. (1965). Rain-Gauge Networks Development and Design With Special Reference To the United Kingdom. *Rain-Gauge Networks Development and Design With Special Reference To the United Kingdom*, 46–54.
- Bureau of Indian Standards. (1994). *IS 4987 - Recommendations for Establishing Network of Raingauge Stations* (Vol. 1994).
- Burrough, P. A. (1986). *Principles of geographical information systems for land resources assessment* (third edit). Clarendon Press. Retrieved from <https://books.google.lk/books?id=iAdPAAAAMAAJ>
- Buytaert, W., Celleri, R., Willems, P., Bièvre, B. De, & Wyseure, G. (2006). Spatial and temporal rainfall variability in mountainous areas: A case study from the south Ecuadorian Andes. *Journal of Hydrology*, 329(3–4), 413–421. <https://doi.org/10.1016/j.jhydrol.2006.02.031>
- Caldera, H. P. G. M., Piyathisse, V. R. P. C., & Nandalal, K. D. W. (2016). A Comparison of Methods of Estimating Missing Daily Rainfall Data. *Engineer: Journal of the Institution of Engineers*, 49(4), 1–8. https://doi.org/10.1163/_q3_SIM_00374
- Chacon-Hurtado, J. C., Alfonso, L., & Solomatine, D. P. (2017). Rainfall and streamflow sensor network design: A review of applications, classification, and

a proposed framework. *Hydrology and Earth System Sciences*, 21(6), 3071–3091.
<https://doi.org/10.5194/hess-21-3071-2017>

Chang, T. K., Talei, A., Alaghmand, S., & Ooi, M. P. L. (2017). Choice of rainfall inputs for event-based rainfall-runoff modeling in a catchment with multiple rainfall stations using data-driven techniques. *Journal of Hydrology*, 545, 100–108. <https://doi.org/10.1016/j.jhydrol.2016.12.024>

Chen, X., Chen, Y. D., & Xu, C. (2006). A distributed monthly hydrological model for integrating spatial variations of basin topography and rainfall. *HYDROLOGICAL PROCESSES*, 21, 242–252. <https://doi.org/10.1002/hyp.6187>
A

Cho, H., & Olivera, F. (2009). Effect of the spatial variability of land use, soil type, and precipitation on streamflows in small watersheds. *Journal of the American Water Resources Association*, 45(3), 673–686. <https://doi.org/10.1111/j.1752-1688.2009.00315.x>

Chow, V. Te. (1978). *Advances in HYDROSCIENCE*. (V. Te Chow, Ed.) (Volume 11 ed., Vol. 11). New York: Academic Press, A Subsidiary of Harcourt Brace Jovanovich, Publishers.

Chow, V. Te, Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*. (B. J. Clark & J. Morriss, Eds.) (Internatio). McGraw-Hill, Inc. Retrieved from https://ponce.sdsu.edu/Applied_Hydrology_Chow_1988.pdf

Chua, S. H., & Bras, R. L. (1982). Optimal estimators of mean areal precipitation in regions of orographic influence. *Journal of Hydrology*, 57(1–2), 23–48. [https://doi.org/10.1016/0022-1694\(82\)90101-9](https://doi.org/10.1016/0022-1694(82)90101-9)

Clark, M. P., & Slater, A. G. (2006). Probabilistic Quantitative Precipitation Estimation in Complex Terrain. *Journal of Hydrometeorology*, 7(1), 3–22. <https://doi.org/10.1175/jhm474.1>

Daggupati, P., Pai, N., Ale, S., Zeckoski, R. W., Jeong, J., Parajuli, P. B., ... Youssef,

- M. A. (2015). A Recommended Calibration and Validation Strategy for Hydrologic and Water Quality Models. *Transactions of the ASABE*, 58(6), 1705–1719. <https://doi.org/10.13031/trans.58.10712>
- De Silva, M. M. G. T., Weerakoon, S. B., & Herath, S. (2014). Modeling of Event and Continuous Flow Hydrographs with HEC–HMS: Case Study in the Kelani River Basin, Sri Lanka. *Journal of Hydrologic Engineering*, 19(4), 800–806. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000846](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000846)
- De Silva, R. P., Dayawansa, N. D. K., & Ratnasiri, M. D. (2007). A comparison of methods used in estimating missing rainfall data. *Journal of Agricultural Sciences*, 3(2), 101. <https://doi.org/10.4038/jas.v3i2.8107>
- Dissanayake, P. K. M. (2017). *Applicability of a Two Parameter Water Balance Model to Simulate Daily Rainfall Runoff – Case Study of Kalu and Gin River Basins in Sri Lanka*. University of Moratuwa, Sri Lanka. Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/12889>
- Dong, X., Dohmen-Janssen, C. M., & Booij, M. J. (2005). Appropriate Spatial Sampling of Rainfall or Flow Simulation/Echantillonnage Spatial de la Pluie Approprié pour la Simulation D’écoulements. *Hydrological Sciences Journal*, 50(2). <https://doi.org/10.1623/hysj.50.2.279.61801>
- Douglas-Mankin, K. R., Srinivasan, R., & Arnold, J. G. (2010). Soil and Water Assessment Tool (SWAT) Model: Current Developments and Applications. *Transactions of the ASABE*, 53(5), 1423–1431. <https://doi.org/10.13031/2013.34915>
- Duan, Q., Sorooshian, S., & Gupta, V. K. (1994). Optimal use of the SCE-UA global optimization method for calibrating watershed models. *Journal of Hydrology*, 158(3), 265–284. [https://doi.org/https://doi.org/10.1016/0022-1694\(94\)90057-4](https://doi.org/https://doi.org/10.1016/0022-1694(94)90057-4)
- Dunne, T., & Leopold, L. B. (1978). Water In Environmental Planning. *XF2006179213*.

- Faurès, J. M., Goodrich, D. C., Woolhiser, D. A., & Sorooshian, S. (1995). Impact of small-scale spatial rainfall variability on runoff modeling. *Journal of Hydrology*, 173(1–4), 309–326. [https://doi.org/10.1016/0022-1694\(95\)02704-S](https://doi.org/10.1016/0022-1694(95)02704-S)
- Frei, C., & Schär, C. (1998). A precipitation climatology of the Alps from high-resolution rain-gauge observations. *International Journal of Climatology*, 18(8), 873–900. [https://doi.org/10.1002/\(SICI\)1097-0088\(19980630\)18:8<873::AID-JOC255>3.0.CO;2-9](https://doi.org/10.1002/(SICI)1097-0088(19980630)18:8<873::AID-JOC255>3.0.CO;2-9)
- Gan, T. Y., & Biftu, G. F. (1996). Automatic calibration of conceptual rainfall-runoff models: Optimization algorithms, catchment conditions, and model structure. *Water Resources Research*, 32(12), 3513–3524. <https://doi.org/10.1029/95WR02195>
- Gan, T. Y., Dlamini, E. M., & Biftu, G. F. (1997). Effects of model complexity and structure, data quality, and objective functions on hydrologic modeling. *Journal of Hydrology*, 192(1–4), 81–103. [https://doi.org/10.1016/S0022-1694\(96\)03114-9](https://doi.org/10.1016/S0022-1694(96)03114-9)
- Garcia, B. I. L., Sentelhas, P. C., Tapia, L., & Sparovek, G. (2006). Filling in missing rainfall data in the Andes region of Venezuela , based on a cluster analysis approach Preenchimento de falhas em séries de precipitação pluvial na região dos Andes , Venezuela , baseado na análise de agrupamento, 225–233.
- Garcia, M., Peters-Lidard, C. D., & Goodrich, D. C. (2008). Spatial interpolation of precipitation in a dense gauge network for monsoon storm events in the southwestern United States. *Water Resources Research*, 44(5), n/a--n/a. <https://doi.org/10.1029/2006WR005788>
- Goovaerts, P. (2000). Geostatistical approaches for incorporating elevation into the spatial interpolation of rainfall. *Journal of Hydrology*, 228(1–2), 113–129. [https://doi.org/10.1016/S0022-1694\(00\)00144-X](https://doi.org/10.1016/S0022-1694(00)00144-X)
- Grist, J. P., & Nicholson, S. (2001). A Study of the Dynamic Factors Influencing the

- Rainfall Variability in the West African Sahel. *Journal of Climate*, 14(7), 1337–1359. [https://doi.org/10.1175/1520-0442\(2001\)014<1337:ASOTDF>2.0.CO;2](https://doi.org/10.1175/1520-0442(2001)014<1337:ASOTDF>2.0.CO;2)
- Halwatura, D., & Najim, M. M. M. (2013). Application of the HEC-HMS model for runoff simulation in a tropical catchment. *Environmental Modelling and Software*, 46(August), 155–162. <https://doi.org/10.1016/j.envsoft.2013.03.006>
- Hartkamp, A. D., De Beurs, K., Stein, A., & White, J. W. (1999). *Interpolation Techniques for Climate Variables. NRG GIS Series 99-01*. Mexico , D.F. Retrieved from http://tarwi.lamolina.edu.pe/~echavarri/tecnicas_interpolacion_var_clima.pdf
- Hasana, M. M., & Crokea, B. F. W. (2013). Filling gaps in daily rainfall data: a statistical approach. *20th International Congress on Modelling and Simulation, Adelaide, Australia*, (December), 1–6. Retrieved from <http://www.mssanz.org.au/modsim2013/A9/hasan.pdf>
- Jayadeera, P. M. (2016). *Development of a rainfall runoff model for Kalu ganga basin of Sri Lanka using HEC-HMS model*. Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/12800>
- Johnson, D., Smith, M., Koren, V., & Finnerty, B. (1999). Comparing Mean Areal Precipitation Estimates from NEXRAD and Rain Gauge Networks. *Journal of Hydrologic Engineering*, 4(2), 117–124. [https://doi.org/10.1061/\(ASCE\)1084-0699\(1999\)4:2\(117\)](https://doi.org/10.1061/(ASCE)1084-0699(1999)4:2(117))
- Jothityangkoon, C., Sivapalan, M., & Farmer, D. L. (2001). Process controls of water balance variability in a large semi-arid catchment: Downward approach to hydrological model development. *Journal of Hydrology*, 254(1–4), 174–198. [https://doi.org/10.1016/S0022-1694\(01\)00496-6](https://doi.org/10.1016/S0022-1694(01)00496-6)
- Kanchanamala, D. P. H. M., Herath, H. M. H. K., & Nandalal, K. D. W. (2016). Impact of Catchment Scale on Rainfall Runoff Modeling: Kalu Ganga River Catchment upto Ratnapura. *Engineer: Journal of the Institution of Engineers, Sri Lanka*,

49(2), 1. <https://doi.org/10.4038/engineer.v49i2.7003>

- Keblouti, M., Ouerdachi, L., & Boutaghane, H. (2012). Spatial Interpolation of Annual Precipitation in Annaba-Algeria - Comparison and Evaluation of Methods. *Energy Procedia*, 18(Supplement C), 468–475. <https://doi.org/10.1016/j.egypro.2012.05.058>
- Ketiem, P., Makeni, P. M., Maranga, E. K., & Omondi, P. A. (2017). Integration of climate change information into drylands crop production practices for enhanced food security: A case study of Lower Tana Basin in Kenya. *African Journal of Agricultural Research*, 12(20), 1763–1771. <https://doi.org/10.5897/ajar2016.11506>
- Khandu, D. (2015). *A monthly water balance model for evaluation of climate change impacts on the streamflow of Ginganga and Kelani ganga basins, Sri lanka*. Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/12893>
- Kirchner, J. W. (2009). Catchments as simple dynamical systems: Catchment characterization, rainfall-runoff modeling, and doing hydrology backward. *Water Resources Research*, 45(2), 1–34. <https://doi.org/10.1029/2008WR006912>
- Lebel, T., Bastin, G., Obled, C., & Creutin, J. D. (1987). On the accuracy of areal rainfall estimation: A case study. *Water Resources Research*, 23(11), 2123–2134. <https://doi.org/10.1029/WR023i011p02123>
- Lee, H., & Kang, K. (2015). Interpolation of Missing Precipitation Data Using Kernel Estimations for Hydrologic Modeling. *Advances in Meteorology*, 2015. <https://doi.org/10.1155/2015/935868>
- Li, J., & Heap, A. D. (2008). *A Review of Spatial Interpolation Methods for Environmental Scientists*. Australian Geological Survey Organisation (Vol. 68). Canberra, Australia: Geoscience Australia Canberra. Retrieved from https://www.researchgate.net/publication/246546630_A_Review_of_Spatial_Interpolation_Methods_for_Environmental_Scientists

- Lidén, R., & Harlin, J. (2000). Analysis of conceptual rainfall-runoff modelling performance in different climates. *Journal of Hydrology*, 238(3–4), 231–247. [https://doi.org/10.1016/S0022-1694\(00\)00330-9](https://doi.org/10.1016/S0022-1694(00)00330-9)
- Loague, K. M., & Freeze, R. A. (1985). A Comparison of Rainfall-Runoff Modeling Techniques on Small Upland Catchments. *Water Resources Research*, 21(2), 229–248. <https://doi.org/10.1029/WR021i002p00229>
- Lopez, M. G., Wennerström, H., Nordén, L. Å., & Seibert, J. (2015). Location and density of rain gauges for the estimation of spatial varying precipitation. *Geografiska Annaler, Series A: Physical Geography*, 97(1), 167–179. <https://doi.org/10.1111/geoa.12094>
- Lü, H., Hou, T., Horton, R., Zhu, Y., Chen, X., Jia, Y., ... Fu, X. (2013). The streamflow estimation using the Xinanjiang rainfall runoff model and dual state-parameter estimation method. *Journal of Hydrology*, 480, 102–114. <https://doi.org/10.1016/j.jhydrol.2012.12.011>
- Lundqvist, J., Falkenmark, M., & Bird, J. (2010). New challenges and old opportunities of water-related food security. *International Journal of Water Resources Development*, 26(4), 517–521. <https://doi.org/10.1080/07900627.2010.519513>
- MacKenzie, K., Urbonas, B., Jansekoc, M., & Guo, J. C. Y. (2007). Effect of raingage density on runoff simulation modeling. In *World Environmental and Water Resources Congress 2007: Restoring Our Natural Habitat* (pp. 1–11). [https://doi.org/10.1061/40927\(243\)2](https://doi.org/10.1061/40927(243)2)
- Mahalingam, B., Deldar, A. N., & Vinay, M. (2015). Analysis of Selected Spatial Interpolation Techniques for Rainfall Data. *Analysis of Selected Spatial Interpolation Techniques for Rainfall Data*, 7(7), 66–71.
- Makhlouf, Z., & Michel, C. (1994). A two-parameter monthly water balance model for French watersheds. *Journal of Hydrology*, 162(3–4), 299–318.

[https://doi.org/10.1016/0022-1694\(94\)90233-X](https://doi.org/10.1016/0022-1694(94)90233-X)

- Masih, I., Maskey, S., Uhlenbrook, S., & Smakhtin, V. (2011). Assessing the Impact of Areal Precipitation Input on Streamflow Simulations Using the SWAT Model. *Journal of the American Water Resources Association*, 47(1), 179–195. <https://doi.org/10.1111/j.1752-1688.2010.00502.x>
- Masseroni, D., Cislighi, A., Camici, S., Massari, C., & Brocca, L. (2017). A reliable rainfall–runoff model for flood forecasting: review and application to a semi-urbanized watershed at high flood risk in Italy. *Hydrology Research*, 48(3), 726–740. <https://doi.org/10.2166/nh.2016.037>
- Michaud, J., & Sorooshian, S. (1994). Comparison of simple versus complex distributed runoff models on a mid-sized semiarid watershed. *Water Resources Research*, 30(3), 593–605. <https://doi.org/10.1029/93WR03218>
- Mishra, A. K., & Coulibaly, P. (2009). Developments in hydrometric network design: A review. *Reviews of Geophysics*, 47(2), 1–24. <https://doi.org/10.1029/2007RG000243>
- Morrissey, M. L., Maliekal, J. A., Greene, J. S., & Wang, J. (1995). The Uncertainty of Simple Spatial Averages Using Rain Gauge Networks. *Water Resources Research*, 31(8), 2011–2017. <https://doi.org/10.1029/95WR01232>
- Muthuwatta, L., Perera, H. P. T. W., Eriyagama, N., Surangika, K. B. N. U., & Premachandra, W. W. (2017). Trend and variability of rainfall in two river basins in Sri Lanka: an analysis of meteorological data and farmers' perceptions. *Water International*, 42(8), 981–999. <https://doi.org/10.1080/02508060.2017.1406784>
- Nandalal, H. K., & Ratnayake, U. R. (2010). Event Based Modeling of a Watershed Using HEC-HMS. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 43(2), 28. <https://doi.org/10.4038/engineer.v43i2.6979>
- Nash, J. E., & Sutcliffe, J. V. (1970). RIVER FLOW FORECASTING THROUGH CONCEPTUAL MODELS PART I - A DISCUSSION OF PRINCIPLES.

Journal of Hydrology, 10(3), 282–290. [https://doi.org/10.1016/0022-1694\(70\)90255-6](https://doi.org/10.1016/0022-1694(70)90255-6)

Nederlands, K. (2000). *Handbook for the Meteorological Observation. Meteorologisch Instituut - KNMI*. Retrieved from http://www.knmi.nl/samenw/hawa/pdf/Handbook_H01_H06.pdf

Nilsson, P., Uvo, C. B., & Berndtsson, R. (2006). Monthly runoff simulation: Comparing and combining conceptual and neural network models. *Journal of Hydrology*, 321(1–4), 344–363. <https://doi.org/10.1016/j.jhydrol.2005.08.007>

Oki, T., Musiak, K., & Koike, T. (1991). Spatial Rainfall Distribution at a Storm Event in Mountainous Regions, Estimated by Orography and Wind Direction, 27(3), 359–369.

Otieno, H., Yang, J., Liu, W., & Han, D. (2014). Influence of Rain Gauge Density on Interpolation Method Selection. *Journal of Hydrologic Engineering*, 19(11), 04014024. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000964](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000964)

Palmer, W. C. (1965). Meteorological Drought. *U.S. Weather Bureau, Res. Pap. No. 45*. Retrieved from <https://www.ncdc.noaa.gov/temp-and-precip/drought/docs/palmer.pdf>

Perera, K. R. J., & Wijesekera, N. T. S. (2012). Potential on the Use of GIS Watershed Modeling for River Basin Planning - Case Study of Attanagalu Oya Basin, Sri Lanka. *ENGINEER Journal of the Institution of Engineers, Sri Lanka*, XXXV(04), 13–22.

Plummer, N., Allsopp, T., & Lopez, J. A. (2003). *WMO/TD No. 1185 - Guidelines on Climate Observation Networks and Systems. World Meteorological Organization*. Retrieved from http://www.wmo.int/pages/prog/wcp/wcdmp/documents/WCDMP-52_000.pdf

Presti, R. Lo, Barca, E., & Passarella, G. (2010). A methodology for treating missing data applied to daily rainfall data in the Candelaro River Basin (Italy).

Environmental Monitoring and Assessment, 160(1–4), 1–22.
<https://doi.org/10.1007/s10661-008-0653-3>

Rainbird, A. F. (1964). Precipitation-Basic Principles of Network Design. In *Iahs 67* (Vol. 67, pp. 19–30).

Rodríguez-Iturbe, I., & Mejía, J. M. (1974). The design of rainfall networks in time and space. *Water Resources Research*, 10(4), 713–728.
<https://doi.org/10.1029/WR010i004p00713>

Schulz, L., & Kingston, D. G. (2017). GCM-related uncertainty in river flow projections at the threshold for “dangerous” climate change: the Kalu Ganga river, Sri Lanka. *Hydrological Sciences Journal*, 62(14), 2369–2380.
<https://doi.org/10.1080/02626667.2017.1381965>

Seibert, J., Uhlenbrook, S., Leibundgut, C., & Halldin, S. (1999). Multiscale Calibration and Validation of a Conceptual Rainfall-Runoff Model. *Phys. Chem. Earth*, 25(1), 59–64.

Shaghaghian, M. R., & Abedini, M. J. (2013). Rain gauge network design using coupled geostatistical and multivariate techniques. *Scientia Iranica*, 20(2), 259–269. <https://doi.org/10.1016/j.scient.2012.11.014>

Sharifi, M. B. (2015). *Calibration and verification of a two parameter monthly water balance model and its application potential for evaluation of water resources - a case study of kalu and mahaweli rivers of sri lanka*. Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/12954>

Shaw, E. M. (1994). *Hydrology in Practice* (3rd ed.). Taylor & Francis e-Library, 2005.

Simolo, C., Brunetti, M., Maugeri, M., & Nanni, T. (2010). Improving estimation of missing values in daily precipitation series by a probability density function-preserving approach. *International Journal of Climatology*, 30(10), 1564–1576.
<https://doi.org/10.1002/joc.1992>

- Singh, V. P. (1994). Elementary Hydrology, 973. <https://doi.org/10.15713/ins.mmj.3>
- Taesombat, W., & Sriwongsitanon, N. (2009). Areal rainfall estimation using spatial interpolation techniques. *ScienceAsia*, 35(3), 268–275. <https://doi.org/10.2306/scienceasia1513-1874.2009.35.268>
- Tao, T., Chocat, B., Liu, S., & Xin, K. (2009). Uncertainty Analysis of Interpolation Methods in Rainfall Spatial Distribution—A Case of Small Catchment in Lyon. *Journal of Water Resource and Protection*, 01(02), 136–144. <https://doi.org/10.4236/jwarp.2009.12018>
- Thomas, a. (1981). Improved Methods for National Water Assessment. Water Resources Contract: WR15249270, 59.
- Thornthwaite, C. W., & Mather, J. R. (1955). *The Water Balance*. Drexel Institute of Technology, Laboratory of Technology. Retrieved from <https://books.google.lk/books?id=DTdtcgAACAAJ>
- Tomy, T., & Sumam, K. S. (2016). Determining the Adequacy of CFSR Data for Rainfall-Runoff Modeling Using SWAT. *Procedia Technology*, 24, 309–316. <https://doi.org/10.1016/j.protcy.2016.05.041>
- Tramblay, Y., Ruelland, D., Somot, S., Bouaicha, R., & Servat, E. (2013). High-resolution Med-CORDEX regional climate model simulations for hydrological impact studies: a first evaluation of the ALADIN-Climate model in Morocco. *Hydrology and Earth System Sciences*, 17(10), 3721–3739. <https://doi.org/10.5194/hess-17-3721-2013>
- Wagener, T., McIntyre, N., Lees, M. J., Wheater, H. S., & Gupta, H. V. (2003). Towards reduced uncertainty in conceptual rainfall-runoff modelling: Dynamic identifiability analysis. *Hydrological Processes*, 17(2), 455–476. <https://doi.org/10.1002/hyp.1135>
- Wakachala, F. M., Shilenje, Z. W., Nguyo, J., Shaka, S., & Apondo, W. (2015). Statistical Patterns of Rainfall Variability in the Great Rift Valley of Kenya.

Journal of Environmental and Agricultural Sciences, 5(October), 17–26.

- Wallner, M., Haberlandt, U., & Dietrich, J. (2012). Evaluation of different calibration strategies for large scale continuous hydrological modelling. *Advances in Geosciences*, 31(1), 67–74. <https://doi.org/10.5194/adgeo-31-67-2012>
- Wheater, H., Sorooshian, S., & Sharma, K. D. (2007). *Hydrological Modelling in Arid and Semi-Arid Areas*. (H. Wheater, S. Sorooshian, & K. D. Sharma, Eds.), *Hydrological Modelling in Arid and Semi-Arid Areas* (Vol. 9780521869). Cambridge: Cambridge University Press. <https://doi.org/10.1017/CBO9780511535734>
- Wijemannage, A. L. K., Ranagalage, M., & Perera, E. N. C. (2016). Comparison of Spatial Interpolation Methods for Rainfall Data Over Sri Lanka, 10.
- Wijesekera, N. T. S. (2000). Parameter Estimation in Watershed Model : A Case Study Using Gin Ganga Watershed. *The Institution of Engineers, Sri Lanka*, 1, 26–32.
- Wijesekera, N. T. S. (2018). Classification of Streamflow Observations for Water Management, (February). <https://doi.org/10.13140/RG.2.2.23605.58089>
- Wijesekera, N. T. S., & Musiake, K. (1990a). Streamflow Modelling of a Sri Lankan Catchment Considering Spatial Variation of Rainfall. In *Proceedings of the 45th Annual Conference of the Association of Civil Engineers Japan*.
- Wijesekera, N. T. S., & Musiake, K. (1990b). Streamflow Modelling of Sri Lankan Catchments (2) - Kalu River Catchment at Putupaula. *Seisan Kenkyu*, 42(11), 645–648.
- Wijesekera, N. T. S., & Musiake, K. (1990c). Streamflow Modelling of Sri Lankan Catchments (1) - Mahaweli River Catchment at Peradeniya. *Seisan Kenkyu*, 42(11), 645–648.
- World Meteorological Organization. (1965). *WMO No. 168 - Guide to Hydrometeorological Practices*. WMO No. 168. Geneva: World Meteorological

Organization (WMO).

World Meteorological Organization. (1972). *WMO - No.324 - Casebook on Hydrological Network Design Practice*. World Meteorological Organization. Geneva, Switzerland: World Meteorological Organization.

World Meteorological Organization. (2008). *WMO - No. 168 - Guide to hydrological practices Volume I Hydrology – From Measurement to Hydrological Information*. World Meteorological Organization (6th ed, Vol. 1). Geneva, Switzerland: World Meteorological Organization (WMO). Retrieved from http://www.whycos.org/chy/guide/168_Vol_I_en.pdf

Xiong, L., & Guo, S. (1999). A two-parameter monthly water balance model and its application. *Journal of Hydrology*, 216(1), 111–123. [https://doi.org/https://doi.org/10.1016/S0022-1694\(98\)00297-2](https://doi.org/https://doi.org/10.1016/S0022-1694(98)00297-2)

Xu, C. (2002). Hydrologic Models. *Report*, 72, 1–168. <https://doi.org/PNR61>

Xu, H., Xu, C.-Y. Y., Chen, H., Zhang, Z., & Li, L. (2013). Assessing the influence of rain gauge density and distribution on hydrological model performance in a humid region of China. *Journal of Hydrology*, 505, 1–12. <https://doi.org/10.1016/j.jhydrol.2013.09.004>

Yang, X., Xie, X., Liu, D. L., Ji, F., & Wang, L. (2015). Spatial Interpolation of Daily Rainfall Data for Local Climate Impact Assessment over Greater Sydney Region. *Advances in Meteorology*, 2015. <https://doi.org/10.1155/2015/563629>

Yapo, P. O., Gupta, H. V., & Sorooshian, S. (1998). Multi-objective global optimization for hydrologic models. *Journal of Hydrology*, 204(1), 83–97. [https://doi.org/https://doi.org/10.1016/S0022-1694\(97\)00107-8](https://doi.org/https://doi.org/10.1016/S0022-1694(97)00107-8)

Yoon, S. S., & Lee, B. (2017). Effects of Using High-Density Rain Gauge Networks and Weather Radar Data on Urban Hydrological Analyses. *Water*, 9(12), 931. <https://doi.org/10.3390/w9120931>

Zeng, Q., Chen, H., Xu, C. Y., Jie, M. X., Chen, J., Guo, S. L., & Liu, J. (2018). The effect of rain gauge density and distribution on runoff simulation using a lumped hydrological modelling approach. *Journal of Hydrology*, 563(June), 106–122. <https://doi.org/10.1016/j.jhydrol.2018.05.058>