

## REFERENCES

- Afolabi, M. S., Salami, A. E., Olajide, O. O., & Babatunde, F. E. (2021). Comparative effects of organic and inorganic fertilizer treatment on growth, yield, and quality of lettuce (*Lactuca sativa* L.). *JPAA*, 6(2).
- Ahmad, A. A., Radovich, T. J., Nguyen, H. V., Uyeda, J., Arakaki, A., Cadby, J., ... & Teves, G. (2016). Use of organic fertilizers to enhance soil fertility, plant growth, and yield in a tropical environment. *Organic fertilizers-from basic concepts to applied outcomes*, 85-108.
- Aira, M. (2002). How earthworm density affects microbial biomass and activity in pig manure. *European Journal of Soil Biology*, 38(1), 7–10.
- Akanni, D. I., & Ojeniyi, S. O. (2008). Residual effect of goat and poultry manures on soil properties, nutrient content and yield of *Amaranthus* in Southwest Nigeria. *Research Journal of Agronomy*, 2(2), 44–47.
- Al-Dahmani, J. H., Abbasi, P. A., Miller, S. A., & Hoitink, H. A. J. (2003). Suppression of bacterial spot of tomato with foliar sprays of compost extracts under greenhouse and field conditions. *Plant Disease*, 87(8), 913–919.
- Anjana, S. U., & Iqbal, M. (2007). Nitrate accumulation in plants, factors affecting the process, and human health implications. A review. *Agronomy for Sustainable Development*, 27(1), 45–57.
- Ansari, A. A., & Ismail, S. A. (2012). Role of earthworms in vermitechnology. *Journal of Agricultural Technology*, 8(2), 403–415.
- Ansari, A., Pereira, M., & Jaikishun, S. (2015). Effect of vermiwash obtained from different sources (neem, rice straw and bagasse) and standardised hydroponics solution on the growth of *Colocasia esculenta* (Australian poi) in Guyana. *American Journal of Experimental Agriculture*, 7(5), 275–283.
- Arancon, N., & Edwards, C. (2004). The use of earthworms in the breakdown of organic wastes to produce vermicomposts and animal feed protein. *Earthworm ecology*, 2, 345-380.
- Arancon, N. Q., Edwards, C. A., Dick, R., & Dick, L. (2007). Vermicompost tea production and plant growth impacts. *Biocycle*, 48, 51–52.

- Arthur, G. D., Jager, A. K., & Van Staden, J. (2001). The release of cytokinin-like compounds from *Gingko biloba* leaf material during composting. *Environ Exp Bot*, 45, 55–61.
- Atkin, K., & Nichols, M. A. (2004). ORGANIC HYDROPONICS. *Acta Horticulturae*, 648, 121–127.
- Atmaja, D., Wirajaya, A. A. N. M., & Kartini, L. (2019). Effect of goat and cow manure fertilizer on the growth of shallot (*Allium ascalonicum* L). *Sustainable Environment Agricultural Science*, 3(1), 19–23.
- Aung, L. H., & Flick, G. J. (1980). The Influence of Fish Solubles on Growth and Fruiting of Tomato1. *HortScience*, 15(1), 32–33.
- Awodun, M. A., Omonijo, L. I., & Ojeniyi, S. O. (2007). Effect of goat dung and NPK fertilizer on soil and leaf nutrient content, growth and yield of pepper. *International Journal of Soil Science*, 2(2), 142–147.
- Ayala, S., & Rao, E. P. (2002). Perspectives of soil fertility management with a focus on fertilizer use for crop productivity. *Current Science*, 82(7), 797-807.
- Badar, R., & Qureshi, S. A. (2014). Composted rice husk improves the growth and biochemical parameters of sunflower plants. *Journal of Botany*, 2014, 1–6.
- Bahtiar, S. A., Muayyad, A., Ulfaningtias, L., Anggara, J., Priscilla, C., & Miswar, M. (2016). Pemanfaatan kompos bonggol pisang (*Musa Acuminata*) untuk meningkatkan pertumbuhan dan kandungan gula tanaman jagung manis (*Zea Mays* L. *Saccharata*). *Journal of Agricultural Science*, 14(1).
- Balraj TH, Palani S and Arumugam G 2014 Influence of Gunapaselam, a liquid fermented fish waste on the growth characteristics of *Solanum melongena*. *Journal of Chemical and Pharmaceutical Research*. 6(12): 58–66.
- Baslam, M., Morales, F., Garmendia, I., & Goicoechea, N. (2013). Nutritional quality of outer and inner leaves of green and red pigmented lettuces (*Lactuca sativa* L.) consumed as salads. *Scientia Horticulturae*, 151, 103–111.
- Bayer, R. J., & Starr, J. R. (1998). Tribal phylogeny of the Asteraceae based on two non-coding chloroplast sequences, the trnL intron and trnL/trnF intergenic spacer. *Annals of the Missouri Botanical Garden*, 242-256.
- Bendalam, P. Kaviti, V.L. (2020, December). *Vermiwsh. Just Agriculture*, 42.49

- Bernardes, L. J. L. (1997). Hidroponia da alface: uma história de sucesso. *São Paulo: Estação Experimental de Hidroponia" Alface e Cia.*
- Bidabadi, Siamak Shirani, Afazel, M., & Poodeh, S. D. (2016). The effect of vermicompost leachate on morphological, physiological and biochemical indices of *Stevia rebaudiana Bertoni* in a soilless culture system. *International Journal of Recycling of Organic Waste in Agriculture*, 5(3), 251–262.
- Bolan, N. S., Szogi, A. A., Chuasavathi, T., Seshadri, B., Rothrock, M. J., Jr, & Panneerselvam, P. (2010). Uses and management of poultry litter. *World's Poultry Science Journal*, 66(4), 673–698.
- Buckerfield, J. C., Flavel, T. C., Lee, K. E., & Webster, K. A. (1999). V earthworms and waste management-Vermicompost in solid and liquid forms as a plant growth promoter. *Pedobiologia*, 43(6), 753-759.
- Bunning, M., & Kendall, P. (2012). *Health Benefits and Safe Handling of Salad Greens*. Colorado State University Cooperative Extension.
- Burnett, S. E., Mattson, N. S., & Williams, K. A. (2016). Substrates and fertilizers for organic container production of herbs, vegetables, and herbaceous ornamental plants grown in greenhouses in the United States. *Scientia Horticulturae*, 208, 111–119.
- Burnett, S. E., & Stack, L. B. (2009). Survey of the research needs of the potential organic ornamental bedding plant industry in Maine. *HortTechnology*, 19(4), 743-747.
- Castellane, P. D. Araújo JAC de (1994) Cultivo sem solo: hidroponia. *Jaboticabal, FUNEP*, 43p.
- Chandrasekhar, S. A. T. H. Y., Satyanarayana, K. G., Pramada, P. N., Raghavan, P., & Gupta, T. N. (2003). Review processing, properties and applications of reactive silica from rice husk-an overview. *Journal of Materials Science*, 38, 3159–3168.
- Chandukishore, T., Samskrathi, D., Srujana, T. L., Rangaswamy, B. E., & Prabhu, A. A. (2023). Influence of plant extract-based vermiwash on plant growth parameters and biocontrol of Thrips (*Scirtothrips dorsalis*) in *Capsicum annum*. *Journal of Natural Pesticide Research*, 5.
- Chastain, J. P., Camberato, J. J., & Skewes, P. (n.d.). *Poultry manure production and nutrient content*. Clemson.edu.

- Chattopadhyay, A. (2015). Effect of vermiwash of *Eisenia foetida* produced by different methods on seed germination of green mung, *Vigna radiate*. *International Journal of Recycling of Organic Waste in Agriculture*, 4(4), 233–237
- Cheng, H., Zhang, D., Huang, B., Song, Z., Ren, L., Hao, B., & Cao. (2020). Organic fertilizer improves soil fertility and restores the bacterial community after 1, 3-dichloropropene fumigation. *Science of the Total Environment*, 738.
- Cheng, J., Shearin, T. E., Peet, M. M., & Willits, D. H. (2004). Utilization of treated swine wastewater for greenhouse tomato production. *Water Science and Technology: A Journal of the International Association on Water Pollution Research*, 50(2), 77–82.
- Choi, B. S., Lee, S. S., & Ok, Y. S. (2011). Effects of waste nutrient solution on growth of chinese cabbage (*Brassica campestris* L). Korea. *Korean Journal of Environmental Agriculture*, 30(2), 125–131.
- Choudhary, A. L., Hussain, A., Choudhary, M. D., Samota, R. G., & Jat, S. L. (2017). Bioefficacy of newer insecticides against aphid, *Aphis craccivora* Koch on cowpea. *Journal of Pharmacognosy and Phytochemistry*, 6(4), 1788-1792.
- Cometti, N. N., Bremenkamp, D. M., Galon, K., Hell, L. R., & Zanotelli, M. F. (2013). Cooling and concentration of nutrient solution in hydroponic lettuce crop. *Horticultura Brasileira*, 31(2), 287–292
- Dahama, A. K. (1997). Organic farming for sustainable agriculture.
- Daniel, T., Sivasankari, B., & Malathy, M. (2010). Microbial and nutrient enhancement of *Gliricidia sepium* and *Leucaena leucocephala* leaf materials using *Eisenia fetida*. *Vermitechnology II*, 4(1), 152-154.
- Davidson, E. A. (2009). The contribution of manure and fertilizer nitrogen to atmospheric nitrous oxide since 1860. *Nature Geoscience*, 2(9), 659–662.
- Dauda, S. N., Ajayi, F. A., & Ndor, E. (2008). Growth and yield of water melon (*Citrullus lanatus*) as affected by poultry manure application. *J. Agric. Soc. Sci*, 4(3), 121–124.
- Dholwani, S. J., Marwadi, S. G., Patel, V. P., & Desai, V. P. (2018). Introduction of Hydroponic system and it's Methods. *International Journal for Research Trends and Innovation*, 3(3), 69-73.

- Domínguez, J. (2023). State-of-the-Art and New Perspectives on Vermicomposting Research: 18 Years of Progress. In *Vermicomposting for Sustainable Food Systems in Africa* (pp. 27–44). Springer Nature.
- Domínguez, J., Edwards, C. A., & Ashby, J. (2001). The biology and population dynamics of *Eudrilus eugeniae* (Kinberg) (Oligochaeta) in cattle waste solids. *Pedobiologia*, *45*, 341–353.
- Domingues, D. S., Takahashi, H. W., Camara, C. A. P., & Nixdorf, S. L. (2012). Automated system developed to control pH and concentration of nutrient solution evaluated in hydroponic lettuce production. *Computers and Electronics in Agriculture*, *84*, 53–61.
- Dominy, W., Sato, V., Ju, Z. Y., & Mitsuyasu, M. (2014). *Fish processing waste: A valuable co-product of the fishing industry*. Aquafeed. Com, LLC.
- Dunn, B., & Singh, H. (2016). *Electrical conductivity and pH guide for hydroponics*. Oklahoma State University.
- Edwards, C. A., Arancon, N. Q., & Greytak, S. (2006). Effects of vermicompost teas on plant growth and disease. *Biocycle*, *47*(5), 28.
- El-Tarabily, K. A., Nassar, A. H., Hardy, G. E. S. J., & Sivasithamparam, K. (2003). Fish emulsion as a food base for rhizobacteria promoting growth of radish (*Raphanus sativus* L. var. *sativus*) in a sandy soil. *Plant and Soil*, *252*, 397–411.
- Elad, Y., & Shtienberg, D. (1994). Effect of compost water extracts on grey mould (*Botrytis cinerea*). *Crop Protection (Guildford, Surrey)*, *13*(2), 109–114.
- Ells, J. E., MeSay, A. E., & Workman, S. M. (1991). Toxic effects of manure, alfalfa, and ammonia on emergence and growth of cucumber seedlings. *HortScience*, *26*(4), 380–383.
- Ellyzatul, A. B., Yusoff, N., Mat, N., & Khandaker, M. M. (2018). *Effects of fish waste extract on the growth, yield and quality of Cucumis sativus L.* Core.ac.uk.
- Ekanayake, E. M. U. I., Eranga, G. A. S., & Fernando, K. M. C. (2020). Effect of organic and inorganic liquid fertilizers on growth and yield of *Centella asiatica* (L.) and *Capsicum annuum* (L.) VAR. *annuum*. *Tropical Agricultural Research and Extension*, *23*(3–4), 60.

- Ekwealor, Egboka, Anukwuorji, & Obika. (2020). Effect of different rates of organic manure (cow dung) on the growth of *Solanum lycopersicum* L. *Universal Journal of Plant Science*, 8(2), 34–37.
- Fahlivi, M. R. (2015). *Physicochemical characteristics of liquid fertilizer from fish viscera*.
- Falovo, C., Roupael, Y., Rea, E., Battistelli, A., & Colla, G. (2009). Nutrient solution concentration and growing season affect yield and quality of *Lactuca sativa* L. var. *acephala* in floating raft culture: Nutrient concentration and growing season effects on lettuce. *Journal of the Science of Food and Agriculture*, 89(10), 1682–1689.
- FAO, M. (2009). ResourceSTAT-Fertilizer. Food and Agriculture Organization of the United Nations.
- FAO. 2022. *World Food and Agriculture – Statistical Yearbook 2022*. Rome.
- Faquin, V., Furtini Neto, A. E., & Vilela, L. A. A. (1996). Produção de alface em hidroponia. *Lavras: UFLA*, 5-6.
- Fasidi IO, Kadiri M, Jonathan SG, Adenipekun CO, Kuforiji OO. *Cultivation of tropical mushrooms*. Ibadan University Press.
- Finney, K. N., Ryu, C., Sharifi, V. N., & Swithenbank, J. (2009). The reuse of spent mushroom compost and coal tailings for energy recovery: comparison of thermal treatment technologies. *Bioresource technology*, 100(1), 310-315.
- Fontana, E., & Nicola, S. (2009). Traditional and soilless culture systems to produce corn salad (*Valerianella olitoria* L.) and rocket (*Eruca sativa* Mill.) with low nitrate content. *J. Food Agric. Environ*, 7, 405–410.
- Foo, K. Y., & Hameed, B. H. (2009). Utilization of rice husk ash as novel adsorbent: a judicious recycling of the colloidal agricultural waste. *Advances in Colloid and Interface Science*, 152(1–2), 39–47.
- Fathima, M., & Sekar, M. (2014). Studies on Growth Promoting effects of Vermiwash on the Germination of Vegetable Crops. *International Journal of Current Microbiology and Applied Sciences*, 3(6), 564–570.
- Furlani, P. R., Silveira, L. C. P., Bolonhezi, D., & Faquin, V. Cultivo hidropônico de plantas. Campinas: IAC, 1999. 52p. *Boletim técnico*, 180.

- Ganesan, T. 1994. Antifungal properties of wild plants. *Adv. Plant Sci.* 7(1): 185-187.
- Garcia, M., Sosa, C., Saavedra, I. F., & Hernandez, A. L. (2002). Extraction of auxin-like substances from compost. *Crop Res*, 24, 323–327.
- Garrido, R., Ruiz-Felix, M. N., & Satrio, J. A. (2012). Effects of hydrolysis and torrefaction on pyrolysis product distribution of spent mushroom compost (SMC). *International Journal of Environmental Pollution and Remediation (IJEPR)*, 1(1), 98-103.
- Gazula, A., Kleinhenz, M. D., Scheerens, J. C., & Ling, P. P. (2007). Anthocyanin levels in nine lettuce (*Lactuca sativa*) cultivars: Influence of planting date and relations among analytic, instrumented, and visual assessments of color. *HortScience*, 42(2), 232-238.
- Gbolagade, J. S. (2006). Bacteria associated with compost used for cultivation of Nigerian edible mushrooms *Pleurotus tuber-regium* (Fr.) Singer, and *Lentinus squarrosulus* (Berk.). *African Journal of Biotechnology*, 5(4), 338-342.
- Gent, M. P. (2003). Solution electrical conductivity and ratio of nitrate to other nutrients affect accumulation of nitrate in hydroponic lettuce. *HortScience*, 38(2), 222-227.
- George, B., Kaur, C., Khurdiya, D. S., & Kapoor, H. C. (2004). Antioxidants in tomato (*Lycopersium esculentum*) as a function of genotype. *Food Chemistry*, 84(1), 45–51.
- Ghasem, S., Morteza, A. S., & Maryam, T. (2014). Effect of organic fertilizers on cucumber (*Cucumis sativus*) yield. *International Journal of Agriculture and Crop Sciences (IJACS)*, 7(11), 808–814.
- Giraddi, R. S. (2003). Method of extraction of earthworm wash: A plant promoter substance. In *VIIIth National Symposium on Soil Biology and Ecology*.
- Gopal, M., Gupta, C., Palaniswami, R., & Dhanapal, G. V. (2010). Coconut leaf vermiwash: a bio-liquid from coconut leaf vermicompost for improving the crop production capacities of soil. *Curr Sci*, 98.
- Hadad, R., & Rg, A. (2004). Analysis of organic fertilizers for use in vegetable transplant production. Kentucky Agricultural Experiment Station. *Floriculture Research Report*, 19, 1–7.
- Hapsari, N., & Welasi, T. (2013). Pemanfaatan limbah ikan menjadi pupuk organik. *Jurnal Teknik Lingkungan*, 2(1), 1-6.

- Hartz, T. K., Smith, R., & Gaskell, M. (2010). Nitrogen availability from liquid organic fertilizers. *HortTechnology*, 20(1), 169–172.
- Hidlago, P. R., Matta, F. B., & Harkess, R. L. (2006). Physical and Chemical properties of substrates containing earthworm castings and effects on marigold growth. *Hortscience*, 41, 1474–1476.
- Hurtado-Barroso, S., Tresserra-Rimbau, A., Vallverdú-Queralt, A., & Lamuela-Raventós, R. M. (2019). Organic food and the impact on human health. *Critical reviews in food science and nutrition*, 59(4), 704-714.
- Huynh, O. N., Bui, C. D. N., & Tran, T. T. (2021). Initial Acquisition of Vermiwash from Vermicompost of *Eudrilus Eugeniae*. *Chemical Engineering Transactions*, 89, 493-498.
- Ikemoto, Y., Teraguchi, M., & Kobayashi, Y. (2002). Plasma levels of nitrate in congenital heart disease: comparison with healthy children. *Pediatric Cardiology*, 23(2), 132–136.
- Incrocci, L., Lorenzini, O., Malorgio, F., Pardossi, A., & Tognoni, F. (2001). Valutazione quanti qualitativa della produzione di rucola (*Eruca vesicaria* L. Cav.) e Basilico (*Ocimum Basilicum* L.) Ottenuta in Suolo e Floating System Utilizzando Acque Irrigue Con Differenti Contenuti Di NaCl. *Italus Hortus*, 8, 92–97.
- Ishiwata, H., Yamada, T., Yoshiike, N., Nishijima, M., Kawamoto, A., & Uyama, Y. (2002). Daily intake of food additives in Japan in five age groups estimated by the market basket method. *European Food Research and Technology*, 215(5), 367–374.
- Ismail, A. (1997). *Vermicology: the biology of earthworms*. Orient Longman.
- Ismail, H., & Mirza, B. (2015). Evaluation of analgesic, anti-inflammatory, anti-depressant and anti-coagulant properties of *Lactuca sativa* (CV. Grand Rapids) plant tissues and cell suspension in rats. *BMC complementary and alternative medicine*, 15(1), 1-7.
- Jagadabhi, P. S., Wani, S. P., Kaushal, M., Patil, M., Vemula, A. K., & Rathore, A. (2019). Physico-chemical, microbial and phytotoxicity evaluation of composts from sorghum, finger millet and soybean straws. *International Journal of Recycling of Organic Waste in Agriculture*, 8(3), 279–293.

- Jaikishun, S., Hoosein, A., & Ansari, A. A. (2018). Short Communication: The effects of vermicompost and vermiwash from the medicinal plants, neem (*Azadirachta indica*) and lime (*Citrus aurantifolia*), on the growth parameters of lettuce in a hydroponic system. *Nusantara Bioscience*, *10*(2), 91–95.
- Jenni, S., de Koeeyer, D., & Emery, G. (2008). Rib discoloration in F2 populations of crisphead lettuce in relation to head maturity. *Journal of the American Society for Horticultural Science. American Society for Horticultural Science*, *133*(2), 249–254.
- Joe, M. (2021). Signs that your plants may be struggling with incorrect EC. *The Art of Growing Blog*.
- Jonathan, S. G. (2002). Vegetative growth requirements and antimicrobial activities of some higher fungi in Nigeria. *University of Ibadan, Ibadan*.
- Jonathan, S. G., Lawal, M. M., & Oyetunji, O. J. (2011). Effect of spent mushroom compost of *Pleurotus pulmonarius* on growth performance of four Nigerian vegetables. *Mycobiology*, *39*(3), 164-169.
- Junior, J. J. (1983). *A guide for the hydroponic & soilless culture grower*. Timber Press.
- Jumar, J., Saputra, R. A., & Jannah, S. R. (2021). Effect of fish amino acid application on growth and N-uptake in plants rice using the system of rice intensification method. *Tropical Wetland Journal*, *7*(1), 25-30.
- Kaiser, C., & Ernst, M. (2012). Hydroponic Lettuce CCDCP-63. *Center for Crop Diversification, University of Kentucky College of Agriculture, Food and Environment: Lexington, KY, USA*.
- Kale, R. D. (1998). *Earthworms Natures gift for utilization of organic wastes*. CRC Press LLC. BOCCA.
- Kano, K., Kitazawa, H., Suzuki, K., Widiastuti, A., Odani, H., Zhou, S., ... & Sato, T. (2021). Effects of organic fertilizer on bok choy growth and quality in hydroponic cultures. *Agronomy*, *11*(3), 491.54
- Kapu, N. U. S., Manning, M., Hurley, T. B., Voigt, J., Cosgrove, D. J., & Romaine, C. P. (2012). Surfactant-assisted pretreatment and enzymatic hydrolysis of spent mushroom compost for the production of sugars. *Bioresource technology*, *114*, 399-405.

- Karapetyan, A. (2022). Assessment of physicochemical characteristics of biofertilizers and their role in the rooting capacity of plants. *Agronomía Colombiana*, 40(2), 311-315.
- Karuna, K., Patil, C. R., Narayanswamy, P., & Kale, R. D. (1999). Stimulatory effect of earthworm body fluid (Vermiwash) on crinkle red variety of *Anthurium andreaeanum* Lind. *Crop Research*, 17(2), 253–257.
- Katakula, A. A. N., Handura, B., Gawanab, W., Itanna, F., & Mupambwa, H. A. (2021). Optimized vermicomposting of a goat manure-vegetable food waste mixture for enhanced nutrient release. *Scientific African*, 12, e00727.
- Kaur, M., & Kaur, D. P. (2017). Vermiwash: An effective nutritive boon to foliage and crops. *Journal of Applied and Natural Science*, 9(3), 1608–1611.
- Kaur, P., Bhardwaj, M., & Babbar, I. (2015). Effect of vermicompost and vermiwash on growth of vegetables. *Veterinary and Fishery Sciences*, 3(4), 9–12.
- Kawamura-Aoyama, C., Fujiwara, K., Shinohara, M., & Takano, M. (2014). Study on the hydroponic culture of lettuce with microbially degraded solid food waste as a nitrate source. *Japan Agricultural Research Quarterly: JARQ*, 48(1), 71-76.
- Keeling, A. A., Mccallum, K. R., & Beckwith, C. P. (2003). Mature green waste compost enhances growth and nitrogen uptake in wheat (*Triticum aestivum* L.) and oilseed rape (*Brassica napus* L.) through the action of water extractable factors. *Bioresource Technology*, 90, 127–132.
- Khan, M. H., Meghvansi, M. K., Gupta, R., Veer, V., Singh, L., & Kalita, M. C. (2014). Foliar spray with vermiwash modifies the Arbuscular mycorrhizal dependency and nutrient stoichiometry of Bhut Jolokia (*Capsicum assamicum*). *PloS One*, 9(3), e92318.
- Kim, M. J., Moon, Y., Tou, J. C., Mou, B., & Waterland, N. L. (2016). Nutritional value, bioactive compounds and health benefits of lettuce (*Lactuca sativa* L.). *Journal of Food Composition and Analysis*, 49, 19-34.
- Khwairakpam, M., & Bhargava, R. (2009a). Bioconversion of filter mud using vermicomposting employing two exotic and one local earthworm species. *Bioresource Technology*, 100(23), 5846–5852.
- Khwairakpam, M., & Bhargava, R. (2009b). Vermitechnology for sewage sludge recycling. *Journal of Hazardous Materials*, 161(2–3), 948–954.

- Kim, J. K. (2011). Cost-effectiveness of converting fish waste into liquid fertilizer. *Fisheries and aquatic sciences*, 14(3), 230-233.
- Kolambe, B. N., Patel, K. K., Pawar, S. L., Patel, J. M., & Prajapati, D. R. (2013). A novel organic fertilizer of banana pseudostem. *WIPO Patent application WO/2013/001478*.
- Krishnamoorthy, R., Alshatwi, A. A., Subbarayan, S., Vadivel, B., Periyasamy, V. S., Al-Shuniaber, M. A., & Athinarayanan, J. (2019). Impact of farm-made liquid organic nutrients jevamirtham and fish amino acid on growth and nutritional status in different season of *Abelmoschus esculentus*—a self-sustainable field trial. *Organic Agriculture*, 9(1), 65–79.
- Kumar, R. R., & Cho, J. Y. (2014). Reuse of hydroponic waste solution. *Environmental Science and Pollution Research*, 21, 9569-9577.
- Lehman, R. M., Cambardella, C. A., Stott, D. E., Acosta-Martinez, V., Manter, D. K., Buyer, J. S., ... & Karlen, D. L. (2015). Understanding and enhancing soil biological health: the solution for reversing soil degradation. *Sustainability*, 7(1), 988-1027.
- St. Clair, S. B., & Lynch, J. P. (2010). The opening of Pandora's Box: climate change impacts on soil fertility and crop nutrition in developing countries. *Plant and Soil*, 335, 101-115.
- Lakmini, W. G. D., Rupika, S. T. J., & Kaliadasa, P. E. (2012). A preliminary study on the effects of gliricidia leaf extract on growth performances of tomato (*Lycopersicon esculentum*). *Ruhuna Journal of Science*, 2(1).
- Lal, R. (2015). Restoring soil quality to mitigate soil degradation. *Sustainability*, 7(5), 5875-5895.
- Lalitha, R., Fathima, K., & Ismail, S. A. (2000). The impact of biopesticide and microbial fertilizers on productivity and growth of *Abelmoschus esculentus*. *Vasundara the Earth*, 1–2, 4–9.
- Lambin, E. F., & Meyfroidt, P. (2011). Global land use change, economic globalization, and the looming land scarcity. *Proceedings of the National Academy of Sciences*, 108(9), 3465-3472.
- Lazcano, C., Gómez-Brandón, M., & Domínguez, J. (2008). Comparison of the effectiveness of composting and vermicomposting for the biological stabilization of cattle manure. *Chemosphere*, 72(7), 1013-1019.

- Lebeda, A., Ryder, E., Grube, R., Dole\_alová, I., & K\_ístková, E. (2006). Lettuce (Asteraceae; *Lactuca* spp.). *Genetic resources, chromosome engineering, and crop improvement*, 377-472.
- Leconte, M. C., Mazzarino, M. J., Satti, P., Iglesias, M. C., & Laos, F. (2009). Co-composting rice hulls and/or sawdust with poultry manure in NE Argentina. *Waste Management*, 29(9), 2446-2453.
- Liang, Q., Chen, H., Gong, Y., Yang, H., Fan, M., & Kuzyakov, Y. (2014). Effects of 15 years of manure and mineral fertilizers on enzyme activities in particle size fractions in a North China Plain soil. *European Journal of Soil Biology*, 60, 112–119.
- Lim, S. L., Wu, T. Y., Sim, E. Y. S., Lim, P. N., & Clarke, C. (2012). Biotransformation of rice husk into organic fertilizer through vermicomposting. *Ecological Engineering*, 41, 60–64.
- Lwin, K. M., Myint, M. M., Tar, T., & Aung, W. Z. M. (2012). Isolation of plant hormone (indole-3-acetic acid-IAA) producing rhizobacteria and study on their effects on maize seedling. *Engineering Journal*, 16(5), 137–144.
- Maerere, A. P., Kimbi, G. G., & Nonga, D. L. M. (2001). Comparative effectiveness of animal manures on soil chemical properties, yield and root growth of *Amaranthus* (*Amaranthus cruentus* L.). *African J. Sci. Tech*, 1(4), 14–21.
- Mainoo, N. O., Barrington, S., Whalen, J. K., & Sampedro, L. (2009). Pilot-scale vermicomposting of pineapple wastes with earthworms native to Accra, Ghana. *Bioresource Technology*, 100(23), 5872-5875.
- Majid, M., Khan, J. N., Shah, Q. M. A., Masoodi, K. Z., Afroza, B., & Parvaze, S. (2021). Evaluation of hydroponic systems for the cultivation of Lettuce (*Lactuca sativa* L., var. *Longifolia*) and comparison with protected soil-based cultivation. *Agricultural Water Management*, 245, 106572.
- Maki, K. C., Van Elswyk, M. E., Alexander, D. D., Rains, T. M., Sohn, E. L., & Mcneill, S. (2012). A meta-analysis of randomized controlled trials that compare the lipid effects of beef versus poultry and/or fish consumption. *Journal of Clinical Lipidology*, 6(4), 352–361.
- Malavolta, E. (2006). *Manual de nutrição mineral de plantas*(Vol. 1). Sao Paulo: Agronômica Ceres.

- Materska, M., Olszówka, K., Chilczuk, B., Stochmal, A., Pecio, Ł., Pacholczyk-Sienicka, B., ... & Masullo, M. (2019). Polyphenolic profiles in lettuce (*Lactuca sativa* L.) after CaCl<sub>2</sub> treatment and cold storage. *European Food Research and Technology*, 245, 733-744.
- Mavrogianopoulos, G., Vogli, V., & Kyritsis, S. (2002). Use of wastewater as a nutrient solution in a closed gravel hydroponic culture of giant reed (*Arundo donax*). *Bioresource Technology*, 82(2), 103–107.
- Manna, M. C., Jha, S., Ghosh, P. K., & Acharya, C. L. (2003). Comparative efficacy of three epigeic earthworms under different deciduous forest litters decomposition. *Bioresource Technology*, 88(3), 197–206.
- Martínez-Alcántara, B., Martínez-Cuenca, M.-R., Fernández, C., Legaz, F., & Quiñones, A. (2016). Production of 15 N-labelled liquid organic fertilisers based on manure and crop residue for use in fertigation studies. *PLoS ONE*, 11.
- Mathur, S. P., Dinel, H., Owen, G., Schnitzer, M., & Dugan, J. (1993). Determination of compost biomaturity. II. Optical density of water extracts of composts as a reflection of their maturity. *Biological Agriculture and Horticulture*, 10(2), 87–108.
- Maynard, A. A. (1994). Sustained vegetable production for three years using composted animal manures. *Compost Science & Utilization*, 2(1), 88-96.
- Medina, P.V.L., Silva, V.F.da., Cardoso, A.A., Campos, J.P. de., 1982. *Revista Ceres*, 163, pp. 259–267.
- Mishra, K., Singh, K., & Tripathi, C. P. M. (2013). Management of pod borer (*Helicoverpa armigera*) infestation and productivity enhancement of gram crop (*Cicer aritenium*) through vermiwash with biopesticides. *World Journal of Agricultural Sciences*, 9(5), 401-408.
- Moharib, S. A., Abd El Maksoud, N., Ragab, H. M., & Shehata, M. (2014). Anticancer activities of mushroom polysaccharides on chemically-induced colorectal cancer in rats. *Journal of Applied Pharmaceutical Science*, 4(7), 054-063.
- Moneruzzaman, K. M., Hossain, A. B. M. S., Normaniza, O., Saifudin, M., Sani, W., & Amru, N. B. (2010). Effects of removal of young leaves and cytokinin on inflorescence development and bract enlargement in *Bougainvillea glabra* var. “Elizabeth Angus.” *Australian Journal of Crop Science*, 4(7), 467–473.

- Mou, B. (2008). Lettuce. In *Vegetables I: Asteraceae, brassicaceae, chenopodiaceae, and cucurbitaceae* (pp. 75-116). New York, NY: Springer New York.
- Mowa, E., Kalili, M., Akundabweni, L., & Chimwamurombe, P. (2018). Impact of Organic Hydroponic Nutrient Solution on Tomato Fruit Quality. *Int. Sci. Technol. J. Namib*, 12, 62–77.
- Mujeera, F., & Malathy, S. (2014). Studies on growth promoting effects of vermiwash on the germination of vegetable crops. *International Journal of Current Microbiology and Applied Sciences*, 3(6), 564–570.
- Mulabagal, V., Ngouajio, M., Nair, A., Zhang, Y., Gottumukkala, A. L., & Nair, M. G. (2010). In vitro evaluation of red and green lettuce (*Lactuca sativa*) for functional food properties. *Food chemistry*, 118(2), 300-306.
- Mukhopadhyay, S. B. (2023). Changes in nutrient and heavy metal content after vermicomposting of water hyacinth-based spent mushroom substrate. *Environmental and Experimental Biology*, 21(1), 1–9.
- Murray, R., & Anderson, R. G. (2004). Organic fertilizers and composts for vegetable transplant production. *University of Kentucky*.
- Muscolo, A., Bovalo, F., Gionfriddo, F., & Nardi, F. (1999). Earthworm humic matter produces auxin-like effects on *Daucus carota* cell growth and nitrate metabolism. *Soil Biology and Biochemistry*, 31, 1303–1311.
- Nadana, G. R. V., Rajesh, C., Kavitha, A., Sivakumar, P., Sridevi, G., & Palanichelvam, K. (2020). Induction of growth and defense mechanism in rice plants towards fungal pathogen by eco-friendly coelomic fluid of earthworm. *Environmental Technology & Innovation*, 19.
- Naidu, Y., Meon, S., & Siddiqui, Y. (2013). Foliar application of microbial-enriched compost tea enhances growth, yield and quality of muskmelon (*Cucumis melo* L.) cultivated under fertigation system. *Sci Hort*, 159, 33–40.
- Narmhikaa k. (2021). Effect of fermented fish tonic on the growth and yield of *Glycine max.* (L). *World Journal of Advanced Research and Reviews*, 12(3), 545–549.

- Naroila, R. S., & Poonia, B. L. (2011). Growth dynamics, yield and economics of pearl millet (*Pennisetum glaucum*) as influenced by vermicompost and fertilizers. *Annals of Arid Zone*, 50(2), 145–149.
- Nasir, A., Khalid, M. U., Anwar, S., Arslan, C., Akhtar, M. J., & Sultan, M. (2012). Evaluation of bio-fertilizer application to ameliorate the environment and crop production. *Pak. J. Agri. Sci*, 49(4), 527-531.
- Nath, G., & Singh, K. (2011). Effect of foliar spray of bio pesticides and vermiwash of animal, agro and kitchen wastes on soybean (*Glycine max* L.) crop. *Botany Research International*, 4(3), 52–57.
- Nath, G., Singh, K., & Singh, D. K. (2009). Chemical analysis of vermicomposts/ vermiwash of different combinations of animal, agro and kitchen wastes. *Australian Journal of Basic and Applied Sciences*, 3(4), 3671– 3676.
- Nath, Gorakh, & Singh, K. (2012). Effect of vermiwash of different vermicomposts on the kharif crops. *Journal of Central European Agriculture*, 13(2), 377–399.
- Nayak, H., Rai, S., Mahto, R., Rani, P., Yadav, S., Prasad, S. K., & Singh, R. K. (2019). Vermiwash: A potential tool for sustainable agriculture. *Journal of Pharmacognosy and Phytochemistry*, 8(5S), 308–312.58
- Nawaz, M. A., Chen, C., Shireen, F., Zheng, Z., Sohail, H., Afzal, M., Ali, M. A., Bie, Z., & Huang, Y. (2018). Genome-wide expression profiling of leaves and roots of watermelon in response to low nitrogen. *BMC Genomics*, 19(1).
- Nawaz, M. A., Wang, L., Jiao, Y., Chen, C., Zhao, L., Mei, M., Yu, Y., Bie, Z., & Huang, Y. (2017). Pumpkin rootstock improves nitrogen use efficiency of watermelon scion by enhancing nutrient uptake, cytokinin content, and expression of nitrate reductase genes. *Plant Growth Regulation*, 82(2), 233–246.
- Nazri, N. M., Ahmat, N., Adnan, A., Mohamad, S. S., & Ruzaina, S. S. (2011). In vitro antibacterial and radical scavenging activities of Malaysian table salad. *African Journal of Biotechnology*, 10(30), 5728-5735.
- Nicola, S., Hoeberechts, J., & Fontana, E. (2005). Comparison between traditional and soilless culture systems to produce rocket (*Eruca Sativa*) with low nitrate content. *Acta Horticulturae*, 697, 549–555.

- Noumedem, J. A. K., Djeussi, D. E., Hritcu, L., Mihasan, M., & Kuete, V. (2017). *Lactuca sativa*. In V. Kuete (Ed.), *Medicinal Spices and Vegetables from Africa*, 437–449. Elsevier.
- Noumedem, J. A., Mihasan, M., Lacmata, S. T., Stefan, M., Kuate, J. R., & Kuete, V. (2013). Antibacterial activities of the methanol extracts of ten Cameroonian vegetables against Gram-negative multidrug-resistant bacteria. *BMC Complementary and Alternative Medicine*, *13*(1), 1-9.
- Nweke, I. A., Ijearu, S. I., & Igili, D. N. (2013). Effect of different sources of animal manure on the growth and yield of okra (*Abelmoschus esculentus* L. Moench) in Ustoxic Dystropept at Enugu South Eastern, Nigeria. Nigeria. *Journal of Scientific and Technology Research*, *2*(3), 135–137.
- Odedina, J. N., Odedina, S. A., & Ojeniyi, S. O. (2011). Effect of types of manure on growth and yield of cassava (*Manihot esculenta*). *Crantz*. *Researcher*, *3*(5), 1–8.
- Ohse, S., Dourado-Neto, D., Manfron, P. A., & Santos, O. S. D. (2001). Qualidade de cultivares de alface produzidos em hidroponia. *Scientia Agricola*, *58*, 181-185.
- Ojeniyi, S. O., & Adegboyega, A. A. (2004). Effect of combined use of urea and goat dung manure on Celosia. *Nigeria Agricultural Journal*, *34*(1).
- Orluchukwu, J. A., & Adedokun, O. M. (2014). Comparative effects of poultry manure and spent mushroom substrate on the growth and yield of pineapple (*Ananas comosus*) in Nigeria. *Afr. J. Agric. Res*, *9*(26), 2041-2044.
- Padmavathiamma, P. K., Li, L. Y., & Kumari, U. R. (2008). An experimental study of vermicomposting for agricultural soil improvement. *Bioresource Technology*, *99*(6), 1672–1681.
- Pant, A., Radovich, T. J. K., Hue, N. V., & Arancon, N. Q. (2011). Effects of vermicompost tea (aqueous extract) on Pak Choi yield, quality, and on soil biological properties. *Compost Science & Utilization*, *19*(4), 279–292.
- Parmar, H. C., Mor, V. B., & Patel, S. R. (2019). Vermicomposting of Banana Pseudostem and Maize Fodder (Waste) Using *Eudrilus eugeniae*. *Current Journal of Applied Science and Technology*, 1–9.
- Pathak, P., Singh, C., Chaudhary, N., Rathi, A., & Vyas, D. (2021). *Fertilizing with spent mushroom compost*. *Recent Trends Mushroom Biol*.

- Peiris, P. U. S., & Weerakkody, W. A. P. (2015, April). Effect of organic based liquid fertilizers on growth performance of leaf lettuce (*Lactuca Sativa* L.). In *international conference on agricultural, ecological and medical sciences (AEMS-2015) April* (pp. 7-8).
- Perrot-Rechenmann, C. (2010). Cellular responses to auxin: division versus expansion. *Cold Spring Harbor Perspectives in Biology*, 2.
- Phibunwatthanawong, T., & Riddech, N. (2019). Liquid organic fertilizer production for growing vegetables under hydroponic condition. *International Journal of Recycling of Organic Waste in Agriculture*, 8(4), 369–380.
- Phukan, I., & Savapondit, D. (2011). Vermiwash-An effective organic nutrient amendment for foliar spray in tea cultivation. *J Sci Cult*, 77(9), 425–428.
- PlantVillage. (2013). Lettuce. PlantVillage.
- Prabina, B. J., Devi, T. S., & Kumutha, K. (2018). Developing and evaluating neem leaf vermiwash as organic plant growth promoter. *International Journal of Current Microbiology and Applied Sciences*, 7(1), 859–866.
- Priyanka, B., Anoob, D., Gowsika, M., Kavin, A., Sri, S. K., Kumar, R. K., ... & Theradimani, M. (2019). Effect of fish amino acid and egg amino acid as foliar application to increase the growth and yield of green gram. *The Pharma Innovation Journal*, 8(6), 684-686.
- Qadeer, A., Butt, S. J., Asam, H. M., Mehmood, T., Nawaz, M. K., & Haidree, S. R. (2020). 3. Hydroponics as an innovative technique for lettuce production in greenhouse environment. *Pure and Applied Biology (PAB)*, 9(1), 20-26.
- Quaik, S., Embrandiri, A., Rupani, P. F., & Ibrahim, M. H. (2012a). Potential of vermicomposting leachate as organic foliar fertilizer and nutrient solution in hydroponic culture: a review. In *2nd International Conference on Environment and BioScience IPCBEE* (Vol. 44, pp. 43–47). IACSIT Press.
- Quaik, S., Embrandiri, A., Rupani, P. F., Singh, R. P., & Ibrahim, M. H. (2012b). Effect of vermiwash and vermicomposting leachate in hydroponics culture of Indian Borage (*Plectranthus ambionicus*) plantlets. In *UMT 11th International Annual Symposium on Sustainability Science and Management* (pp. 210–214).

- Owaid, M. N., Abed, I. A., & Al-Saeedi, S. S. S. (2017). Applicable properties of the bio-fertilizer spent mushroom substrate in organic systems as a byproduct from the cultivation of *Pleurotus* spp. *Information Processing in Agriculture*, 4(1), 78-82.
- Raj, A., Jhariya, M. K., & Toppo, P. (2014). Cow dung for eco-friendly and sustainable productive farming. *Environ Sci*, 3(10), 201-202.
- Ramachandran, S., Patel, A. K., Nampoothiri, K. M., Francis, F., Nagy, V., Szakacs, G., & Pandey, A. (2004). Coconut oil cake—a potential raw material for the production of  $\alpha$ -amylase. *Bioresource technology*, 93(2), 169-174.
- Ramesh, T., Rathika, S., Murugan, A., Soniya, R. R., Mohanta, K. K., & Prabharani, B. (2020). Foliar spray of fish amino acid as liquid organic manure on the growth and yield of *Amaranthus*. *Chemical Science Review and Letters*, 9(34), 511–515.
- Ramu, R., Shirahatti, P. S., Anilakumar, K. R., Nayakavadi, S., Zameer, F., Dhananjaya, B. L., & Prasad, M. N. (2017). Assessment of nutritional quality and global antioxidant response of banana (*Musa sp.* CV. *Nanjangud Rasa Bale*) pseudostem and flower. *Pharmacognosy research*, 9(Suppl 1), S74.
- Ranalli, G., Bottura, G., Taddei, P., Garavani, M., Marchetti, R., & Sorlini, C. (2001). Composting of solid and sludge residues from agricultural and food industries. Bioindicators of monitoring and compost maturity. *Journal of Environmental Science and Health, Part A*, 36(4), 415-436.
- Ravindra GM, Mahajan GS and Mehta AA, *Pharmaco. Magazine*,2008, 45:1297- 1296.
- Resh, H. M. (2015). *Hydroponics for the home grower*. CRC Press.
- Rinki, N. N., Salam, A. B. A., & Khan, M. Z. (2019). Effects of coconut oil cakes on the growth performance of gima kalmi (*Ipomoea aquatica*). *Asian Journal of Advances in Agricultural Research*, 8(4), 1–8.
- Rodenburg, C. M., & Basse, H. (1960). *Varieties of lettuce: an international monograph* (No. 3). Instituut voor de Veredeling van Tuinbouwgewassen.
- Ryder, E., & Whitaker, T. (1976). *Lettuce In: Evolution of crop plants*. Longman Group Limited.

- Saifuddin, M., Hossain, A., Normaniza, O., & Moneruzzaman, K. M. (2009). Bract size enlargement and longevity of *Bougainvillea spectabilis* as affected by GA3 and phloemic stress. *Asian J Plant Sci*, 8, 212–217.
- Sala, F. C., & Costa, C. P. D. (2012). Retrospective and trends of Brazilian lettuce crop. *Horticultura Brasileira*, 30, 187-194.
- Sanchez, S. V. (1996). Produção de hortaliças pelo método hidropônico: balcão de tecnologias alternativas para as propriedades rurais. *SEBRAE-CATI, Campinas*.
- Santoso, G. (2015). *Pemanfaatan Limbah Cair Greywater untuk Hidroponik Tanaman Sawi (Brassica juncea)* (Doctoral dissertation, Universitas Brawijaya).
- Saputri, D. A., Kamelia, M., Widiani, N., & Hermawan, A. (2021). Effect of bamboo (*Bambusa sp*) shoot liquid organic fertilizer on growth of pre-anthesis cayenne pepper (*Capsicum frutescens* L.) by hydroponics. *Jurnal Biota*, 7(1), 17–24.
- Sardare, M. D., & Admane, S. V. (2013). A review on plant without soil-hydroponics. *International Journal of Research in Engineering and Technology*, 2(3), 299-304.
- Sari, P. N., Auliya, M., Farihah, U., & Nasution, N. E. A. (2020, June). The effect of applying fertilizer of moringa leaf (*Moringa oliefera*) extract and rice washing water to the growth of pakcoy plant (*Brassica rapa* L. spp. *Chinensis* (L.)). In *Journal of Physics: Conference Series* (Vol. 1563, No. 1, p. 012021). IOP Publishing.
- Saumaya, G., Giraddi, R. S., & Patil, R. H. (2007). Utility of vermiwash for the management of thrips and mites on chilli (*Capiscum annum*) amended with soil organics. *Karnataka J Agric Sci*, 20, 657–659.
- Savci, S. (2012). Investigation of effect of chemical fertilizers on environment. *Apcbee Procedia*, 1, 287-292.
- Scheu, S. (1987). Microbial activity and nutrient dynamics in earthworm casts (*Lumbricidae*). *Biology and Fertility of Soils*, 5(3).
- Scheible, W.-R., Morcuende, R., Czechowski, T., Fritz, C., Osuna, D., Palacios-Rojas, N., Schindelasch, D., Thimm, O., Udvardi, M. K., & Stitt, M. (2004). Genome-wide reprogramming of primary and secondary metabolism, protein synthesis, cellular growth processes, and the regulatory infrastructure of Arabidopsis in response to nitrogen. *Plant Physiology*, 136(1), 2483–2499.

- Scheuerell, S., & Mahaffee, W. (2002). Compost tea: Principles and prospects for plant disease control. *Compost Science & Utilization*, 10(4), 313–338.
- Scialabba, N., & Hattam, C. (Eds.). (2002). *Organic agriculture, environment and food security* (No. 4). Food & Agriculture Org.
- Senthilmurugan, S., Sattanathan, G., Vijayan, P. P. K., & Tamizhazhagan, V. (2018). Evaluation of different concentration of vermiwash on seed germination and biochemical response in *Abelmoschus esculentus* (L.). *Evaluation*, 1.
- Shafique, I., Andleeb, S., Aftab, M. S., Naeem, F., Ali, S., Yahya, S., Ahmed, F., Tabasum, T., Sultan, T., Shahid, B., Khan, A. H., Islam, G. U., & Abbasi, W. A. (2021). Efficiency of cow dung based vermi-compost on seed germination and plant growth parameters of *Tagetes erectus* (Marigold). *Heliyon*, 7(1).
- Shaji, H., Chandran, V., & Mathew, L. (2021). Organic fertilizers as a route to controlled release of nutrients. In *Controlled Release Fertilizers for Sustainable Agriculture* (pp. 231–245). Elsevier.
- Sharjana, K., Mikunthan, G., & Wijayagunasekara, H. N. P. (2021). Eco-friendly application of vermiwash obtained from different types of waste with neem seed kernel extract against papaya mealybug, *Paracoccus marginatus* Williams and Granara de Willink.
- Sharma, S. (2003). Municipal solid waste management through vermicomposting employing exotic and local species of earthworms. *Bioresource Technology*, 90(2), 169–173.
- Shi, X. S., Yuan, X. Z., Wang, Y. P., Zeng, S. J., Qiu, Y. L., Guo, R. B., & Wang, L. S. (2014). Modeling of the methane production and pH value during the anaerobic co-digestion of dairy manure and spent mushroom substrate. *Chemical Engineering Journal*, 244, 258–263.
- Shinohara, M., Aoyama, C., Fujiwara, K., Watanabe, A., Ohmori, H., Uehara, Y., & Takano, M. (2011). Microbial mineralization of organic nitrogen into nitrate to allow the use of organic fertilizer in hydroponics. *Soil Science and Plant Nutrition*, 57(2), 190–203.
- Sidari, M., Santonocet, C., Anastasi, U., Preiti, G., & Muscolo, A. (2008). Variations in four genotypes of lentil under NaCl-salinity stress. *American Journal of Agricultural and Biological Sciences*, 3(1), 410–416.
- Sigit, M. (2001). Pupuk Akar. *Jakarta: Redaksi Agromedia*.

- Sobucki, L., Ramos, R. F., Gubiani, E., Brunetto, G., Kaiser, D. R., & Daroit, D. J. (2019). Feather hydrolysate as a promising nitrogen-rich fertilizer for greenhouse lettuce cultivation. *International Journal of Recycling of Organic Waste in Agriculture*, 8(S1), 493–499.
- Song, W., & Guo, M. (2012). Quality variations of poultry litter biochar generated at different pyrolysis temperatures. *Journal of analytical and applied pyrolysis*, 94, 138-145.
- Song, Z.-W., Sheng, T., Deng, W.-J., & Wang, J. (2019). Investigation of rice straw and kitchen waste degradation through vermicomposting. *Journal of Environmental Management*, 243, 269–272.
- Sonmez, I., Kaplan, M., & Sonmez, S. (2007). Investigation of seasonal changes in nitrate contents of soils and irrigation waters in greenhouses Located in Antalya-Demn region. *Asian Journal of Chemistry*, 19(7).
- Spehia, R. S., Devi, M., Singh, J., Sharma, S., Negi, A., Singh, S., Chauhan, N., Sharma, D., & Sharma, J. C. (2018). Lettuce growth and yield in Hoagland solution with an organic concoction. *International Journal of Vegetable Science*, 24(6), 557–566.
- Spiers, G. A., Gagnon, D., Nason, G. E., Packee, E. C., & Lousier, J. D. (1986). Effects and importance of indigenous earthworms on decomposition and nutrient cycling in coastal forest ecosystems. *Canadian Journal of Forest Research*, 16(5), 983–989.
- Sreenivas, C., Muralidhar, S., & Rao, M. S. (2000). Vermicompost: a viable component of IPNSS in nitrogen nutrition of ridge gourd. *Annals of agricultural Research*, 21(1), 108-113.
- Sreenivasan, E. (2017). *Handbook of Vermicomposting Technology*. Free-eBooks.net.
- Stone, M. (2014). *Simple guide on hydroponics gardening: expert tips for beginners and intermediate gardeners*. Martha Stone.
- Subasashri, M. (2003). Vermiwash collection and its pesticidal properties. *The Hindu*, 17, 1-2.
- Suhag, M. (2016). Potential of biofertilizers to replace chemical fertilizers. *Int. Adv. Res. J. Sci. Eng. Technol*, 3(5), 163-167.

- Sulaiman, I. S. C., & Mohamad, A. (2020). The use of vermiwash and vermicompost extract in plant disease and pest control. In *Natural remedies for pest, disease and weed control* (pp. 187-201). Academic Press.
- Sundararasu, K., & Jeyasankar, A. (2014). Effect of vermiwash on growth and yield of brinjal, *Solanum melongena* (eggplant or aubergine). *Asian Journal of Science and Technology*, 5(3), 171–173.
- Suprihatin, S. (2012). Production Process of Liquid Fertilizer from Banana Trunk. *Journal Teknik Kimia*, 5(2), 429-433.
- Suthar, S. (2007). Nutrient changes and biodynamics of epigeic earthworm *Perionyx excavatus* (Perrier) during recycling of some agriculture wastes. *Bioresource Technology*, 98(8), 1608–1614.
- Suthar, S. (2010). Evidence of plant hormone like substances in vermiwash: An ecologically safe option of synthetic chemicals for sustainable farming. *Ecological Engineering*, 36(8), 1089–1092.
- Suthar, S., Choyal, R., Singh, S., & Sudesh, R. (2005). Stimulatory effect of earthworm body fluid (vermiwash) on seed germination and seedling growth of two legumes. *Journal Phytol Res*, 18.
- Suthar, S., & Singh, S. (2008). Vermicomposting of domestic waste by using two epigeic earthworms (*Perionyx excavatus* and *Perionyx sansibaricus*). *International Journal of Environmental Science and Technology: IJEST*, 5(1), 99–106.
- Tadayyon, A., Naeimi, M. M., & Pessarakli, M. (2018). Effects of vermicompost and vermiwash biofertilizers on fenugreek (*Trigonella foenum*) plant. *Communications in Soil Science and Plant Analysis*, 49(19), 2396–2405.
- Teixeira, N. T. (1996). Hidroponia: uma alternativa para pequenas áreas. *Agropecuária*.
- Tennakoon, N. A., Mahindapala, R., & Widanapathirana, S. (1995). Effects of organic manure on the quality of coconut soils. *Journal of the National Science Foundation of Sri Lanka*, 23(4).
- Thakur, S., & Sood, A. K. (2019). Lethal and inhibitory activities of natural products and biopesticide formulations against *Tetranychus urticae* Koch (Acarina: Tetranychidae). *International Journal of Acarology*, 45(6–7), 381–390.

- Thangavel, P., Balagurunathan, R., Divakaran, J., & Prabakaran, J. (2003). Effect of vermiwash and vermicast extract on soil nutrient status, growth and yield of paddy. *Advances in Plant Sciences*, 16(1), 187–190.
- Tharmaraj, K., Ganesh, P., Kolanjinathan, K., Suresh, K. R., & Anandan, A. (2011). Influence of vermicompost and vermiwash on physico chemical properties of rice cultivated soil. *Current Botany*, 2(3), 18–21.
- Thiyageshwari, S., Gayathri, P., Krishnamoorthy, R., Anandham, R., & Paul, D. (2018). Exploration of rice husk compost as an alternate organic manure to enhance the productivity of blackgram in typic haplustalf and typic rhodustalf. *International journal of environmental research and public health*, 15(2), 358.
- Tilman, D. (1998). The greening of the green revolution. *Nature*, 396(6708), 211-212.
- Tikasz, P., MacPherson, S., Adamchuk, V., & Lefsrud, M. (2019). Aerated chicken, cow, and turkey manure extracts differentially affect lettuce and kale yield in hydroponics. *International Journal of Recycling of Organic Waste in Agriculture*, 8(3), 241–252.
- Tiwari, K. S., & Singh, K. (2016). Combined effect of liquid biofertilizer with biopesticide on yield of tomato (*Solanum lycopersicum* L.) and infestation of *Helicoverpa armigera* (hubner). *J. Bio. Innov*, 5(1), 144–163.
- Tognetti, C., Mazzarino, M. J., & Laos, F. (2007a). Cocomposting biosolids and municipal organic waste: effects of process management on stabilization and quality. *Biology and Fertility of Soils*, 43(4), 387–397.
- Tognetti, C., Mazzarino, M. J., & Laos, F. (2007b). Improving the quality of municipal organic waste compost. *Bioresource Technology*, 98(5), 1067–1076.
- Treadwell, D. D., Hochmuth, G. J., Hochmuth, R. C., Simonne, E. H., Davis, L. L., Laughlin, W. L., Li, Y., Olczyk, T., Sprenkel, R. K., & Osborne, L. S. (2007). Nutrient management in organic greenhouse herb production: Where are we now? *HortTechnology*, 17(4), 461–466.
- Tripathi, G., & Bhardwaj, P. (2004). Comparative studies on biomass production, life cycles and composting efficiency of *Eisenia fetida* (Savigny) and *Lampito mauritii* (Kinberg). *Bioresource Technology*, 92(3), 275–283.

- Tsai, S.-H., Liu, C.-P., & Yang, S.-S. (2007). Microbial conversion of food wastes for biofertilizer production with thermophilic lipolytic microbes. *Renewable Energy*, 32(6), 904–915.
- Tuhy, Ł., Samoraj, M., & Chojnacka, K. (2013). Evaluation of nutrients bioavailability from fertilizers in in vivo tests. *Interdisciplinary Journal of Engineering Sciences*, 1(1).
- Uddin, J., Solaiman, A. H. M., & Hasanuzzaman, M. (2009). Plant characters and yield of Kohlabi (*Brassica oleracea* var. *gongylodes*) as affected by different organic manures. *Journal of Horticultural Science & Ornamental Plants*, 1(1), 1–4.
- Unnisa, S. A. (2015). Liquid Fertilizer from Food Waste-A Sustainable Approach. *International Research Journal of Environment Sciences*, 4(8), 22–25.
- Upendri, H. F. L., & Karunarathna, B. (2021). Organic nutrient solution for hydroponic system. *Academia Letters*, 2.
- USDA. (2011). *National Statistics for Lettuce*. USDA, Washington, D.C.
- USDA. (2014). *National Statistics for Lettuce*. USDA, Washington, D.C.
- USDA. (2021). *Vegetables 2020 Summary February 2021*. United States Department of Agriculture National Agricultural Statistics Service.
- Varghese, S. M., & Prabha, M. L. (2014). Biochemical characterization of vermiwash and its effect on growth of *Capsicum frutescens*. *Malaya Journal of Biosciences*, 1(2), 86–91.
- Wang, X., Yan, J., Zhang, X., Zhang, S., & Chen, Y. (2020). Organic manure input improves soil water and nutrients use for sustainable maize (*Zea mays*. L) productivity on the Loess Plateau. *PloS One*, 15(8), e0238042.
- Weinert, E. J., Miller, S. A., Ikeda, D. M., Chang, K. S., McGinn, J. M., & DuPont, M. W. (2014). Natural farming: Fish amino acid. *Sustainable Agriculture, SA-12*. University of Hawaii, College of Tropical Agriculture and Human Resources.
- Williams, K. A., & Nelson, J. S. (2016). Challenges of using organic fertilizers in hydroponic production systems. *Acta Horticulturae*, 1112, 365–370.
- Wong, J. W., Mak, K. F., Chan, N. W., Lam, A., Fang, M., Zhou, L. X., Wu, Q. T., & Liao, X. D. (2001). Co-composting of soybean residues and leaves in Hong Kong. *Bioresource Technology*, 76(2), 99–106.

- Wong, M. H., Cheung, Y. H., & Cheung, C. L. (1983). The effects of ammonia and ethylene oxide in animal manure and sewage sludge on the seed germination and root elongation of *Brassica parachinensis*. *Environmental Pollution*, 30(2), 109–123.
- Xylia, P., Chrysargyris, A., & Tzortzakis, N. (2021). The combined and single effect of marjoram essential oil, ascorbic acid, and chitosan on fresh-cut lettuce preservation. *Foods*, 10(3), 575.
- Yang, S. S., & Chang, H. L. (1998). Effect of environmental conditions on methane production and emission from paddy soil. *Agriculture, Ecosystems & Environment*, 69(1), 69-80.
- Yildirim, E., Kul, R., Turan, M., Ekinici, M., Alak, G., & Atamanalp, M. (2016). Effect of nitrogen and fish manure fertilization on growth and chemical composition of lettuce. In *AIP Conference Proceedings* (Vol. 1726). AIP Publishing.
- Yildirim, Ertan, Kul, R., Turan, M., Ekinici, M., Alak, G., & Atamanalp, M. (2016). *Effect of nitrogen and fish manure fertilization on growth and chemical composition of lettuce*.
- Youssef, M. M. A., & Eissa, M. F. M. (2014). Biofertilizers and their role in management of plant parasitic nematodes. A review. *Journal of Biotechnology and Pharmaceutical Research*, 5(1), 1–6.
- Yuan, L., Yuan, Y., Du, J., Sun, J., & Guo, S. (2012). Effects of 24-epibrassinolide on nitrogen metabolism in cucumber seedlings under Ca(NO<sub>3</sub>)<sub>2</sub> stress. *Plant Physiol. Biochem*, 61, 29–35.
- Yuvaraj, A., Thangaraj, R., & Maheswaran, R. (2019). Decomposition of poultry litter through vermicomposting using earthworm *Drawida sulcata* and its effect on plant growth. *International Journal of Environmental Science and Technology*, 16, 7241-7254.
- Zaller, J. G. (2006). Foliar spraying of vermicompost extracts: effects on fruit quality and indications of late-blight suppression of field-grown tomatoes. *Biological Agriculture & Horticulture*, 24(2), 165–180.
- Zambare, V. P., Padul, M. V., Yadav, A. A., & Shete, T. B. (2008). Vermiwash: biochemical and microbiological approach as ecofriendly soil conditioner. *ARP Journal of Agricultural and Biological Science*, 3(4), 1–5.

- Zarei, M., Jahandideh Mahjen Abadi, V. A., & Moridi, A. (2018). Comparison of vermiwash and vermicompost tea properties produced from different organic beds under greenhouse conditions. *International Journal of Recycling of Organic Waste in Agriculture*, 7(1), 25–32.
- Zhang, L., Yan, C., Guo, Q., Zhang, J., & Ruiz-Menjivar, J. (2018). The impact of agricultural chemical inputs on environment: global evidence from informetrics analysis and visualization. *International Journal of Low-Carbon Technologies*, 13(4), 338–352.
- Zhu, H. J., Sun, L. F., Zhang, Y. F., Zhang, X. L., & Qiao, J. J. (2012). Conversion of spent mushroom substrate to biofertilizer using a stress-tolerant phosphate-solubilizing *Pichia farinose* FL7. *Bioresource technology*, 111, 410-416.