

## REFERENCES

- [1] V. K. Nanayakkara, G. Cotugno, N. Vitzilaios, D. Venetsanos, T. Nanayakkara, and M. N. Sahinkaya, “The Role of Morphology of the Thumb in Anthropomorphic Grasping: A Review,” *Front Mech Eng*, vol. 3, no. June, 2017, doi: 10.3389/fmech.2017.00005.
- [2] D. Yoshikawa, H. Kawamoto, and Y. Sankai, “Development of a Tendon-Driven Wearable Assist System for Thumb Motion of Hand Paralysis,” *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, vol. 2020-July, pp. 4941–4946, 2020, doi: 10.1109/EMBC44109.2020.9176179.
- [3] R. K. Hota, M. Korrapati, and C. S. Kumar, “Kinematic design of a linkage driven robotic hand for prosthetics capable of achieving ten grips,” *International Conference on Robotics and Automation for Humanitarian Applications, RAHA 2016 - Conference Proceedings*, pp. 5–10, 2017, doi: 10.1109/RAHA.2016.7931895.
- [4] L. D. Dunai, M. Novak, and I. L. Lengua, “Development of a prosthetic hand based on human hand anatomy,” *IECON Proceedings (Industrial Electronics Conference)*, vol. 2020-October, pp. 600–605, 2020, doi: 10.1109/IECON43393.2020.9254216.
- [5] R. Damerla, Y. Qiu, T. M. Sun, and S. Awatar, “A Review of the Performance of Extrinsically Powered Prosthetic Hands,” 2021. doi: 10.1109/TMRB.2021.3100612.
- [6] A. Atasoy, S. Kuchimov, E. Toptas, E. Kaplanoglu, S. Takka, and M. Ozkan, “Finger design for anthropomorphic prosthetic hands,” pp. 1–3, 2015, doi: 10.1109/biyomut.2014.7026391.
- [7] A. Atasoy *et al.*, “Biomechanical Design of an Anthropomorphic Prosthetic Hand,” *Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomechatronics*, vol. 2018-Augus, pp. 732–736, 2018, doi: 10.1109/BIOROB.2018.8487680.
- [8] W. Ruotolo, R. Thomasson, J. Herrera, A. Gruebele, and M. Cutkosky, “Distal Hyperextension Is Handy: High Range of Motion in Cluttered Environments,” *IEEE Robot Autom Lett*, vol. 5, no. 2, pp. 921–928, 2020, doi: 10.1109/LRA.2020.2965914.
- [9] J. J. Cabibihan *et al.*, “Suitability of the Openly Accessible 3D Printed Prosthetic Hands for War-Wounded Children,” *Front Robot AI*, vol. 7, no. January, pp. 1–14, 2021, doi: 10.3389/frobt.2020.594196.
- [10] P. Slade, A. Akhtar, M. Nguyen, and T. Bretl, “Tact: Design and performance of an open-source, affordable, myoelectric prosthetic hand,” *Proc IEEE Int Conf Robot Autom*, vol. 2015-June, no. June, pp. 6451–6456, 2015, doi: 10.1109/ICRA.2015.7140105.

- [11] C. Cipriani, M. Controzzi, and M. C. Carrozza, "Objectives, criteria and methods for the design of the SmartHand transradial prosthesis," *Robotica*, vol. 28, no. 6, pp. 919–927, 2010, doi: 10.1017/S0263574709990750.
- [12] J. Haas, M. Endrikat, F. Krebs, and T. Asfour, "An Exploratory Study on the Relation between Grasp Types and Bimanual Categories in Manipulation Activities."
- [13] C. H. Xiong, W. R. Chen, B. Y. Sun, M. J. Liu, S. G. Yue, and W. Bin Chen, "Design and Implementation of an Anthropomorphic Hand for Replicating Human Grasping Functions," *IEEE Transactions on Robotics*, vol. 32, no. 3, pp. 652–671, 2016, doi: 10.1109/TRO.2016.2558193.
- [14] P. D. Marasco *et al.*, "Illusory movement perception improves motor control for prosthetic hands," *Sci Transl Med*, vol. 10, no. 432, 2018, doi: 10.1126/scitranslmed.aao6990.
- [15] C. Wu *et al.*, "Mechanical-Sensor Integrated Finger for Prosthetic Hand," *2018 IEEE International Conference on Robotics and Biomimetics, ROBIO 2018*, pp. 1465–1470, 2018, doi: 10.1109/ROBIO.2018.8664910.
- [16] N. Mohanta, R. Mishra, A. K. Sharma, and M. Raj, "Design and Control Dynamics of Multi-Fingered Prosthetic Hand," in *2019 4th International Conference on Information Systems and Computer Networks, ISCON 2019*, 2019. doi: 10.1109/ISCON47742.2019.9036265.
- [17] S. R. Khan and M. P. Y. Desmulliez, "Implementation of a Wireless Power Transfer System for Prosthetic Hands," *Proceedings of the 2019 9th IEEE-APS Topical Conference on Antennas and Propagation in Wireless Communications, APWC 2019*, pp. 59–62, 2019, doi: 10.1109/APWC.2019.8870423.
- [18] M. Yoshikawa, R. Sato, T. Higashihara, T. Ogasawara, and N. Kawashima, "Rehand: Realistic electric prosthetic hand created with a 3D printer," *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, vol. 2015-Novem, pp. 2470–2473, 2015, doi: 10.1109/EMBC.2015.7318894.
- [19] P. Wattanasiri, P. Tangpornprasert, and C. Virulsri, "Design of multi-grip patterns prosthetic hand with single actuator," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 26, no. 6, pp. 1188–1198, 2018, doi: 10.1109/TNSRE.2018.2829152.
- [20] M. T. Leddy and A. M. Dollar, "Preliminary Design and Evaluation of a Single-Actuator Anthropomorphic Prosthetic Hand with Multiple Distinct Grasp Types," *Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomechatronics*, vol. 2018-Augus, pp. 1062–1069, 2018, doi: 10.1109/BIOROB.2018.8487198.
- [21] R. P. D. D. Chamara and R. A. R. C. Gopura, "An Under-Actuated Mechanism for Anthropomorphic Robotic Prosthetic Hand," *2019 5th International*

- Conference on Control, Automation and Robotics, ICCAR 2019*, pp. 162–166, 2019, doi: 10.1109/ICCAR.2019.8813459.
- [22] H. Liu, K. Xu, B. Siciliano, and F. Ficuciello, “The MERO hand: A mechanically robust anthropomorphic prosthetic hand using novel compliant rolling contact joint,” *IEEE/ASME International Conference on Advanced Intelligent Mechatronics, AIM*, vol. 2019-July, pp. 126–132, 2019, doi: 10.1109/AIM.2019.8868520.
- [23] P. Weiner, J. Starke, S. Rader, F. Hundhausen, and T. Asfour, “Designing Prosthetic Hands With Embodied Intelligence: The KIT Prosthetic Hands,” *Front Neurorobot*, vol. 16, 2022, doi: 10.3389/fnbot.2022.815716.
- [24] P. Weiner, J. Starke, F. Hundhausen, J. Beil, and T. Asfour, “The KIT Prosthetic Hand: Design and Control,” *IEEE International Conference on Intelligent Robots and Systems*, pp. 3328–3334, 2018, doi: 10.1109/IROS.2018.8593851.
- [25] M. Controzzi, F. Clemente, D. Barone, A. Ghionzoli, and C. Cipriani, “The SSSA-MyHand: A dexterous lightweight myoelectric hand prosthesis,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, no. 5, pp. 459–468, 2017, doi: 10.1109/TNSRE.2016.2578980.
- [26] R. Mio, B. Villegas, L. Ccorimanya, K. M. Flores, G. Salazar, and D. Elias, “Development and assessment of a powered 3D-printed prosthetic hand for transmetacarpal amputees,” in *2017 3rd International Conference on Control, Automation and Robotics, ICCAR 2017*, 2017. doi: 10.1109/ICCAR.2017.7942665.
- [27] M. Snajdarova, J. Barabas, R. Radil, and O. Hock, “Proof of concept EMG-Controlled prosthetic hand system - An overview,” in *Proceedings of 2018 19th International Conference Computational Problems of Electrical Engineering, CPEE 2018*, 2018. doi: 10.1109/CPEE.2018.8506896.
- [28] J. Fajardo, V. Ferman, D. Cardona, G. Maldonado, A. Lemus, and E. Rohmer, “Galileo hand: An anthropomorphic and affordable upper-limb prosthesis,” *IEEE Access*, vol. 8, pp. 81365–81377, 2020, doi: 10.1109/ACCESS.2020.2990881.
- [29] N. E. Krausz, R. A. L. Rorrer, and R. F. F. Weir, “Design and Fabrication of a Six Degree-of-Freedom Open Source Hand,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 24, no. 5, pp. 562–572, 2016, doi: 10.1109/TNSRE.2015.2440177.
- [30] H. Zhou, A. Mohammadi, D. Oetomo, and G. Alici, “A Novel Monolithic Soft Robotic Thumb for an Anthropomorphic Prosthetic Hand,” *IEEE Robot Autom Lett*, vol. 4, no. 2, pp. 602–609, 2019, doi: 10.1109/LRA.2019.2892203.
- [31] A. Mohammadi *et al.*, “A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities,” *PLoS One*, vol. 15, no. 5, pp. 1–24, 2020, doi: 10.1371/journal.pone.0232766.

- [32] A. Badawy and R. Alfred, "Myoelectric prosthetic hand with a proprioceptive feedback system," *Journal of King Saud University - Engineering Sciences*, vol. 32, no. 6, pp. 388–395, 2020, doi: 10.1016/j.jksues.2019.05.002.
- [33] W. Ryu, Y. Choi, Y. J. Choi, Y. G. Lee, and S. Lee, "Development of an anthropomorphic prosthetic hand with underactuated mechanism," *Applied Sciences (Switzerland)*, vol. 10, no. 12, 2020, doi: 10.3390/app10124384.
- [34] N. P. Dasanayake *et al.*, "iGrasp hand: A biomimetic transradial robotic hand prosthesis with a clutching mechanism," *MERCon 2021 - 7th International Multidisciplinary Moratuwa Engineering Research Conference, Proceedings*, pp. 190–195, 2021, doi: 10.1109/MERCon52712.2021.9525767.
- [35] K. Widanage *et al.*, "iGrasp Robotic Prosthetic Hand," *Bolgoda Plains*, vol. 01, no. 01, pp. 42–45, 2021, doi: 10.31705/bprm.2021.12.
- [36] H. Mnyusiwalla, P. Vulliez, J. P. Gazeau, and S. Zeghloul, "A New Dexterous Hand Based on Bio-Inspired Finger Design for Inside-Hand Manipulation," *IEEE Trans Syst Man Cybern Syst*, vol. 46, no. 6, pp. 809–817, 2016, doi: 10.1109/TSMC.2015.2468678.
- [37] H. Liu *et al.*, "Multisensory five-finger dexterous hand: The DLR/HIT Hand II," in *2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*, IEEE, Sep. 2008, pp. 3692–3697. doi: 10.1109/IROS.2008.4650624.
- [38] M. A. Oliver-Salazar, D. Szwedowicz-Wasik, A. Blanco-Ortega, F. Aguilar-Acevedo, and R. Ruiz-González, "Characterization of pneumatic muscles and their use for the position control of a mechatronic finger," *Mechatronics*, vol. 42, pp. 25–40, 2017, doi: 10.1016/j.mechatronics.2016.12.006.
- [39] C. Della Santina, C. Piazza, G. Grioli, M. G. Catalano, and A. Bicchi, "Toward Dexterous Manipulation with Augmented Adaptive Synergies: The Pisa/IIT SoftHand 2," *IEEE Transactions on Robotics*, vol. 34, no. 5, 2018, doi: 10.1109/TRO.2018.2830407.
- [40] R. A. M. Abayasiri *et al.*, "An under-actuated hand prosthesis with finger abduction and adduction for human like grasps," *2020 6th International Conference on Control, Automation and Robotics, ICCAR 2020*, vol. 2020-April, pp. 574–580, 2020, doi: 10.1109/ICCAR49639.2020.9107986.
- [41] M. Owen, C. K. Au, and A. Fowke, "Development of a Dexterous Prosthetic Hand," *J Comput Inf Sci Eng*, vol. 18, no. 1, 2018, doi: 10.1115/1.4038291.
- [42] Y. Yan, Y. Wang, X. Chen, C. Shi, J. Yu, and C. Cheng, "A tendon-driven prosthetic hand using continuum structure," *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, vol. 2020-July, pp. 4951–4954, 2020, doi: 10.1109/EMBC44109.2020.9175357.
- [43] H. Deng, G. Zhong, X. Li, and W. Nie, "Slippage and deformation preventive control of bionic prosthetic hands," *IEEE/ASME Transactions on*

- Mechatronics*, vol. 22, no. 2, pp. 888–897, 2017, doi: 10.1109/TMECH.2016.2639553.
- [44] A. Atasoy, E. Kaya, E. Toptas, S. Kuchimov, E. Kaplanoglu, and M. Ozkan, “24 DOF EMG controlled hybrid actuated prosthetic hand,” *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, vol. 2016-October, pp. 5059–5062, 2016, doi: 10.1109/EMBC.2016.7591864.
- [45] F. Lotti, P. Tiezzi, G. Vassura, L. Biagiotti, G. Palli, and C. Melchiorri, “Development of UB Hand 3: Early results,” *Proc IEEE Int Conf Robot Autom*, vol. 2005, pp. 4488–4493, 2005, doi: 10.1109/ROBOT.2005.1570811.
- [46] N. Wang, K. Lao, and X. Zhang, “Design and Myoelectric Control of an Anthropomorphic Prosthetic Hand,” *J Bionic Eng*, vol. 14, no. 1, pp. 47–59, 2017, doi: 10.1016/S1672-6529(16)60377-3.
- [47] D. Dalli and M. A. Saliba, “Towards the development of a minimal anthropomorphic robot hand,” *IEEE-RAS International Conference on Humanoid Robots*, vol. 2015-Febru, pp. 413–418, 2015, doi: 10.1109/HUMANOIDS.2014.7041393.
- [48] K. Andrianesis and A. Tzes, *Development and Control of a Multifunctional Prosthetic Hand with Shape Memory Alloy Actuators*, vol. 78, no. 2. 2015. doi: 10.1007/s10846-014-0061-6.
- [49] X. Jing, X. Yong, Y. Jiang, G. Li, and H. Yokoi, “Anthropomorphic prosthetic hand with combination of light weight and diversiform motions,” *Applied Sciences (Switzerland)*, vol. 9, no. 20, 2019, doi: 10.3390/app9204203.
- [50] X. Jing, X. Yong, G. Li, J. Jiang, and H. Yokoi, “Design of a prosthetic hand for multiple hand motions,” *IEEE International Conference on Robotics and Biomimetics, ROBIO 2019*, no. December, pp. 2814–2819, 2019, doi: 10.1109/ROBIO49542.2019.8961418.
- [51] W. Ryu, D. Kim, Y. Choi, and S. Lee, “Development of Prosthetic Finger with Actuator,” *2019 16th International Conference on Ubiquitous Robots, UR 2019*, pp. 313–318, 2019, doi: 10.1109/URAI.2019.8768698.
- [52] I. Yamano and T. Maeno, “Five-fingered robot hand using ultrasonic motors and elastic elements,” *Proc IEEE Int Conf Robot Autom*, vol. 2005, no. April, pp. 2673–2678, 2005, doi: 10.1109/ROBOT.2005.1570517.
- [53] H. M. C. M. Herath, R. A. R. C. Gopura, and T. D. Lalitharatne, “An Underactuated Linkage Finger Mechanism for Hand Prostheses,” *Modern Mechanical Engineering*, vol. 08, no. 02, pp. 121–139, 2018, doi: 10.4236/mme.2018.82009.
- [54] R. A. R. C. Gopura, D. S. V Bandara, N. P. A. Gunasekera, V. H. Hapuarachchi, and B. S. Ariyaratna, “2017 3rd International Conference on Control, Automation and Robotics, ICCAR 2017,” *2017 3rd International Conference on Control, Automation and Robotics, ICCAR 2017*, pp. 269–274, 2017.

- [55] K. Y. Choi, A. Akhtar, and T. Bretl, “A compliant four-bar linkage mechanism that makes the fingers of a prosthetic hand more impact resistant,” *Proc IEEE Int Conf Robot Autom*, pp. 6694–6699, 2017, doi: 10.1109/ICRA.2017.7989791.
- [56] M. A. Saliba, D. Camilleri, and M. J. Farrugia, “Development of an anthropomorphic robot hand and wrist for teleoperation applications,” pp. 203–208, 2005.
- [57] D. S. V Bandara, R. A. R. C. Gopura, K. T. M. U. Hemapala, and K. Kiguchi, “A multi-DoF anthropomorphic transradial prosthetic arm,” *Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomechanics*, vol. 1, pp. 1039–1044, 2014, doi: 10.1109/BIOROB.2014.6913917.
- [58] D. S. V. Bandara, R. A. R. C. Gopura, G. Kajanathan, M. Brunthavan, and H. I. M. M. Abeynayake, “An under-actuated mechanism for a robotic finger,” *4th Annual IEEE International Conference on Cyber Technology in Automation, Control and Intelligent Systems, IEEE-CYBER 2014*, no. c, pp. 407–412, 2014, doi: 10.1109/CYBER.2014.6917498.
- [59] M. Cheng, L. Jiang, N. Fenglei, S. Fan, Y. Liu, and H. Liu, “Design of a highly integrated underactuated finger towards prosthetic hand,” *IEEE/ASME International Conference on Advanced Intelligent Mechatronics, AIM*, pp. 1035–1040, 2017, doi: 10.1109/AIM.2017.8014155.
- [60] K. Koganezawa, “Back-drivable and inherently safe mechanism for artificial finger,” *Robotics: Science and Systems*, vol. 6, pp. 57–63, 2011, doi: 10.15607/rss.2010.vi.008.
- [61] K. Xu, H. Liu, Z. Liu, Y. Du, and X. Zhu, “A single-actuator prosthetic hand using a continuum differential mechanism,” *Proc IEEE Int Conf Robot Autom*, vol. 2015-June, no. June, pp. 6457–6462, 2015, doi: 10.1109/ICRA.2015.7140106.
- [62] G. P. Kontoudis, M. V. Liarokapis, A. G. Zisimatos, C. I. Mavrogiannis, and K. J. Kyriakopoulos, “Open-source, anthropomorphic, underactuated robot hands with a selectively lockable differential mechanism: Towards affordable prostheses,” *IEEE International Conference on Intelligent Robots and Systems*, vol. 2015-Decem, pp. 5857–5862, 2015, doi: 10.1109/IROS.2015.7354209.
- [63] *Development of a Tendon-Driven Wearable Assist System for Thumb Motion of Hand Paralysis*. 2020. doi: 10.0/Linux-x86\_64.
- [64] G. P. Kontoudis, M. V. Liarokapis, A. G. Zisimatos, C. I. Mavrogiannis, and K. J. Kyriakopoulos, “Open-source, anthropomorphic, underactuated robot hands with a selectively lockable differential mechanism: Towards affordable prostheses,” *IEEE International Conference on Intelligent Robots and Systems*, vol. 2015-Decem, pp. 5857–5862, 2015, doi: 10.1109/IROS.2015.7354209.

- [65] L. Liow, A. B. Clark, and N. Rojas, "OLYMPIC: A modular, tendon-driven prosthetic hand with novel finger and wrist coupling mechanisms," *IEEE Robot Autom Lett*, vol. 5, no. 2, pp. 299–306, 2020, doi: 10.1109/LRA.2019.2956636.
- [66] N. E. Krausz, R. A. L. Rorrer, and R. F. F. Weir, "Design and Fabrication of a Six Degree-of-Freedom Open Source Hand," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 24, no. 5, pp. 562–572, May 2016, doi: 10.1109/TNSRE.2015.2440177.
- [67] H. Huang, L. Jiang, Y. Liu, L. Hou, H. Cai, and H. Liu, "The mechanical design and experiments of HIT/DLR prosthetic hand," *2006 IEEE International Conference on Robotics and Biomimetics, ROBIO 2006*, no. 50435040, pp. 896–901, 2006, doi: 10.1109/ROBIO.2006.340339.
- [68] S. Yang, G. Li, and W. Zhang, "SCHU hand: A novel self-adaptive robot hand with single-column hybrid underactuated grasp," *2015 IEEE International Conference on Robotics and Biomimetics, IEEE-ROBIO 2015*, pp. 1337–1342, 2015, doi: 10.1109/ROBIO.2015.7418956.
- [69] F. Simone, G. Rizzello, and S. Seelecke, "Metal muscles and nerves - A self-sensing SMA-actuated hand concept," *Smart Mater Struct*, vol. 26, no. 9, 2017, doi: 10.1088/1361-665X/aa7ad5.
- [70] A. Atasoy *et al.*, "Biomechanical Design of an Anthropomorphic Prosthetic Hand," in *Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomechatronics*, 2018. doi: 10.1109/BIOROB.2018.8487680.
- [71] Y. Nemoto, K. Ogawa, and M. Yoshikawa, "F3Hand II: A Flexible Five-Fingered Prosthetic Hand Using Curved Pneumatic Artificial Muscles," *Proceedings of the 2020 IEEE/SICE International Symposium on System Integration, SII 2020*, pp. 99–104, 2020, doi: 10.1109/SII46433.2020.9025958.
- [72] J. Fras and K. Althoefer, "Soft Biomimetic Prosthetic Hand: Design, Manufacturing and Preliminary Examination," *IEEE International Conference on Intelligent Robots and Systems*, pp. 6998–7003, 2018, doi: 10.1109/IROS.2018.8593666.
- [73] Riaan Fourie and Riaan Stopforth, "The Mechanical design of a biologically inspired prosthetic hand, the Touch hand 3," 2017, pp. 38–43.
- [74] S. Hoshigawa *et al.*, "Structure design for a Two-DoF myoelectric prosthetic hand to realize basic hand functions in ADLs," *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, vol. 2015-Novem, pp. 4781–4784, 2015, doi: 10.1109/EMBC.2015.7319463.
- [75] N. Nazmi, M. A. A. Rahman, S. I. Yamamoto, S. A. Ahmad, H. Zamzuri, and S. A. Mazlan, "A review of classification techniques of EMG signals during isotonic and isometric contractions," 2016. doi: 10.3390/s16081304.

- [76] R. A. R. C. Gopura, D. S. V. Bandara, J. M. P. Gunasekara, and T. S., “Recent Trends in EMG-Based Control Methods for Assistive Robots,” *Electrodiagnosis in New Frontiers of Clinical Research*, 2013, doi: 10.5772/56174.
- [77] T. Y. Chen, M. B. Huang, and H. P. Huang, “Comprehensive Design of Prosthetic Hand with Practical and Reliable Control,” in *2nd IEEE Eurasia Conference on IOT, Communication and Engineering 2020, ECICE 2020*, 2020. doi: 10.1109/ECICE50847.2020.9301955.
- [78] J. B. Gracias, “Prospective synthesis for evaluation system of EMG information signal-an overview,” in *2020 International Conference on Convergence to Digital World - Quo Vadis, ICCDW 2020*, Institute of Electrical and Electronics Engineers Inc., Feb. 2020. doi: 10.1109/ICCDW45521.2020.9318640.
- [79] M. Shankar, B. P. Bhagavath, N. Avinash, N. K. K. Raju, and M. M. Subashini, “An Affordable and Fully Functional Bionic Claw Using Myoelectric Signals for Physically Challenged,” Research Square, Oct. 2022, doi: 10.21203/rs.3.rs-2138754/v1.
- [80] P. Konard, *The ABC of EMG, : A Practical Introduction to Kinesiological Electromyography\**, version 1.0. U.S.A.: Noraxon Inc., 2005.
- [81] M. H. Jali, I. M. Ibrahim, M. F. Sulaima, T. A. Izzuddin, and W. M. Bukhari, “EMG Signal Features Extraction of Different Arm Movement for Rehabilitation Device,” 2014. pp. 11151-11162.
- [82] A. Phinyomark, S. Hirunviriyaya, A. Nuidod, P. Phukpattaranont, and C. Limsakul, “Evaluation of EMG feature extraction for movement control of upper limb prostheses based on class separation index,” in *IFMBE Proceedings*, 2011. doi: 10.1007/978-3-642-21729-6\_183.
- [83] M. Arozi, M. Ariyanto, A. Kristianto, Munadi, and J. D. Setiawan, “EMG Signal Processing of Myo Armband Sensor for Prosthetic Hand Input using RMS and ANFIS,” in *7th International Conference on Information Technology, Computer, and Electrical Engineering, ICITACEE 2020 - Proceedings*, Institute of Electrical and Electronics Engineers Inc., Sep. 2020, pp. 36–40. doi: 10.1109/ICITACEE50144.2020.9239169.
- [84] S. Sharma JCBRO, G. Kumar, S. Sharma, S. Kumar, and D. Mohapatra, “Techniques for Feature Extraction from EMG Signal,” *International Journal of Advanced Research in Computer Science and Software Engineering*, vol. 2, no. 1, Jan. 2012. ISSN 2277-128X.
- [85] A. Jain and L. Kumar, “Subject-independent trajectory prediction using pre-movement EEG during grasp and lift task,” Sep. 2022, doi: 10.1016/j.bspc.2023.105160.
- [86] H. Abdullah Ali *et al.*, H. A. Ali, D. Popescu, A. Hadar, and A. Vasilateanu, “EEG-based Brain Computer Interface Prosthetic Hand using Raspberry Pi 4,”

International Journal of Advanced Computer Science and Applications, vol. 12, no. 9, Jan. 2021, doi: 10.14569/IJACSA.2021.0120905.

- [87] T. Beyrouthy, S. Al Kork, J. A. Korbane, and M. Abouelela, “EEG mind controlled smart prosthetic arm - A comprehensive study,” *Advances in Science, Technology and Engineering Systems*, vol. 2, no. 3, pp. 891–899, 2017, doi: 10.25046/aj0203111.
- [88] M. Nawaz, A. Basit, and M. Shafique, “MindArm: Mechanized Intelligent Non-Invasive Neuro-Driven Prosthetic Arm System,” Mar. 2024, doi: 10.1109/ICARCV63323.2024.10821508.
- [89] Md. K. Hasan, S. R. Wahid, F. Rahman, S. K. Maliha, and S. B. Rahman, “Grasp-and-Lift Detection from EEG Signal Using Convolutional Neural Network,” in *Proc. 2022 International Conference on Advancement in Electrical and Electronic Engineering (ICAEED)\**, Feb. 2022, doi: 10.1109/ICAEED54957.2022.9836375.
- [90] P. Wattanasiri, P. Tangpornprasert, and C. Virulsri, “Design of multi-grip patterns prosthetic hand with single actuator,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 26, no. 6, 2018, doi: 10.1109/TNSRE.2018.2829152.
- [91] J. J. Cabibihan *et al.*, “Suitability of the Openly Accessible 3D Printed Prosthetic Hands for War-Wounded Children,” *Front Robot AI*, vol. 7, Jan. 2021, doi: 10.3389/frobt.2020.594196.