

6 REFERENCES

- Ang, W. K. (2006). Solution for water distribution systems under pressure-deficient conditions. *Journal of water resources planning and management*.
- Basualdo, J. a. (2000). Screening of the municipal water system of La Plata, Argentina, for human intestinal parasites. *International journal of hygiene and environmental health*, 177--182.
- Chlorine residual testing fact sheet, CDC SWS Project*. (2008). Retrieved from https://www.cdc.gov/safewater/publications_pages/chlorineresidual.pdf
- De Marchis, M. a. (2011). Analysis of the impact of intermittent distribution by modelling the network-filling process. *Journal of hydroinformatics*.
- Erickson, J. J. (2017). Water quality effects of intermittent water supply in Arraiján, Panama. *Water Research*, 338--350.
- Eshcol, J. a. (2009). Is fecal contamination of drinking water after collection associated with household water handling and hygiene practices? A study of urban slum households in Hyderabad, India. *Journal of water and health*, 145--154.
- Gupta, R. (2015). History of pressure-dependent analysis of water distribution networks and its applications. *World Environmental and Water Resources Congress 2015*.
- He, X. a. (2009). First molecular detection of group A rotaviruses in drinking water sources in Beijing, China. *Bulletin of environmental contamination and toxicology*, 120--124.
- Helte, E. a.-S. (2023). Disinfection by-products in drinking water and risk of colorectal cancer: a population-based cohort study. *JNCI: Journal of the National Cancer Institute*.
- Hood, E. (2005). Tap water and trihalomethanes: flow of concerns continues. *National Institute of Environmental Health Sciences*.

- Ilaya-Ayza, A. E. (2017). Implementation of DMAs in intermittent water supply networks based on equity criteria. *Water*, 851.
- Kumpel, E. a. (2013). Comparing microbial water quality in an intermittent and continuous piped water supply. *Water research*, 5176--5188.
- Kumpel, E. a. (2014). Mechanisms affecting water quality in an intermittent piped water supply. *Environmental science & technology*, 2766--2775.
- Kumpel, E. a. (2016). Intermittent water supply: prevalence, practice, and microbial water quality. *Environmental science & technology*.
- Lieb, A. M. (2016). Optimizing intermittent water supply in urban pipe distribution networks. *SIAM Journal on Applied Mathematics*, 1492--1514.
- Matsinhe, N. a. (2014). The effects of intermittent supply and household storage in the quality of drinking water in Maputo. *VATTEN-Journal of Water Management and Research*, 51--60.
- Mohan, S. a. (2020). Hydraulic analysis of intermittent water-distribution networks considering partial-flow regimes. *Journal of Water Resources Planning and Management*.
- Msutu, T. L. (2020). Developing a new model to predict the diurnal water demand pattern for residential areas subjected to formal intermittent supply in South Africa.
- NWSDB. (2024, 03 03). Retrieved from National Water Supply & Drainage Board: <https://www.waterboard.lk/>
- Rahman, A. a. (1997). Domestic water contamination in rapidly growing megacities of Asia: Case of Karachi, Pakistan. *Environmental Monitoring and Assessment*, 339--360.
- Sarisen, D. a. (2022). Review of hydraulic modelling approaches for intermittent water supply systems. *AQUA—Water Infrastructure, Ecosystems and Society*, 1291-1310.

- Suribabu, C. a. (2011). Balancing reservoir based approach for solution to pressure deficient water distribution networks. *International Journal of Civil \& Structural Engineering*.
- Taylor, D. D. (2018). Analytical scaling. *PLoS One*.
- Tokajian, S. a. (2003). Water quality problems associated with intermittent water supply. *Water Science and Technology*, 229--234.
- Walski, T. a. (2017). Verifying pressure dependent demand modeling. *Procedia Engineering*, 364--371.