

6 REFERENCES

- [1] S. Pang and A. S. Mujumdar, “Drying of woody biomass for bioenergy: Drying technologies and optimization for an integrated bioenergy plant,” *Dry. Technol.*, vol. 28, no. 5, pp. 690–701, 2010, doi: 10.1080/07373931003799236.
- [2] L. Fagernäs, J. Brammer, C. Wilén, M. Lauer, and F. Verhoeff, “Drying of biomass for second generation synfuel production,” *Biomass and Bioenergy*, vol. 34, no. 9, pp. 1267–1277, 2010, doi: 10.1016/j.biombioe.2010.04.005.
- [3] Z. Liu, A. Xu, and B. Long, “Energy from Combustion of Rice Straw: Status and Challenges to China,” *Energy Power Eng.*, vol. 03, no. 03, pp. 325–331, 2011, doi: 10.4236/epe.2011.33040.
- [4] A. A. Adeleke, J. K. Odusote, P. P. Ikubanni, O. A. Lasode, M. Malathi, and D. Paswan, “Essential basics on biomass torrefaction, densification and utilization,” *Int. J. Energy Res.*, vol. 45, no. 2, pp. 1375–1395, 2021, doi: 10.1002/er.5884.
- [5] N. A. F. Abdul Samad and S. Saleh, “Analysis of volatile composition released from torrefaction of empty fruit bunch,” *Mater. Today Proc.*, vol. 57, pp. 1202–1207, Jan. 2022, doi: 10.1016/J.MATPR.2021.10.462.
- [6] P. McKendry, “Energy production from biomass (part 1): Overview of biomass,” *Bioresour. Technol.*, vol. 83, no. 1, pp. 37–46, 2002, doi: 10.1016/S0960-8524(01)00118-3.
- [7] D. Nhuchhen, P. Basu, and B. Acharya, “A Comprehensive Review on Biomass Torrefaction,” *Int. J. Renew. Energy Biofuels*, pp. 1–56, 2014, doi: 10.5171/2014.506376.
- [8] A. Singhal, M. Goossens, D. Fantozzi, A. Raiko, J. Kontinen, and T. Joronen, “Step washing: A modified pretreatment approach for industrial applications to improve chemical composition of agricultural residues,” *Bioresour. Technol.*, vol. 341, no. August, p. 125753, 2021, doi: 10.1016/j.biortech.2021.125753.

- [9] Y. Su *et al.*, “Upgrading Biomass Fuels via Combination of CO₂-Leaching and Torrefaction,” *Energy and Fuels*, vol. 35, no. 6, pp. 5006–5014, 2021, doi: 10.1021/acs.energyfuels.1c00095.
- [10] Y. Su, S. Zhang, L. Liu, D. Xu, P. Qi, and Y. Xiong, “Combination of acid washing and torrefaction on Co-production of syngas and phenoli-riched bio-oil via low-temperature catalytic pyrolysis,” *Energy*, vol. 210, p. 118633, 2020, doi: 10.1016/j.energy.2020.118633.
- [11] T. Wigley, A. C. K. Yip, and S. Pang, “A detailed product analysis of bio-oil from fast pyrolysis of demineralised and torrefied biomass,” *J. Anal. Appl. Pyrolysis*, vol. 123, pp. 194–203, 2017, doi: 10.1016/j.jaap.2016.12.006.
- [12] C. Y. Chen, W. H. Chen, and C. H. Hung, “Combustion performance and emissions from torrefied and water washed biomass using a kg-scale burner,” *J. Hazard. Mater.*, vol. 402, no. May 2020, p. 123468, 2021, doi: 10.1016/j.jhazmat.2020.123468.
- [13] P. Abelha, C. Mourão Vilela, P. Nanou, M. Carbo, A. Janssen, and S. Leiser, “Combustion improvements of upgraded biomass by washing and torrefaction,” *Fuel*, vol. 253, no. September 2018, pp. 1018–1033, 2019, doi: 10.1016/j.fuel.2019.05.050.
- [14] W. Wang *et al.*, “Emission reduction of PM₁₀ via pretreatment combining water washing and carbonisation during rice straw combustion: Focus on the effects of pretreatment and combustion conditions,” *Fuel Process. Technol.*, vol. 205, no. January, p. 106412, 2020, doi: 10.1016/j.fuproc.2020.106412.
- [15] K. Yan *et al.*, “Effects of torrefaction and water-washing on the mineral transformation behavior during co-combustion of straw and coal: A CCSEM analysis,” *J. Energy Inst.*, vol. 98, pp. 124–130, 2021, doi: 10.1016/j.joei.2021.06.012.
- [16] S. V Vassilev, D. Baxter, L. K. Andersen, and C. G. Vassileva, “An overview of

- the chemical composition of biomass,” *Fuel*, vol. 89, no. 5. Elsevier Ltd, pp. 913–933, 2010. doi: 10.1016/j.fuel.2009.10.022.
- [17] N. Soponpongpipat, D. Sittikul, and U. Sae-Ueng, “Higher heating value prediction of torrefaction char produced from non-woody biomass,” *Front. Energy*, vol. 9, no. 4, pp. 461–471, 2015, doi: 10.1007/s11708-015-0377-3.
- [18] S. V. Vassilev, C. G. Vassileva, Y. C. Song, W. Y. Li, and J. Feng, “Ash contents and ash-forming elements of biomass and their significance for solid biofuel combustion,” *Fuel*, vol. 208, pp. 377–409, 2017, doi: 10.1016/j.fuel.2017.07.036.
- [19] B. M. Jenkins, R. R. Bakker, L. L. Baxter, J. H. Gilmer, and J. B. Wei, “Combustion Characteristics of Leached Biomass,” *Dev. Thermochem. Biomass Convers.*, pp. 1316–1330, 1997, doi: 10.1007/978-94-009-1559-6_104.
- [20] M. J. C. van der Stelt, H. Gerhauser, J. H. A. Kiel, and K. J. Ptasinski, “Biomass upgrading by torrefaction for the production of biofuels: A review,” *Biomass and Bioenergy*, vol. 35, no. 9. Elsevier Ltd, pp. 3748–3762, 2011. doi: 10.1016/j.biombioe.2011.06.023.
- [21] J. Logeswaran, A. H. Shamsuddin, A. S. Silitonga, and T. M. I. Mahlia, “Prospect of using rice straw for power generation: a review,” *Environmental Science and Pollution Research*, vol. 27, no. 21. Environmental Science and Pollution Research, pp. 25956–25969, 2020. doi: 10.1007/s11356-020-09102-7.
- [22] F. R. Kargbo, J. Xing, and Y. Zhang, “Pretreatment for energy use of rice straw : A review,” *African J. Agric. Res.*, vol. 4, no. December, pp. 1560–1565, 2009.
- [23] E. M. Hanafi, H. H. El Khadrawy, W. M. Ahmed, and M. M. Zaabal, “Some observations on rice straw with emphasis on updates of its management,” *World Appl. Sci. J.*, vol. 16, no. 3, pp. 354–361, 2012.
- [24] S. Xiong *et al.*, “Slagging characteristics during combustion of corn stovers with and without kaolin and calcite,” *Energy and Fuels*, vol. 22, no. 5, pp. 3465–3470, 2008, doi: 10.1021/ef700718j.

- [25] Y. Niu, H. Tan, and S. Hui, “Ash-related issues during biomass combustion: Alkali-induced slagging, silicate melt-induced slagging (ash fusion), agglomeration, corrosion, ash utilization, and related countermeasures,” *Prog. Energy Combust. Sci.*, vol. 52, pp. 1–61, 2016, doi: 10.1016/j.pecs.2015.09.003.
- [26] M. Sarkar, A. Kumar, J. S. Tumuluru, K. N. Patil, and D. D. Bellmer, “Gasification performance of switchgrass pretreated with torrefaction and densification,” *Appl. Energy*, vol. 127, pp. 194–201, 2014, doi: 10.1016/j.apenergy.2014.04.027.
- [27] T. G. Bridgeman, J. M. Jones, I. Shield, and P. T. Williams, “Torrefaction of reed canary grass, wheat straw and willow to enhance solid fuel qualities and combustion properties,” *Fuel*, vol. 87, no. 6, pp. 844–856, 2008, doi: 10.1016/j.fuel.2007.05.041.
- [28] A. Nordin, “CHEMICAL ELEMENTAL CHARACTERISTICS FUELS,” 1994.
- [29] L. Cuiping, W. Chuangzhi, and H. Haitao, “Chemical elemental characteristics of biomass fuels in China,” vol. 27, pp. 119–130, 2004, doi: 10.1016/j.biombioe.2004.01.002.
- [30] A. Demirbas, “Potential applications of renewable energy sources , biomass combustion problems in boiler power systems and combustion related environmental issues,” vol. 31, pp. 171–192, 2005, doi: 10.1016/j.pecs.2005.02.002.
- [31] C. Chen, Y. Bi, J. Feng, Y. Huang, J. Huang, and H. Huang, “Study on the slagging tendency estimation of biomass fuel combustion with different additives and pretreatment processes,” *Energy*, vol. 239, p. 122460, 2022, doi: 10.1016/j.energy.2021.122460.
- [32] B. M. Jenkins, R. R. Bakker, and J. B. Wei, “On the properties of washed straw,” *Biomass and Bioenergy*, vol. 10, no. 4, pp. 177–200, 1996, doi: 10.1016/0961-9534(95)00058-5.
- [33] Y. W. Bandara, P. Gamage, and D. S. Gunarathne, “Hot water washing of rice husk

- for ash removal: The effect of washing temperature, washing time and particle size,” *Renew. Energy*, vol. 153, pp. 646–652, 2020, doi: 10.1016/j.renene.2020.02.038.
- [34] Q. Dong, S. Zhang, K. Ding, S. Zhu, H. Zhang, and X. Liu, “Pyrolysis behavior of raw/torrefied rice straw after different demineralization processes,” *Biomass and Bioenergy*, vol. 119, no. July, pp. 229–236, 2018, doi: 10.1016/j.biombioe.2018.09.032.
- [35] S. Zhang, Q. Dong, L. Zhang, Y. Xiong, X. Liu, and S. Zhu, “Effects of water washing and torrefaction pretreatments on rice husk pyrolysis by microwave heating,” *Bioresour. Technol.*, vol. 193, pp. 442–448, 2015, doi: 10.1016/j.biortech.2015.06.142.
- [36] B. Gudka, J. M. Jones, A. R. Lea-Langton, A. Williams, and A. Saddawi, “A review of the mitigation of deposition and emission problems during biomass combustion through washing pre-treatment,” *J. Energy Inst.*, vol. 89, no. 2, pp. 159–171, 2016, doi: 10.1016/j.joei.2015.02.007.
- [37] H. Tan and S. R. Wang, “Experimental study of the effect of acid-wash pretreatment on biomass pyrolysis,” *Ranliao Huaxue Xuebao/Journal Fuel Chem. Technol.*, vol. 37, no. 6, pp. 668–672, 2009, doi: 10.1016/s1872-5813(10)60014-x.
- [38] L. Mu, T. Li, Z. Wang, Y. Shang, and H. Yin, “Influence of water/acid washing pretreatment of aquatic biomass on ash transformation and slagging behavior during co-firing with bituminous coal,” *Energy*, vol. 234, p. 121286, 2021, doi: 10.1016/j.energy.2021.121286.
- [39] K. Cen, X. Zhuang, Z. Gan, Z. Ma, M. Li, and D. Chen, “Effect of the combined pretreatment of leaching and torrefaction on the production of bio-aromatics from rice straw via the shape selective catalytic fast pyrolysis,” *Energy Reports*, vol. 7, pp. 732–739, 2021, doi: 10.1016/j.egyr.2021.01.031.
- [40] D. Chen, K. Cen, F. Chen, Z. Ma, J. Zhou, and M. Li, “Are the typical organic

components in biomass pyrolyzed bio-oil available for leaching of alkali and alkaline earth metallic species (AAEMs) from biomass?,” *Fuel*, vol. 260, no. August 2019, p. 116347, 2020, doi: 10.1016/j.fuel.2019.116347.

- [41] M. Pagano *et al.*, “Insights on the acetic acid pretreatment of wheat straw: Changes induced in the biomass properties and benefits for the bio-oil production by pyrolysis,” *Chem. Eng. J.*, vol. 454, no. November 2022, 2023, doi: 10.1016/j.cej.2022.140206.
- [42] B. V. dos Santos, R. Travaini, A. Lorenzo-Hernando, D. Pasquini, and M. A. Baffi, “Biomass Sorghum: Effect of Acid, Basic and Alkaline Peroxide Pretreatments on the Enzymatic Hydrolysis and Ethanol Production,” *Brazilian Arch. Biol. Technol.*, vol. 64, pp. 1–10, 2021, doi: 10.1590/1678-4324-2021200117.
- [43] J. C. Kim, “A study on Zn-based catal-sorbents and ammonia at high temperature,” pp. 1193–1202, 2011, doi: 10.1007/s11164-011-0384-x.
- [44] P. J. and E. C. K. M. F. KAZI, “PREIMPREGNATION : AN IMPORTANT STEP FOR BIOMASS REFINING PROCESSES,” vol. 15, no. 2, 1998.
- [45] R. Sirohi, V. Kumar Gaur, A. Kumar Pandey, S. Jun Sim, and S. Kumar, “Harnessing fruit waste for poly-3-hydroxybutyrate production: A review,” *Bioresour. Technol.*, vol. 326, no. December 2020, p. 124734, 2021, doi: 10.1016/j.biortech.2021.124734.
- [46] A. Singhal, J. Konttinen, and T. Joronen, “Effect of different washing parameters on the fuel properties and elemental composition of wheat straw in water-washing pre-treatment . Part 1 : Effect of washing duration and biomas ... Effect of different washing parameters on the fuel properties and el,” *Fuel*, vol. 292, no. March, p. 120206, 2021, doi: 10.1016/j.fuel.2021.120206.
- [47] L. Deng, T. Zhang, and D. Che, “Effect of water washing on fuel properties, pyrolysis and combustion characteristics, and ash fusibility of biomass,” *Fuel Process. Technol.*, vol. 106, pp. 712–720, 2013, doi: 10.1016/j.fuproc.2012.10.006.

- [48] T. Runge, P. Wipperfurth, and C. Zhang, “Improving biomass combustion quality using a liquid hot water treatment,” *Biofuels*, vol. 4, no. 1, pp. 73–83, 2013, doi: 10.4155/bfs.12.70.
- [49] A. Singhal, A. Goel, A. Bhatnagar, and J. T. Konttinen, “Water Leaching Pre-Treatment of Different Lignocellulosic Biomass: A Detailed Study on Process Parameters, Kinetics, Thermodynamic Equilibrium Modelling, and Pyrolysis Product Yields,” no. November, 2022, [Online]. Available: https://www.researchgate.net/publication/365767861_Water_Leaching_Pre-Treatment_of_Different_Lignocellulosic_Biomass_A_Detailed_Study_on_Process_Parameters_Kinetics_Thermodynamic_Equilibrium_Modelling_and_Pyrolysis_Product_Yields
- [50] M. A. Carrillo, S. A. Staggenborg, and J. A. Pineda, “Washing sorghum biomass with water to improve its quality for combustion,” *Fuel*, vol. 116, pp. 427–431, 2014, doi: 10.1016/j.fuel.2013.08.028.
- [51] Q. Ma, L. Han, and G. Huang, “Evaluation of different water-washing treatments effects on wheat straw combustion properties,” *Bioresour. Technol.*, vol. 245, pp. 1075–1083, 2017, doi: 10.1016/j.biortech.2017.09.052.
- [52] A. Singhal, J. Konttinen, and T. Joronen, “Effect of different washing parameters on the fuel properties and elemental composition of wheat straw in water-washing pre-treatment. Part 2: Effect of washing temperature and solid-to-liquid ratio,” *Fuel*, vol. 292, no. March, p. 120209, 2021, doi: 10.1016/j.fuel.2021.120209.
- [53] I. Iáñez-Rodríguez, M. Á. Martín-Lara, A. Pérez, G. Blázquez, and M. Calero, “Water washing for upgrading fuel properties of greenhouse crop residue from pepper,” *Renew. Energy*, vol. 145, pp. 2121–2129, 2020, doi: 10.1016/j.renene.2019.07.143.
- [54] A. Singhal, M. Goossens, J. Konttinen, and T. Joronen, “Effect of basic washing parameters on the chemical composition of empty fruit bunches during washing

- pretreatment: A detailed experimental, pilot, and kinetic study,” *Bioresour. Technol.*, vol. 340, no. August, p. 125734, 2021, doi: 10.1016/j.biortech.2021.125734.
- [55] N. Said, T. Bishara, A. García-Maraver, and M. Zamorano, “Effect of water washing on the thermal behavior of rice straw,” *Waste Manag.*, vol. 33, no. 11, pp. 2250–2256, 2013, doi: 10.1016/j.wasman.2013.07.019.
- [56] X. Wang *et al.*, “Effect of feedstock water leaching on ignition and PM1.0 emission during biomass combustion in a flat-flame burner reactor,” *Proc. Combust. Inst.*, vol. 37, no. 3, pp. 2705–2713, 2019, doi: 10.1016/j.proci.2018.05.096.
- [57] R. Fahmi *et al.*, “The effect of alkali metals on combustion and pyrolysis of Lolium and Festuca grasses, switchgrass and willow,” *Fuel*, vol. 86, no. 10–11, pp. 1560–1569, 2007, doi: 10.1016/j.fuel.2006.11.030.
- [58] C. Di Blasi, C. Branca, and G. D’Errico, “Degradation characteristics of straw and washed straw,” *Thermochim. Acta*, vol. 364, no. 1–2, pp. 133–142, 2000, doi: 10.1016/S0040-6031(00)00634-1.
- [59] M. A. Peiris and D. S. Gunarathne, “Parametric and kinetic study of washing pretreatment for K and Cl removal from rice husk,” *Heliyon*, vol. 7, no. 11, p. e08398, 2021, doi: 10.1016/j.heliyon.2021.e08398.
- [60] P. C. A. Bergman, “Combined torrefaction and pelletisation,” *English Historical Review*, vol. 53, no. CCIX, pp. 88–93, 2005. doi: 10.1093/ehr/LIII.CCIX.88.
- [61] P. C. a. Bergman and J. H. a. Kiel, “Torrefaction for biomass upgrading,” *Proc. 14th Eur. Biomass Conf. Paris, Fr.*, no. October, pp. 17–21, 2005.
- [62] J. M. C. Ribeiro, R. Godina, J. C. de O. Matias, and L. J. R. Nunes, “Future perspectives of biomass torrefaction: Review of the current state-of-the-art and research development,” *Sustainability (Switzerland)*, vol. 10, no. 7, pp. 1–17, 2018. doi: 10.3390/su10072323.
- [63] S. Negi, G. Jaswal, K. Dass, K. Mazumder, S. Elumalai, and J. K. Roy,

- “Torrefaction: a sustainable method for transforming of agri-wastes to high energy density solids (biocoal),” *Reviews in Environmental Science and Biotechnology*, vol. 19, no. 2. Springer Netherlands, pp. 463–488, 2020. doi: 10.1007/s11157-020-09532-2.
- [64] B. Acharya, “Torrefaction and Pelletization of Different Forms of Biomass of Ontario by Bimal Acharya A Thesis Presented to The University of Guelph In partial fulfillment of requirements for the degree of Master of Applied Science in Engineering,” 2013.
- [65] P. K. Budde, R. Megha, R. Patel, and J. Pandey, “Investigating effects of temperature on fuel properties of torrefied biomass for bio-energy systems,” *Energy Sources, Part A Recover. Util. Environ. Eff.*, vol. 41, no. 9, pp. 1140–1148, 2019, doi: 10.1080/15567036.2018.1544992.
- [66] W. H. Chen *et al.*, “Progress in biomass torrefaction: Principles, applications and challenges,” *Prog. Energy Combust. Sci.*, vol. 82, p. 100887, 2021, doi: 10.1016/j.peccs.2020.100887.
- [67] Z. Wang, C. J. Lim, J. R. Grace, H. Li, and M. R. Parise, “Effects of temperature and particle size on biomass torrefaction in a slot-rectangular spouted bed reactor,” *Bioresour. Technol.*, 2017, doi: 10.1016/j.biortech.2017.07.097.
- [68] J. Wannapeera, B. Fungtammasan, and N. Worasuwanarak, “Journal of Analytical and Applied Pyrolysis Effects of temperature and holding time during torrefaction on the pyrolysis behaviors of woody biomass,” *J. Anal. Appl. Pyrolysis*, vol. 92, no. 1, pp. 99–105, 2011, doi: 10.1016/j.jaap.2011.04.010.
- [69] W. Chen and P. Kuo, “A study on torrefaction of various biomass materials and its impact on lignocellulosic structure simulated by a thermogravimetry,” *Energy*, vol. 35, no. 6, pp. 2580–2586, 2010, doi: 10.1016/j.energy.2010.02.054.
- [70] D. Chen, J. Zhou, Q. Zhang, X. Zhu, and Q. Lu, “Upgrading of rice husk by torrefaction and its influence on the fuel properties,” *BioResources*, vol. 9, no. 4.

- pp. 5893–5905, 2014. doi: 10.15376/biores.9.4.5893-5905.
- [71] M. Phanphanich and S. Mani, “Impact of torrefaction on the grindability and fuel characteristics of forest biomass,” *Bioresour. Technol.*, vol. 102, no. 2, pp. 1246–1253, 2011, doi: 10.1016/j.biortech.2010.08.028.
- [72] M. N. Cahyanti, T. R. K. C. Doddapaneni, and T. Kikas, “Biomass torrefaction: An overview on process parameters, economic and environmental aspects and recent advancements,” *Bioresour. Technol.*, vol. 301, p. 122737, 2020, doi: 10.1016/j.biortech.2020.122737.
- [73] C. Chen, B. Qu, W. Wang, W. Wang, G. Ji, and A. Li, “Rice husk and rice straw torrefaction: Properties and pyrolysis kinetics of raw and torrefied biomass,” *Environ. Technol. Innov.*, vol. 24, p. 101872, 2021, doi: 10.1016/j.eti.2021.101872.
- [74] W. H. Chen, “Torrefaction,” in *Pretreatment of Biomass: Processes and Technologies*, Elsevier B.V., 2015, pp. 173–192. doi: 10.1016/B978-0-12-800080-9.00010-4.
- [75] C. Y. Chen, W. H. Chen, and Z. Ilham, “Effects of torrefaction and water washing on the properties and combustion reactivity of various wastes,” *Int. J. Energy Res.*, vol. 45, no. 6, pp. 8125–8139, 2021, doi: 10.1002/er.5458.
- [76] S. K. Satpathy, L. G. Tabil, V. Meda, S. N. Naik, and R. Prasad, “Torrefaction of wheat and barley straw after microwave heating,” *Fuel*, vol. 124, pp. 269–278, 2014, doi: 10.1016/j.fuel.2014.01.102.
- [77] T. Botelho, M. Costa, and A. Magdziarz, “Evaluation of the combustion characteristics of raw and torrefied grape pomace in a thermogravimetric analyzer and in a drop tube furnace,” vol. 212, no. May 2017, pp. 95–100, 2018, doi: 10.1016/j.fuel.2017.09.118.
- [78] M. Singh *et al.*, “Co-combustion properties of torrefied rice straw-sub-bituminous coal blend and its Hardgrove Grindability Index,” *Biomass Convers. Biorefinery*, vol. 13, no. 8, pp. 6647–6661, 2023, doi: 10.1007/s13399-021-01696-3.

- [79] S. Riaz, Y. M. Al-Abdeli, and I. Oluwoye, “Partially Oxidative Torrefaction of Woody Biomass Pellets: Burning Behaviour and Emission Analysis,” *Bioenergy Res.*, no. 0123456789, 2023, doi: 10.1007/s12155-023-10572-z.
- [80] W. H. Chen, J. Peng, and X. T. Bi, “A state-of-the-art review of biomass torrefaction, densification and applications,” *Renewable and Sustainable Energy Reviews*, vol. 44. Elsevier, pp. 847–866, 2015. doi: 10.1016/j.rser.2014.12.039.
- [81] W. H. Chen, K. M. Lu, W. J. Lee, S. H. Liu, and T. C. Lin, “Non-oxidative and oxidative torrefaction characterization and SEM observations of fibrous and ligneous biomass,” *Appl. Energy*, vol. 114, pp. 104–113, 2014, doi: 10.1016/j.apenergy.2013.09.045.
- [82] D. Chen *et al.*, “Combined pretreatment with torrefaction and washing using torrefaction liquid products to yield upgraded biomass and pyrolysis products,” *Bioresour. Technol.*, vol. 228, pp. 62–68, 2017, doi: 10.1016/j.biortech.2016.12.088.
- [83] D. Chen, K. Cen, X. Jing, J. Gao, C. Li, and Z. Ma, “An approach for upgrading biomass and pyrolysis product quality using a combination of aqueous phase bio-oil washing and torrefaction pretreatment,” *Bioresour. Technol.*, vol. 233, pp. 150–158, 2017, doi: 10.1016/j.biortech.2017.02.120.
- [84] K. Cen, D. Chen, J. Wang, Y. Cai, and L. Wang, “Effects of Water Washing and Torrefaction Pretreatments on Corn Stalk Pyrolysis: Combined Study Using TG-FTIR and a Fixed Bed Reactor,” *Energy and Fuels*, vol. 30, no. 12, pp. 10627–10634, 2016, doi: 10.1021/acs.energyfuels.6b02813.
- [85] B. N. Madanayake, S. Gan, C. Eastwick, and H. K. Ng, “Leaching as a Pretreatment Process to Complement Torrefaction in Improving Co-firing Characteristics of *Jatropha curcas* Seed Cake,” *Waste and Biomass Valorization*, vol. 7, no. 3, pp. 559–569, 2016, doi: 10.1007/s12649-015-9467-z.
- [86] S. Zhang, Q. Dong, L. Zhang, and Y. Xiong, “Effects of water washing and

- torrefaction on the pyrolysis behavior and kinetics of rice husk through TGA and Py-GC/MS,” *Bioresour. Technol.*, vol. 199, pp. 352–361, 2016, doi: 10.1016/j.biortech.2015.08.110.
- [87] P. Abelha and J. Kiel, “Techno-economic assessment of biomass upgrading by washing and torrefaction,” *Biomass and Bioenergy*, vol. 142, p. 105751, 2020, doi: 10.1016/j.biombioe.2020.105751.
- [88] R. K. Singh, J. P. Chakraborty, and A. Sarkar, “Optimizing the torrefaction of pigeon pea stalk (*cajanus cajan*) using response surface methodology (RSM) and characterization of solid, liquid and gaseous products,” *Renew. Energy*, vol. 155, pp. 677–690, 2020, doi: 10.1016/j.renene.2020.03.184.
- [89] R. K. Singh, A. Sarkar, and J. P. Chakraborty, “Effect of torrefaction on the physicochemical properties of eucalyptus derived biofuels: estimation of kinetic parameters and optimizing torrefaction using response surface methodology (RSM),” *Energy*, vol. 198, p. 117369, 2020, doi: 10.1016/j.energy.2020.117369.
- [90] H. Nam and S. Capareda, “Experimental investigation of torrefaction of two agricultural wastes of different composition using RSM (response surface methodology),” *Energy*, vol. 91, pp. 507–516, 2015, doi: 10.1016/j.energy.2015.08.064.
- [91] J. Grum and J. M. Slabe, “The use of factorial design and response surface methodology for fast determination of optimal heat treatment conditions of different Ni – Co – Mo surfaced layers,” vol. 156, pp. 2026–2032, 2004, doi: 10.1016/j.jmatprotec.2004.04.220.
- [92] S. Bhattacharya, “Central Composite Design for Response Surface Methodology and Its Application in Pharmacy”.
- [93] A. Satlewal, R. Agrawal, S. Bhagia, P. Das, and A. J. Ragauskas, “Rice straw as a feedstock for biofuels: Availability, recalcitrance, and chemical properties,” *Biofuels, Bioprod. Biorefining*, vol. 12, no. 1, pp. 83–107, 2018, doi:

10.1002/bbb.1818.

- [94] D. Chen *et al.*, “Comparative study on the pyrolysis behaviors of rice straw under different washing pretreatments of water, acid solution, and aqueous phase bio-oil by using TG-FTIR and Py-GC/MS,” *Fuel*, vol. 252, no. April, pp. 1–9, 2019, doi: 10.1016/j.fuel.2019.04.086.
- [95] L. Mu, T. Li, Z. Wang, Y. Shang, and H. Yin, “Influence of water/acid washing pretreatment of aquatic biomass on ash transformation and slagging behavior during co-firing with bituminous coal,” *Energy*, vol. 234, p. 121286, Nov. 2021, doi: 10.1016/j.energy.2021.121286.
- [96] Y. Wang *et al.*, “Leaching mechanisms of ash-forming elements during water washing of corn straw,” *Biomass Convers. Biorefinery*, no. 0123456789, 2022, doi: 10.1007/s13399-021-02184-4.
- [97] R. H. H. Ibrahim, L. I. Darvell, J. M. Jones, and A. Williams, “Physicochemical characterisation of torrefied biomass,” *J. Anal. Appl. Pyrolysis*, vol. 103, pp. 21–30, 2013, doi: 10.1016/j.jaap.2012.10.004.
- [98] J. Fu, G. Allen, S. Weber, S. Q. Turn, and W. Kusch, “Water leaching for improving fuel properties of pongamia Pod: Informing process design,” *Fuel*, vol. 305, p. 121480, 2021, doi: 10.1016/j.fuel.2021.121480.
- [99] K. Cen, J. Zhang, Z. Ma, D. Chen, J. Zhou, and H. Ma, “Investigation of the relevance between biomass pyrolysis polygeneration and washing pretreatment under different severities: Water, dilute acid solution and aqueous phase bio-oil,” *Bioresour. Technol.*, vol. 278, no. November 2018, pp. 26–33, 2019, doi: 10.1016/j.biortech.2019.01.048.
- [100] H. Beidaghy Dizaji, T. Zeng, H. Hölzig, J. Bauer, G. Klöß, and D. Enke, “Ash transformation mechanism during combustion of rice husk and rice straw,” *Fuel*, vol. 307, no. September, 2022, doi: 10.1016/j.fuel.2021.121768.
- [101] A. Bhatnagar, A. Singhal, H. Tolvanen, K. Valtonen, T. Joronen, and J. Kontinen,

- “Effect of pretreatment and biomass blending on bio-oil and biochar quality from two-step slow pyrolysis of rice straw,” *Waste Manag.*, vol. 138, no. July 2022, pp. 298–307, 2022, doi: 10.1016/j.wasman.2021.12.013.
- [102] P. Gao, L. Xue, Q. Lu, and C. Dong, “Effects of Alkali and Alkaline Earth Metals on N-Containing Species Release during Rice Straw Pyrolysis,” *Energies*, vol. 8, no. 11, pp. 13021–13032, 2015, doi: 10.3390/en8112356.
- [103] W. Zhang, Z. Wang, C. Yang, W. Song, and S. Li, “Investigation on the water-washing of corn straw for de-ash, de-chlorination, and increase of heating value through response surface methodology,” *Biomass Convers. Biorefinery*, no. 0123456789, 2022, doi: 10.1007/s13399-022-02479-0.
- [104] A. A. Tortosa Masiá, B. J. P. Buhre, R. P. Gupta, and T. F. Wall, “Characterising ash of biomass and waste,” *Fuel Process. Technol.*, vol. 88, no. 11–12, pp. 1071–1081, 2007, doi: 10.1016/j.fuproc.2007.06.011.
- [105] A. Kazagic and I. Smajevic, “Experimental investigation of ash behavior and emissions during combustion of Bosnian coal and biomass,” *Energy*, vol. 32, no. 10, pp. 2006–2016, 2007, doi: 10.1016/j.energy.2007.03.007.
- [106] S. Munir, “Potential Slagging and Fouling Problems associated with Biomass-Coal blends in Coal-fired Boilers,” *J. Pakistan Inst. Chem. Eng.*, vol. 38, no. 1, pp. 1–11, 2010, [Online]. Available: [http://www.piche.org.pk/journal/index.php?journal=jpiche&page=article&op=view&path\[\]=14](http://www.piche.org.pk/journal/index.php?journal=jpiche&page=article&op=view&path[]=14)
- [107] M. Pronobis, “Evaluation of the influence of biomass co-combustion on boiler furnace slagging by means of fusibility correlations,” *Biomass and Bioenergy*, vol. 28, no. 4, pp. 375–383, 2005, doi: 10.1016/j.biombioe.2004.11.003.
- [108] J. Jiang, Y. Tie, L. Deng, and D. Che, “Influence of water-washing pretreatment on ash fusibility of biomass,” *Renew. Energy*, vol. 200, no. June, pp. 125–135, 2022, doi: 10.1016/j.renene.2022.09.121.

- [109] X. Li, Y. Wang, T. Allgurén, K. Andersson, and J. O. L. Wendt, “The roles of added chlorine and sulfur on ash deposition mechanisms during solid fuel combustion,” *Proc. Combust. Inst.*, vol. 38, no. 3, pp. 4309–4316, 2021, doi: 10.1016/j.proci.2020.10.003.
- [110] S. Link, P. Yrjas, D. Lindberg, and A. Trikkel, “Characterization of Ash Melting of Reed and Wheat Straw Blend,” *ACS Omega*, vol. 7, no. 2, pp. 2137–2146, 2022, doi: 10.1021/acsomega.1c05087.
- [111] N. Said, M. M. Abdel Daiem, A. García-Maraver, and M. Zamorano, “Reduction of ash sintering precursor components in rice straw by water washing,” *BioResources*, vol. 9, no. 4, pp. 6756–6764, 2014, doi: 10.15376/biores.9.4.6756-6764.
- [112] C. Chen, Y. Huang, S. Qin, D. Huang, X. Bu, and H. Huang, “Slagging tendency estimation of aquatic microalgae and comparison with terrestrial biomass and waste,” *Energy*, vol. 194, p. 116889, 2020, doi: 10.1016/j.energy.2019.116889.
- [113] J. Kaknics, F. Defoort, and J. Poirier, “Inorganic Phase Transformation in Miscanthus Ash,” *Energy and Fuels*, vol. 29, no. 10, pp. 6433–6442, 2015, doi: 10.1021/acs.energyfuels.5b01189.
- [114] S. Link, P. Yrjas, D. Lindberg, A. Trikkel, and V. Mikli, “Ash melting behaviour of reed and woody fuels blends,” *Fuel*, vol. 314, no. October 2021, p. 123051, 2022, doi: 10.1016/j.fuel.2021.123051.
- [115] W. A. Oyeboade and H. O. Ogunsuyi, “Impact of torrefaction process temperature on the energy content and chemical composition of stool tree (*Alstonia congenisis* Engl) woody biomass,” *Curr. Res. Green Sustain. Chem.*, vol. 4, no. February, p. 100115, 2021, doi: 10.1016/j.crgsc.2021.100115.
- [116] S. Park, C. Jang, K. Baek, and J. Yang, “Torrefaction and low-temperature carbonization of woody biomass: Evaluation of fuel characteristics of the products,” *Energy*, vol. 45, no. 1, pp. 676–685, 2012, doi:

10.1016/j.energy.2012.07.024.

- [117] S. Bakshi, C. Banik, and D. A. Laird, “Estimating the organic oxygen content of biochar,” *Sci. Rep.*, pp. 1–12, 2020, doi: 10.1038/s41598-020-69798-y.
- [118] V. Seithtanabutara, S. Kaewmahawong, S. Polvongsri, J. Wang, and T. Wongwuttanasatian, “Impact of positive and negative pressure on rice straw torrefaction: Optimization using response surface methodology,” *Case Stud. Chem. Environ. Eng.*, vol. 7, no. January, p. 100322, 2023, doi: 10.1016/j.cscee.2023.100322.
- [119] M. Tan *et al.*, “Comparison of atmospheric and gas-pressurized oxidative torrefaction of heavy-metal-polluted rice straw,” *J. Clean. Prod.*, vol. 283, no. xxxx, p. 124636, 2021, doi: 10.1016/j.jclepro.2020.124636.
- [120] M. Simonic, D. Goricanec, and D. Urbancl, “Impact of torrefaction on biomass properties depending on temperature and operation time,” *Sci. Total Environ.*, vol. 740, p. 140086, 2020, doi: 10.1016/j.scitotenv.2020.140086.
- [121] T. Fisher, M. Hajaligol, B. Waymack, and D. Kellogg, “Pyrolysis behavior and kinetics of biomass derived materials,” vol. 62, pp. 331–349, 2002.
- [122] V. Seithtanabutara, S. Kaewmahawong, S. Polvongsri, J. Wang, and T. Wongwuttanasatian, “Impact of positive and negative pressure on rice straw torrefaction: Optimization using response surface methodology,” *Case Stud. Chem. Environ. Eng.*, vol. 7, no. February, p. 100322, 2023, doi: 10.1016/j.cscee.2023.100322.
- [123] W. H. Chen, K. M. Lu, W. J. Lee, S. H. Liu, and T. C. Lin, “Non-oxidative and oxidative torrefaction characterization and SEM observations of fibrous and ligneous biomass,” *Appl. Energy*, vol. 114, pp. 104–113, 2014, doi: 10.1016/j.apenergy.2013.09.045.
- [124] K. M. Lu, W. J. Lee, W. H. Chen, S. H. Liu, and T. C. Lin, “Torrefaction and low temperature carbonization of oil palm fiber and eucalyptus in nitrogen and air

- atmospheres,” *Bioresour. Technol.*, vol. 123, pp. 98–105, 2012, doi: 10.1016/j.biortech.2012.07.096.
- [125] U. M. A. Devaraja, C. L. W. Dissanayake, D. S. Gunarathne, and W. H. Chen, “Oxidative torrefaction and torrefaction-based biorefining of biomass: a critical review,” *Biofuel Res. J.*, vol. 9, no. 3, pp. 1672–1696, 2022, doi: 10.18331/BRJ2022.9.3.4.
- [126] A. Álvarez, S. Migoya, R. Menéndez, G. Gutiérrez, C. Pizarro, and J. L. Bueno, “Torrefaction of Short Rotation Coppice Willow. Characterization, hydrophobicity assessment and kinetics of the process,” *Fuel*, vol. 295, no. February, 2021, doi: 10.1016/j.fuel.2021.120601.
- [127] K. K. Pandey and A. J. Pitman, “FTIR studies of the changes in wood chemistry following decay by brown-rot and white-rot fungi,” *Int. Biodeterior. Biodegrad.*, vol. 52, no. 3, pp. 151–160, 2003, doi: 10.1016/S0964-8305(03)00052-0.
- [128] X. Huang *et al.*, “Pyrolysis kinetics of soybean straw using thermogravimetric analysis,” *Fuel*, vol. 169, pp. 93–98, 2016, doi: 10.1016/j.fuel.2015.12.011.
- [129] D. O. Usino, T. Sar, P. Ylittervo, and T. Richards, “Effect of Acid Pretreatment on the Primary Products of Biomass Fast Pyrolysis,” *Energies*, vol. 16, no. 5, 2023, doi: 10.3390/en16052377.
- [130] R. Diao, M. Sun, Y. Huang, and X. Zhu, “Synergistic effect of washing pretreatment and co-pyrolysis on physicochemical property evolution of biochar derived from bio-oil distillation residue and walnut shell,” *J. Anal. Appl. Pyrolysis*, vol. 155, no. January, p. 105034, 2021, doi: 10.1016/j.jaap.2021.105034.
- [131] C. Zhang, S. H. Ho, W. H. Chen, and R. Wang, “Comparative indexes, fuel characterization and thermogravimetric- Fourier transform infrared spectrometer-mass spectrogram (TG-FTIR-MS) analysis of microalga *Nannochloropsis Oceanica* under oxidative and inert torrefaction,” *Energy*, vol. 230, p. 120824, 2021, doi: 10.1016/j.energy.2021.120824.

- [132] Y. Y. Gan, H. C. Ong, T. C. Ling, W. H. Chen, and C. T. Chong, “Torrefaction of de-oiled *Jatropha* seed kernel biomass for solid fuel production,” *Energy*, vol. 170, pp. 367–374, 2019, doi: 10.1016/j.energy.2018.12.026.
- [133] S. Han, L. Bai, M. Chi, X. Xu, Z. Chen, and K. Yu, “Conversion of Waste Corn Straw to Value-Added Fuel via Hydrothermal Carbonization after Acid Washing,” *Energies*, vol. 15, no. 5, 2022, doi: 10.3390/en15051828.
- [134] D. Chen, D. Gao, S. C. Capareda, S. Huang, and Y. Wang, “Effects of hydrochloric acid washing on the microstructure and pyrolysis bio-oil components of sweet sorghum bagasse,” *Bioresour. Technol.*, vol. 277, no. January, pp. 37–45, 2019, doi: 10.1016/j.biortech.2019.01.023.
- [135] M. V. Gil, D. Casal, C. Pevida, J. J. Pis, and F. Rubiera, “Thermal behaviour and kinetics of coal/biomass blends during co-combustion,” *Bioresour. Technol.*, vol. 101, no. 14, pp. 5601–5608, 2010, doi: 10.1016/j.biortech.2010.02.008.
- [136] J. Silva, S. Teixeira, and J. Teixeira, “A Review of Biomass Thermal Analysis, Kinetics and Product Distribution for Combustion Modeling: From the Micro to Macro Perspective,” *Energies*, vol. 16, no. 18, 2023, doi: 10.3390/en16186705.
- [137] J. Hu, Y. Yan, F. Evrendilek, M. Buyukada, and J. Liu, “Combustion behaviors of three bamboo residues: Gas emission, kinetic, reaction mechanism and optimization patterns,” *J. Clean. Prod.*, vol. 235, pp. 549–561, 2019, doi: 10.1016/j.jclepro.2019.06.324.
- [138] Z. Yu, S. Fang, Y. Lin, Y. Liao, and X. Ma, “Investigation of Rice Straw Combustion by Using Thermogravimetric Analysis,” *Energy Procedia*, vol. 75, pp. 144–149, 2015, doi: 10.1016/j.egypro.2015.07.262.
- [139] S. Paniagua Bermejo, A. Prado-Guerra, A. I. García Pérez, and L. F. Calvo Prieto, “Study of quinoa plant residues as a way to produce energy through thermogravimetric analysis and indexes estimation,” *Renew. Energy*, vol. 146, pp. 2224–2233, 2020, doi: 10.1016/j.renene.2019.08.056.

- [140] J. Wnorowska, S. Ciukaj, and S. Kalisz, “Thermogravimetric analysis of solid biofuels with additive under air atmosphere,” *Energies*, vol. 14, no. 8, 2021, doi: 10.3390/en14082257.
- [141] B. Bilkic, H. Haykiri-Acma, and S. Yaman, “Combustion reactivity estimation parameters of biomass compared with lignite based on thermogravimetric analysis,” *Energy Sources, Part A Recover. Util. Environ. Eff.*, vol. 45, no. 1, pp. 370–383, 2023, doi: 10.1080/15567036.2020.1851326.
- [142] L. Tang *et al.*, “Thermogravimetric Analysis of the Combustion Characteristics and Combustion Kinetics of Coals Subjected to Different Chemical Demineralization Processes,” *ACS Omega*, vol. 7, no. 16, pp. 13998–14008, 2022, doi: 10.1021/acsomega.2c00522.
- [143] P. Ninduangdee, P. Arromdee, A. Palamanit, K. Boonrod, and S. Prasomthong, “Combustion Characteristics of a Biomass-biomass Co-combustion using Thermogravimetric Analysis,” *Int. J. Renew. Energy Res.*, vol. 12, no. 2, pp. 1023–1031, 2022, doi: 10.20508/ijrer.v12i2.12986.g8486.
- [144] M. Mureddu, F. Dessì, A. Orsini, F. Ferrara, and A. Pettinau, “Air- and oxygen-blown characterization of coal and biomass by thermogravimetric analysis,” *Fuel*, vol. 212, no. April, pp. 626–637, 2018, doi: 10.1016/j.fuel.2017.10.005.
- [145] Z. Cai, X. Ma, S. Fang, Z. Yu, and Y. Lin, “Thermogravimetric analysis of the co-combustion of eucalyptus residues and paper mill sludge,” *Appl. Therm. Eng.*, vol. 106, pp. 938–943, 2016, doi: 10.1016/j.applthermaleng.2016.06.088.
- [146] J. Mularski and J. Li, “A review on biomass ignition: Fundamental characteristics, measurements, and predictions,” *Fuel*, vol. 340, no. January, p. 127526, 2023, doi: 10.1016/j.fuel.2023.127526.
- [147] X. Wang *et al.*, “Experimental study and design of biomass co-firing in a full-scale coal-fired furnace with storage pulverizing system,” *Agronomy*, vol. 11, no. 4, pp. 1–11, 2021, doi: 10.3390/AGRONOMY11040810.

- [148] F. Alobaid, J. P. Busch, A. Stroh, J. Ströhle, and B. Epple, “Experimental measurements for torrefied biomass Co-combustion in a 1 MWth pulverized coal-fired furnace,” *J. Energy Inst.*, vol. 93, no. 3, pp. 833–846, 2020, doi: 10.1016/j.joei.2019.07.008.
- [149] M. Variny *et al.*, “Advances in biomass co-combustion with fossil fuels in the European context: A review,” *Processes*, vol. 9, no. 1, pp. 1–34, 2021, doi: 10.3390/pr9010100.
- [150] A. Nuamah, A. Malmgren, G. Riley, and E. Lester, “Biomass co-firing - An efficient way to reduce greenhouse gas emissions,” *Earth Planet. Sci.*, vol. 5, pp. 55–73, 2012.
- [151] S. G. Sahu, N. Chakraborty, and P. Sarkar, “Coal-biomass co-combustion: An overview,” *Renew. Sustain. Energy Rev.*, vol. 39, pp. 575–586, 2014, doi: 10.1016/j.rser.2014.07.106.
- [152] S. A. El-Sayed, M. E. Mostafa, T. M. Khass, E. H. Noseir, and M. A. Ismail, “Combustion and mass loss behavior and characteristics of a single biomass pellet positioning at different orientations in a fixed bed reactor,” *Biomass Convers. Biorefinery*, no. 0123456789, 2023, doi: 10.1007/s13399-023-03767-z.
- [153] Y. Yuan, Y. He, J. Tan, Y. Wang, S. Kumar, and Z. Wang, “Co-Combustion Characteristics of Typical Biomass and Coal Blends by Thermogravimetric Analysis,” *Front. Energy Res.*, vol. 9, no. October, pp. 1–11, 2021, doi: 10.3389/fenrg.2021.753622.
- [154] A. Nordin, L. Pommer, M. Nordwaeger, and I. Olofsson, “Biomass conversion through torrefaction,” pp. 217–244, 2013, doi: 10.1201/b14561-8.
- [155] Y.-L. Cheng *et al.*, “Economics, Sustainability, and Reaction Kinetics of Biomass Torrefaction,” *Intech*, vol. 11, no. tourism, p. 13, 2016, [Online]. Available: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>