

Reference list

- Abeyssekera, J., Illankoon, P., (2016). The demands and benefits of ergonomics in Sri Lankan apparel industry: a case study at MAS holdings. *Work* 55, 255–261. [https:// doi.org/10.3233/WOR-162393](https://doi.org/10.3233/WOR-162393).
- Andersen, J.H., Gaardboe, O. (1993). Prevalence of persistent neck and upper limb pain in a historical cohort of sewing machine operators. *Journal of American Industrial Medicine* 24, 677- 687, PMID: 8311098 DOI: 10.1002/ajim.4700240604
- Antle, D. M., Cormier, L., Findlay, M., Miller, L. L., Cote, J. N. 2018, Lower limb blood flow and mean arterial pressure during standing and seated work: Implications for workplace posture recommendations, *Preventive Medicine Reports Volume 10*, June 2018, Pages 117-122, Retrieved from <https://doi.org/10.1016/j.pmedr.2018.02.016>.
- Arya R., Antonisamy B., Kumar S. (2012) Sample Size Estimation in Prevalence Studies *Indian J Pediatr* (November 2012) 79(11):1482–1488 DOI 10.1007/s12098-012-0763-3.
- Attanapola, C.T., 2003. Multiple voices, multiple realities: female industrial workers' health in Sri Lanka. *Norwegian Journal of Geography* 57 (3), 154–163. Retrieved from <https://doi.org/10.1080/00291950310002134>.
- Azevedo J., Costa, S., Silva, I. M., Rodrigues, S., Ventura, N., Cardoso, R., Seixas, A. (2020) Prevalence of Musculoskeletal Symptoms Among Workers of a Portuguese Textile Industry: Association with Body Mass Index and Work Position *Occupational and Environmental Safety and Health II. Studies in Systems, Decision and Control*, vol 277 Retrieved from. https://doi.org/10.1007/978-3-030-41486-3_49.
- Baker, R., Coenen, P., Howie, E., Williamson, A., Straker, L., 2018. The Short Term Musculoskeletal and Cognitive Effects of Prolonged Sitting During Office Computer Work *Int J Environ Res Public Health*. 2018 Aug; Retrieved from doi: 10.3390/ijerph15081678
- Balasubramanian, V., Adalarasu, K., Regulapati, R., 2009. Comparing dynamic and stationary standing postures in an assembly task. *International Journal of*

- Braganca, S., Arezes, P., Carvalho, M., & Ashdown, S. (2016, June 1). *Implications of dynamic working postures in garments' comfort: 6th International Ergonomics Conference*. Solent University.
<https://pure.solent.ac.uk/en/publications/implications-of-dynamic-working-postures-in-garments-comfort>
- Bulduk S, Bulduk E.Ö, Süren T. Reduction of work-related musculoskeletal risk factors following ergonomics education of sewing machine operators. *Int J Occup Saf Ergon*. 2017 Sep;23(3):347-352. doi: 10.1080/10803548.2016.1262321. Epub 2016 Dec 20. PMID: 27854185.
- Caple D. 2018. A Focus on Dynamic Work Rather Than Sit or Stand Postures. Proceedings of the 20th Congress of the International Ergonomics Association (IEA 2018). IEA 2018. *Advances in Intelligent Systems and Computing*, vol 820. Springer, Cham. https://doi.org/10.1007/978-3-319-96083-8_25
- Center for Disease Control, United States of America, 2019. Retrieved from <https://www.cdc.gov/workplacehealthpromotion/health-strategies/musculoskeletal-disorders/index.html>
- Central Bank of Sri Lanka. (2019). Annual Report of Central Bank of Sri Lanka 2019. Retrieved from <https://www.cbsl.gov.lk/en/publications/economic-and-financial-reports/annual-reports/annual-report-2019>
- Chakrabarty S., Sarkar K, Dev S, Das T., Mitra K., S, Gangopadhyay S. (2016) Impact of rest breaks on musculoskeletal discomfort of Chikan embroiderers of West Bengal, India: a follow up field study. *J Occup Health*. 2016 Jul 20; 58(4): 365–372. doi: 10.1539/joh.14-0209-OA
- Chen, J. C., Chen, C.-C., Su, L.-H., Wu, H.-B., & Sun, C.-J. (2012). Assembly line balancing in garment industry. *Expert Systems with Applications*, 39(11), 10073–10081. <https://doi.org/10.1016/j.eswa.2012.02.055>

- Choobineh, A., Tosian, R., Alhamdi, Z., Davarzanie, M., 2004. Ergonomic intervention in carpet Mending operation. *Applied Ergonomics* 35, 493e496, PMID: 15246888 DOI: 10.1016/j.apergo.2004.01.008
- Capodaglio, E.M., 2017. Occupational risk and prolonged standing work in apparel sales assistants. *Int.J.Ind.Ergon.* 60, 53–59. <https://doi.org/10.1016/j.ergon.2016.11.010>
- Crawford O. J., The Nordic Musculoskeletal Questionnaire, *Occupational Medicine*, Volume 57, Issue 4, June 2007, Pages 300–301, <https://doi.org/10.1093/occmed/kqm036>
- Dahlberg, R., Karlqvist, L., Bildt, C., Nykvist, K., 2004. Do work technique and musculoskeletal symptoms differ between men and women performing the same type of work tasks. *Applied Ergonomics* 35, 521e529, PMID: 15374759 DOI: 10.1016/j.apergo.2004.06.008
- Daniel WW (1999). *Biostatistics: A Foundation for Analysis in the Health Sciences*. 7th edition. New York: John Wiley & Sons.
- Dianat, I., Kord, M., Yahyazade, P., Karimi, M.A., Stedmon, A.W., (2015). Association of individual and work-related risk factors with musculoskeletal symptoms among Iranian sewing machine operators. *Appl. Ergon.* 51, 180–188. <https://doi.org/10.1016/j.apergo.2015.04.017>.
- Dawson AP, Steele EJ, Hodges PW, Stewart S. Development and test-retest reliability of an extended version of the Nordic Musculoskeletal Questionnaire (NMQ-E): a screening instrument for musculoskeletal pain. *J Pain.* 2009 May;10(5):517-26. doi: 10.1016/j.jpain.2008.11.008. Epub 2009 Apr 2. PMID: 19345154.
- Dionne, C., Bourbonnais, R Prevalence of musculoskeletal pain and associated factors in the Quebec working population, *International Archives of Occupational and Environmental Health* 78(5):379-86 · July 2005 DOI: 10.1007/s00420-004-0578-2
- Eerd D.V., Munhall C., Irvin E., Rempel D., Brewer S., Van der Beek A.J., Dennerlein J.T., Tullar J., Skivington K., Pinion C., Amick B., (2015) Effectiveness of workplace interventions in the prevention of upper extremity musculoskeletal disorders and symptoms: an update of the evidence, November 2015,

Occupational and Environmental Medicine 73(1), DOI: 10.1136/oemed-2015-102992

Export Performance Indicators 2019, SLEDB. Retrieved from <https://www.srilankabusiness.com/ebooks/export-performance-indicators-of-sri-lanka-2010-2019.pdf>

Export Development Board (EDB). (2017). Performance of the Export Sector of Sri Lank Report of Export Development Board. Retrieved from http://www.srilankabusiness.com/pdf/performance_of_exports_2017.pdf

Factories ordinance, 1942. Retrieved from https://www.ilo.org/dyn/travail/docs/1684/1_factories_ordinance_i.pdf

Fewster, K.M., Gallagher, K.M., Howarth, S.H., Callaghan, J.P., 2017. Low back pain development differentially influences centre of pressure regularity following prolonged standing. In: Gait Posture 0–1, <https://doi.org/10.1016/j.gaitpost.2017.06.005>.

Gandevia S.C, Macefield G. (1989) Projection of low-threshold afferents from human intercostal muscles to the cerebral cortex. *Respir Physiol.* 1989 Aug; 77(2):203-14. PMID: 2781163 DOI: 10.1016/0034-5687(89)90007-8

Garcia M.G, Läubli T., Martin B.J. Muscular and Vascular Issues Induced by Prolonged Standing With Different Work-Rest Cycles With Active or Passive Breaks. *Hum Factors.* 2018 Sep;60(6):806-821. doi: 10.1177/0018720818769261. Epub 2018 Apr 12. PMID: 29648891.

Garment production process Retrieved from <https://www.textileschool.com/193>

Genaidy AM, al-Shedi AA, Shell RL. Ergonomic risk assessment: preliminary guidelines for analysis of repetition, force and posture. *J Hum Ergol (Tokyo).* 1993 Jun;22(1):45-55. PMID: 8064150.

Habib MM. Ergonomic risk factor identification for sewing machine operators through supervised occupational therapy fieldwork in Bangladesh: A case study. *Work.* 2015;50(3):357-62. doi: 10.3233/WOR-151991. PMID: 25659369.

- Hazari, A., Maiya, A.G., Nagda, T.V. (2021). Biomechanics of Static and Dynamic Posture. In: Conceptual Biomechanics and Kinesiology. Springer, Singapore. https://doi.org/10.1007/978-981-16-4991-2_15
- Herbert R, Dropkin J, Warren N, Sivin D, Doucette J, Kellogg L, Bardin J, Kass D, Zoloth S (2001) Impact of a joint labor-management ergonomics program on upper extremity musculoskeletal symptoms among garment workers. *Appl Ergon.* 2001 Oct; 32(5):453-60. PMID: 11534790 DOI: 10.1016/s0003-6870(01)00024-2
- Howorth M.B, Dynamic Posture, *The Journal of Health and Physical Education*,18:10, 704-706, doi.org/10.1080/23267240.1947.10625331
- Jackson P.R., Mullarkey S., 2000. Lean production teams and health in garment manufacture. *J. Occup. Health Psychol.* 5, 231–245. <https://doi.org/10.1037/1076-8998.5.2.231>.
- Jaffar N., Abdul-Tharim A.H., Mohd-Kamar I.F., Lop N.S., A Literature Review of Ergonomics Risk Factors in Construction Industry, *Procedia Engineering*, Volume 20, 2011, Pages 89-97, ISSN 1877-7058, <https://doi.org/10.1016/j.proeng.2011.11.142>.
- Janaro R.E., Bechtold S.E. (1985) A study of the reduction of fatigue impact on productivity through optimal rest break scheduling. *Hum Factors.* 1985 Aug; 27(4):459-66. PMID: 4093138 DOI: 10.1177/001872088502700409
- Jonker, D., Rolander, B., Balogh, I., Sandsjo, L., Ekberg, K., Winkel, J., (2011). Mechanical exposure among general practice dentists in Sweden and possible implications of rationalization. *Ergonomics* 54, 953–960. <https://doi.org/10.1080/00140139.2011.606919>.
- Kaergaard, A., Andersen, J., 2000. Musculoskeletal disorders of the neck and shoulders in female Sewing machine operators: prevalence, incidence, and prognosis. *Occupational and Environmental Medicine* 57, 528e534, PMID: 10896959 PMID: PMC1740005 DOI: 10.1136/oem.57.8.528

- Kamarularifin, H, Mazlina, M.M., Che Mat C.M.F. (2018) Anti- fatigue rubber mat for industrial workplace: load pressure analysis at different type of mats. *Journal of Advanced Research in Applied Mechanics* (50, (1), 12 to 16)
- Kant, I. J., de Jong, L. C. G. M., van Rijssen-Moll, M., & Borm, P. J. A. (1992). A survey of static and dynamic work postures of operating room staff. *International Archives of Occupational and Environmental Health*, 63(6), 423–428. <https://doi.org/10.1007/bf00386939>
- Kar G., Hedge A., 2020. Effects of a sit-stand-walk intervention on musculoskeletal discomfort, productivity, and perceived physical and mental fatigue, for computer-based work, *International Journal of Industrial Ergonomics*, DOI - 10.1016/j.ergon.2020.102983
- Kee.D., Kamalinia M., Oliaee M., Daneshmandi H., Mohammadi H.(2018). An ergonomic intervention to relieve musculoskeletal symptoms of assembly line workers at an electronic parts manufacturer in Iran DOI:10.3233/WOR-182822 IOS Press 2018
- Kuorinka I, Jonsson B, Kilbom A, Vinterberg H, Biering-Sørensen F, Andersson G, Jørgensen K. Standardised Nordic questionnaires for the analysis of musculoskeletal symptoms. *Appl Ergon.* 1987 Sep;18(3):233-7. doi: 10.1016/0003-6870(87)90010-x. PMID: 15676628.
- Leroux I., Dionne E.C, Bourbonnais R., Brisson C.(2005) Prevalence of musculoskeletal pain and associated factors in the Quebec working population. *International Archives of Occupational and Environmental Health* 78(5):379-86 · July 2005 DOI: 10.1007/s00420-004-0578-2 · Source: PubMed
- Lombardo, De Silva S.R., Lipscomb H.J.,2012. Musculoskeletal symptoms among female garment factory workers in Sri Lanka. *International Journal of Occupational Environmental Health* 210-9, doi: 10.1179/1077352512Z.00000000029.
- Marshall, P.W.M., Patel, H., Callaghan, J.P., 2011. Gluteus medius strength, endurance, and co-activation in the development of low back pain during prolonged standing. *Hum. Mov. Sci.* 30, 63–73. <https://doi.org/10.1016/j.humov.2010.08.017>.

- Mathiassen SE (2006) Diversity and variation in biomechanical exposure: what is it, and why would we like to know? *Appl Ergon.* 2006 Jul; 37(4):419-27. PMID: 16764816 DOI: 10.1016/j.apergo.2006.04.006
- Mathiassen S,E., Hallman D.M., Lyskov E., Hygge S. (2014) Can Cognitive Activities during Breaks in Repetitive Manual Work Accelerate Recovery from Fatigue? A Controlled Experiment. *PLoS One.* 2014; 9(11): e112090. doi: 10.1371/journal.pone.0112090
- Messing, K., & Kilbom, Å. (2001). Standing and very slow walking: foot pain-pressure threshold, subjective pain experience and work activity. *Applied Ergonomics*, 32(1), 81–90. [https://doi.org/10.1016/s0003-6870\(00\)00030-2](https://doi.org/10.1016/s0003-6870(00)00030-2)
- Messing, K., Tissot, F., and Stock, S., (2008). Distal lower extremity pain and work postures in the Quebec population. *American Journal of Public Health*, 98,705–713, doi: 10.2105/AJPH.2006.099317
- Nagaraj, T.S., Jeyapaul, R., 2018. Ergonomic study on work postures of sewing machine operators in government industry: a case in lean environment garment industry. In: Ray, P.K., Maiti, J. (Eds.), *Ergonomic Design of Products and Worksystems-21st Century Perspectives of Asia*. Springer, Singapore, pp. 83–101. https://doi.org/10.1007/978-981-10-5457-0_8.
- Nagaraj,T.S., Jeyapaul,R., Mathiyazhagan, K., 2018. Evaluation of ergonomic working conditions among standing sewing machine operators in Sri Lanka. 0169-8141. <https://doi.org/10.1016/j.ergon.2019.01.006>
- NagarajaT.S, Jeyapaula R, Mathiyazhaganb K (2019), Evaluation of ergonomic working conditions among standing sewing machine operators in Sri Lanka, *International Journal of Industrial Ergonomics* 70 (2019) 70–83 71 Retrieved from <https://doi.org/10.1016/j.ergon.2019.01.006>
- Naing, L., Winn, T., , Rusli, B.N., 2006. Practical Issues in Calculating the Sample Size for Prevalence Studies, *Archives of Orofacial Sciences*
- Mohd Noor, S. N. A., Ahmad, I. N., Wahab, N. A., & Ma'arof, M. I. N. (2013). A Review of Studies Concerning Prolonged Standing Working Posture. *Advanced Engineering Forum*, 10, 131–136. Retrieved from <https://doi.org/10.4028/www.scientific.net/aef.10.131>.

- Omino K, Hayashi Y. Preparation of dynamic posture and occurrence of low back pain. *Ergonomics*. 1992 May-Jun;35(5-6):693-707. doi: 10.1080/00140139208967847. PMID: 1535315.
- OSHA (2018) Retrieved from https://www.osha.gov/sites/default/files/2018-12/fy14_sh-26336-sh4_Ergonomic-Overview-Handout.pdf
- Ozturk, N., Esin, M.N., 2011. Investigation of musculoskeletal symptoms and ergonomic risk factors among female sewing machine operators in Turkey. *Int. J. Ind. Ergon.* 41,585–591. <https://doi.org/10.1016/j.ergon.2011.07.001>.
- Piercy, K. L., Troiano, R.P., Ballard, R.M., Carlson, S.A., Fulton, J.E., Galuska, D.A., George, S.M., Olson, R.D., 2018. The physical activity guidelines for Americans. *J. Am. Med. Assoc.* 320 (19), 2020–2028. <https://doi.org/10.1001/jama.2018.14854>
- Pourhoseingholi M.A.,Vahedi M., RahimzadehM.(2013) Sample size calculation in medical studies. *Gastroenterol Hepatol Bed Bench.* 2013 Winter; 6(1): 14–17. PMID: PMC4017493 PMID: 24834239
- Quarterly report of the Sri Lanka Labour Force Survey, First Quarter-2019, Department of Census and Statistics, Sri Lanka
- Rahman I.A., Mohamad N., Rohani J.M., Md Zein R. (2018) The impact of work rest scheduling for prolonged standing activity. *Ind Health.* 2018 Nov; 56(6): 492–499. doi: 10.2486/indhealth.2018-0043
- Ratnayake, V., Lanarolle, G., Perera, C., Marsh, J., 2009. Cellular manufacturing model to reduce WIP fluctuation in garment manufacturing. *Int. J. Six Sigma Compet. Advant.* 5, 340–358. <https://doi.org/10.1504/IJSSCA.2009.029914>.
- Rempel, D.M.; Wang, P, Janowitz, I., PT*; Harrison, R. J., Yu, Fei,, Ritz, B. R., A Randomized Controlled Trial Evaluating the Effects of New Task Chairs on Shoulder and Neck Pain Among Sewing Machine Operators: The Los Angeles Garment Study *Spine: April 20, 2007 - Volume 32 - Issue 9 - p 931-938* doi: 10.1097/01.brs.0000261028.88020.fc
- Roemmich J.N. (2016) Height-Adjustable Desks: Energy Expenditure, Liking, and Preference of Sitting and Standing. *J Phys Act Health.* 2016 Oct;13(10):1094-1099 PMID: 27256708 DOI: 10.1123/jpah.2015-0397

- Saunders, N. K., Lewis, P., and Thornhill, A. (2019). *Research Methods for Business Students*, 8th Edn. London: Pearson Education.
- Schluskel, A.T., Maykel, J.A. 2019. Ergonomics and Musculoskeletal Health of the Surgeon. *Clin Colon Rectal Surg.* 2019 Nov;32(6):424-434. doi: 10.1055/s-0039-1693026. Epub 2019 Aug 22. PMID: 31686994; PMCID: PMC6824896.
- Sealetsa, O.J., Thatcher, A., 2011. Ergonomics issues among sewing machine operators in the textile manufacturing industry in Botswana. *Work* 38, 279–289. Retrieved in <https://doi.org/10.3233/WOR-2011-1131>.
- Therapeutic Associates (May 21, 2021), Ergonomic-related Signs and Symptoms. <https://www.therapeuticassociates.com/ergonomic-related-signs-and-symptoms/>
- Tissot, F., Messing, K., Stock, S., 2009. Studying the relationship between low back pain and working postures among those who stand and those who sit most of the working day. *Ergonomics* 52, 1402–1418. Retrieved in <https://doi.org/10.1080/00140130903141204>.
- Torbeyns T., Bailey S., Bos I, Meeusen R. Active workstations to fight sedentary behaviour. *Sports Med* DOI 10.1007/s40279-014-0202-x
- Valachi, B., Valachi, K., 2003. Mechanisms leading to musculoskeletal disorders in dentistry. *The Journal of the American Dental Association* 134, 1344–1350. PMID: 14620013 DOI: 10.14219/jada.archive.2003.0048
- Van Nieuwenhuysse, A., Somville, P.R., Crombez, G., Burdorf, A., Verbeke, G., Johannik, K., Van den Bergh, O..... BelCoBack, (2006). The role of physical workload and pain related fear in the development of low back pain in young workers: evidence from the BelCoBack Study; results after one year of follow up. *Occupational and Environmental Medicine*, 63, 45–52, PMID: 16361405 PMCID: PMC2078035 DOI: 10.1136/oem.2004.015693
- Vieira E. R, Kumar S., Working postures: a literature review. *J Occup Rehabil.* 2004 Jun;14(2):143-59. doi: 10.1023/b:joor.0000018330.46029.05. PMID: 15074366.

- Visser B, van Dieën J.H., (2006) Pathophysiology of upper extremity muscle disorders. *J Electromyogr Kinesiol.* 2006 Feb; 16(1):1-16 PMID: 16099676 DOI: 10.1016/j.jelekin.2005.06.005
- Wall R., Garcia G., Läubli T., Seibt R., Rieger MA., Martin B., Steinhilber B. Physiological changes during prolonged standing and walking considering age, gender and standing work experience. *Ergonomics.* 2020 May;63(5):579-592. doi: 10.1080/00140139.2020.1725145. Epub 2020 Feb 12. PMID: 32009579.
- Waters, T, R., Dick, R. B. 2014, Evidence of Health Risks Associated with Prolonged Standing at Work and Intervention Effectiveness, *Rehabil Nurs.* 2015 May-Jun; 40(3): 148–165. Published online 2014 Jul 7. Retrieved from doi: 10.1002/rnj.166
- Widanarko, B., Legg, S., Devereux, J., Stevenson, M., 2015. Interaction between physical and psychosocial risk factors on the presence of neck/shoulder symptoms and its consequences. *Ergonomics* 58, 1507–1518. Retrieved from <https://doi.org/10.1016/j.apergo.2014.07.016>.
- Wiggermann N, Keyserling W.M. (2012) Effects of anti-fatigue mats on perceived discomfort and weight-shifting during prolonged standing. *Pub Med* <https://doi.org/10.1177/0018720812466672> .