

REFERENCE

- [1] D. A. H. Williams and E. R. Miranda, “BCI for Music Making: Then, Now, and Next,” in *Brain-Computer Interfaces Handbook*, CRC Press/Taylor & Francis Group, 2018.
[Online]. Available: <https://pearl.plymouth.ac.uk>
- [2] S. Venkatesh, E. R. Miranda, and E. Braund, “SSVEP-based brain–computer interface for music using a low-density EEG system,” *Assistive Technology*, pp. 1–11, Jul. 2022, doi: 10.1080/10400435.2022.2084182.
- [3] E. R. Miranda, W. L. Magee, J. J. Wilson, J. Eaton, and R. Palaniappan, “Brain-Computer Music Interfacing (BCMI): From Basic Research to the Real World of Special Needs,” *Music and Medicine*, vol. 3, no. 3, pp. 134–140, Jul. 2011, doi: 10.1177/1943862111399290.
- [4] F. Franco *et al.*, “Affect-matching music improves cognitive performance in adults and young children for both positive and negative emotions,” *Psychology of Music*, vol. 42, no. 6, pp. 869–887, Nov. 2014, doi: 10.1177/0305735614548500.
- [5] K. R. Scherer, “Which Emotions Can be Induced by Music? What Are the Underlying Mechanisms? And How Can We Measure Them?,” *Journal of New Music Research*, vol. 33, no. 3, pp. 239–251, Sep. 2004, doi: 10.1080/0929821042000317822.
- [6] A. G. Ramirez-Aristizabal and C. Kello, “EEG2Mel: Reconstructing Sound from Brain Responses to Music.” arXiv, Jul. 27, 2022. Accessed: Jan. 24, 2023. [Online]. Available: <http://arxiv.org/abs/2207.13845>
- [7] S. Losorelli, D. T. Nguyen, J. P. Dmochowski, and B. Kaneshiro, “NMED-T: A TEMPO-FOCUSED DATASET OF CORTICAL AND BEHAVIORAL RESPONSES TO NATURALISTIC MUSIC”.
- [8] S. Swaminathan and E. G. Schellenberg, “Current Emotion Research in Music Psychology,” *Emotion Review*, vol. 7, no. 2, pp. 189–197, Apr. 2015, doi: 10.1177/1754073914558282.

- [9] E. R. Miranda and E. Braund, “Interactive Musical Biocomputer: an Unconventional Approach to Research in Unconventional Computing,” *Symmetry: Culture and Science* 28(2):7-20, p. 14, Jan. 2017.
- [10] E. R. Miranda, “Brain–Computer Music Interfacing: Interdisciplinary Research at the Crossroads of Music, Science and Biomedical Engineering,” in *Guide to Brain-Computer Music Interfacing*, E. R. Miranda and J. Castet, Eds., 2014, pp. 1–27. doi: 10.1007/978-1-4471-6584-2_1.
- [11] E. R. Miranda, “Plymouth brain-computer music interfacing project: from EEG audio mixers to composition informed by cognitive neuroscience,” *IJART*, vol. 3, no. 2/3, p. 154, 2010, doi: 10.1504/IJART.2010.032562.
- [12] E. R. Miranda, K. Sharman, K. Kilborn, and A. Duncan, “On Harnessing the Electroencephalogram for the Musical Braincap,” *Computer Music Journal*, vol. 27, no. 2, pp. 80–102, Jun. 2003, doi: 10.1162/014892603322022682.
- [13] L. F. Nicolas-Alonso and J. Gomez-Gil, “Brain Computer Interfaces, a Review,” *Sensors*, vol. 12, no. 2, pp. 1211–1279, Jan. 2012, doi: 10.3390/s120201211.
- [14] G. Baier, T. Hermann, and U. Stephani, “Event-based sonification of EEG rhythms in real time,” *Clinical Neurophysiology*, vol. 118, no. 6, pp. 1377–1386, Jun. 2007, doi: 10.1016/j.clinph.2007.01.025.
- [15] G. M. Di Liberto, G. Marion, and S. A. Shamma, “Accurate Decoding of Imagined and Heard Melodies,” *Front. Neurosci.*, vol. 15, p. 673401, Aug. 2021, doi: 10.3389/fnins.2021.673401.
- [16] I. Daly *et al.*, “Investigating music tempo as a feedback mechanism for closed-loop BCI control,” *Brain-Computer Interfaces*, vol. 1, no. 3–4, pp. 158–169, Oct. 2014, doi: 10.1080/2326263X.2014.979728.
- [17] K. Chen *et al.*, “SSVEP Recognition by Using Higher Harmonics Based on Music,” *Journal of Computing and Information Science in Engineering*, vol. 16, no. 4, p. 041005, Dec. 2016, doi: 10.1115/1.4034384.

- [18] L. Xie, C. Lu, Z. Liu, L. Yan, and T. Xu, "Study of Auditory Brain Cognition Laws-Based Recognition Method of Automobile Sound Quality," *Front. Hum. Neurosci.*, vol. 15, p. 663049, Oct. 2021, doi: 10.3389/fnhum.2021.663049.
- [19] L. Bellier *et al.*, "Encoding and decoding analysis of music perception using intracranial EEG," *Neuroscience*, preprint, Jan. 2022. doi: 10.1101/2022.01.27.478085.
- [20] G. Y. Lee, M. Kim, and H. Kim, "Extraction and classification of tempo stimuli from electroencephalography recordings using convolutional recurrent attention model," *ETRI Journal*, vol. 43, no. 6, pp. 1081–1092, Dec. 2021, doi: 10.4218/etrij.2021-0174.
- [21] B. Kaneshiro, D. T. Nguyen, A. M. Norcia, J. P. Dmochowski, and J. Berger, "Natural music evokes correlated EEG responses reflecting temporal structure and beat," *NeuroImage*, vol. 214, p. 116559, Jul. 2020, doi: 10.1016/j.neuroimage.2020.116559.
- [22] I. Daly, "Neural decoding of music from the EEG," *Sci Rep*, vol. 13, no. 1, p. 624, Jan. 2023, doi: 10.1038/s41598-022-27361-x.
- [23] W. Tang and L. Gu, "Harmonic Classification with Enhancing Music Using Deep Learning Techniques," *Complexity*, vol. 2021, pp. 1–10, Sep. 2021, doi: 10.1155/2021/5590996.
- [24] G. Boenn, "ANTON – A RULE-BASED COMPOSITION SYSTEM," 2011.
- [25] X. Zhang, L. Yao, X. Wang, J. Monaghan, D. McAlpine, and Y. Zhang, "A Survey on Deep Learning based Brain Computer Interface: Recent Advances and New Frontiers," vol. 1, no. 1, p. 67.
- [26] P. Welch, "The use of fast Fourier transform for the estimation of power spectra: A method based on time averaging over short, modified periodograms," *IEEE Trans. Audio Electroacoust.*, vol. 15, no. 2, pp. 70–73, Jun. 1967, doi: 10.1109/TAU.1967.1161901.
- [27] D. Sonawane, K. P. Miyapuram, B. RS, and D. J. Lomas, "GuessTheMusic: Song Identification from Electroencephalography response." arXiv, Sep. 17, 2020. Accessed: May 08, 2023. [Online]. Available: <http://arxiv.org/abs/2009.08793>