

REFERENCES

- [1] R. Plutchik, “A psychoevolutionary theory of emotions,” 1982.
- [2] M. Aamir, T. Ali, A. Shaf, M. Irfan, and M. Q. Saleem, “MI-dcnnet: multi-level deep convolutional neural network for facial expression recognition and intensity estimation,” *Arabian Journal for Science and Engineering*, vol. 45, pp. 10 605–10 620, 2020.
- [3] M. V. J. Muthugala and A. B. P. Jayasekara, “Mirob: An intelligent service robot that learns from interactive discussions while handling uncertain information in user instructions,” in *2016 Moratuwa Engineering Research Conference (MER-Con)*. IEEE, 2016, pp. 397–402.
- [4] J.-Y. Huang, W.-P. Lee, and T.-A. Lin, “Developing context-aware dialoguing services for a cloud-based robotic system,” *IEEE access*, vol. 7, pp. 44 293–44 306, 2019.
- [5] J. Quintas, G. S. Martins, L. Santos, P. Menezes, and J. Dias, “Toward a context-aware human–robot interaction framework based on cognitive development,” *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 49, no. 1, pp. 227–237, 2018.
- [6] M. Edirisinghe and A. B. P. Jayasekara, “Use of autobiographical memory for enhancing adaptive hri in multi-user domestic environment,” in *2018 27th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN)*. IEEE, 2018, pp. 1118–1123.
- [7] M. Racca and V. Kyrki, “Active robot learning for temporal task models,” in *Proceedings of the 2018 ACM/IEEE International Conference on Human-Robot Interaction*, 2018, pp. 123–131.
- [8] A. B. Karami, K. Sehaba, and B. Encelle, “Adaptive artificial companions learning from users’ feedback,” *Adaptive Behavior*, vol. 24, no. 2, pp. 69–86, 2016.
- [9] T. Nishio, Y. Yoshikawa, T. Iio, M. Chiba, T. Asami, Y. Isoda, and H. Ishiguro, “Actively listening twin robots for long-duration conversation with the elderly,” *ROBOMECH Journal*, vol. 8, no. 1, pp. 1–10, 2021.
- [10] L. Grassi, C. T. Recchiuto, and A. Sgorbissa, “Knowledge-grounded dialogue flow management for social robots and conversational agents,” *International Journal of Social Robotics*, vol. 14, no. 5, pp. 1273–1293, 2022.

- [11] J. Tian, Z. Tu, N. Li, T. Su, X. Xu, and Z. Wang, “Intention model based multi-round dialogue strategies for conversational ai bots,” *Applied Intelligence*, vol. 52, no. 12, pp. 13 916–13 940, 2022.
- [12] J. A. DeVito, “The interpersonal communication book,” *Instructor*, vol. 1, p. 18, 2019.
- [13] M. Edwards, “Robots in industry: An overview,” *Applied ergonomics*, vol. 15, no. 1, pp. 45–53, 1984.
- [14] D. Portugal, P. Alvito, E. Christodoulou, G. Samaras, and J. Dias, “A study on the deployment of a service robot in an elderly care center,” *International Journal of Social Robotics*, vol. 11, pp. 317–341, 2019.
- [15] D.-S. Kwon, Y. K. Kwak, J. C. Park, M. J. Chung, E.-S. Jee, K.-S. Park, H.-R. Kim, Y.-M. Kim, J.-C. Park, E. H. Kim *et al.*, “Emotion interaction system for a service robot,” in *RO-MAN 2007-The 16th IEEE International Symposium on Robot and Human Interactive Communication*. IEEE, 2007, pp. 351–356.
- [16] A. K. Pandey and R. Gelin, “A mass-produced sociable humanoid robot: Pepper: The first machine of its kind,” *IEEE Robotics & Automation Magazine*, vol. 25, no. 3, pp. 40–48, 2018.
- [17] A. Robaczewski, J. Bouchard, K. Bouchard, and S. Gaboury, “Socially assistive robots: The specific case of the nao,” *International Journal of Social Robotics*, vol. 13, pp. 795–831, 2021.
- [18] C. Bartneck, T. Belpaeme, F. Eyssel, T. Kanda, M. Keijsers, and S. Šabanović, *Human-robot interaction: An introduction*. Cambridge University Press, 2020.
- [19] D. Yang *et al.*, “Design of service robot based on user emotion recognition and environmental monitoring,” *Journal of Environmental and Public Health*, vol. 2022, 2022.
- [20] C. Breazeal, K. Dautenhahn, and T. Kanda, “Social robotics,” *Springer handbook of robotics*, pp. 1935–1972, 2016.
- [21] I. Leite, C. Martinho, and A. Paiva, “Social robots for long-term interaction: a survey,” *International Journal of Social Robotics*, vol. 5, pp. 291–308, 2013.
- [22] R.-S. Natalia, E. Friederike, and H. Charlotte, “Exploring university students’ preferences for educational robot design by means of a user-centered design approach,” *International Journal of Social Robotics*, vol. 12, no. 1, pp. 227–237, 2020.

- [23] M. Mast, M. Burmester, K. Krüger, S. Fatikow, G. Arbeiter, B. Graf, G. Kronreif, L. Pignini, D. Facal, and R. Qiu, “User-centered design of a dynamic-autonomy remote interaction concept for manipulation-capable robots to assist elderly people in the home,” *Journal of Human-Robot Interaction*, vol. 1, no. 1, pp. 96–118, 2012.
- [24] A. Green, H. Huttenrauch, M. Norman, L. Oestreicher, and K. S. Eklundh, “User centered design for intelligent service robots,” in *Proceedings 9th IEEE International Workshop on Robot and Human Interactive Communication. IEEE RO-MAN 2000 (Cat. No. 00TH8499)*. IEEE, 2000, pp. 161–166.
- [25] H. Huttenrauch, A. Green, M. Norman, L. Oestreicher, and K. S. Eklundh, “Involving users in the design of a mobile office robot,” *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 34, no. 2, pp. 113–124, 2004.
- [26] N. Doering, S. Poeschl, H.-M. Gross, A. Bley, C. Martin, and H.-J. Boehme, “User-centered design and evaluation of a mobile shopping robot,” *International Journal of Social Robotics*, vol. 7, pp. 203–225, 2015.
- [27] T. B. Sheridan, “A review of recent research in social robotics,” *Current opinion in psychology*, vol. 36, pp. 7–12, 2020.
- [28] A. Dzedzickis, A. Kaklauskas, and V. Bucinskas, “Human emotion recognition: Review of sensors and methods,” *Sensors*, vol. 20, no. 3, p. 592, 2020.
- [29] K. T. Strongman *et al.*, “The psychology of emotion: From everyday life to theory,” J. Wiley & Sons, Tech. Rep., 2003.
- [30] P. Nandwani and R. Verma, “A review on sentiment analysis and emotion detection from text,” *Social Network Analysis and Mining*, vol. 11, no. 1, p. 81, 2021.
- [31] J. Heredia, E. Lopes-Silva, Y. Cardinale, J. Diaz-Amado, I. Dongo, W. Graterol, and A. Aguilera, “Adaptive multimodal emotion detection architecture for social robots,” *IEEE Access*, vol. 10, pp. 20 727–20 744, 2022.
- [32] R. A. Khalil, E. Jones, M. I. Babar, T. Jan, M. H. Zafar, and T. Alhussain, “Speech emotion recognition using deep learning techniques: A review,” *IEEE Access*, vol. 7, pp. 117 327–117 345, 2019.
- [33] L. Pinto-Coelho, D. Braga, M. Sales-Dias, and C. Garcia-Mateo, “On the development of an automatic voice pleasantness classification and intensity estimation system,” *Computer Speech & Language*, vol. 27, no. 1, pp. 75–88, 2013.

- [34] J. B. Alonso, J. Cabrera, M. Medina, and C. M. Travieso, “New approach in quantification of emotional intensity from the speech signal: emotional temperature,” *Expert Systems with Applications*, vol. 42, no. 24, pp. 9554–9564, 2015.
- [35] K. Charalampous, I. Kostavelis, and A. Gasteratos, “Recent trends in social aware robot navigation: A survey,” *Robotics and Autonomous Systems*, vol. 93, pp. 85–104, 2017.
- [36] M. Edirisinghe, M. Muthugala, and A. Jayasekara, “Application of robot autobiographical memory in long-term human-robot social interactions,” in *2018 2nd International Conference On Electrical Engineering (EECon)*. IEEE, 2018, pp. 138–143.
- [37] T. Beelen, E. Velner, R. Ordelman, K. P. Truong, V. Evers, and T. Huibers, “Designing conversational robots with children during the pandemic,” *arXiv preprint arXiv:2205.11300*, 2022.
- [38] A. Rossi and S. Rossi, “Engaged by a bartender robot: Recommendation and personalisation in human-robot interaction,” in *Adjunct Proceedings of the 29th ACM Conference on User Modeling, Adaptation and Personalization*, 2021, pp. 115–119.
- [39] S. Poria, N. Majumder, R. Mihalcea, and E. Hovy, “Emotion recognition in conversation: Research challenges, datasets, and recent advances,” *IEEE Access*, vol. 7, pp. 100 943–100 953, 2019.
- [40] M.-H. Hsu, P.-S. Chen, and C.-S. Yu, “Proposing a task-oriented chatbot system for efl learners speaking practice,” *Interactive Learning Environments*, vol. 31, no. 7, pp. 4297–4308, 2023.
- [41] M. Valizadeh and N. Parde, “The ai doctor is in: A survey of task-oriented dialogue systems for healthcare applications,” in *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 2022, pp. 6638–6660.
- [42] Z. Yu, Z. Xu, A. W. Black, and A. Rudnicky, “Strategy and policy learning for non-task-oriented conversational systems,” in *Proceedings of the 17th annual meeting of the special interest group on discourse and dialogue*, 2016, pp. 404–412.
- [43] O. Nocentini, L. Fiorini, G. Acerbi, A. Sorrentino, G. Mancioffi, and F. Cavallo, “A survey of behavioral models for social robots,” *Robotics*, vol. 8, no. 3, p. 54, 2019.

- [44] E. S. Shourmasti, R. Colomo-Palacios, H. Holone, and S. Demi, “User experience in social robots,” *Sensors*, vol. 21, no. 15, p. 5052, 2021.
- [45] H. Rajendran, H. R. T. Bandara, A. Jayasekara, and D. Chandima, “User profiling based proactive interaction manager for adaptive human-robot interaction,” in *2023 Moratuwa Engineering Research Conference (MERCOn)*. IEEE, 2023, pp. 632–637.
- [46] H. Rajendran, H. R. T. Bandara, D. Chandima, and A. Jayasekara, “Voice response based emotion intensity classification for assistive robots,” in *2023 IEEE 17th International Conference on Industrial and Information Systems (ICIIS)*. IEEE, 2023, pp. 1–6.
- [47] M. I. Ahmad, J. Bernotat, K. Lohan, and F. Eyssel, “Trust and cognitive load during human-robot interaction,” *arXiv preprint arXiv:1909.05160*, 2019.
- [48] H. Rajendran, H. R. T. Bandara, A. Jayasekara, and D. Chandima, “Context-aware conversational management system for human-robot interaction by incorporating user query-based context classification,” in *2023 IEEE 11th Region 10 Humanitarian Technology Conference (R10-HTC)*. IEEE, 2023, pp. 219–224.
- [49] A. Sahoo, “Voice activity detection for low-resource settings,” *CS230: Deep learning*, 2018.
- [50] A. De Cheveigné and H. Kawahara, “Yin, a fundamental frequency estimator for speech and music,” *The Journal of the Acoustical Society of America*, vol. 111, no. 4, pp. 1917–1930, 2002.
- [51] A. Géron, *Hands-on machine learning with Scikit-Learn, Keras, and TensorFlow*. " O’Reilly Media, Inc.", 2022.
- [52] M. Rezvani and S. M. Hashemi, “Enhancing accuracy of topic sensitive pagerank using jaccard index and cosine similarity,” in *2012 IEEE/WIC/ACM International Conferences on Web Intelligence and Intelligent Agent Technology*, vol. 1. IEEE, 2012, pp. 620–624.
- [53] K. Zhang, Z. Zhang, Z. Li, and Y. Qiao, “Joint face detection and alignment using multitask cascaded convolutional networks,” *IEEE signal processing letters*, vol. 23, no. 10, pp. 1499–1503, 2016.
- [54] H. Ku and W. Dong, “Face recognition based on mtcnn and convolutional neural network,” *Frontiers in Signal Processing*, vol. 4, no. 1, pp. 37–42, 2020.

- [55] J. Xiang and G. Zhu, “Joint face detection and facial expression recognition with mtcnn,” in *2017 4th international conference on information science and control engineering (ICISCE)*. IEEE, 2017, pp. 424–427.
- [56] C. Wu and Y. Zhang, “Mtcnn and facenet based access control system for face detection and recognition,” *Automatic Control and Computer Sciences*, vol. 55, pp. 102–112, 2021.
- [57] M. Pereira, F. Pádua, A. Pereira, F. Benevenuto, and D. Dalip, “Fusing audio, textual, and visual features for sentiment analysis of news videos,” in *Proceedings of the International AAAI Conference on Web and Social Media*, vol. 10, no. 1, 2016, pp. 659–662.
- [58] M. M. Reimann, F. A. Kunneman, C. Oertel, and K. V. Hindriks, “A survey on dialogue management in human-robot interaction,” *arXiv preprint arXiv:2307.10897*, 2023.
- [59] T. Bickmore and T. Giorgino, “Health dialog systems for patients and consumers,” *Journal of biomedical informatics*, vol. 39, no. 5, pp. 556–571, 2006.
- [60] Z. Xiao, M. X. Zhou, Q. V. Liao, G. Mark, C. Chi, W. Chen, and H. Yang, “Tell me about yourself: Using an ai-powered chatbot to conduct conversational surveys with open-ended questions,” *ACM Transactions on Computer-Human Interaction (TOCHI)*, vol. 27, no. 3, pp. 1–37, 2020.
- [61] X. Han, M. Zhou, M. J. Turner, and T. Yeh, “Designing effective interview chatbots: Automatic chatbot profiling and design suggestion generation for chatbot debugging,” in *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, 2021, pp. 1–15.
- [62] J. T. McClave and T. T. Sincich, *Statistics*. Pearson Higher Ed, 2017.