

REFERENCES

- [1] G. M. Whitesides, “The origins and the future of microfluidics,” *Nature*, vol. 442, no. 7101, pp. 368–373, July 2006, doi: 10.1038/nature05058.
- [2] E. K. Sackmann, A. L. Fulton, and D. J. Beebe, “The present and future role of microfluidics in biomedical research,” *Nature*, vol. 507, no. 7491, pp. 181–189, Mar. 2014, doi: 10.1038/nature13118.
- [3] L. Shang, Y. Cheng, and Y. Zhao, “Emerging Droplet Microfluidics,” *Chem. Rev.*, vol. 117, no. 12, pp. 7964–8040, June 2017, doi: 10.1021/acs.chemrev.6b00848.
- [4] G. W. H. Evans, “Droplet Microfluidics for Continuous Chemical Monitoring”.
- [5] B. Zhao, X. Cui, W. Ren, F. Xu, M. Liu, and Z.-G. Ye, “A Controllable and Integrated Pump-enabled Microfluidic Chip and Its Application in Droplets Generating,” *Sci. Rep.*, vol. 7, no. 1, p. 11319, Sept. 2017, doi: 10.1038/s41598-017-10785-1.
- [6] F. Dadkhah Tehrani, M. D. O’Toole, and D. J. Collins, “Tutorial on impedance and dielectric spectroscopy for single-cell characterisation on microfluidic platforms: theory, practice, and recent advances,” *Lab. Chip*, vol. 25, no. 5, pp. 837–855, 2025, doi: 10.1039/D4LC00882K.
- [7] T. N. D. Trinh, H. D. K. Do, N. N. Nam, T. T. Dan, K. T. L. Trinh, and N. Y. Lee, “Droplet-Based Microfluidics: Applications in Pharmaceuticals,” *Pharmaceuticals*, vol. 16, no. 7, p. 937, June 2023, doi: 10.3390/ph16070937.
- [8] B. D. Iverson and S. V. Garimella, “Recent advances in microscale pumping technologies: a review and evaluation,” *Microfluid. Nanofluidics*, vol. 5, no. 2, pp. 145–174, Aug. 2008, doi: 10.1007/s10404-008-0266-8.
- [9] A. Nisar, N. Afzulpurkar, B. Mahaisavariya, and A. Tuantranont, “MEMS-based micropumps in drug delivery and biomedical applications,” *Sens. Actuators B Chem.*, vol. 130, no. 2, pp. 917–942, Mar. 2008, doi: 10.1016/j.snb.2007.10.064.
- [10] A. K. Au, H. Lai, B. R. Utela, and A. Folch, “Microvalves and Micropumps for BioMEMS,” *Micromachines*, vol. 2, no. 2, pp. 179–220, May 2011, doi: 10.3390/mi2020179.
- [11] M. I. Hajam and M. M. Khan, “Microfluidics: a concise review of the history, principles, design, applications, and future outlook,” *Biomater. Sci.*, vol. 12, no. 2, pp. 218–251, 2024, doi: 10.1039/D3BM01463K.
- [12] L. Ma *et al.*, “Droplet Microfluidic Devices: Working Principles, Fabrication Methods, and Scale-Up Applications,” *Small Methods*, vol. 8, no. 8, p. 2301406, Aug. 2024, doi: 10.1002/smt.202301406.
- [13] R. Lathia, K. N. Nampoothiri, N. Sagar, S. Bansal, C. D. Modak, and P. Sen, “Advances in Microscale Droplet Generation and Manipulation,” *Langmuir*, vol. 39, no. 7, pp. 2461–2482, Feb. 2023, doi: 10.1021/acs.langmuir.2c02905.
- [14] Z. Stanimirović and I. Stanimirović, Eds., *Microelectromechanical Systems (MEMS) - Innovation, Manufacturing Techniques and Applications*. IntechOpen, 2025. doi: 10.5772/intechopen.1004966.
- [15] N. Azizipour, R. Avazpour, D. H. Rosenzweig, M. Sawan, and A. Ajji, “Evolution of Biochip Technology: A Review from Lab-on-a-Chip to Organ-on-

- a-Chip,” *Micromachines*, vol. 11, no. 6, p. 599, June 2020, doi: 10.3390/mi11060599.
- [16] S. Arshavsky-Graham and E. Segal, “Lab-on-a-Chip Devices for Point-of-Care Medical Diagnostics,” in *Microfluidics in Biotechnology*, vol. 179, J. Bahnemann and A. Grünberger, Eds., in *Advances in Biochemical Engineering/Biotechnology*, vol. 179, Cham: Springer International Publishing, 2020, pp. 247–265. doi: 10.1007/10_2020_127.
- [17] L. Malic, D. Brassard, T. Veres, and M. Tabrizian, “Integration and detection of biochemical assays in digital microfluidic LOC devices,” *Lab Chip*, vol. 10, no. 4, pp. 418–431, 2010, doi: 10.1039/B917668C.
- [18] M. Diao, L. Lang, J. Feng, and R. Li, “Molecular detections of coronavirus: current and emerging methodologies,” *Expert Rev. Anti Infect. Ther.*, vol. 20, no. 2, pp. 199–210, Feb. 2022, doi: 10.1080/14787210.2021.1949986.
- [19] L. Yu, S. R. Ng, Y. Xu, H. Dong, Y. J. Wang, and C. M. Li, “Advances of lab-on-a-chip in isolation, detection and post-processing of circulating tumour cells,” *Lab. Chip*, vol. 13, no. 16, p. 3163, 2013, doi: 10.1039/c3lc00052d.
- [20] K. W. Oh, “Lab-on-chip (LOC) devices and microfluidics for biomedical applications,” in *MEMS for Biomedical Applications*, Elsevier, 2012, pp. 150–171. doi: 10.1533/9780857096272.2.150.
- [21] A. Mudugamuwa *et al.*, “Vision-Based Performance Analysis of an Active Microfluidic Droplet Generation System Using Droplet Images,” *Sensors*, vol. 22, no. 18, p. 6900, Sept. 2022, doi: 10.3390/s22186900.
- [22] D. Onan *et al.*, “Microfluidics Based Particle and Droplet Generation for Gene and Drug Delivery Approaches,” *J. Biomed. Mater. Res. B Appl. Biomater.*, vol. 113, no. 2, p. e35530, Feb. 2025, doi: 10.1002/jbm.b.35530.
- [23] M. Rawas-Qalaji, R. Cagliani, N. Al-hashimi, R. Al-Dabbagh, A. Al-Dabbagh, and Z. Hussain, “Microfluidics in drug delivery: review of methods and applications,” *Pharm. Dev. Technol.*, vol. 28, no. 1, pp. 61–77, Jan. 2023, doi: 10.1080/10837450.2022.2162543.
- [24] Y. Ding, P. D. Howes, and A. J. deMello, “Recent Advances in Droplet Microfluidics,” *Anal. Chem.*, vol. 92, no. 1, pp. 132–149, Jan. 2020, doi: 10.1021/acs.analchem.9b05047.
- [25] P. N. Nge, C. I. Rogers, and A. T. Woolley, “Advances in Microfluidic Materials, Functions, Integration, and Applications,” *Chem. Rev.*, vol. 113, no. 4, pp. 2550–2583, Apr. 2013, doi: 10.1021/cr300337x.
- [26] A. Pit, M. Duits, and F. Mugele, “Droplet Manipulations in Two Phase Flow Microfluidics,” *Micromachines*, vol. 6, no. 11, pp. 1768–1793, Nov. 2015, doi: 10.3390/mi6111455.
- [27] Z. Chen, J. Xu, and Y. Wang, “Gas-liquid-liquid multiphase flow in microfluidic systems – A review,” *Chem. Eng. Sci.*, vol. 202, pp. 1–14, July 2019, doi: 10.1016/j.ces.2019.03.016.
- [28] P. Zhu and L. Wang, “Passive and active droplet generation with microfluidics: a review,” *Lab. Chip*, vol. 17, no. 1, pp. 34–75, 2017, doi: 10.1039/C6LC01018K.

- [29] S. Hettiarachchi *et al.*, “Design and development of a microfluidic droplet generator with vision sensing for lab-on-a-chip devices,” *Sens. Actuators Phys.*, vol. 332, p. 113047, Dec. 2021, doi: 10.1016/j.sna.2021.113047.
- [30] Z. Z. Chong, S. H. Tan, A. M. Gañán-Calvo, S. B. Tor, N. H. Loh, and N.-T. Nguyen, “Active droplet generation in microfluidics,” *Lab. Chip*, vol. 16, no. 1, pp. 35–58, 2016, doi: 10.1039/C5LC01012H.
- [31] S. Hettiarachchi, G. Melroy, A. Mudugamuwa, N. Perera, P. Sampath, and R. Amarasinghe, “3D Printed Multi-channel Peristaltic Pump with Active Droplet Generator for Lab-on-a-Chip Devices,” in *Sustainable Design and Manufacturing*, vol. 262, S. G. Scholz, R. J. Howlett, and R. Setchi, Eds., in Smart Innovation, Systems and Technologies, vol. 262. , Singapore: Springer Singapore, 2022, pp. 235–244. doi: 10.1007/978-981-16-6128-0_23.
- [32] H. Sun, W. Xie, J. Mo, Y. Huang, and H. Dong, “Deep learning with microfluidics for on-chip droplet generation, control, and analysis,” *Front. Bioeng. Biotechnol.*, vol. 11, p. 1208648, June 2023, doi: 10.3389/fbioe.2023.1208648.
- [33] T. Ward, M. Faivre, M. Abkarian, and H. A. Stone, “Microfluidic flow focusing: Drop size and scaling in pressure versus flow-rate-driven pumping,” *ELECTROPHORESIS*, vol. 26, no. 19, pp. 3716–3724, Oct. 2005, doi: 10.1002/elps.200500173.
- [34] L. Amirifar *et al.*, “Droplet-based microfluidics in biomedical applications,” *Biofabrication*, vol. 14, no. 2, p. 022001, Apr. 2022, doi: 10.1088/1758-5090/ac39a9.
- [35] B. Huang, H. Xie, and Z. Li, “Microfluidic Methods for Generation of Submicron Droplets: A Review,” *Micromachines*, vol. 14, no. 3, p. 638, Mar. 2023, doi: 10.3390/mi14030638.
- [36] F. Amirouche, Y. Zhou, and T. Johnson, “Current micropump technologies and their biomedical applications,” *Microsyst. Technol.*, vol. 15, no. 5, pp. 647–666, May 2009, doi: 10.1007/s00542-009-0804-7.
- [37] J. Prithvi, B. S. Sreeja, S. Radha, C. Joshitha, and A. Gowthami, “Critical Review and Exploration on Micro-pumps for Microfluidic Delivery,” in *MEMS and Microfluidics in Healthcare*, vol. 989, K. Guha, G. Dutta, A. Biswas, and K. Srinivasa Rao, Eds., in Lecture Notes in Electrical Engineering, vol. 989. , Singapore: Springer Nature Singapore, 2023, pp. 65–100. doi: 10.1007/978-981-19-8714-4_5.
- [38] W. Li, D. Li, L. He, Y. Wang, D. Wang, and L. Qiao, “A review of recent studies on valve-less piezoelectric pumps,” *Rev. Sci. Instrum.*, vol. 94, no. 3, p. 031502, Mar. 2023, doi: 10.1063/5.0135700.
- [39] S. Scott and Z. Ali, “Fabrication Methods for Microfluidic Devices: An Overview,” *Micromachines*, vol. 12, no. 3, p. 319, Mar. 2021, doi: 10.3390/mi12030319.
- [40] R. Garmasukis, C. Hackl, A. Charvat, S. G. Mayr, and B. Abel, “Rapid prototyping of microfluidic chips enabling controlled biotechnology applications in microspace,” *Curr. Opin. Biotechnol.*, vol. 81, p. 102948, June 2023, doi: 10.1016/j.copbio.2023.102948.

- [41] D. J. Guckenberger, T. E. De Groot, A. M. D. Wan, D. J. Beebe, and E. W. K. Young, "Micromilling: a method for ultra-rapid prototyping of plastic microfluidic devices," *Lab. Chip*, vol. 15, no. 11, pp. 2364–2378, 2015, doi: 10.1039/C5LC00234F.
- [42] A. Waldbaur, H. Rapp, K. Länge, and B. E. Rapp, "Let there be chip—towards rapid prototyping of microfluidic devices: one-step manufacturing processes," *Anal. Methods*, vol. 3, no. 12, p. 2681, 2011, doi: 10.1039/c1ay05253e.
- [43] K. Giri and C.-W. Tsao, "Recent Advances in Thermoplastic Microfluidic Bonding," *Micromachines*, vol. 13, no. 3, p. 486, Mar. 2022, doi: 10.3390/mi13030486.
- [44] M. A. M. Ahmed, K. M. Jurczak, N. S. Lynn, J.-P. S. H. Mulder, E. M. J. Verpoorte, and A. Nagelkerke, "Rapid prototyping of PMMA-based microfluidic spheroid-on-a-chip models using micromilling and vapour-assisted thermal bonding," *Sci. Rep.*, vol. 14, no. 1, p. 2831, Feb. 2024, doi: 10.1038/s41598-024-53266-y.
- [45] M. Madadi, A. Madadi, R. Zareifar, and A. Nikfarjam, "A simple solvent-assisted method for thermal bonding of large-surface, multilayer PMMA microfluidic devices," *Sens. Actuators Phys.*, vol. 349, p. 114077, Jan. 2023, doi: 10.1016/j.sna.2022.114077.
- [46] Y. C. Lim, A. Z. Kouzani, and W. Duan, "Lab-on-a-chip: a component view," *Microsyst. Technol.*, vol. 16, no. 12, pp. 1995–2015, Dec. 2010, doi: 10.1007/s00542-010-1141-6.
- [47] K. F. Lei, "Microfluidic Systems for Diagnostic Applications: A Review," *SLAS Technol.*, vol. 17, no. 5, pp. 330–347, Oct. 2012, doi: 10.1177/2211068212454853.
- [48] A. Krześniak, T. Gabler, M. Janik, M. Koba, M. Jönsson-Niedziółka, and M. Śmietana, "A microfluidic system for analysis of electrochemical processing using a highly sensitive optical fiber microcavity," *Opt. Lasers Eng.*, vol. 158, p. 107173, Nov. 2022, doi: 10.1016/j.optlaseng.2022.107173.
- [49] F. Kong, L. Yuan, Y. F. Zheng, and W. Chen, "Automatic Liquid Handling for Life Science: A Critical Review of the Current State of the Art," *SLAS Technol.*, vol. 17, no. 3, pp. 169–185, June 2012, doi: 10.1177/2211068211435302.
- [50] S. Aralekallu, R. Boddula, and V. Singh, "Development of glass-based microfluidic devices: A review on its fabrication and biologic applications," *Mater. Des.*, vol. 225, p. 111517, Jan. 2023, doi: 10.1016/j.matdes.2022.111517.
- [51] A. Olanrewaju, M. Beaugrand, M. Yafia, and D. Juncker, "Capillary microfluidics in microchannels: from microfluidic networks to capillary circuits," *Lab. Chip*, vol. 18, no. 16, pp. 2323–2347, 2018, doi: 10.1039/C8LC00458G.
- [52] A. Bezelya, B. Küçüktürkmen, and A. Bozkır, "Microfluidic Devices for Precision Nanoparticle Production," *Micro*, vol. 3, no. 4, pp. 822–866, Oct. 2023, doi: 10.3390/micro3040058.
- [53] C. D. Chin, V. Linder, and S. K. Sia, "Commercialization of microfluidic point-of-care diagnostic devices," *Lab. Chip*, vol. 12, no. 12, p. 2118, 2012, doi: 10.1039/c2lc21204h.

- [54] M. Ferreira, V. Carvalho, J. Ribeiro, R. A. Lima, S. Teixeira, and D. Pinho, "Advances in Microfluidic Systems and Numerical Modeling in Biomedical Applications: A Review," *Micromachines*, vol. 15, no. 7, p. 873, June 2024, doi: 10.3390/mi15070873.
- [55] S. Preetam *et al.*, "Emergence of microfluidics for next generation biomedical devices," *Biosens. Bioelectron. X*, vol. 10, p. 100106, May 2022, doi: 10.1016/j.biosx.2022.100106.
- [56] R. Seemann, M. Brinkmann, T. Pfohl, and S. Herminghaus, "Droplet based microfluidics," *Rep. Prog. Phys.*, vol. 75, no. 1, p. 016601, Jan. 2012, doi: 10.1088/0034-4885/75/1/016601.
- [57] N. Azizipour, R. Avazpour, D. H. Rosenzweig, M. Sawan, and A. Ajji, "Evolution of Biochip Technology: A Review from Lab-on-a-Chip to Organ-on-a-Chip," *Micromachines*, vol. 11, no. 6, p. 599, June 2020, doi: 10.3390/mi11060599.
- [58] D. E. Ingber, "Human organs-on-chips for disease modelling, drug development and personalized medicine," *Nat. Rev. Genet.*, vol. 23, no. 8, pp. 467–491, Aug. 2022, doi: 10.1038/s41576-022-00466-9.
- [59] A.-G. Niculescu, C. Chircov, A. C. Bîrcă, and A. M. Grumezescu, "Fabrication and Applications of Microfluidic Devices: A Review," *Int. J. Mol. Sci.*, vol. 22, no. 4, p. 2011, Feb. 2021, doi: 10.3390/ijms22042011.
- [60] M. Yew, Y. Ren, K. S. Koh, C. Sun, and C. Snape, "A Review of State-of-the-Art Microfluidic Technologies for Environmental Applications: Detection and Remediation," *Glob. Chall.*, vol. 3, no. 1, p. 1800060, Jan. 2019, doi: 10.1002/gch2.201800060.
- [61] J. A. Wippold, "Past, Current & Future: Marrying Microfluidics, Synthetic Biology, and Growing Défense and Applications".
- [62] S. C. Terry, J. H. Jerman, and J. B. Angell, "A gas chromatographic air analyzer fabricated on a silicon wafer," *IEEE Trans. Electron Devices*, vol. 26, no. 12, pp. 1880–1886, Dec. 1979, doi: 10.1109/T-ED.1979.19791.
- [63] D. Watts and J. R. E. MacBeath, "Automated Fluorescent DNA Sequencing," in *DNA Sequencing Protocols*, vol. 167, New Jersey: Humana Press, 2001, pp. 153–170. doi: 10.1385/1-59259-113-2:153.
- [64] A. P. Iakovlev, A. S. Erofeev, and P. V. Gorelkin, "Novel Pumping Methods for Microfluidic Devices: A Comprehensive Review," *Biosensors*, vol. 12, no. 11, p. 956, Nov. 2022, doi: 10.3390/bios12110956.
- [65] F. Ahmadi, K. Samlali, P. Q. N. Vo, and S. C. C. Shih, "An integrated droplet-digital microfluidic system for on-demand droplet creation, mixing, incubation, and sorting," *Lab. Chip*, vol. 19, no. 3, pp. 524–535, 2019, doi: 10.1039/C8LC01170B.
- [66] C. Chircov and A. M. Grumezescu, "Microelectromechanical Systems (MEMS) for Biomedical Applications," *Micromachines*, vol. 13, no. 2, p. 164, Jan. 2022, doi: 10.3390/mi13020164.
- [67] X. Wang, C. Cheng, S. Wang, and S. Liu, "Electroosmotic pumps and their applications in microfluidic systems," *Microfluid. Nanofluidics*, vol. 6, no. 2, pp. 145–162, Feb. 2009, doi: 10.1007/s10404-008-0399-9.

- [68] W. C. Nelson and C.-J. 'Cj' Kim, "Droplet Actuation by Electrowetting-on-Dielectric (EWOD): A Review," *J. Adhes. Sci. Technol.*, vol. 26, no. 12–17, pp. 1747–1771, Sept. 2012, doi: 10.1163/156856111X599562.
- [69] X.-L. Gao, X.-D. Bao, S.-J. Pang, J. Wu, K. Luo, and H.-L. Yi, "The electrohydrodynamic enhancement of heat transfer on interdigitated electrodes by a charge injection pump," *Phys. Fluids*, vol. 36, no. 3, p. 033612, Mar. 2024, doi: 10.1063/5.0192399.
- [70] M. Robert De Saint Vincent and J.-P. Delville, "Thermocapillary migration in small-scale temperature gradients: Application to optofluidic drop dispensing," *Phys. Rev. E*, vol. 85, no. 2, p. 026310, Feb. 2012, doi: 10.1103/PhysRevE.85.026310.
- [71] C. Liu, Y. Zhu, and C. Wu, "Optimization of a synthetic jet based piezoelectric air pump and its application in electronic cooling," *Microsyst. Technol.*, vol. 26, no. 6, pp. 1905–1914, June 2020, doi: 10.1007/s00542-019-04743-2.
- [72] B. Liu, C. Ma, J. Yang, D. Li, and H. Liu, "Study on the Heat Source Insulation of a Thermal Bubble-Driven Micropump with Induction Heating," *Micromachines*, vol. 12, no. 9, p. 1040, Aug. 2021, doi: 10.3390/mi12091040.
- [73] İb. Efe, F. DiKmen, and Y. Tuchkin, "On an electrostatic micropump with a rigorous mathematical model," *Turk. J. Electr. Eng. Comput. Sci.*, vol. 30, no. 3, pp. 805–817, Mar. 2022, doi: 10.55730/1300-0632.3812.
- [74] M. Gao and L. Gui, "Development of a Multi-Stage Electroosmotic Flow Pump Using Liquid Metal Electrodes," *Micromachines*, vol. 7, no. 9, p. 165, Sept. 2016, doi: 10.3390/mi7090165.
- [75] "Elveflow. (n.d.). Microfluidic immunoassay systems for diagnostics [Webinar]." [Online]. Available: <https://www.elveflow.com/webinar/microfluidic-immunoassay-systems-for-diagnostics/>
- [76] M. Alistar and U. Gaudenz, "OpenDrop: An Integrated Do-It-Yourself Platform for Personal Use of Biochips," *Bioengineering*, vol. 4, no. 2, p. 45, May 2017, doi: 10.3390/bioengineering4020045.
- [77] A. Bransky, N. Korin, M. Khoury, and S. Levenberg, "A microfluidic droplet generator based on a piezoelectric actuator," *Lab Chip*, vol. 9, no. 4, pp. 516–520, 2009, doi: 10.1039/B814810D.
- [78] P. P. Behera, N. Kumar, M. Kumari, S. Kumar, P. K. Mondal, and R. K. Arun, "Integrated microfluidic devices for point-of-care detection of bio-analytes and disease," *Sens. Diagn.*, vol. 2, no. 6, pp. 1437–1459, 2023, doi: 10.1039/D3SD00170A.
- [79] P. Zhou, H. He, H. Ma, S. Wang, and S. Hu, "A Review of Optical Imaging Technologies for Microfluidics," *Micromachines*, vol. 13, no. 2, p. 274, Feb. 2022, doi: 10.3390/mi13020274.
- [80] A. Farzbod and H. Moon, "Integration of reconfigurable potentiometric electrochemical sensors into a digital microfluidic platform," *Biosens. Bioelectron.*, vol. 106, pp. 37–42, May 2018, doi: 10.1016/j.bios.2018.01.048.

- [81] W. Pang, H. Zhao, E. S. Kim, H. Zhang, H. Yu, and X. Hu, “Piezoelectric microelectromechanical resonant sensors for chemical and biological detection,” *Lab Chip*, vol. 12, no. 1, pp. 29–44, 2012, doi: 10.1039/C1LC20492K.
- [82] S. Sart, G. Ronteix, S. Jain, G. Amselem, and C. N. Baroud, “Cell Culture in Microfluidic Droplets,” *Chem. Rev.*, vol. 122, no. 7, pp. 7061–7096, Apr. 2022, doi: 10.1021/acs.chemrev.1c00666.
- [83] A. Mudugamuwa *et al.*, “Periodic Flows in Microfluidics,” *Small*, vol. 20, no. 50, p. 2404685, Dec. 2024, doi: 10.1002/sml.202404685.
- [84] S. K. Dash, V. Sharma, R. S. Verma, and S. K. Das, “Low intermittent flow promotes rat mesenchymal stem cell differentiation in logarithmic fluid shear device,” *Biomicrofluidics*, vol. 14, no. 5, p. 054107, Sept. 2020, doi: 10.1063/5.0024437.
- [85] P. Garstecki, M. J. Fuerstman, H. A. Stone, and G. M. Whitesides, “Formation of droplets and bubbles in a microfluidic T-junction—scaling and mechanism of break-up,” *Lab. Chip*, vol. 6, no. 3, p. 437, 2006, doi: 10.1039/b510841a.
- [86] S.-Y. Teh, R. Lin, L.-H. Hung, and A. P. Lee, “Droplet microfluidics,” *Lab. Chip*, vol. 8, no. 2, p. 198, 2008, doi: 10.1039/b715524g.
- [87] J. K. Nunes, S. S. H. Tsai, J. Wan, and H. A. Stone, “Dripping and jetting in microfluidic multiphase flows applied to particle and fibre synthesis,” *J. Phys. Appl. Phys.*, vol. 46, no. 11, p. 114002, Mar. 2013, doi: 10.1088/0022-3727/46/11/114002.
- [88] A. S. Utada, A. Fernandez-Nieves, H. A. Stone, and D. A. Weitz, “Dripping to Jetting Transitions in Coflowing Liquid Streams,” *Phys. Rev. Lett.*, vol. 99, no. 9, p. 094502, Aug. 2007, doi: 10.1103/PhysRevLett.99.094502.
- [89] Z. Shi *et al.*, “Step emulsification in microfluidic droplet generation: mechanisms and structures,” *Chem. Commun.*, vol. 56, no. 64, pp. 9056–9066, 2020, doi: 10.1039/D0CC03628E.
- [90] Z. Liu, C. Duan, S. Jiang, C. Zhu, Y. Ma, and T. Fu, “Microfluidic step emulsification techniques based on spontaneous transformation mechanism: A review,” *J. Ind. Eng. Chem.*, vol. 92, pp. 18–40, Dec. 2020, doi: 10.1016/j.jiec.2020.08.025.
- [91] G. Ji, Y. Kanno, and T. Nisisako, “Microfluidic Coupling of Step Emulsification and Deterministic Lateral Displacement for Producing Satellite-Free Droplets and Particles,” *Micromachines*, vol. 14, no. 3, p. 622, Mar. 2023, doi: 10.3390/mi14030622.
- [92] G. Vladisavljević, R. Al Nuamani, and S. Nabavi, “Microfluidic Production of Multiple Emulsions,” *Micromachines*, vol. 8, no. 3, p. 75, Mar. 2017, doi: 10.3390/mi8030075.
- [93] C. M. E. Bitar *et al.*, “Development of a microchannel emulsification process for pancreatic beta cell encapsulation,” *Biotechnol. Prog.*, vol. 35, no. 6, p. e2851, Nov. 2019, doi: 10.1002/btpr.2851.
- [94] N. Khalid, I. Kobayashi, M. A. Neves, K. Uemura, and M. Nakajima, “Microchannel emulsification: A promising technique towards encapsulation of functional compounds,” *Crit. Rev. Food Sci. Nutr.*, vol. 58, no. 14, pp. 2364–2385, Sept. 2018, doi: 10.1080/10408398.2017.1323724.

- [95] C. Charcosset, "Preparation of emulsions and particles by membrane emulsification for the food processing industry," *J. Food Eng.*, vol. 92, no. 3, pp. 241–249, June 2009, doi: 10.1016/j.jfoodeng.2008.11.017.
- [96] E. Egidi, G. Gasparini, R. G. Holdich, G. T. Vladislavljević, and S. R. Kosvintsev, "Membrane emulsification using membranes of regular pore spacing: Droplet size and uniformity in the presence of surface shear," *J. Membr. Sci.*, vol. 323, no. 2, pp. 414–420, Oct. 2008, doi: 10.1016/j.memsci.2008.06.047.
- [97] D. Zhang *et al.*, "Innovative Advances in Droplet Microfluidics," *Research*, vol. 8, p. 0856, Jan. 2025, doi: 10.34133/research.0856.
- [98] U. Roshan *et al.*, "Flexible droplet microfluidic devices for tuneable droplet generation," *Sens. Actuators B Chem.*, vol. 422, p. 136617, Jan. 2025, doi: 10.1016/j.snb.2024.136617.
- [99] H. Ji, J. Lee, J. Park, J. Kim, H. S. Kim, and Y. Cho, "High-Aspect-Ratio Microfluidic Channel with Parallelogram Cross-Section for Monodisperse Droplet Generation," *Biosensors*, vol. 12, no. 2, p. 118, Feb. 2022, doi: 10.3390/bios12020118.
- [100] X. Cao *et al.*, "Towards an active droplet-based microfluidic platform for programmable fluid handling," *Lab. Chip*, vol. 23, no. 8, pp. 2029–2038, 2023, doi: 10.1039/D3LC00015J.
- [101] N. Shi, M. Mohibullah, and C. J. Easley, "Active Flow Control and Dynamic Analysis in Droplet Microfluidics," *Annu. Rev. Anal. Chem.*, vol. 14, no. 1, pp. 133–153, July 2021, doi: 10.1146/annurev-anchem-122120-042627.
- [102] B. Deng, K. Schroën, M. Steegmans, and J. De Ruiter, "Capillary pressure-based measurement of dynamic interfacial tension in a spontaneous microfluidic sensor," *Lab. Chip*, vol. 22, no. 20, pp. 3860–3868, 2022, doi: 10.1039/D2LC00545J.
- [103] J. W. Khor, U. N. Lee, J. Berthier, E. Berthier, and A. B. Theberge, "Interfacial Tension Driven Open Droplet Microfluidics," *Adv. Mater. Interfaces*, vol. 10, no. 7, p. 2202234, Mar. 2023, doi: 10.1002/admi.202202234.
- [104] A. Fergola, A. Ballesio, F. Frascella, L. Napione, M. Cocuzza, and S. L. Marasso, "Droplet Generation and Manipulation in Microfluidics: A Comprehensive Overview of Passive and Active Strategies," *Biosensors*, vol. 15, no. 6, p. 345, May 2025, doi: 10.3390/bios15060345.
- [105] S. Sadasivan, S. Pradeep, J. C. Ramachandran, J. Narayan, and M. J. Gęca, "Advances in droplet microfluidics: a comprehensive review of innovations, morphology, dynamics, and applications," *Microfluid. Nanofluidics*, vol. 29, no. 3, p. 17, Mar. 2025, doi: 10.1007/s10404-025-02789-5.
- [106] J.-H. Wang and G.-B. Lee, "Formation of Tunable, Emulsion Micro-Droplets Utilizing Flow-Focusing Channels and a Normally-Closed Micro-Valve," *Micromachines*, vol. 4, no. 3, pp. 306–320, July 2013, doi: 10.3390/mi4030306.
- [107] M. Zhang, J. Wu, X. Niu, W. Wen, and P. Sheng, "Manipulations of microfluidic droplets using electrorheological carrier fluid," *Phys. Rev. E*, vol. 78, no. 6, p. 066305, Dec. 2008, doi: 10.1103/PhysRevE.78.066305.

- [108] Y. Wu, T. Fu, Y. Ma, and H. Z. Li, “Ferrofluid droplet formation and breakup dynamics in a microfluidic flow-focusing device,” *Soft Matter*, vol. 9, no. 41, p. 9792, 2013, doi: 10.1039/c3sm51860d.
- [109] N.-T. Nguyen *et al.*, “Thermally mediated droplet formation in microchannels,” *Appl. Phys. Lett.*, vol. 91, no. 8, p. 084102, Aug. 2007, doi: 10.1063/1.2773948.
- [110] Y. N. Cheung and H. Qiu, “Characterization of acoustic droplet formation in a microfluidic flow-focusing device,” *Phys. Rev. E*, vol. 84, no. 6, p. 066310, Dec. 2011, doi: 10.1103/PhysRevE.84.066310.
- [111] L. Du *et al.*, “Cost-Effective Droplet Generator for Portable Bio-Applications,” *Micromachines*, vol. 14, no. 2, p. 466, Feb. 2023, doi: 10.3390/mi14020466.
- [112] Q. Yan, Z. Liu, L. Wang, W. Sun, and M. Jiang, “Recent Research on Structural Design, Performance Optimization, and Applications of Piezoelectric Pumps,” *Micromachines*, vol. 16, no. 4, p. 474, Apr. 2025, doi: 10.3390/mi16040474.
- [113] P. K. Das and A. B. M. T. Hasan, “Mechanical micropumps and their applications: A review,” presented at the 7TH BSME INTERNATIONAL CONFERENCE ON THERMAL ENGINEERING, Dhaka, Bangladesh, 2017, p. 020110. doi: 10.1063/1.4984739.
- [114] B. Markal and A. Evcimen, “Effect of intermittent interruption of fluid supply on flow boiling phenomenon in micro-pinned heat sinks,” *Int. Commun. Heat Mass Transf.*, vol. 159, p. 108291, Dec. 2024, doi: 10.1016/j.icheatmasstransfer.2024.108291.
- [115] M. Kim, K. Komeda, J. Jeong, M. Oinuma, T. Sato, and K. Saito, “Optimizing Calibration for a Capacitance-Based Void Fraction Sensor with Asymmetric Electrodes under Horizontal Flow in a Smoothed Circular Macro-Tube,” *Sensors*, vol. 22, no. 9, p. 3511, May 2022, doi: 10.3390/s22093511.
- [116] A. J. T. Teo *et al.*, “Negative Pressure Induced Droplet Generation in a Microfluidic Flow-Focusing Device,” *Anal. Chem.*, vol. 89, no. 8, pp. 4387–4391, Apr. 2017, doi: 10.1021/acs.analchem.6b05053.
- [117] C. Lee, Y. Cho, W. Jung, J. Lee, and Y. Hwang, “Droplet generation with integrated 3D pneumatic actuator for orifice control,” *J. Mech. Sci. Technol.*, vol. 36, no. 1, pp. 333–340, Jan. 2022, doi: 10.1007/s12206-021-1232-6.
- [118] S. M. Naghib and Y. Rezaeian, “Microfluidic Micropumps: Advancing Biomedical Applications with Micro Electromechanical-Based Systems (MEMS),” in *Frontiers of Nanobiotechnology*, in Series in BioEngineering. , Cham: Springer Nature Switzerland, 2025, pp. 93–135. doi: 10.1007/978-3-031-88419-1_4.
- [119] M. Zagnoni and J. M. Cooper, in *Methods in Cell Biology*, vol. 102, Elsevier, 2011, pp. 23–48. doi: 10.1016/B978-0-12-374912-3.00002-X.
- [120] E. Bouzetos, K. A. Ganar, E. Mastrobattista, S. Deshpande, and J. Van Der Oost, “(R)evolution-on-a-chip,” *Trends Biotechnol.*, vol. 40, no. 1, pp. 60–76, Jan. 2022, doi: 10.1016/j.tibtech.2021.04.009.
- [121] N. Shembekar, C. Chaipan, R. Utharala, and C. A. Merten, “Droplet-based microfluidics in drug discovery, transcriptomics and high-throughput molecular

- genetics,” *Lab. Chip*, vol. 16, no. 8, pp. 1314–1331, 2016, doi: 10.1039/C6LC00249H.
- [122] J. Zhu *et al.*, “AI-driven high-throughput droplet screening of cell-free gene expression,” *Nat. Commun.*, vol. 16, no. 1, p. 2720, Mar. 2025, doi: 10.1038/s41467-025-58139-0.
- [123] M. Srisa-Art, A. J. deMello, and J. B. Edel, “High-Throughput DNA Droplet Assays Using Picoliter Reactor Volumes,” *Anal. Chem.*, vol. 79, no. 17, pp. 6682–6689, Sept. 2007, doi: 10.1021/ac070987o.
- [124] E. Mazaika and J. Homsy, “Digital Droplet PCR: CNV Analysis and Other Applications,” *Curr. Protoc. Hum. Genet.*, vol. 82, no. 1, July 2014, doi: 10.1002/0471142905.hg0724s82.
- [125] K. R. Emslie, J. L. H. McLaughlin, K. Griffiths, M. Forbes-Smith, L. B. Pinheiro, and D. G. Burke, “Droplet Volume Variability and Impact on Digital PCR Copy Number Concentration Measurements,” *Anal. Chem.*, vol. 91, no. 6, pp. 4124–4131, Mar. 2019, doi: 10.1021/acs.analchem.8b05828.
- [126] M. Zhang *et al.*, “Highly parallel and efficient single cell mRNA sequencing with paired picoliter chambers,” *Nat. Commun.*, vol. 11, no. 1, p. 2118, Apr. 2020, doi: 10.1038/s41467-020-15765-0.
- [127] P. Sant, K. Rippe, and J.-P. Mallm, “Approaches for single-cell RNA sequencing across tissues and cell types,” *Transcription*, vol. 14, no. 3–5, pp. 127–145, Oct. 2023, doi: 10.1080/21541264.2023.2200721.
- [128] W. Lee, H. Kim, P. K. Bae, S. Lee, S. Yang, and J. Kim, “A single snapshot multiplex immunoassay platform utilizing dense test lines based on engineered beads,” *Biosens. Bioelectron.*, vol. 190, p. 113388, Oct. 2021, doi: 10.1016/j.bios.2021.113388.
- [129] C.-C. Lin, J.-H. Wang, H.-W. Wu, and G.-B. Lee, “Microfluidic Immunoassays,” *JALA J. Assoc. Lab. Autom.*, vol. 15, no. 3, pp. 253–274, June 2010, doi: 10.1016/j.jala.2010.01.013.
- [130] C. Leal-Alves *et al.*, “A Microfluidic Multiplex Sorter for Strain Development,” *Adv. Mater. Technol.*, vol. 10, no. 6, p. 2401209, Mar. 2025, doi: 10.1002/admt.202401209.
- [131] S. Sohrabi, N. Kassir, and M. Keshavarz Moraveji, “Droplet microfluidics: fundamentals and its advanced applications,” *RSC Adv.*, vol. 10, no. 46, pp. 27560–27574, 2020, doi: 10.1039/D0RA04566G.
- [132] E. Brouzes *et al.*, “Droplet microfluidic technology for single-cell high-throughput screening,” *Proc. Natl. Acad. Sci.*, vol. 106, no. 34, pp. 14195–14200, Aug. 2009, doi: 10.1073/pnas.0903542106.
- [133] H. Fu, W. Zeng, S. Li, and S. Yuan, “Electrical-detection droplet microfluidic closed-loop control system for precise droplet production,” *Sens. Actuators Phys.*, vol. 267, pp. 142–149, Nov. 2017, doi: 10.1016/j.sna.2017.09.043.
- [134] J. Liu and N. Trung Nguyen, “Numerical Simulation of Droplet-Based Microfluidics - A Review,” *Micro Nanosyst.*, vol. 2, no. 3, pp. 193–201, Sept. 2010, doi: 10.2174/1876402911002030193.

- [135] E. M. Payne, D. A. Holland-Moritz, S. Sun, and R. T. Kennedy, “High-throughput screening by droplet microfluidics: perspective into key challenges and future prospects,” *Lab. Chip*, vol. 20, no. 13, pp. 2247–2262, 2020, doi: 10.1039/D0LC00347F.
- [136] S. Gimondi, H. Ferreira, R. L. Reis, and N. M. Neves, “Microfluidic Devices: A Tool for Nanoparticle Synthesis and Performance Evaluation,” *ACS Nano*, vol. 17, no. 15, pp. 14205–14228, Aug. 2023, doi: 10.1021/acsnano.3c01117.
- [137] A.-G. Niculescu, C. Chircov, A. C. Bîrcă, and A. M. Grumezescu, “Nanomaterials Synthesis through Microfluidic Methods: An Updated Overview,” *Nanomaterials*, vol. 11, no. 4, p. 864, Mar. 2021, doi: 10.3390/nano11040864.
- [138] S. M. Giannitelli *et al.*, “Droplet-based microfluidic synthesis of nanogels for controlled drug delivery: tailoring nanomaterial properties *via* pneumatically actuated flow-focusing junction,” *Nanoscale*, vol. 14, no. 31, pp. 11415–11428, 2022, doi: 10.1039/D2NR00827K.
- [139] N. Forbes *et al.*, “Rapid and scale-independent microfluidic manufacture of liposomes entrapping protein incorporating in-line purification and at-line size monitoring,” *Int. J. Pharm.*, vol. 556, pp. 68–81, Feb. 2019, doi: 10.1016/j.ijpharm.2018.11.060.
- [140] C. Martino and A. J. deMello, “Droplet-based microfluidics for artificial cell generation: a brief review,” *Interface Focus*, vol. 6, no. 4, p. 20160011, Aug. 2016, doi: 10.1098/rsfs.2016.0011.
- [141] A. Jahn, J. E. Reiner, W. N. Vreeland, D. L. DeVoe, L. E. Locascio, and M. Gaitan, “Preparation of nanoparticles by continuous-flow microfluidics,” *J. Nanoparticle Res.*, vol. 10, no. 6, pp. 925–934, Aug. 2008, doi: 10.1007/s11051-007-9340-5.
- [142] S. Deshpande, Y. Caspi, A. E. C. Meijering, and C. Dekker, “Octanol-assisted liposome assembly on chip,” *Nat. Commun.*, vol. 7, no. 1, p. 10447, Jan. 2016, doi: 10.1038/ncomms10447.
- [143] P. Dimitriou, J. Li, G. Tornillo, T. McCloy, and D. Barrow, “Droplet Microfluidics for Tumor Drug-Related Studies and Programmable Artificial Cells,” *Glob. Chall.*, vol. 5, no. 7, p. 2000123, July 2021, doi: 10.1002/gch2.202000123.
- [144] H. Nazari *et al.*, “Microfluidic-Based Droplets for Advanced Regenerative Medicine: Current Challenges and Future Trends,” *Biosensors*, vol. 12, no. 1, p. 20, Dec. 2021, doi: 10.3390/bios12010020.
- [145] M. S. Unger *et al.*, “Direct Automated MALDI Mass Spectrometry Analysis of Cellular Transporter Function: Inhibition of OATP2B1 Uptake by 294 Drugs,” *Anal. Chem.*, vol. 92, no. 17, pp. 11851–11859, Sept. 2020, doi: 10.1021/acs.analchem.0c02186.
- [146] S.-M. Yang, S. Lv, W. Zhang, and Y. Cui, “Microfluidic Point-of-Care (POC) Devices in Early Diagnosis: A Review of Opportunities and Challenges,” *Sensors*, vol. 22, no. 4, p. 1620, Feb. 2022, doi: 10.3390/s22041620.
- [147] Y. Zhang and Y. Liu, “Advances in integrated digital microfluidic platforms for point-of-care diagnosis: a review,” *Sens. Diagn.*, vol. 1, no. 4, pp. 648–672, 2022, doi: 10.1039/D2SD00031H.

- [148] L. Carter, A. Nightingale, M. Feelisch, and X. Niu, “A Droplet Microfluidic Sensor for Point-of-Care Measurement of Plasma/Serum Total Free Thiol Concentrations,” *Anal. Chem.*, vol. 97, no. 5, pp. 2678–2688, Feb. 2025, doi: 10.1021/acs.analchem.4c04163.
- [149] X. Hu, X. Gao, S. Chen, J. Guo, and Y. Zhang, “DropLab: an automated magnetic digital microfluidic platform for sample-to-answer point-of-care testing—development and application to quantitative immunodiagnostics,” *Microsyst. Nanoeng.*, vol. 9, no. 1, p. 10, Jan. 2023, doi: 10.1038/s41378-022-00475-y.
- [150] S. A. Jaywant and K. M. Arif, “A Comprehensive Review of Microfluidic Water Quality Monitoring Sensors,” *Sensors*, vol. 19, no. 21, p. 4781, Nov. 2019, doi: 10.3390/s19214781.
- [151] B. Lu *et al.*, “Droplet Microfluidic-Based *In Situ* Analyzer for Monitoring Free Nitrate in Soil,” *Environ. Sci. Technol.*, vol. 58, no. 6, pp. 2956–2965, Feb. 2024, doi: 10.1021/acs.est.3c08207.
- [152] P. Aryal, C. Hefner, B. Martinez, and C. S. Henry, “Microfluidics in environmental analysis: advancements, challenges, and future prospects for rapid and efficient monitoring,” *Lab. Chip*, vol. 24, no. 5, pp. 1175–1206, 2024, doi: 10.1039/D3LC00871A.
- [153] C. Fuciños *et al.*, “Microfluidics potential for developing food-grade microstructures through emulsification processes and their application,” *Food Res. Int.*, vol. 172, p. 113086, Oct. 2023, doi: 10.1016/j.foodres.2023.113086.
- [154] K. Schroen *et al.*, “Droplet Microfluidics for Food and Nutrition Applications,” *Micromachines*, vol. 12, no. 8, p. 863, July 2021, doi: 10.3390/mi12080863.
- [155] H. M. Hegab, A. ElMekawy, and T. Stakenborg, “Review of microfluidic microbioreactor technology for high-throughput submerged microbiological cultivation,” *Biomicrofluidics*, vol. 7, no. 2, p. 021502, Mar. 2013, doi: 10.1063/1.4799966.
- [156] M. Duran, A. Serrano, A. Nikulin, J.-L. Dauvergne, L. Derzsi, and E. Palomo Del Barrio, “Microcapsule production by droplet microfluidics: A review from the material science approach,” *Mater. Des.*, vol. 223, p. 111230, Nov. 2022, doi: 10.1016/j.matdes.2022.111230.
- [157] Z. Jiang, B. Xia, R. McBride, and J. Oakey, “A microfluidic-based cell encapsulation platform to achieve high long-term cell viability in photopolymerized PEGNB hydrogel microspheres,” *J. Mater. Chem. B*, vol. 5, no. 1, pp. 173–180, 2017, doi: 10.1039/C6TB02551J.
- [158] H. Huang, Y. Yu, Y. Hu, X. He, O. Berk Usta, and M. L. Yarmush, “Generation and manipulation of hydrogel microcapsules by droplet-based microfluidics for mammalian cell culture,” *Lab. Chip*, vol. 17, no. 11, pp. 1913–1932, 2017, doi: 10.1039/C7LC00262A.
- [159] J. M. Lee *et al.*, “Generation of tumor spheroids using a droplet-based microfluidic device for photothermal therapy,” *Microsyst. Nanoeng.*, vol. 6, no. 1, p. 52, June 2020, doi: 10.1038/s41378-020-0167-x.
- [160] B. Patra, Y.-H. Chen, C.-C. Peng, S.-C. Lin, C.-H. Lee, and Y.-C. Tung, “A microfluidic device for uniform-sized cell spheroids formation, culture, harvesting

- and flow cytometry analysis,” *Biomicrofluidics*, vol. 7, no. 5, p. 054114, Sept. 2013, doi: 10.1063/1.4824480.
- [161] S. I. Lee *et al.*, “3D Multicellular Tumor Spheroids in a Microfluidic Droplet System for Investigation of Drug Resistance,” *Polymers*, vol. 14, no. 18, p. 3752, Sept. 2022, doi: 10.3390/polym14183752.
- [162] S. Hengoju *et al.*, “A droplet microfluidic strategy for cultivation, investigation, and high-throughput isolation of mouse gut microbiome bacteria,” *Appl. Environ. Microbiol.*, vol. 91, no. 8, pp. e00695-25, Aug. 2025, doi: 10.1128/aem.00695-25.
- [163] J. Yin *et al.*, “A droplet-based microfluidic approach to isolating functional bacteria from gut microbiota,” *Front. Cell. Infect. Microbiol.*, vol. 12, p. 920986, Aug. 2022, doi: 10.3389/fcimb.2022.920986.
- [164] J. Dai *et al.*, “Microfluidic droplets with amended culture media cultivate a greater diversity of soil microorganisms,” *Appl. Environ. Microbiol.*, vol. 91, no. 3, pp. e01794-24, Mar. 2025, doi: 10.1128/aem.01794-24.
- [165] H. Ma, Y. Zhang, R. Shen, and Y. Jia, “Droplet-Based Microfluidics in Single-Bacterium Analysis: Advancements in Cultivation, Detection, and Application,” *Biosensors*, vol. 15, no. 8, p. 535, Aug. 2025, doi: 10.3390/bios15080535.
- [166] A. Lashkaripour *et al.*, “Machine learning enables design automation of microfluidic flow-focusing droplet generation,” *Nat. Commun.*, vol. 12, no. 1, p. 25, Jan. 2021, doi: 10.1038/s41467-020-20284-z.
- [167] A. Lashkaripour, C. Rodriguez, L. Ortiz, and D. Densmore, “Performance tuning of microfluidic flow-focusing droplet generators,” *Lab. Chip*, vol. 19, no. 6, pp. 1041–1053, 2019, doi: 10.1039/C8LC01253A.
- [168] K. Ren, J. Zhou, and H. Wu, “Materials for Microfluidic Chip Fabrication,” *Acc. Chem. Res.*, vol. 46, no. 11, pp. 2396–2406, Nov. 2013, doi: 10.1021/ar300314s.
- [169] D. McIntyre, A. Lashkaripour, D. Arguijo, P. Fordyce, and D. Densmore, “Versatility and stability optimization of flow-focusing droplet generators *via* quality metric-driven design automation,” *Lab. Chip*, vol. 23, no. 23, pp. 4997–5008, 2023, doi: 10.1039/D3LC00189J.
- [170] C. N. Baroud, F. Gallaire, and R. Dangla, “Dynamics of microfluidic droplets,” *Lab. Chip*, vol. 10, no. 16, p. 2032, 2010, doi: 10.1039/c001191f.
- [171] F. S. P. Da Silva and P. N. Lisboa-Filho, “Volume of Fluid (VOF) Method as a Suitable Method for Studying Droplet Formation in a Microchannel,” *Micromachines*, vol. 16, no. 7, p. 757, June 2025, doi: 10.3390/mi16070757.
- [172] K. G. Lyras and J. Lee, “A finite volume coupled level set and volume of fluid method with a mass conservation step for simulating two-phase flows,” *Int. J. Numer. Methods Fluids*, vol. 94, no. 8, pp. 1027–1047, Aug. 2022, doi: 10.1002/fld.5082.
- [173] H. Ning, S. Qian, and T. Zhou, “Applications of level set method in computational fluid dynamics: a review,” *Int. J. Hydromechatronics*, vol. 6, no. 1, p. 1, 2023, doi: 10.1504/IJHM.2023.129126.

- [174] F. Denner and B. G. M. Van Wachem, “Fully-Coupled Balanced-Force VOF Framework for Arbitrary Meshes with Least-Squares Curvature Evaluation from Volume Fractions,” *Numer. Heat Transf. Part B Fundam.*, vol. 65, no. 3, pp. 218–255, Mar. 2014, doi: 10.1080/10407790.2013.849996.
- [175] S. P. Van Der Pijl, A. Segal, C. Vuik, and P. Wesseling, “A mass-conserving Level-Set method for modelling of multi-phase flows,” *Int. J. Numer. Methods Fluids*, vol. 47, no. 4, pp. 339–361, Feb. 2005, doi: 10.1002/fld.817.
- [176] F. Gibou, L. Chen, D. Nguyen, and S. Banerjee, “A level set based sharp interface method for the multiphase incompressible Navier–Stokes equations with phase change,” *J. Comput. Phys.*, vol. 222, no. 2, pp. 536–555, Mar. 2007, doi: 10.1016/j.jcp.2006.07.035.
- [177] F. R. Munas *et al.*, “Development of PZT Actuated Valveless Micropump,” *Sensors*, vol. 18, no. 5, p. 1302, Apr. 2018, doi: 10.3390/s18051302.
- [178] H. Bruus, *Theoretical Microfluidics*. Oxford University Press Oxford, 1997. doi: 10.1093/oso/9780199235087.001.0001.
- [179] V. Sahore, S. R. Doonan, and R. C. Bailey, “Droplet microfluidics in thermoplastics: device fabrication, droplet generation, and content manipulation using integrated electric and magnetic fields,” *Anal. Methods*, vol. 10, no. 35, pp. 4264–4274, 2018, doi: 10.1039/C8AY01474D.
- [180] C. Matellan and A. E. Del Río Hernández, “Cost-effective rapid prototyping and assembly of poly(methyl methacrylate) microfluidic devices,” *Sci. Rep.*, vol. 8, no. 1, p. 6971, May 2018, doi: 10.1038/s41598-018-25202-4.
- [181] B. Bruijns, A. Veciana, R. Tiggelaar, and H. Gardeniers, “Cyclic Olefin Copolymer Microfluidic Devices for Forensic Applications,” *Biosensors*, vol. 9, no. 3, p. 85, July 2019, doi: 10.3390/bios9030085.
- [182] S. Natarajan, D. A. Chang-Yen, and B. K. Gale, “Large-area, high-aspect-ratio SU-8 molds for the fabrication of PDMS microfluidic devices,” *J. Micromechanics Microengineering*, vol. 18, no. 4, p. 045021, Apr. 2008, doi: 10.1088/0960-1317/18/4/045021.
- [183] O. Eren, M. B. Çuhadaroglu, and K. Sezer, “ADDITIVE MANUFACTURING OF MICROFLUIDIC LAB-ON-A-CHIP DEVICES,” *Int. J. 3D Print. Technol. Digit. Ind.*, vol. 5, no. 3, pp. 692–708, Dec. 2021, doi: 10.46519/ij3dptdi.956020.
- [184] H. Shafique *et al.*, “High-resolution low-cost LCD 3D printing for microfluidics and organ-on-a-chip devices,” *Lab. Chip*, vol. 24, no. 10, pp. 2774–2790, 2024, doi: 10.1039/D3LC01125A.
- [185] S. Waheed *et al.*, “3D printed microfluidic devices: enablers and barriers,” *Lab. Chip*, vol. 16, no. 11, pp. 1993–2013, 2016, doi: 10.1039/C6LC00284F.
- [186] B. Gross, S. Y. Lockwood, and D. M. Spence, “Recent Advances in Analytical Chemistry by 3D Printing,” *Anal. Chem.*, vol. 89, no. 1, pp. 57–70, Jan. 2017, doi: 10.1021/acs.analchem.6b04344.
- [187] K. S. Ramadan, D. Sameoto, and S. Evoy, “A review of piezoelectric polymers as functional materials for electromechanical transducers,” *Smart Mater. Struct.*, vol. 23, no. 3, p. 033001, Mar. 2014, doi: 10.1088/0964-1726/23/3/033001.

- [188] S. Korkmaz and I. A. Kariper, “BaTiO₃-based nanogenerators: fundamentals and current status,” *J. Electroceramics*, vol. 48, no. 1, pp. 8–34, Feb. 2022, doi: 10.1007/s10832-021-00266-3.
- [189] J. Gao, D. Xue, W. Liu, C. Zhou, and X. Ren, “Recent Progress on BaTiO₃-Based Piezoelectric Ceramics for Actuator Applications,” *Actuators*, vol. 6, no. 3, p. 24, July 2017, doi: 10.3390/act6030024.
- [190] B. Zhao, X. Li, J. Shi, and H. Liu, “Design and Experimental Characterization of a Microfluidic Piezoelectric Pump Utilizing P(VDF-TrFE) Film,” *Coatings*, vol. 14, no. 12, p. 1483, Nov. 2024, doi: 10.3390/coatings14121483.
- [191] S. Sherit *et al.*, “Multilayer piezoelectric stack actuator characterization,” presented at the The 15th International Symposium on: Smart Structures and Materials & Nondestructive Evaluation and Health Monitoring, M. J. Dapino and Z. Ounaies, Eds., San Diego, California, Mar. 2008, p. 692909. doi: 10.1117/12.776396.
- [192] T. Li *et al.*, “Fabrication and DC-Bias Manipulation Frequency Characteristics of AlN-Based Piezoelectric Micromachined Ultrasonic Transducer,” *Micromachines*, vol. 14, no. 1, p. 210, Jan. 2023, doi: 10.3390/mi14010210.
- [193] C. Polley *et al.*, “3D printing of piezoelectric and bioactive barium titanate-bioactive glass scaffolds for bone tissue engineering,” *Mater. Today Bio*, vol. 21, p. 100719, Aug. 2023, doi: 10.1016/j.mtbio.2023.100719.
- [194] Matthew W. Hooker, “Properties of PZT-Based Piezoelectric Ceramics Between –150 and 250°C.” NASA Langley Research Center, 1998. [Online]. Available: https://ntrs.nasa.gov/api/citations/19980236888/downloads/19980236888.pdf?utm_source=chatgpt.com
- [195] K. Zou *et al.*, “Systematic evaluation of the radial polarized piezoelectric ceramic micro-tube for high-temperature microfluidics,” *Sens. Actuators Phys.*, vol. 370, p. 115263, May 2024, doi: 10.1016/j.sna.2024.115263.
- [196] Z. Yin, Z. Huang, X. Lin, X. Gao, and F. Bao, “Droplet Generation in a Flow-Focusing Microfluidic Device with External Mechanical Vibration,” *Micromachines*, vol. 11, no. 8, p. 743, July 2020, doi: 10.3390/mi11080743.
- [197] N. Yandrapalli, J. Petit, O. Bäumchen, and T. Robinson, “Surfactant-free production of biomimetic giant unilamellar vesicles using PDMS-based microfluidics,” *Commun. Chem.*, vol. 4, no. 1, p. 100, June 2021, doi: 10.1038/s42004-021-00530-1.
- [198] W. Wagner and A. Pruß, “The IAPWS Formulation 1995 for the Thermodynamic Properties of Ordinary Water Substance for General and Scientific Use,” *J. Phys. Chem. Ref. Data*, vol. 31, no. 2, pp. 387–535, June 2002, doi: 10.1063/1.1461829.
- [199] E. Gencturk, S. Mutlu, and K. O. Ulgen, “Advances in microfluidic devices made from thermoplastics used in cell biology and analyses,” *Biomicrofluidics*, vol. 11, no. 5, p. 051502, Sept. 2017, doi: 10.1063/1.4998604.
- [200] G. Melroy *et al.*, “PZT Based Active Microfluidic Droplet Generator for Lab-on-a-Chip Devices,” in *Sustainable Design and Manufacturing*, vol. 262, S. G. Scholz, R. J. Howlett, and R. Setchi, Eds., in Smart Innovation, Systems and

- Technologies, vol. 262. , Singapore: Springer Singapore, 2022, pp. 277–289. doi: 10.1007/978-981-16-6128-0_27.
- [201] O. Aluf, “Power Amplifier (PA) System Stability Analysis,” in *Microwave RF Antennas and Circuits*, Cham: Springer International Publishing, 2017, pp. 513–600. doi: 10.1007/978-3-319-45427-6_5.
- [202] W. H. P. Sampath, S. P. Hettiarachchi, N. H. R. G. Melroy, and Y. W. R. Amarasinghe, “Design and Development of a Droplet-Based Microfluidics System Using Laser Fabrication Machining Techniques for a Lab on a Chip Device,” in *Innovation in Medicine and Healthcare*, vol. 192, Y.-W. Chen, S. Tanaka, R. J. Howlett, and L. C. Jain, Eds., in Smart Innovation, Systems and Technologies, vol. 192. , Singapore: Springer Singapore, 2020, pp. 201–210. doi: 10.1007/978-981-15-5852-8_19.