

References

- [1] J. Han, J. Pei, and Y. Yin, "Mining frequent patterns without candidate generation," in *ACM sigmod record*, 2000, pp. 1-12.
- [2] J. Han, J. Pei, and M. Kamber, *Data mining: concepts and techniques*: Elsevier, 2011.
- [3] R. Agrawal, T. Imieliński, and A. Swami, "Mining association rules between sets of items in large databases," in *Acm sigmod record*, 1993, pp. 207-216.
- [4] K. Thearling, "An introduction to data mining," ed, 2017.
- [5] S. Suresh, "Application of Retail Analytics Using Association Rule Mining In Data Mining Techniques With Respect To Retail Supermarket* A. Pappu Rajan," 2015.
- [6] J. MacQueen, "Some methods for classification and analysis of multivariate observations," in *Proceedings of the fifth Berkeley symposium on mathematical statistics and probability*, 1967, pp. 281-297.
- [7] L. H. Ungar and D. P. Foster, "Clustering methods for collaborative filtering," in *AAAI workshop on recommendation systems*, 1998, pp. 114-129.
- [8] S. Su, S. Xu, X. Cheng, Z. Li, and F. Yang, "Differentially private frequent itemset mining via transaction splitting," *IEEE Transactions on Knowledge and Data Engineering*, vol. 27, pp. 1875-1891, 2015.
- [9] M. H. Kabir, "Data Mining Framework for Generating Sales Decision Making Information Using Association Rules," *INTERNATIONAL JOURNAL OF ADVANCED COMPUTER SCIENCE AND APPLICATIONS*, vol. 7, pp. 378-385, 2016.
- [10] K. Yagi, M. Soramoto, M. Mokuda, and Y. Morimoto, "Optimized Sequential Pattern Mining from Point Of Sales Data," in *Data Engineering Workshops, 2005. 21st International Conference on*, 2005, pp. 1223-1223.
- [11] C. Schwenke, V. Vasyutynskyy, and K. Kabitzsch, "Analysis and simulation of sales receipt data in supermarkets," in *Emerging Technologies & Factory Automation (ETFA), 2011 IEEE 16th Conference on*, 2011, pp. 1-8.
- [12] A. M. Mirajkar, A. P. Sankpal, P. S. Koli, R. A. Patil, and A. R. Pradnyavant, "Data Mining Based Store Layout Architecture for Supermarket," 2016.

- [13] W. Ismail, M. M. Hassan, and G. Fortino, "Productive-associated Periodic High-utility itemsets mining," in *Networking, Sensing and Control (ICNSC), 2017 IEEE 14th International Conference on*, 2017, pp. 637-642.
- [14] T. Ishigaki, T. Takenaka, and Y. Motomura, "Computational Customer Behavior Modeling for Knowledge Management with an Automatic Categorization Using Retail Service's Datasets," in *e-Business Engineering (ICEBE), 2010 IEEE 7th International Conference on*, 2010, pp. 528-533.
- [15] V. Aravindan, "Mining Frequent Sequential Patterns From Multiple Databases Using Transaction Ids," University of Windsor (Canada), 2016.
- [16] P. Fournier-Viger, C.-W. Wu, S. Zida, and V. S. Tseng, "FHM: faster high-utility itemset mining using estimated utility co-occurrence pruning," in *International symposium on methodologies for intelligent systems*, 2014, pp. 83-92.
- [17] X. Chen, Y. Fang, M. Yang, F. Nie, Z. Zhao, and J. Z. Huang, "PurTreeClust: A Clustering Algorithm for Customer Segmentation from Massive Customer Transaction Data," *IEEE Transactions on Knowledge and Data Engineering*, 2017.
- [18] R. A. E.-D. Ahmeda, M. E. Shehaba, S. Morsya, and N. Mekawiea, "Performance study of classification algorithms for consumer online shopping attitudes and behavior using data mining," in *Communication Systems and Network Technologies (CSNT), 2015 Fifth International Conference on*, 2015, pp. 1344-1349.
- [19] X. Chen, S. Peng, J. Z. Huang, F. Nie, and Y. Ming, "Local PurTree Spectral Clustering for Massive Customer Transaction Data," *IEEE Intelligent Systems*, vol. 32, pp. 37-44, 2017.
- [20] K. Lu and T. Furukawa, "A Framework for Segmenting Customers Based on Probability Density of Transaction Data," in *Advanced Applied Informatics (IIAIAI), 2012 IIAI International Conference on*, 2012, pp. 273-278.
- [21] X. Min-jie and Z. Jin-ge, "Research on personalized recommendation system for e-commerce based on web log mining and user browsing behaviors," in *Computer Application and System Modeling (ICCSM), 2010 International Conference on*, 2010, pp. V12-408-V12-411.

- [22] S. S. R. Shariff and Z. Bakri, "Managing product stock keeping based on purchase association effect," in *Technology Management and Emerging Technologies (ISTMET), 2015 International Symposium on*, 2015, pp. 187-192.
- [23] G. Chunfang and G. Zhongliang, "Innovation of enterprise profit patterns based on Big Data," in *Logistics, Informatics and Service Sciences (LISS), 2015 International Conference on*, 2015, pp. 1-5.
- [24] P. S. Raju, D. V. R. Bai, and G. K. Chaitanya, "Data mining: Techniques for enhancing customer relationship management in banking and retail industries," *International Journal of Innovative Research in Computer and Communication Engineering*, vol. 2, pp. 2650-2657, 2014.
- [25] T. Kanungo, D. M. Mount, N. S. Netanyahu, C. D. Piatko, R. Silverman, and A. Y. Wu, "An efficient k-means clustering algorithm: Analysis and implementation," *IEEE Transactions on Pattern Analysis & Machine Intelligence*, pp. 881-892, 2002.
- [26] X. Cui and T. E. Potok, "Document clustering analysis based on hybrid PSO+ K-means algorithm," *Journal of Computer Sciences (special issue)*, vol. 27, p. 33, 2005.
- [27] P.-E. Danielsson, "Euclidean distance mapping," *Computer Graphics and image processing*, vol. 14, pp. 227-248, 1980.