

REFERENCES

- [1] Y. Li *et al.*, “Deep Learning for LiDAR Point Clouds in Autonomous Driving: A Review,” no. arXiv:2005.09830. arXiv, May 19, 2020. Accessed: Apr. 23, 2023. [Online]. Available: <http://arxiv.org/abs/2005.09830>
- [2] E. Khatab, A. Onsy, M. Varley, and A. Abouelfarag, “Vulnerable objects detection for autonomous driving: A review,” *Integration*, vol. 78, pp. 36–48, May 2021, doi: 10.1016/j.vlsi.2021.01.002.
- [3] D. Maturana and S. Scherer, “VoxNet: A 3D Convolutional Neural Network for real-time object recognition,” in *2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, Hamburg, Germany: IEEE, Sep. 2015, pp. 922–928. doi: 10.1109/IROS.2015.7353481.
- [4] B. Yang, W. Luo, and R. Urtasun, “PIXOR: Real-time 3D Object Detection from Point Clouds,” no. arXiv:1902.06326. arXiv, Mar. 01, 2019. Accessed: May 18, 2023. [Online]. Available: <http://arxiv.org/abs/1902.06326>
- [5] R. Q. Charles, H. Su, M. Kaichun, and L. J. Guibas, “PointNet: Deep Learning on Point Sets for 3D Classification and Segmentation,” in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Honolulu, HI: IEEE, Jul. 2017, pp. 77–85. doi: 10.1109/CVPR.2017.16.
- [6] J. Sauder and B. Sievers, “Self-Supervised Deep Learning on Point Clouds by Reconstructing Space,” no. arXiv:1901.08396. arXiv, Jun. 02, 2019. Accessed: May 17, 2023. [Online]. Available: <http://arxiv.org/abs/1901.08396>
- [7] Q.-Y. Zhou, J. Park, and V. Koltun, “Open3D: A Modern Library for 3D Data Processing.” arXiv, Jan. 29, 2018. doi: 10.48550/arXiv.1801.09847.
- [8] A. Geiger, P. Lenz, C. Stiller, and R. Urtasun, “Vision meets robotics: The KITTI dataset,” *Int. J. Robot. Res.*, vol. 32, no. 11, pp. 1231–1237, Sep. 2013, doi: 10.1177/0278364913491297.
- [9] F. S. Dizaji, “Lidar based Detection and Classification of Pedestrians and Vehicles Using Machine Learning Methods,” no. arXiv:1906.11899. arXiv, Jun. 11, 2019. Accessed: Apr. 23, 2023. [Online]. Available: <http://arxiv.org/abs/1906.11899>
- [10] D. Zermas, I. Izzat, and N. Papanikolopoulos, “Fast Segmentation of 3D Point Clouds: A Paradigm on LiDAR Data for Autonomous Vehicle Applications,” May 2017. doi: 10.1109/ICRA.2017.7989591.
- [11] C. R. Qi, L. Yi, H. Su, and L. J. Guibas, “PointNet++: Deep Hierarchical Feature Learning on Point Sets in a Metric Space.” arXiv, Jun. 07, 2017. doi: 10.48550/arXiv.1706.02413.
- [12] Y. Zhou and O. Tuzel, “VoxelNet: End-to-End Learning for Point Cloud Based 3D Object Detection.” arXiv, Nov. 16, 2017. Accessed: Oct. 24, 2023. [Online]. Available: <http://arxiv.org/abs/1711.06396>
- [13] Y. Yan, Y. Mao, and B. Li, “SECOND: Sparsely Embedded Convolutional Detection,” *Sensors*, vol. 18, p. 3337, Oct. 2018, doi: 10.3390/s18103337.
- [14] J. Beltran, C. Guindel, F. M. Moreno, D. Cruzado, F. Garcia, and A. de la Escalera, “BirdNet: a 3D Object Detection Framework from LiDAR

- information,” no. arXiv:1805.01195. arXiv, May 03, 2018. Accessed: Jun. 03, 2023. [Online]. Available: <http://arxiv.org/abs/1805.01195>
- [15] M. Simon, S. Milz, K. Amende, and H.-M. Gross, “Complex-YOLO: An Euler-Region-Proposal for Real-Time 3D Object Detection on Point Clouds,” in *Computer Vision – ECCV 2018 Workshops*, L. Leal-Taixé and S. Roth, Eds., Cham: Springer International Publishing, 2019, pp. 197–209. doi: 10.1007/978-3-030-11009-3_11.
 - [16] X. Chen, H. Ma, J. Wan, B. Li, and T. Xia, “Multi-View 3D Object Detection Network for Autonomous Driving.” arXiv, Jun. 21, 2017. doi: 10.48550/arXiv.1611.07759.
 - [17] G. Pang and U. Neumann, “3D point cloud object detection with multi-view convolutional neural network,” in *2016 23rd International Conference on Pattern Recognition (ICPR)*, Dec. 2016, pp. 585–590. doi: 10.1109/ICPR.2016.7899697.
 - [18] B. Li, T. Zhang, and T. Xia, “Vehicle Detection from 3D Lidar Using Fully Convolutional Network.” arXiv, Aug. 29, 2016. doi: 10.48550/arXiv.1608.07916.
 - [19] H. Su, S. Maji, E. Kalogerakis, and E. Learned-Miller, “Multi-view Convolutional Neural Networks for 3D Shape Recognition,” no. arXiv:1505.00880. arXiv, Sep. 27, 2015. Accessed: May 20, 2023. [Online]. Available: <http://arxiv.org/abs/1505.00880>
 - [20] A. Paigwar, Ö. Erkent, C. Wolf, and C. Laugier, “Attentional PointNet for 3D-Object Detection in Point Clouds,” Jun. 2019, pp. 1297–1306. doi: 10.1109/CVPRW.2019.00169.
 - [21] H. Zhou, W. Wang, G. Liu, and Q. Zhou, “PointGAT: Graph attention networks for 3D object detection,” *Intell. Conver. Netw.*, vol. 3, pp. 204–216, Jun. 2022, doi: 10.23919/ICN.2022.0014.
 - [22] W. Shi and R. Rajkumar, “Point-GNN: Graph Neural Network for 3D Object Detection in a Point Cloud,” in *2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, Seattle, WA, USA: IEEE, Jun. 2020, pp. 1708–1716. doi: 10.1109/CVPR42600.2020.00178.
 - [23] Z. Wu, S. Pan, F. Chen, G. Long, C. Zhang, and P. S. Yu, “A Comprehensive Survey on Graph Neural Networks,” *IEEE Trans. Neural Netw. Learn. Syst.*, vol. 32, no. 1, pp. 4–24, Jan. 2021, doi: 10.1109/TNNLS.2020.2978386.
 - [24] P. Veličković, G. Cucurull, A. Casanova, A. Romero, P. Liò, and Y. Bengio, “Graph Attention Networks.” arXiv, Feb. 04, 2018. doi: 10.48550/arXiv.1710.10903.
 - [25] L. Wang, Y. Huang, Y. Hou, S. Zhang, and J. Shan, “Graph Attention Convolution for Point Cloud Semantic Segmentation,” in *2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, Long Beach, CA, USA: IEEE, Jun. 2019, pp. 10288–10297. doi: 10.1109/CVPR.2019.01054.
 - [26] X. Chen *et al.*, “3D Object Proposals for Accurate Object Class Detection”.
 - [27] X. Chen, K. Kundu, Z. Zhang, H. Ma, S. Fidler, and R. Urtasun, “Monocular 3D Object Detection for Autonomous Driving,” in *2016 IEEE Conference on*

Computer Vision and Pattern Recognition (CVPR), Jun. 2016, pp. 2147–2156.
doi: 10.1109/CVPR.2016.236.

- [28] M. Everingham, L. Van Gool, C. K. I. Williams, J. Winn, and A. Zisserman, “The Pascal Visual Object Classes (VOC) Challenge,” *Int. J. Comput. Vis.*, vol. 88, no. 2, pp. 303–338, Jun. 2010, doi: 10.1007/s11263-009-0275-4.