

## REFERENCES

- Alvarez Gutiérrez, R., Blom, J., Belmans, B., De Bock, A., Van den Bergh, L., & Audenaert, A. (2023). Preliminary research on moss-based bio-composites as an alternative substrate in moss walls. *Sustainability*, *15*(23), 16500. <https://doi.org/10.3390/su152316500>
- American Institute of Steel Construction. (2016). Specification for structural steel buildings (ANSI/AISC 360-16). <https://www.aisc.org/globalassets/aisc/publications/standards/a360-16w-rev-june-2019.pdf>
- Arnaud, L., & Gourlay, E. (2012). Experimental study of parameters influencing mechanical properties of hemp concrete. *Construction and Building Materials*, *28*(1), 50–56. <https://doi.org/10.1016/j.conbuildmat.2011.07.052>
- Amini Pour, A., & Kavooosi, A. (2024). Investigating the impacts of climate-adaptive building shells performance on the indoor environment parameters in Kermanshah. *Journal of Renewable Energy and Environment (JREE)*, *11*(4), 67–79. <https://doi.org/10.30501/jree.2024.432395.1789>
- Arthur, J. H., & Ribando, R. J. (2004). Use of Insulated Concrete Form (ICF) Construction for Energy Conservation in Residential Construction. In ASME 2004 International Solar Energy Conference. <https://doi.org/10.1115/ISEC2004-65022>
- Aste, N., Butera, F. M., Adhikari, R. S., & Leonforte, F. (2020). Sustainable building design for tropical climates. In N. Aste, S. Della Torre, C. Talamo, R. S. Adhikari, & C. Rossi (Eds.), *Innovative models for sustainable development in emerging African countries* (pp. 37–46). Springer. [https://doi.org/10.1007/978-3-030-33323-2\\_4](https://doi.org/10.1007/978-3-030-33323-2_4)
- Australian Building Codes Board. (2016). Specification J1.2: Material properties. National Construction Code 2016, Volume One. <https://ncc.abcb.gov.au/editions/2016/ncc-2016-volume-one/section-j-energy-efficiency/specification-j12-material-properties>
- Baran, Y., & Gültekin, A. B. (2018). Green wall systems: A literature review. In *Proceedings of 3rd International Sustainable Buildings Symposium (ISBS 2017)* (pp. 82–96). Springer International Publishing. [https://doi.org/10.1007/978-3-319-64349-6\\_8](https://doi.org/10.1007/978-3-319-64349-6_8)
- British Standards Institution. (1991). *BS 8118-1: Structural use of aluminium*. BSI.
- British Standards Institution. (1992). *BS 5628-1:1992 – Code of practice for use of masonry: Structural use of unreinforced masonry*. BSI.
- Baczewska-Dąbrowska, A. H., Gworek, B., & Dmuchowski, W. (2023). The use of mosses in biomonitoring of air pollution in the terrestrial environment: A review.

- Environmental Protection and Natural Resources*, 34(2), 19–30.  
<https://doi.org/10.2478/oszn-2023-0005>
- Bureau of Indian Standards. (2016). *IS 801: Code of practice for use of cold-formed light gauge steel structural members in general building construction*. BIS.
- Construction Industry Development Authority. (2008). *ICTAD SCA/4:2008 – Standard Specification for Building Works*. ICTAD.
- Drozd, W., & Leśniak, A. (2018). Ecological wall systems as an element of sustainable development—Cost issues. *Sustainability*, 10(7), 2234.  
<https://doi.org/10.3390/su10072234>
- European Committee for Standardization. (2004). *BS EN 1992-1-1:2004: Eurocode 2: Design of concrete structures*.
- European Committee for Standardization. (2005). *BS EN 1993-1-1: Eurocode 3: Design of steel structures*.
- European Committee for Standardization. (2005). *BS EN 1996-1-1: Eurocode 6: Design of masonry structures*.
- Faragallah, R. N. (2024). Parameters of High-Performance Facades for the Design of Sustainable High-Rise Buildings in the Arab Region. *Journal of Salutogenic Architecture*, 3(1), 29–46. [https://doi.org/10.38027/jsalutogenic\\_vol3no1\\_3](https://doi.org/10.38027/jsalutogenic_vol3no1_3)
- Fibre Cement Manufacturers Association. (2020). *Design guide for fibre cement cladding systems*. FCMA.
- Fire Safety Research Institute. (n.d.). *Fiber cement board* [Materials data]. In *Materials and Products Database*. UL Research Institutes.  
<https://materials.fsri.org/materialdetail/fiber-cement-board/>
- Gargallo, M., Cordero, B., & García-Santos, A. (2021). Material selection and characterization for a novel frame-integrated curtain wall. *Materials*, 14(8), 1896. <https://doi.org/10.3390/ma14081896>
- Garty, J. (2001). Biomonitoring atmospheric heavy metals with lichens: Theory and application. *Critical Reviews in Plant Sciences*, 20(4), 309–371.  
<https://doi.org/10.1080/20013591099254>
- Gecheva, G., Petkova, Z., Damyanov, S., Georgieva, D., Baev, V., Gozmanova, M., Apostolova-Kuzova, E., & Yahubyan, G. (2025). Using Moss Walls for Air Quality Monitoring: Extending Their Utility Beyond Traditional Green Infrastructure. *International Journal of Plant Biology*, 16(2), 44.  
<https://doi.org/10.3390/ijpb16020044>
- Hassan, M. K., Singh, K., & Kumar, R. (2020). Experimental study on prefabricated lightweight composite wall panels under flexural loading. *Journal of Civil Engineering and Construction*, 9(4), 215–225.  
<https://doi.org/10.32732/jcec.2020.9.4.215>

- Idrees, M., Akbar, A., Saeed, F., Gull, M., & Eldin, S. M. (2023). Sustainable production of low-shrinkage fired clay bricks by utilizing waste plastic dust. *Alexandria Engineering Journal*, 68, 405–416.  
<https://doi.org/10.1016/j.aej.2023.01.040>
- Integrated Environmental Solutions Ltd. (n.d.). *Table 6: Thermal conductivity, specific heat capacity and density*. [https://help.iesve.com/ve2021/table\\_6\\_thermal\\_conductivity\\_specific\\_heat\\_capacity\\_and\\_density.htm](https://help.iesve.com/ve2021/table_6_thermal_conductivity_specific_heat_capacity_and_density.htm)
- Jayasinghe, C., Jayathilake, D., & Dissanayake, B. (2015, October). *Thermal performance of composite walls made out of recycled building waste and stabilized rammed earth*. NBRO Research Symposium 2015: Resilient Built Environment, National Building Research Organisation (NBRO), Sri Lanka.  
[https://nbro.gov.lk/images/content\\_image/pdf/symposia/23.pdf](https://nbro.gov.lk/images/content_image/pdf/symposia/23.pdf)
- Jayasundara, J. M. C. K., Wijesinghe, W. A. D. T. L., Jayasinghe, P., & Bandara, K. N. (2021). *Application of Green Wall Technique in improving aesthetic view of the Cut Slope at Diyatalawa, Sri Lanka*. Paper presented at the 20th Annual Symposium on Research for Disaster Risk Reduction and Climate Change, National Building Research Organisation, Sri Lanka. Retrieved from  
[https://nbro.gov.lk/images/content\\_image/pdf/symposia/25.pdf](https://nbro.gov.lk/images/content_image/pdf/symposia/25.pdf)
- Julinova, P., & Bečkovský, D. (2019). Perspectives of moss species in urban ecosystems and vertical living-architecture: A review. In Z. Zingoni (Ed.), *Advances in Engineering Materials, Structures and Systems: Innovations, Mechanics and Applications* (pp. 2370–2375). Taylor & Francis Group.  
<https://doi.org/10.1201/9780429426506-408>
- Köhler, M., & Poll, C. (2023). Viability of living moss for indoor green walls: A study on temperature, humidity, and irrigation. *Sustainability*, 15(21), 15625.  
<https://doi.org/10.3390/su152115625>
- Lazo, P., Kika, A., Qarri, F., Bekteshi, L., Allajbeu, S., & Stafilov, T. (2022). *Air quality assessment by moss biomonitoring and trace metals atmospheric deposition*. *Aerosol and Air Quality Research*, 22, Article 0008.  
<https://aaqr.org/articles/aaqr-22-01-0a-0008.pdf>
- Libessart, L., & Kenai, M. A. (2018). Measuring thermal conductivity of green-walls components in controlled conditions. *Journal of Building Engineering*, 19, 258–265.
- Lignacite Ltd. (n.d.). *The thermal performance of concrete: An introduction*.  
<https://lignacite.co.uk/the-thermal-performance-of-concrete-an-introduction/>
- Lu, N., & Liska, R. (2008). Designers' and general contractors' perceptions of offsite construction techniques in the United States construction industry. *International Journal of Construction Education and Research*, 4(3), 177–188.  
<https://doi.org/10.1080/15578770802494565>

- MakeItFrom.com. (n.d.). *Melamine formaldehyde (MF)* [Material properties]. In *MakeItFrom.com*. Retrieved June 15, 2025.  
<https://www.makeitfrom.com/material-properties/Melamine-Formaldehyde-MF>
- Manso, M., & Castro-Gomes, J. (2015). Green wall systems: A review of their characteristics. *Renewable and Sustainable Energy Reviews*, 41, 863–871.  
<https://doi.org/10.1016/j.rser.2014.07.203>
- Mazur, Ł., Szlachetka, O., Jeleniewicz, K., & Piotrowski, M. (2024). External Wall Systems in Passive House Standard: Material, Thermal and Environmental LCA Analysis. *Buildings*, 14(3), 742. <https://doi.org/10.3390/buildings14030742>
- Morandini, M. C., Kain, G., Eckardt, J., Petutschnigg, A., & Tippner, J. (2022). Physical-mechanical properties of peat moss (*Sphagnum*) insulation panels with bio-based adhesives. *Materials*, 15(9), 3299.  
<https://doi.org/10.3390/ma15093299>
- Moss Acres. (n.d.). *Live moss walls & moss art*. <https://mossacres.com/pages/moss-walls>
- Othman, A. R., & Sahidin, N. (2016). Vertical greening façade as passive approach in sustainable design. *Procedia - Social and Behavioural Sciences*, 222, 845–854.  
<https://doi.org/10.1016/j.sbspro.2016.05.185>
- Ottel , M., Perini, K., Fraaij, A. L. A., Haas, E. M., & Raiteri, R. (2011). Comparative life cycle analysis for green faades and living wall systems. *Energy and Buildings*, 43(12), 3419–3429. <https://doi.org/10.1016/j.enbuild.2011.09.010>
- Panjehpour, M., Abang Ali, A. A., & Voo, Y. L. (2013). Structural insulated panels: Past, present, and future. *Journal of Engineering Project and Production Management*, 3(1), 2–8. <https://doi.org/10.32738/JEPPM.201301.0002>
- Perera, T. A. N. T., Jayasinghe, G. Y., Halwatura, R. U., & Rupasinghe, H. T. (2021). Modelling of vertical greenery system with selected tropical plants in urban context to appraise plant thermal performance. *Ecological Indicators*, 128, Article 107816. <https://doi.org/10.1016/j.ecolind.2021.107816>
- Perini, K., & Rosasco, P. (2016). Cost–benefit analysis for green faades and living wall systems. *Building and Environment*, 70, 110–121.  
<https://doi.org/10.1016/j.buildenv.2013.08.012>
- Provincial Engineering Council - Western Province, Sri Lanka. (2023). *Building Schedule of Rates (BSR) 2023*.
- Provincial Engineering Council - Western Province, Sri Lanka. (2025). *Building Schedule of Rates (BSR) 2025*.
- Rajak, M. K., Kumar, R., & Biswas, R. (2022). Vertical Greenery Systems: A comprehensive review. *ICRRD Journal*, 3(3), 117–135.  
<https://doi.org/10.53272/icrrd.v3i3.3>

- Shahidan, M. F., Salleh, D. E., & Mohd Shariff, M. K. (2006, January). The influence of tree canopy on thermal environment in a tropical climate. Paper presented at the iNTA 2nd International Conference on Sustainable Architecture and Urban Design in Tropical Regions: Harmony in Culture and Nature, Malaysia. [https://www.researchgate.net/publication/224054095\\_The\\_Influence\\_of\\_Tree\\_Canopy\\_on\\_Thermal\\_Environment\\_in\\_a\\_Tropical\\_Climate](https://www.researchgate.net/publication/224054095_The_Influence_of_Tree_Canopy_on_Thermal_Environment_in_a_Tropical_Climate)
- Sri Lanka Green Building Council. (2017). *Green rating system for built environment – Version 2*. SLGBC.
- Sri Lanka Standards Institution. (2017). *SLS 855: Part 1:2017 – Code of practice for structural use of masonry: Unreinforced masonry*. SLSI.
- Sullivan, G., & Spencer, M. (2022). Heat and temperature. *BJA Education*, 22(9), 350–356. <https://doi.org/10.1016/j.bjae.2022.06.002>
- Synnefa, A., Santamouris, M., & Korres, D. (2006). *Investigation of the solar and thermal properties of materials used in outdoor urban spaces and buildings*. In *Proceedings of EPIC 2006 (Vol. 1, Paper E03 015)*. National and Kapodistrian University of Athens. [https://www.aivc.org/sites/default/files/members\\_area/medias/pdf/Inive/epic2006/Volume\\_1\\_Epic06/E03/015\\_Synnefa.pdf](https://www.aivc.org/sites/default/files/members_area/medias/pdf/Inive/epic2006/Volume_1_Epic06/E03/015_Synnefa.pdf)
- The Concrete Society. (2025, June 3). *Masonry – densities*. Fingertips. <https://www.concrete.org.uk/fingertips/masonry-densities/>
- Wilson, K. (2021, December 13). *How the thermal conductivity of clay bricks contributes to their success as a building material*. Thermtest. <https://thermtest.com/how-the-thermal-conductivity-of-clay-bricks-contributes-to-their-success-as-a-building-material>
- World Bank. (n.d.). *Sri Lanka - Climatology*. Climate Change Knowledge Portal. <https://climateknowledgeportal.worldbank.org/country/sri-lanka/climate-data-historical>
- Zechmeister, H. G., Möslinger, L., Korjenic, A., Streit, E., Sulejmanovski, A., Frank, P. N., & Hummel, E. (2023). Viability of Living Moss for Indoor Green Walls: A Study on Temperature, Humidity, and Irrigation. *Sustainability*, 15(21), Article 15625. <https://doi.org/10.3390/su152115625>
- Zimele, Z., Sinka, M., Bajare, D., & Jakovics, A. (2019). Life cycle assessment for masonry exterior wall assemblies made of traditional building materials. *IOP Conference Series: Materials Science and Engineering*, 660(1), 012042. [https://www.researchgate.net/publication/337749302\\_Life\\_cycle\\_assessment\\_for\\_masonry\\_exterior\\_wall\\_assemblies\\_made\\_of\\_traditional\\_building\\_materials](https://www.researchgate.net/publication/337749302_Life_cycle_assessment_for_masonry_exterior_wall_assemblies_made_of_traditional_building_materials)
- Zhang, J., Kaiser, E., Zhang, H., Marcelis, L. F. M., & Vialet-Chabrand, S. (2025). A simple new method to determine leaf specific heat capacity. *Plant Methods*, 21(1), Article 6. <https://doi.org/10.1186/s13007-025-01326-3>